



ADDENDUM TO CREEKVIEW SPECIFIC PLAN FINAL ENVIRONMENTAL IMPACT REPORT (SCH #02008032017, ADOPTED ON SEPTEMBER 19, 2012)

Project Title/File Number:	Creekview Specific Plan General Plan Amendment, Specific Plan Amendment, Rezone, and Tentative Subdivision Map Modification; File Number PL19-0190
Project Location:	The project site is located approximately 6 miles west of Interstate 80 and State Route 65, 10 miles northeast of the City of Sacramento, 10 miles east of State Route 99, 5 miles west of downtown Roseville, and four miles east of the Sutter County line. The site is on the north side of the future Blue Oaks Boulevard.
Project Description:	The applicant requests a General Plan Amendment and Specific Plan Amendment to the Creekview Specific Plan (CSP) to reduce the General Commercial land use designation from 15.5 acres to 9.2 acres, Community Commercial/Business Professional designation from 3.8 acres to zero acres, the Medium Density Residential designation from 66.0 acres to 51.2 acres, and the High Density Residential designation from 18.7 acres to 17.7 acres; and increase the acreage of Low Density Residential from 157.3 to 182.8; a Specific Plan Amendment to transfer 17 HDR units and 49 MDR units from parcels south of the creek to parcels north of the creek; a Rezone to eliminate the R1/DS and CC/BP zoning designation, decrease the R3 zoning by 1.02 acres and the CC/BP and CC zoning by 6.28 acres, and to add increase the RS/DS zoning designation to 51.72 acres; a Development Agreement Amendment to reflect these changes; and a Tentative Subdivision Map Modification to create a total of 1,218 total lots consisting of 1,133 single-family lots, a commercial lot, open space lots, park lots, paseo lots, landscape lots, right-of-way lots, and public facility lots.
Project Applicant:	Kris Steward, Phillips Land Law, Inc.
Property Owner:	Anthem United Creekview Developments, L.P.
Lead Agency Contact:	Charity Gold, Associate Planner, 916-774-5272

An Addendum to a previously certified and adopted negative declaration or environmental impact report may be prepared for a project if only minor technical changes or additions are necessary or none of the conditions calling for the preparation of a subsequent EIR or negative declaration have occurred (California Environmental Quality Act Guidelines [CEQA] Section 15164). Consistent with CEQA Guidelines Section 15164, the below analysis

has been prepared in order to demonstrate that none of the conditions described in Section 15162 of the CEQA Guidelines calling for preparation of a subsequent EIR have occurred and that only minor technical changes or additions are necessary in order to deem the adopted negative declaration adequate to describe the impacts of the proposed project. CEQA Guidelines Section 15164 also states that an addendum need not be circulated for public review, but can be included in or attached to the adopted negative declaration for consideration by the hearing body. This Addendum focuses only on those aspects of the project or its impacts which require additional discussion.

Table of Contents

Project Description	4
Purpose and Scope of Addendum	7
Initial Study Checklist	
I. Aesthetics	10
II. Agricultural & Forestry Resources	12
III. Air Quality	13
IV. Biological Resources	20
V. Cultural Archaeological, or Paleontological Resources	29
VI. Geology and Soils	31
VII. Greenhouse Gases	32
VIII. Hazards and Hazardous Materials	35
IX. Hydrology and Water Quality	37
X. Land Use and Planning	41
XI. Mineral Resources	42
XII. Noise	43
XIII. Population and Housing	47
XIV. Public Services	48
XV. Recreation	49
XVI. Transportation / Traffic	50
XVII. Tribal Cultural Resources	57
XVIII. Utilities and Service Systems	58
XIX. Mandatory Findings of Significance	62
Environmental Determination	65
Attachments	65

PROJECT DESCRIPTION

Project Location

The project site is located approximately six miles west of Interstate 80 and State Route 65, 10 miles northeast of the City of Sacramento, 10 miles east of State Route 99, five miles west of downtown Roseville, and four miles east of the Sutter County line. The site is on the north side of the future Blue Oaks Boulevard extension.

Background

2012 Project

On September 19, 2012 the City Council adopted a resolution certifying the Creekview Specific Plan Final Environmental Impact Report (FEIR) as adequate, complete, and in compliance with CEQA. Findings and a statement of overriding considerations were made for the Significant Impacts identified in the EIR and Mitigation Measures were adopted. The EIR identified Significant and Unavoidable Impacts which could not be reduced, Significant Impacts that could be reduced to Less Than Significant, and Less Than Significant Impacts that would occur as a result of the project. The project included the adoption of the Creekview Specific Plan (CSP) for approximately 501 acres of undeveloped land adjacent to the northwest boundary of the City of Roseville for which annexation was proposed. The Specific Plan included the following mix of land uses:

- 2,011 dwelling units
 - 836 Low Density Residential
 - 655 Medium Density Residential
 - 520 High Density Residential
- 19.3 acres Community Commercial (CC) and Community Commercial/Business Professional (CC/BP)
- 9.6 acres Public/Quasi-Public (Elementary School, Electric Substation, etc.)
- 15.7 acres Neighborhood Parks
- 136.2 acres Open Space

With approval of the CSP a Development Agreement was negotiated between the landowners and the City that set the terms, rules, conditions, regulations, entitlements, responsibilities, and other provisions relating to the development of then the plan area of a 30 year period.

2016 Project

On March 16, 2016 the City Council approved an amendment to the CSP to transfer residential units between 23 of the specific plan large lot parcels and to adjust the acreage of some of those large lot parcels. A Tentative Subdivision Map, Design Review for Residential Subdivision, and Tree Permit were approved. City Council recognized the exempt status of this project under Section 15182 and acknowledged that none of the conditions requiring a Subsequent, Supplemental, or Addendum to the Creekview EIR existed. The amended specific plan resulted in the following land use distribution:

- 2,011 dwelling units
 - 810 Low Density Residential
 - 654 Medium Density Residential
 - 547 High Density Residential
- 19.3 acres Community Commercial and CC/Business Professional
- 9.6 acres Public/Quasi-Public (Elementary School, Electric Substation, etc.)
- 15.7 acres Neighborhood Parks
- 136.2 acres Open Space

Environmental Setting

The project site is characterized by gently rolling topography and large, open annual grassland areas with valley oak riparian woodland habitat. The site's natural features include Pleasant Grove Creek, which traverses the southern portion of the site in a westerly direction, to the western edge of the project site.

University Creek, a small tributary to Pleasant Grove Creek is located in the northern portion of the site and runs in an east-west direction. Seasonal wetlands, including vernal pools and seasonal drainages, are scattered throughout the site, but are concentrated in the north.

Approximately 500 trees are present on the project site. The majority of the trees are located along the Pleasant Grove corridor through the middle of the Project Area, with a few scattered trees near the northern portion of the site. Most of the trees along Pleasant Grove Creek are cottonwoods, oaks and willows.

The land south of the creek is generally flat grassland areas. North of the creek the topography includes more rolling hills. Land north of the creek has been used for cattle grazing and agricultural enterprises. Most of the land located south of the creek has been idle since 1989. The site elevation ranges from approximately 75 to 95 feet above mean sea level.

Pursuant to the approved 2016 CSP, tree removal and grading have commenced for the portion of the project south of Pleasant Grove Creek and for a grading borrow area located north of the creek. Grading operations include construction of the Pleasant Grove Creek bypass channel on the CSP site and off-site on the Al Johnson Wildlife Area (AJWA). Construction is underway for the segment of Westbrook Boulevard north of Blue Oaks Boulevard to Creekview Plaza and the extension of Blue Oaks Boulevard along the project frontage to Westbrook Boulevard.

Proposed Project


Presently, the applicant requests an amendment to the 2016 Creekview Specific Plan (CSP) (Creekview Specific Plan Specific Plan Amendment or CSP SPA) to redistribute the land uses and residential units within the approved 501 acre site and modify the large and small lot tentative maps. With the CSP SPA, the overall dwelling unit allocation will remain at 2,011 and 141 units will be transferred from Medium Density Residential (MDR) to Low Density Residential (LDR) villages. No changes are proposed to the number of High Density Residential (HDR) units. Lotting patterns of the LDR and MDR large lot parcels have been revised to reflect housing types. Acreage in Community Commercial (CC) will decrease by 6.3 acres and Community Commercial/Business Professional (CC/BP) uses will be eliminated. The applicant also requests an amendment to the Development Agreement to reflect the proposed changes to the project. The proposed land use distribution is summarized below and shown on the Land Use Plan in Figure 1.

- 2,011 dwelling units
 - 951 Low Density Residential
 - 513 Medium Density Residential
 - 547 High Density Residential
- 9.2 acres Community Commercial
- 9.6 acres Public/Quasi-Public (Elementary School, Electric Substation, etc.)
- 16.3 acres Neighborhood Parks
- 136.9 acres Open Space

The majority of the requested changes will occur in the portion the plan areallocated south of Pleasant Grove Creek. North of the creek a rezone is requested to align the zoning with the proposed lot type. The proposed

CSP SPA warrant some minor changes and additions to the EIR; however the changes are not substantial and none of the conditions described in Section 15162 apply.

Figure 1: Proposed Land Use Plan



PURPOSE AND SCOPE OF ADDENDUM

This Addendum has been prepared to identify and assess the anticipated environmental impacts of the above-described project. The document relies on previous environmental documents and site-specific studies prepared to address in detail the effects or impacts associated with the project as well as updated technical analyses, prepared by qualified consultants. This document has been prepared to satisfy the California Environmental Quality Act (CEQA), (Public Resources Code, Section 21000 et seq.) and the State CEQA Guidelines (14 CCR 15000 et seq.). CEQA requires that all state and local government agencies consider the environmental consequences of projects over which they have discretionary authority before acting on those projects.

Where, as here, an EIR addressing an earlier version of the project has been previously prepared and certified, the lead agency considers the relevance of that prior EIR in light of the current modified version of the project and changed circumstances since the time of the preparation of the prior EIR. Pursuant to CEQA Guidelines §15162-15163, if the lead agency determines, based on substantial evidence, that new information of substantial importance, or changes to the project or surrounding circumstances will require major revisions to the previous EIR due either to a new significant effect or a substantial increase in the severity of a previously identified significant effect on the environment, the lead agency is required to prepare a Subsequent EIR or an EIR Supplement to analyze the project at hand. Pursuant to CEQA Guidelines §15164, if the agency finds no basis for requiring the preparation of either a Subsequent EIR or an EIR Supplement, but some changes or additions are necessary, an Addendum shall be prepared.

The Creekview Specific Plan EIR was adopted by City Council on September 19, 2012. The document analyzed the impacts that would occur as a result of annexing the approximately 501-acre site to the City for urban development, adopting the Creekview Specific Plan (CSP), approving General Plan land use designation and text amendment, pre-zoning and the associated large lot map and development agreement. A copy of the CSP EIR is available for review at <https://www.roseville.ca.us/cms/One.aspx?portalId=7964922&pageId=8774592>. The EIR is also available for review during normal weekday business hours at the City of Roseville Development Services Department, 311 Vernon Street Roseville, CA.

In accordance with CEQA, it was determined that the CSP would result in significant impacts on the environment and a Final EIR was prepared for the project (SCH 02008032017). A Notice of Completion was filed with the State of California Office of Planning and Research. The FEIR was certified by the City Council on September 19, 2012.

The CSP EIR is used in the evaluation of this project. It should be noted that the CSP EIR included an analysis of a portion of the CSP identified as Urban Reserve. This addendum does not include an analysis of consistency with the Urban Reserve analysis as no changes to that portion of the plan area are proposed.

The City Council adopted a Statement of Overriding Considerations with certification of the EIR for the following significant and unavoidable impacts:

- Potential incompatibility from overflight operations
- Inducement of population growth
- Degradation of the existing visual character
- Light and glare
- Short-term construction emissions
- Long-term operational emissions
- Consistency with plans and policies
- Short-term construction emissions
- Subsurface archaeological, historical, or human remains (potentially significant and unavoidable)
- Construction noise
- Traffic noise

- Impacts on Placer County roadway segments and intersections
- Impacts to Sutter County roadway segments
- Impact to State Highways
- Increased demand at the landfill
- Landfill expansion
- Construction and demolition debris

The EIR identified project-specific mitigation measures for the CSP, which were adopted by the City Council with the CSP. The development footprint of the proposed project remains unchanged from what was analyzed in the EIR. The project consists mainly modifications to the amount and location of the approved land uses and text amendments to reflect those changes. In most cases the mitigation adopted with the CSP remains applicable; however, minor modifications are made to the measures where needed to reflect the revisions to referenced lot numbers.

ENVIRONMENTAL CHECKLIST FOR ADDENDUM ENVIRONMENTAL REVIEW

The purpose of this checklist is to evaluate the categories in terms of any “changed condition” (i.e. changed circumstances, project changes, or new information of substantial importance) that may result in a changed environmental result. A “no” answer does not necessarily mean there are no potential impacts relative to the environmental category, but that there is no change in the condition or status of the impact since it was analyzed and addressed in prior environmental documents.

EXPLANATION OF CHECKLIST EVALUATION CATEGORIES

Where Impact was Analyzed

This column provides a cross-reference to the pages of the prior environmental documents where information and analysis may be found relative to the environmental issue listed under each topic.

Do Proposed Changes Involve New Significant Impacts?

Pursuant to Section 15162(a)(1) of the CEQA Guidelines, this column indicates whether the changes represented by the current project will result in new significant impacts that have not already been considered and mitigated by the prior environmental review documents and related approvals, or will result in a substantial increase in the severity of a previously identified impact.

Any new Circumstances Involving New Impacts?

Pursuant to Section 15162(a)(2) of the CEQA Guidelines, this column indicates whether there have been changes to the project site or the vicinity (circumstances under which the project is undertaken) which have occurred subsequent to the certification or adoption of prior environmental documents, which would result in the current project having new significant environmental impacts that were not considered in the prior environmental documents or that substantially increase the severity of a previously identified impact.

Any new Information Requiring New Analysis or Verification?

Pursuant to Section 15162(a)(3)(A–D) of the CEQA Guidelines, this column indicates whether new information of substantial importance which was not known and could not have been known with the exercise of reasonable diligence at the time the previous environmental documents were certified or adopted is available requiring an update to the analysis of the previous environmental documents to verify that the environmental conclusions and mitigation measures remain valid. Either “yes” or “no” will be answered to indicate whether there is new information showing that: (A) the project will have one or more significant effects not discussed in the prior environmental documents; (B) that significant effects previously examined will be substantially more severe than shown in the prior environmental documents; (C) that mitigation measures or alternatives previously found not to be feasible would in fact be feasible and would substantially reduce one or more significant effects of the project, but the project proponents decline to adopt the mitigation measure or alternative; or (D) that mitigation measures or alternatives which are considerably different from those analyzed in the prior environmental

documents would substantially reduce one or more significant effects on the environment, but the project proponents decline to adopt the mitigation measure or alternative. If “no,” then no additional environmental documentation (supplemental or subsequent EIR) is required.

Mitigation Measures Implemented or Addressing Impacts

Pursuant to Section 15162(a)(3) of the CEQA Guidelines, this column indicates whether the prior environmental documents provide mitigation measures to address effects in the related impact category. In some cases, the mitigation measures have already been implemented. A “yes” response will be provided in any instance where mitigation was included, regardless of whether the mitigation has been completed at this time. If “none” is indicated, this environmental analysis concludes a significant impact does not occur with this project, no mitigation was previously included, and no mitigation is needed.

DISCUSSION AND MITIGATION SECTIONS

Discussion

A discussion of the elements of the checklist is provided under each environmental category in order to clarify the answers. The discussion provides information about the particular environmental issue, how the project relates to the issue and the status of any mitigation that may be required or has already been implemented.

Mitigation Measures

Applicable mitigation measures from the prior environmental review that apply to the project are listed under each environmental category.

Conclusions

A discussion of the conclusion relating to the analysis contained in each section.

CHECKLIST

I. Aesthetics

	Where Impact Was Analyzed in Prior Environmental Documents	Do Proposed Changes Involve New Significant Impacts or Substantially More Severe Impacts?	Any New Circumstances Involving New Significant Impacts or Substantially More Severe Impacts?	Any New Information Requiring New Analysis or Verification?	Prior Environmental Documents' Mitigation Measures Implemented or Addressing Impacts.
a. Have a substantial adverse effect on a scenic vista?	4.14-18	No	No	No	Compliance with the City's General Plan, Community Design Guidelines and the CSP Design Guidelines
b. Substantially damage scenic resources, including but not limited to, trees, rock outcroppings, and historic buildings within a state scenic highway?	4.14-18	No	No	No	Compliance with the City's General Plan, Community Design Guidelines and the CSP Design Guidelines
c. Substantially degrade the existing visual character or quality of the site and its surroundings?	4.14-13	No	No	No	None Available
d. Create a new source of substantial light or glare which would adversely affect day or nighttime views in the area?	4.14-15	No	No	No	MM 4.14-1 Sight Lighting to Minimize Nuisance, MM 4.14-2 Low Glare Materials for New Development, and MM 4.14-3 Avoid Light Spill Over into Pleasant Grove Creek and Open Space Areas

Discussion: The CSP EIR concluded that the conversion of the site to urban uses was a significant and unavoidable impact for which no feasible mitigation was available and that the change in the level of light and glare from the project would result in a significant and unavoidable impact even with mitigation measures requiring site lighting to minimize nuisance, low-glare materials for new development, and avoidance of light spill over into Pleasant Grove Creek and Open Space Areas.

The visual character of the CSP area is dominated by open, rolling grasslands, and is visible from a variety of short- and long-range viewpoints. The area to the east of the CSP area is partially developed with residential uses (approved Fiddymont Farms portion of the West Roseville Specific Plan). Development of the CSP would extend this urban edge. Although the CSP development would be visually compatible with surrounding developed and approved development to the east, it would substantially and permanently alter the existing visual character of the CSP area by introducing an extensive roadway network, houses, commercial uses and other urban facilities into an undeveloped area.

The development that will occur under the CSP SPA is generally consistent with the currently approved CSP as it relates to the aesthetics of the project and the effect of the project on adjacent uses within the project area. The roadway network will remain substantially the same with no change proposed east of Westbrook Boulevard. West of Westbrook Boulevard the roadway network would be modified by shifting Grasscreek Drive east approximately 339 feet toward Westbrook

Boulevard. This roadway will align with the proposed park on parcel C-63 and provide a direct link from Blue Oaks Boulevard to this park and the adjacent residential development. The location of the proposed 60kV overhead electrical transmission lines, previously proposed to be located along the south edge of the Pleasant Grove Creek open space corridor, will now extend west along the northern edge of Blue Oaks Boulevard and then north along the eastern edge of Westbrook Boulevard. This change is consistent with the location of the transmission lines east of the project site and will not result in any aesthetic impacts beyond those that were assumed in the CSP EIR. As stated in the CSP EIR, mitigation measures and implementation of General Plan policies and the CSP Design Guidelines would help to reduce the significant impacts, but not to less-than-significant levels. Impacts from the visual alteration of the site as well as light and glare impacts from the project are significant and unavoidable.

Mitigation Measures:

Mitigation Measure MM 4.14-3 has been revised to reflect the amended large lot parcel numbers. New parcels are shown in **bold** and eliminated parcels are shown in ~~striketrough~~.

MM 4.14-1 *Site Lighting to Minimize Nuisance (Impact 4.14-2- CSP)*

Light producing uses, such as ball fields, within the CSP Area shall be located and oriented to minimize visual impacts on adjacent residential areas. Lighting shall be shielded and designed to distribute light in the most effective and efficient manner, using the minimum amount of light to achieve the necessary illumination for the use, as defined by suggested lighting standards for competitive play.

MM 4.14-2 *Low-Glare Materials for New Development (Impact 4.14-2- CSP)*

In order to reduce the effects of daytime glare from development of commercial or office uses within the CSP Area, building developers shall make use, when feasible, of low-glare materials.

MM 4.14-3 *Avoid Light Spill Over into Pleasant Grove Creek and Open Space Areas (Impact 4.14-2- CSP) (Amended)*

Outdoor lighting shall be placed, designed and directed so as to avoid light spillover into the habitat of Pleasant Grove Creek and the Open Space Preserve areas located immediately adjacent to the open space and shown on the Land Use Map as parcels C-1 to C-7, C9 to C-12, **C-16**, C-20 to C-22, ~~C-23, C-24~~, C-40, **C-43**, C-61, C-62, ~~C-71~~, and C-81 to C-84.

II. Agricultural & Forestry Resources

	Where Impact Was Analyzed in Prior Environmental Documents	Do Proposed Changes Involve New Significant Impacts or Substantially More Severe Impacts?	Any New Circumstances Involving New Significant Impacts or Substantially More Severe Impacts?	Any New Information Requiring New Analysis or Verification?	Prior Environmental Documents' Mitigation Measures Implemented or Addressing Impacts.
a) Convert Prime Farmland, Unique Farmland, or Farmland of Statewide Importance (Farmland), as shown on the maps prepared pursuant to the Farmland Mapping and Monitoring Program of the California Resources Agency, to non-agricultural use?	4.1-64	No	No	No	MM 4.1-2 Agricultural Conversion Policies
b) Conflict with existing zoning for agricultural use, or a Williamson Act contract?	4.1-45, 4.1-57	No	No	No	None
c) Conflict with existing zoning for, or cause rezoning of, forest land (as defined in Public Resources Code section 12220(g)), timberland (as defined by Public Resources Code section 4526), or timberland zoned Timberland Production (as defined by Government Code section 51104(g))?	No Impact	No	No	No	Not Applicable
d) Result in the loss of forest land or conversion of forest land to non-forest use?	No Impact	No	No	No	Not Applicable
e) Involve other changes in the existing environment which, due to their location or nature, could result in conversion of Farmland, to non-agricultural use or conversion of forest land to non-forest use?	4.1-64	No	No	No	MM 4.1-2 Agricultural Conversion Policies
Discussion: The CSP EIR concluded that the conversion of 368 acres of grazing and cultivated land to developed uses would result in a significant impact that could be reduced to less than significant with mitigation requiring agricultural compensation and habitat preservation. Items c and d related to timberland and forest land were not part of the CEQA Guidelines when the CSP EIR was prepared and therefore were not discussed explicitly; however, according to the CSP EIR, the					

project site is characterized as fallow agricultural land and no forestry or timberland resources are present. The proposed CSP SPA will not result in any changes to the scope of the approved project and the prior conclusions of the CSP EIR remain appropriate. Project impacts remain less than significant.

Mitigation Measures:

MM 4.1-1 *Agricultural Compensation (Impact 4.1-1 and 4.1-5 CSP)*

One acre of open space shall be preserved within Placer County for each acre of open space impacted within the Specific Plan area. This is to be accomplished through the recordation of conservation easements that result in the formation of preserve lands (each a "mitigation property or "preserve site" and collectively, "mitigation lands" or "preserve lands"). For purposes of mitigation for specific development project, the term "open space" shall include any and all undeveloped land proposed to be preserved by conservation easement or otherwise required by any governmental agency to be preserved for any reason, specifically including all lands preserved for habitat or agricultural mitigation as set forth below and lands in agricultural use. No additional agricultural mitigation is required beyond the 1:1 open space requirement as long as a substantial portion of the mitigation lands acquired, as determined by the Planning Director, are: (1) in agricultural production, (2) undeveloped and have an NRCS soils classification of the same or greater value than lands being affected within the specific plan property at issue, or (3) undeveloped and have the same or higher value CDC categorization as lands being affected within the specific plan property at issue.

In-kind mitigation is not required for agricultural land developed within the Specific Plan area.

MM 4.1-2 *Agricultural Conversion Policies (Impact 4.1-5 Urban Reserve)*

Specific Plans and/or other development proposals for the Urban Reserve shall be developed to minimize loss of grassland and agricultural conversion. Measures should include policies to preserve like areas of open space/agricultural land that can provide preservation of grassland in perpetuity.

III. Air Quality

	Where Impact Was Analyzed in Prior Environmental Documents.	Do Proposed Changes Involve New Significant Impacts or Substantially More Severe Impacts?	Any New Circumstances Involving New Significant Impacts or Substantially More Severe Impacts?	Any New Information Requiring New Analysis or Verification?	Prior Environmental Documents' Mitigation Measures Implemented or Addressing Impacts.
a) Conflict with or obstruct implementation of the applicable air quality plan?	4.4-43	No	No	No	WMM 4.4-4 Project Measures to Reduce Operational Emissions; MM 4.4-1 Dust and Construction Control Measures

b) Violate any air quality standard or contribute substantially to an existing or projected air quality violation?	4.4-28, 4.4-32, 4.4-36	No	No	No	MM 4.4-1 Dust and Construction Control Measures; 4.4-2 A-H Short-term Construction Related Impacts WMM 4.4-4 Project Measures to Reduce Operational Emissions; WMM 4.4-6 Operational Emissions Policies
c) Result in a cumulatively considerable net increase of any criteria for which the project region is non-attainment under an applicable federal or state ambient air quality standard (including releasing emissions, which exceed quantitative thresholds for ozone precursors)?	4.4-28, 4.4-32, 4.4-36	No	No	No	WMM 4.4-4 Project Measures to Reduce Operational Emissions; WMM 4.4-6 Operational Emissions Policies
d) Expose sensitive receptors to substantial pollutant concentrations?	4.4-38	No	No	No	WMM 4.4-7 (a) Risk Assessment and Site Specific Measures; MM 4.4-3 Screening Health Risks
e) Create objectionable odors affecting a substantial number of people?	4.4-42	No	No	No	None

Discussion:

The air quality emissions provided in CSP EIR were estimated using URBEMIS 2007 Version 9.2.4. Using the modeled emissions, the CSP EIR concluded that the approved CSP would result in significant and unavoidable impacts related to short-term construction, long-term operational, and consistency with plans and policies. Because the URBEMIS model is no longer the Placer County Air Pollution Control District's (PCAPCD) preferred model for air quality analyses, an air quality analysis was prepared to compare the approved 2016 CSP and proposed CSP SPA using the PCAPCD's preferred California Emissions Estimator Model (CalEEMod) to better quantify the differences in emissions (Attachment 1; Air Quality Impact and Greenhouse Gas Analysis Creekview Specific Plan Amendment, July 2019). The following discussion summarizes the analysis as it relates to each checklist item.

a,b) An air quality analysis was prepared for the project by Raney Planning & Management, Inc. (Attachment 1) to compare the construction and operational emissions from the proposed CSP SPA to the approved 2016 CSP. The analysis quantified the CSP SPA's operational emissions using the CalEEMod software version 2016.3.2 with the model's inputs adjusted to reflect project-specific trip generation rates provided by Fehr and Peers (Attachment 3) and Roseville Electric's electricity consumption emissions intensity factor. The modeling assumed an operational year of 2026, when construction of all phases of the proposed CSP SPA will be complete and includes emissions estimates for the currently allowed development (2016 CSP) as well as the proposed project (CSP SPA).

Construction Emissions

Because the construction phasing plan has not changed and construction equipment emissions have substantially decreased since the original project approval construction emissions for the project would be equal to or less than what was previously modeled. The project would not result in construction emissions impacts beyond those that were previously disclosed. Impacts related to construction emissions remain significant and unavoidable in the short term.

Operational Emissions

Table 1 presents a comparison of the operational emissions associated with the approved 2016 CSP and the proposed CSP SPA to determine the net new emissions associated with the proposed CSP SPA. Traffic consultants, Fehr and Peers, provided project-specific trip generation and vehicle miles travelled (VMT) for both the approved 2016 CSP and 2019 CSP SPA.

Table 1 Total Operational Emissions				
Pollutant	2016 CSP Projected Emissions (lbs/day)	2019 CSP SPA Projected Emissions (lbs/day)	Net New Emissions (lbs/day)	PCAPCD Significance Threshold (lbs/day)
ROG	125.66	118.56	-7.10	55
NO _x	193.33	175.58	-17.75	55
PM ₁₀	16.03	15.95	-0.08	82
<i>Source: CalEEMod, June 2019 (see Appendix A of Attachment 1).</i>				

As shown in Table 1, while the overall emissions associated with both the 2016 CSP and 2019 CSP SPA would exceed the PCAPCD significant thresholds, the CSP SPA would result in a reduction in emissions as compared to the development currently allowed in the 2016 CSP and no additional impact will occur and impacts related to air quality emissions remain significant and unavoidable.

Cumulative Emissions

c) The major pollutant concentrations of concern are localized CO emissions and toxic air contaminant (TAC) emissions. According to the air quality analysis performed for the CSP SPA, the proposed project would result in net reduction of 15.73 lbs/day maximum mobile source CO emissions and construction activities that have the potential to generate DPM emissions (considered TACs) are consistent with those analyzed in the CSP EIR. The CSP SPA would not result in an increased exposure of any sensitive receptors to substantial concentrations of any pollutants beyond what was disclosed in the CSP EIR and no new impacts related to CO emissions and TAC exposure will occur. Impacts remain less than significant.

d,e) Emissions of pollutants have the potential to adversely affect sensitive receptors within the project area. Pollutants of principal concern include emissions leading to odors, emissions of dust, or emissions considered to constitute air pollutants (air pollutants are discussed above). The project is required to comply with rules and regulations of the PCAPCD, which will ensure that the project does not result in dust emissions that would adversely affect adjacent uses. Furthermore, the proposed uses are not typically associated with substantial objectionable odors. With compliance with all applicable PCAPCD rules and regulations, as required, impacts remain less than significant.

Mitigation Measures:

WMM 4.4-4 Project Measures to Reduce Operational Emissions (Impact 4.4-2 and 4.4-6 CSP and Urban Reserve)

Following receipt of an application for a Tentative Maps (excluding the large lot subdivision map), Design Review Permit, conditional use permits and/or all discretionary permits, as found to be in compliance with the 30% reduction analysis applicable for individual projects with the Specific Plan, the City will forward an early consultation notice to the Placer County Air Pollution Control District (PCAPD). Where the PCAPD provides comments on a specific development proposal, the City shall consult with PCAPD and the developer to incorporate measures recommended by the PCAPD and agreed to by the City into the project. Where the PCAPD does not provide comment on a specific development proposal, the City shall incorporate measures that reduce vehicle emissions and operation emissions from the proposed development. This measure will be implemented through project design, conditions of approval, noticing and disclosure statements, or through the City's plan check and inspection processes. This process is intended to ensure that best available and practical approaches are used to reduce operational emissions in specific tentative map and design review permit applications. The following is a listing of measures that shall be implemented for the purpose of reducing vehicle and operational emissions.

- Provide tree plantings that meet or exceed the requirements of the City's Community Design Guidelines to provide shading of buildings and parking lots.
- Landscape with native drought-resistant plants (ground covers, shrubs and trees) with particular consideration of plantings that are not reliant on gas-powered landscape maintenance equipment.
- Require all flat roofs on non-residential structures to have a white or silver cap sheet to reduce energy demand.
- Provide conductive/inductive electric vehicle charging station and signage prohibiting parking for non-electric vehicles within designated spaces within non-residential developments.

- Provide vanpool parking only spaces and preferential parking for carpools to accommodate carpools and vanpools in employment areas (e.g. community commercial, business-professional uses)
- All truck loading and unloading docks shall be equipped with one 110/208 volt power outlet for every two-dock doors. Signs shall be posted stating “Diesel trucks are prohibited from idling more than five minutes and trucks requiring auxiliary power shall connect to the 110/208-vot outlets to run auxiliary equipment”.
- Design streets to maximize pedestrian access to transit stops.
- Require site design to maximize access to transit lines, to accommodate bus travel, and to provide lighted shelters at transit access points.
- Develop the plan consistent with the higher residential densities (within approved residential density ranges of zone) provided around the village nodes and transit corridors.
- Include photovoltaic systems in project design and/or participate in Roseville Electric incentive programs for energy-efficient development where feasible.

Measures for Residential Units:

- Require electrical outlets be installed on the exterior walls of both the front and back of residences to promote the use of electric landscape maintenance equipment.
- Require installation of a gas outlet in the rear of residential buildings for use of outdoor cooking appliances, such as gas burning barbeques.
- Require installation of low nitrogen oxide (NOx) hot water heaters (beyond District Rule 246 requirements)
- Provide notice to homebuyers of incentive and rebate programs available through Roseville Electric or other providers that encourage the purchase of electric landscape maintenance equipment.
- Prior to approval of Tentative Maps: provide notice to homebuyers through CC&Rs or other mechanisms to inform them that only gas fireplaces would be permitted.

WMM 4.4-6 *Operational Emissions Policies (Impact 4.4-2 CSP and Urban Reserve and 4.4-6 Urban Reserve)*

Specific plans and/or development proposals for the Urban Reserve shall include measures to reduce operational emissions. Such measures may include but would not be limited to transit and pedestrian-oriented facilities (e.g., park and ride lots, bus stops), bike trails and facilities,

energy-saving measures in buildings, as well as the measures described in WM 4.4-4. Appropriate measures shall be selected in consultation with the city and PCPCD.

WMM 4.4-7 (a) - Risk Assessment and Site Specific Measures (Impact 4.4-4 CSP and Urban Reserve)

Users that could generate toxic air contaminants will be required to submit a Permit to Operate to the PCAPCD. The District will review the use and if a proposed project would cause the combined emissions of TACs to exceed the risk standard of ten in one million at residences or public uses (schools, parks, etc), additional modeling and/or environmental review would be required to demonstrate emissions from that use or other uses would be reduced so that the standard is not exceeded. For example, an applicant could propose to retrofit an existing operation in order to lower the total TAC emissions in the CSP area.

MM 4.4-1 Dust and Construction Control Measures (Impact 4.4-1 CSP)

In accordance with the Placer County Air Pollution Control District (PCAPCD), the applicant shall comply with all applicable rules and regulations as listed above (e.g., Rule 202, 218 and 228). In addition, prior to the approval of a discretionary permit, the applicant(s) shall implement the following measures unless superseded by state or other more stringent standards:

- A. Construction equipment exhaust emissions shall not exceed Placer County APCD Rule 202 Visible Emission limitations. Operators of vehicles and equipment found to exceed opacity limits are to be immediately notified by APCD to cease operations and the equipment must be repaired within 72 hours. *(Based on APCD Rule 202)*
- B. The contractor shall suspend all grading operations when fugitive dust exceeds Placer County APCD Rule 228 (Fugitive Dust) limitations. The prime contractor shall be responsible for having an individual who is CARB-certified to perform Visible Emissions Evaluations (VEE). This individual shall evaluate compliance with Rule 228 on a weekly basis. It is to be noted that fugitive dust is not to exceed 40% opacity and not go beyond the property boundary at any time. Lime or other drying agents utilized to dry out wet grading areas shall not exceed Placer County APCD Rule 228 Fugitive Dust limitations. Operators of vehicles and equipment found to exceed opacity limits will be notified by APCD and the equipment must be repaired within 72 hours. *(Based on APCD Rule 228)*
- C. During construction, traffic speeds on all unpaved surfaces shall be limited to 15 miles per hour or less. *(Based on APCD Rule 228 / section 401.2)*
- D. During construction, no open burning of removed vegetation shall be allowed unless permitted by the PCAPCD. All removed vegetative material shall be either chipped on site or taken to an appropriate recycling site, or if a site is not available, a licensed disposal site. *(Based on APCD Rule 310)*
- E. A person shall not discharge into the atmosphere volatile organic compounds (VOC's) caused by the use or manufacture of Cutback or Emulsified asphalts for paving, road construction or road maintenance, unless such manufacture or use complies with the provisions Rule 217. *(Based on APCD Rule 217).*
- F. Processes that discharge 2 pounds per day or more of air contaminants, as defined by Health and Safety Code Section 39013, to the atmosphere may require a permit. Permits may be required for both construction and operation. Developers/contractors should contact

the District prior to construction and obtain any necessary permits prior to the issuance of a Building Permit. *(Based on the California Health & Safety Code section 39013: <http://www.leginfo.ca.gov>)*

The following mitigation measures shall be implemented to reduce short-term construction-related air quality impacts. In addition, dust control measures are required to be implemented by all projects in accordance with the City of Roseville Grading Ordinance, and the PCAPCD Fugitive Dust Rule 228.

MM 4.4-3 Screening Health Risks (Impact 4.4-4 CSP)

For those projects which include stationary sources (i.e. gasoline dispensing facility, auto painting, dry cleaning, large HVAC units, etc.), the applicant shall obtain an Authority to Construct (ATC) permit prior to the issuance of a Certificate of Occupancy NOTE: A third party detailed Health Risk Assessment may be required as a part of the permitting process.

If significant acute, chronic, or carcinogenic health risks are predicted, then measures shall be identified that reduce all health risks to less than significant levels. Such analysis and mitigation may include:

- Land use and site design requirements including building setbacks and building orientation.
- Consideration of the distance between industrial uses (emissions) and the location of potential sensitive receptors and implementation of setbacks to maximize distance.

Application of scrubbers or other modifications to uses to further reduce emissions.

MM 4.4-4 Operational Emissions (Impact 4.4-2 CSP)

The proposed project exceeds the cumulative air quality thresholds as established by the APCD (a maximum of 10 pounds per day of ROG and/or NOx) In order to mitigate the projects contribution to long-term emission of pollutants, the applicant shall either:

- a. Establish mitigation on-site by incorporating design features within the project. This may include, but not be limited to: “green” building features such solar panels, energy efficient heating and cooling, exceeding Title 24 standards, bike lanes, bus shelters, etc. NOTE: The specific amounts of “credits” received shall be established and coordinated through the Placer County Air Pollution Control District.
- b. Establish mitigation off-site within the same region (i.e. east or west Placer County) by participating in an offsite mitigation program, coordinated through the Placer County Air Pollution Control District. Examples include, but are not limited to participation in a “Biomass” program that provides emissions benefits; retrofitting, repowering, or replacing heavy duty engines from mobile sources (i.e. busses, construction equipment, on road haulers); or other program that the project proponent may propose to reduce emissions.
- c. Participate in the Placer County Air Pollution District Offsite Mitigation Program by paying the equivalent amount of money, which is equal to the projects contribution of pollutants (ROG and NOx), which exceeds the cumulative threshold of 10 pounds per day. The estimated payment for the proposed project is based on \$14,300 per ton for a one year period. The actual amount to be paid shall be determined, and satisfied per current California Air Resource Board guidelines, at the time of recordation of the Building Permit.

d. Any combination of a, b, or c, as determined feasible by the Director of APCD.

NOTE: All mitigation measures (either a, b, c, or d) must be satisfied prior to issuance of a Building Permit. It is the applicant's responsibility to forward written proof of satisfaction of this condition to APCD.

IV. Biological Resources

	Where Impact Was Analyzed in Prior Environmental Documents.	Do Proposed Changes Involve New Significant Impacts or Substantially More Severe Impacts?	Any New Circumstances Involving New Significant Impacts or Substantially More Severe Impacts?	Any New Information Requiring New Analysis or Verification?	Prior Environmental Documents' Mitigation Measures Implemented or Addressing Impacts.
a) Have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies or regulations, or by the California Department of Fish and Wildlife or U.S. Fish and Wildlife Service?	4.8-48, 4.8-51, 4.8-53, 4.8-56, 4.8-57, 4.8-68, 4.8-70, 4.8-71, 4.8-72, 4.8-73	No	No	No	MM 4.8-1 (a) No Net Loss of Wetlands; MM 4.8-1 (b) Wetland Avoidance/Mitigation Plan; MM 4.8-4 Onsite and Offsite Preservation of Grassland Habitat MM 4.8-7 Off-site Surveys; MM 4.8-1 (a) Ensure No Net Loss of Wetlands; MM 4.8-1 (b) Wetland Avoidance/Mitigation Plan; MM 4.8-2 Relocate Western Spadefoots; MM 4.8-3 Avoid Nesting Sites; MM 4.8-4 Off-site and On-site Preservation of Grassland Habitat; MM 4.8-5 Wildlife Movement Protection Policies; MM 4.8-6 Habitat Restoration/Onsite Preservation
b) Have a substantial adverse effect on any riparian habitat or other sensitive natural community identified in local or regional plans, policies or regulations or by the California Department of Fish and Wildlife or U.S. Fish and Wildlife Service?	4.8-61, 4.8-66	No	No	No	MM 4.8-4 On-site and Off-site Preservation of Grassland Habitat MM 4.8-5 Wildlife Movement Protection Policies; MM 4.14-3 Avoid Light Spillover

c) Have a substantial adverse effect on federally protected wetlands as defined by Section 404 of the Clean Water Act (including, but not limited to, marsh, vernal pool, coastal, etc.) through direct removal, filling, hydrological interruption, or other means?	4.8-42,	No	No	No	MM 4.8-1 (a) Ensure No Net Loss of Wetlands; MM 4.8-1 (b) Wetland Avoidance/Mitigation Plan
d) Interfere substantially with the movement of any native resident or migratory fish or wildlife species or with established native resident or migratory wildlife corridors, or impede the use of native wildlife nursery sites?	4.8-62	No	No	No	MM 4.8-5 Wildlife Movement Protection Policies; MM 4.14-3 Avoid Light-Spillover
e) Conflict with any local policies or ordinances protecting biological resources, such as a tree preservation policy or ordinance?	4.8-65, 4.8-74	No	No	No	None Tree Preservation Ordinance
f) Conflict with the provisions of an adopted Habitat Conservation Plan, Natural Community Conservation Plan, or other approved local, regional, or state habitat conservation plan?	4.8-75	No	No	No	None

Discussion:

The CSP EIR identified significant impacts to biological resources due to the conversion of a substantial amount of undeveloped land to urban uses. Mitigation measures were adopted to reduce impacts to wetlands, vernal pool crustaceans, and their habitat, special status plants, western spadefoot, Swainson's hawk, burrowing owl, and other protected raptors nesting and foraging habitat, grassland habitat, resident and migratory wildlife species, riparian habitat to less-than-significant levels. Because the CSP SPA does not expand the limits of the development footprint or the project's physical impact boundary, no additional analysis is required. The mitigation measures adopted with certification of the CSP EIR remain applicable and no additional impacts will occur. Impacts remain less than significant upon compliance with the applicable mitigation measures.

Mitigation Measures:**MM 4.8-1 (a): *Ensure No Net Loss of Wetlands (Impacts 4.8-1, 4.8-2, 4.8-3, 4.8-4 and 4.8-11-CSP)***

The City shall not issue a grading permit for the CSP project unless a Clean Water Act Section 404 permit is first obtained from the USACE [or an equivalent approval for waters of the state is obtained from the RWQCB] The Clean Water Act Section 404 permit process (including Section 7 Consultation under FESA) is the standard method for developing mitigation for projects that affect wetlands and vernal pool species such as special-status plants, vernal pool crustaceans, and western spadefoots. Through this process, project applicants will be required to obtain the necessary permits and approvals to implement their proposed project while remaining in compliance with the Clean Water Act and FESA. If a 404 permit is not obtained, the City shall not issue a grading permit for the CSP project. The obligation to obtain the 404 permit will ensure no net loss to federally protected wetlands. Even after obtaining such a permit, however, the applicants must demonstrate to the City's Planning Director that they have also achieved no net loss of wetlands. Mitigation shall consist of a combination of the preservation of on-site vernal pool habitat and the acquisition of off-site property with existing vernal pool habitat for preservation.

Mitigation shall include off-site creation and/or restoration of vernal pool habitat, and/or participation in a mitigation credit program from a wetlands mitigation bank approved by the USACE and USFWS. These banks charge fees in exchange for credits that are based upon the mitigation obligation of the applicant. If the applicant chooses to buy mitigation credits, the applicant shall pay fees that shall be used to restore, create, enhance, and/or preserve wetlands at an established mitigation bank. The credits shall be in direct proportion to the wetland impacts resulting from the project. The project applicants have identified appropriate off-site mitigation in the form of preservation and restoration, as shown in Figure 4.8-3. This restoration mitigation, coupled with on-site creation, will be a component of the required compensation for the project.

All wetland restoration and creation shall be conducted in a manner consistent with applicable USACE and USFWS mitigation guidelines and policies.

Additionally, mitigation shall include off-site creation and/or restoration of vernal pool habitat, and/or participation in a mitigation credit program from a wetlands mitigation bank approved by the Corps and USFWS. These banks charge fees in exchange for credits that are based upon the mitigation obligation of the applicant. The fee is used for wetlands that have been restored, created, enhanced, and/or preserved at an established mitigation bank. The credits shall be in direct proportion to the wetland impacts resulting from

the project. The project applicants have identified appropriate off-site mitigation as shown in Figure 4.8-3. This restoration coupled with on-site creation will be a component of the required compensation for the project.

All wetland restoration and creation shall be conducted in a manner consistent with applicable Corps of Engineers and USFWS mitigation guidelines and policies.

MM 4.8-1 (b)***Wetland Avoidance/Mitigation Plan (Impact 4.8-1, 4.8-2, 4.8-3 and 4.8-11- CSP)***

For any wetlands to be restored or created outside of an approved mitigation bank, Applicant shall submit a Wetland Mitigation Plan to mitigate for impacts to wetlands that describes the specific method(s) to be implemented to mitigate any on- or off-site project related impacts. This detailed Wetland Mitigation Plan shall be prepared in accordance with applicable USACE and USFWS policies and regulations, and the City of Roseville Grading and Erosion Control Ordinance. A copy of the 404 permit, the biological opinion, and the Wetland Mitigation Plan shall be provided to the City at the time of specific entitlements (grading permit, tentative map, etc), and the Wetland Mitigation Plan shall ensure the following to the satisfaction of the City:

- Describe the location of the proposed wetland mitigation site(s), including a detailed map showing the acreage, distribution, and type of wetlands to be restored/created to ensure no net loss in wetland habitat acreage, values and functions. The compensation wetlands shall be designed, at a minimum, to meet or exceed the functions of the existing wetlands to be impacted.
- Include a monitoring plan to assess whether the compensation wetlands are functioning as intended. Specific performance standards for hydrologic, floral, and faunal parameters shall be proposed to determine success of the created wetlands. The monitoring plan shall specify the corrective measures/ modifications to be implemented in the event that monitoring indicates that the performance standards are not being met.
- Include a long-term maintenance plan for the wetland preservation/mitigation areas describing the measures to be implemented to assure that they are maintained as wetland habitat in perpetuity.
- Require that fencing be installed around all existing wetlands that are within fifty feet of any haul route, spoil zone, stockpile zone, creation zone, or other construction area. The fencing shall be of high visibility material. Fencing shall be placed no closer than 10-feet to the delineated, verified perimeter of wetlands. This fencing shall be maintained until all adjacent construction activities are completed.
- A qualified biological resources monitor, approved by the City, shall be on the site(s) at all times when working in the open space corridor or other sensitive areas to ensure compliance with identified mitigation for the duration of all the proposed activities. The biological resources monitor shall submit bi-annual compliance reports to City monitor for review for a period of five years after completion of construction or until all performance standards have been satisfied.
- The wetland mitigation site(s) shall be surveyed by a qualified biologist, no more than 30 days prior to the start of construction, for the presence of raptor and federal and state listed bird nesting sites, unless it is determined that construction will occur

outside of the breeding season for all species likely to occur on site or observed present. If active nesting sites are observed, all state and federal guidelines pertaining to active nesting sites shall be strictly adhered to in consultation with a qualified biologist.

- Applicant shall grant full access to the wetland mitigation site(s) to the City for the monitoring of construction activities and mitigation compliance. Access shall be granted during all construction activities and the City monitor may issue stop work orders if mitigation non-compliance is identified.
- Applicant shall specify measures for reuse or disposal of excavated material that is suitable for use in the project area. The plan should minimize the elapsed time between excavation and reuse and provide adequate stockpile coverage and protection from wind and water erosion during the entire storage period. If excavated material is unsuitable for reuse at the project area, the plan shall include specific information regarding the eventual reuse or disposal site, transportation method(s), disposal reuse management, and schedule.
- The Wetland Avoidance Mitigation Plan shall include a spill prevention and response plan to the satisfaction of the City.
- All disturbed areas shall be re-vegetated by the following methods: hydro seeding, drill seeding, or spreading of upland seed bearing soil. The method of re-vegetation shall be approved by a qualified wetland specialist and the City.
- The applicant shall apply non-toxic soil stabilizers according to manufacturer's specifications to all inactive construction areas. Non-toxic binders shall be applied to exposed areas after cut and fill operations and hydro seeded areas. The wetland mitigation site shall be watered as directed by the City of Roseville Public Works Department. The frequency shall be based on the type of operation, and soil and wind exposure.
- To reduce air emissions, idling time for all construction vehicles shall be limited to a maximum of 10 minutes. Additionally, the City may curtail construction during high ambient pollutant concentrations, including but not limited to, ceasing construction during peak-hour vehicular traffic on adjacent or nearby roadways. Additionally, all land clearing, grading, earth moving or excavation activities shall be suspended when winds exceed 15 mph.
- The applicants shall ensure that all inactive storage/stock piles are adequately covered, and that all trucks hauling dirt, sand, soil, or other loose materials also are adequately covered or maintain at least two feet of freeboard (i.e., minimum vertical distance between the top of the load and top of the trailer) in accordance with the requirements of the California Vehicle Code (CVC) section 23114.

MM 4.8-2:

Relocate Western Spadefoots (Impact 4.8-4 and 4.8-11- CSP)

The location of pools that are occupied by western spadefoot shall be determined through surveys conducted during the appropriate season (generally February), by a qualified biologist. Those pools that are found to support western spadefoot shall be avoided if feasible. If avoidance is not feasible, then the CDFW shall be consulted for its recommendation with respect to an adult or larval or egg masses capture and relocation plan. Although there is no set protocol for this type of activity, the capture and relocation of reptile and amphibian species from areas that will be destroyed to areas of unoccupied suitable habitat is a fairly standard part of both USFWS and CDFW procedures and recommendations for mitigating impacts. When done in combination with habitat restoration and preservation,

the procedure is known to be successful in preserving displaced populations. These measures would mandate that, where habitat avoidance is infeasible, western spadefoots displaced from pools that are destroyed during construction shall be relocated to protected areas of suitable habitat.

MM 4.8-3***Avoid Nesting Sites (Impact 4.8-6 and 4.8-11 CSP)***

To ensure that fully protected bird and raptor species are not injured or disturbed by construction in the vicinity of nesting habitat, the project applicant shall implement the following measures:

Raptors

- a) When feasible, all tree removal shall occur between August 30th and February 15th to avoid the breeding season of any raptor species that could be using the area, and to discourage hawks from nesting in the vicinity of an upcoming construction area.
- b) For Swainson's hawk, if avoidance of tree removal outside the breeding season is not feasible, and a nest is present, the applicants would be required to obtain a 2081 permit from CDFW to mitigate for potential "take" under CESA. If no nesting is occurring, a take permit would not be required.
- c) Prior to the beginning of mass grading, including grading for major infrastructure improvements, during the period between February 15th and August 30th, all trees and potential burrowing owl habitat within 350 feet of any grading or earthmoving activity shall be surveyed for active raptor nests or burrows by a qualified biologist no more than 30-days prior to disturbance. If active raptor nests or burrows are found, and the site is within 350-feet of potential construction activity, a highly visible temporary fence shall be erected around the tree or burrow(s) at a distance of up to 350-feet, depending on the species, from the edge of the canopy to prevent construction disturbance and intrusions on the nest area.
- d) Preconstruction and non-breeding season exclusion measures shall be developed in consultation with CDFW, and shall preclude burrowing owl occupation of the portions of the project site subject to disturbance such as grading. Burrowing owls may be passively excluded from burrows in construction areas by placing one-way doors in the burrows according to CDFW protocol. The one-way doors must be in place for a minimum of three days. All burrows that may be occupied by burrowing owls regardless of whether they exhibit signs of occupation must be cleared with the one way doors. Burrows that have been cleared through the use of the one-way doors shall then be closed or backfilled to prevent owls from entering the burrow.
- e) No construction vehicles shall be permitted within restricted areas (i.e., raptor protection zones) unless directly related to the management or protection of the legally protected species.
- f) If a legally protected species nest is located in a tree designated for removal, the removal shall be deferred until after August 30th or until the adults and young of the year are no longer dependent on the nest site as determined by a qualified biologist.

Black Rails and Tri-colored Blackbirds

Prior to earth moving that would disturb marsh habitat, a qualified biologist shall conduct surveys to determine whether the California black rail or Tri-colored blackbird is present. If either of these species is found, all earth moving within 250 feet shall stop and measures, including establishing nest protection buffers along both sides of Pleasant Grove Creek during the nesting season (generally February 1 through August 31st) shall be implemented.

Rookeries

No heron rookeries are present within the plan area. Prior to earthmoving that would disturb marsh habitat or tree removal of the eucalyptus grove, pre-construction surveys should be conducted to verify that no rookeries have been established. If rookeries are present all earth moving within 250-feet shall stop, during the breeding season.

MM 4.8-4

Off-site and On-site Preservation of Grassland Habitat (Impact 4.8-2, 4.8-4, 4.8-6, 4.8-7 and 4.8-11-CSP)

Swainson's Hawk

- a) CDFW recommends that projects that result in the loss of potential foraging habitat for Swainson's hawk (which includes grasslands) within 10-miles of an active nest site provide mitigation for that loss. To the extent feasible, strategies for preserving on-site grasslands as raptor and migratory bird foraging habitat will be addressed in the Operations and Maintenance Plan prepared pursuant to the Section 404 Permit. Some of these strategies could include; but are not necessarily limited to, grazing for grassland management, monitoring for biological values, and adaptive management. Mitigation for Swainson's hawk foraging habitat would concurrently mitigate for loss of habitat for a number of other wildlife species in the region such as burrowing owl, red-tailed hawk, white-tailed kite, northern harrier, Ferruginous hawk, and logger-head shrike among others.

Based on information obtained through consultation with CDFW and otherwise, a Swainson's Hawk Grassland Habitat Mitigation Plan shall be developed to mitigate for the loss of grassland foraging habitat, consistent with the ratios set forth in Table 4.8-5. Areas within Placer County including the This would reduce the impacts to Swainson's Hawk to a **less than significant** level.

**TABLE 4.8-5 (of CSP EIR)
SWAINSON'S HAWK MITIGATION RATIOS
(IN ACRES)**

Distance from Nest (miles)	Potential On-site Foraging Habitat Impacted	Mitigation Ratio	Mitigation Acres	Total Net Foraging Habitat Required	On-site Space Preservation	Open
0-1	368	1:1	368	368	136	

Long-billed Curlew, Burrowing Owls

Mitigation for the Swainson's hawk would ensure that adequate grassland is preserved at ratios identified in Table 4.8-5. For foraging within one mile of an active nest, mitigation would be 1:1. Greater than a mile would be at an amount of .75:1. This would set aside adequate grassland that would reduce impacts from loss of grasslands to these species to a **less than significant** level.

MM 4.8-5

Wildlife Movement Protection Policies (Impact 4.8-8, 4.8-10 and 4.8-11-CSP and 4.8-10 Urban Reserve)

To protect the long term habitat of the stream channels and the WAPA corridor and their potential use by wildlife as movement corridors, the project applicants shall ensure that movement corridors are not obstructed. Through compliance with Section 1600 of the CDFW Code, the applicant(s) will enter into a Streambed Alteration Agreement prior to conducting any construction activities within a stream corridor, which sets forth mitigation measures that the applicant must implement. These measures shall include, but not be limited to; the use of either bridges or culverts that are large enough that wildlife have enough space to pass through road crossings without having to travel over the road surface, the implementation of bank stabilization measures, and/or restoration and re-vegetation of stream corridor habitat that has been damaged due to the project's construction. Furthermore, the recreational trails shall be lined by post and rail fence and signage would be used to direct trail users to stay within the designated trail corridor. The trails would be closed after dark and no exterior lighting would be used.

MM 4.8-6

Habitat Restoration/Onsite Preservation (Impact 4.8-11-CSP)

Wetlands will be preserved within and along the preserved open space corridors (as shown in Figure 2-7, Project Description). As indicated there are opportunities to create an additional acre of wetlands onsite. The wetlands shall be constructed during the dry season when surface water generally is not present. Design features shall be implemented in order to avoid ponding conditions during the late spring and summer to minimize mosquito breeding. Other design features specified in the hydrology report (Appendix O) shall be implemented to ensure channel stability and reduce potential for siltation and intensive maintenance obligations.

To protect the long term viability of the channel improvements, the following policies shall be implemented:

- a) The project applicants shall provide permanent post and cable fencing and/or a landscape barrier to discourage access to the riparian habitat by humans or pets. The fencing and/or landscape barrier shall be placed at the boundary of the open space and developed area. The proposed recreation trails shall be on the project side of the fence/landscape barrier. The posts shall be constructed of wood or other natural materials and shall allow for the viewing of habitat while discouraging access.
- b) Interpretive signs shall be posted along the border of the area to educate the public and route access away from sensitive areas. These information signs will be posted at intervals of not less than ¼ mile or as deemed appropriate by the City of Roseville Parks and Recreation Director. The signs shall provide information on the objectives of the creek and habitat protection and benefits of the project for storm detention and water quality. Signs should also include information regarding the importance of restricting access by household pets.

MM 4.8-7***Off-site Surveys (Impact 4.8-11- CSP)***

Prior to construction of any off-site infrastructure, a qualified biologist shall perform detailed, and if necessary, focused biological surveys of any undisturbed areas that would be affected by infrastructure development. Because infrastructure for the proposed project would be located in road right-of-way, or undeveloped land similar to the project site, the biological resources that would be expected to occur would not differ substantially from those identified in this EIR. If it is determined that wetland resources or sensitive species would be impacted MM 4.8-1 (a) and (b) and MM 4.8-2 shall be implemented, as appropriate to the resource. If it is determined that active nests exist within the off-site improvement location, MM 4.8-3 shall be implemented as appropriate to the species. MM 4.8-4 shall be implemented to address grassland impacts. If it is determined the off-site improvement is located within or adjacent to a wildlife movement corridor, MM 4.8-5 shall be implemented.

V. Cultural, Archeological, or Paleontological Resources

	Where Impact Was Analyzed in Prior Environmental Documents.	Do Proposed Changes Involve New Significant Impacts or Substantially More Severe Impacts?	Any New Circumstances Involving New Significant Impacts or Substantially More Severe Impacts?	Any New Information Requiring New Analysis or Verification?	Prior Environmental Documents' Mitigation Measures Implemented or Addressing Impacts.
a) Cause a substantial adverse change in the significance of an historic resource as defined in Section 15064.5?	4.9-16, 4.9-19	No	No	No	MM 4.9-3 Conduct Appropriate Off-site Studies
b) Cause a substantial adverse change in the significance of an archaeological resource pursuant to Section 15064.5?	4.9-19	No	No	No	MM 4.9-1 Cease Work Consult with Qualified Archaeologist; MM 4.9-3 Conduct Appropriate Off-site Studies
c) Directly or indirectly destroy a unique paleontological resource or site or unique geologic feature?	4.9-17, 4.9-19	No	No	No	MM 4.9-2 Cease Work and Consult with Qualified Paleontologist; MM 4.9-3 Conduct Appropriate Off-site Studies
d) Disturb any human remains, including those interred outside of dedicated cemeteries?	4.9-14	No	No	No	MM 4.9-1 Cease Work Consult with Qualified Archaeologist
Discussion: The project site, as well as the adjacent Al Johnson Wildlife Area (AJWA) site, were surveyed for cultural resources by Peak & Associates in 2006 and 2010. No evidence of cultural resources were identified on or off the site. Though no known resources were found on the site the CSP EIR concluded that the potential to damage subsurface resources during grading, excavation, and construction was potentially significant but that this impact could be mitigated to less than significant. Additionally, mitigation was adopted to require surveys for off-site cultural resources prior to construction of off-site infrastructure. Because the proposed project does not expand the limits of the development footprint or the project's physical impact boundary, no additional analysis is required. The mitigation measures adopted with certification of the CSP EIR remain applicable and no additional impacts will occur. Impacts remain potentially significant and unavoidable. Mitigation Measures: MM 4.9-1: <i>Cease Work and Consult with Qualified Archaeologist (Impacts 4.9-1 and 4.9-4 – CSP)</i>					

Should any cultural resources, such as structural features, any amount of bone or shell, artifacts, human remains, or architectural remains, be encountered during any subsurface development activities, work shall be suspended within 100-feet of the find. The City of Roseville Planning and Public Works Staff shall be immediately notified. At that time, the City of Roseville shall coordinate any necessary investigation of the site with qualified archaeologists as needed, to assess the resource (i.e., whether it is an “historical resource” or a “unique archaeological resource”) and provide proper management recommendations should potential impacts to the resources be found to be significant. Possible management recommendations for important resources could include resource avoidance or, where avoidance is infeasible in light of project design or layout or is unnecessary to avoid significant effects, data recovery excavations. The contractor shall implement any measures deemed feasible and necessary by City staff, in consultation with the archaeologists, to be to avoid or minimize significant effects to the cultural resources. In addition, pursuant to Section 5097.98 or the California Public Resources Code, and Section 7050.5 of the California Health and Safety Code, in the event of the discovery of human remains, the County Coroner shall be immediately notified. If the remains are determined to be Native American, guidelines of the Native American Heritage Commission shall be adhered to in the treatment and disposition of the remains.

MM 4.9-2

Cease Work Until Review Conducted by Qualified Paleontologist and Recommendations Implemented (Impacts 4.9.3 and 4.9.4-CSP)

Should any evidence of paleontological resources (e.g., fossils) be encountered during grading or excavation, work shall be suspended within 100 feet of the find, and the City of Roseville shall be immediately notified. At that time, the City shall coordinate any necessary investigation of the site with a qualified paleontologist to assess the resource and provide proper management recommendations. Possible management recommendations for important resources could include resource avoidance, if feasible in light of project design or layout, or data recovery excavations. The contractor shall implement any measures deemed feasible and necessary by City staff in consultation with the paleontologist for the protection of the paleontological resources.

MM 4.9-3

Conduct Appropriate Off-Site Studies (Impact 4.9-4 – CSP)

Prior to undertaking construction of off-site infrastructure, the City shall determine whether or not cultural resource surveys have been undertaken for any areas to be disturbed during construction. If surveys were conducted, the City shall document that any identified resources were treated as recommended in the studies. If no studies or surveys were conducted, the City shall ensure that a qualified archaeologist conducts the appropriate level of study. If resources are found, recommendations, including the possible management recommendations listed in MM 4.9-1 and MM4.9-2, shall be implemented to ensure that the resources are avoided, protected and/or recorded, as determined to be feasible and appropriate by City staff.

VI. Geology and Soils

	Where Impact Was Analyzed in Prior Environmental Documents.	Do Proposed Changes Involve New Significant Impacts or Substantially More Severe Impacts?	Any New Circumstances Involving New Significant Impacts or Substantially More Severe Impacts?	Any New Information Requiring New Analysis or Verification?	Prior Environmental Documents' Mitigation Measures Implemented or Addressing Impacts.
a) Expose people or structures to potential substantial adverse effects, including the risk of loss, injury, or death involving:		No	No	No	
i) Ruptures of a known earthquake fault, as delineated on the most recent Alquist-Priolo Earthquake Fault Zoning Map issued by the State Geologist for the area or based on other substantial evidence of a known fault? (Refer to Division of Mines and Geology Special Publication 42.)	4.7-23	No	No	No	None
ii) Strong seismic ground shaking?	4.7-23	No	No	No	None
iii) Seismic-related ground failure, including liquefaction?	4.7-23	No	No	No	None
iv) Landslides?	4.7-23	No	No	No	None
b) Result in substantial soil erosion or the loss of topsoil?	4.7-19; 4.7-22	No	No	No	None
c) Be located in a geological unit or soil that is unstable, or that would become unstable as a result of the project, and potentially result in on or off-site landslide, lateral spreading, subsidence, liquefaction or collapse?	4.7-21	No	No	No	
d) Be located on expansive soil, as defined in Table 18-1-B of the Uniform Building Code (1994), creating substantial risks to life or property?	4.7-21	No	No	No	None

e) Have soils incapable of adequately supporting the use of septic tanks or alternative wastewater disposal systems where sewers are not available for the disposal of wastewater?	4.7-2	No	No	No	None
Discussion: The CSP EIR determined that impacts related to the loss of soil, soil erosion from grading, expansive soils, and seismic activity were less than significant and no mitigation was required. No change to the proposed development footprint will occur as a result of the proposed CSP SPA and no additional impacts to the geology or soils in the plan area will occur as a result of this project. Impacts remain less than significant. Mitigation Measures: None Required.					

VII. Greenhouse Gases

	Where Impact Was Analyzed in Prior Environmental Documents.	Do Proposed Changes Involve New Significant Impacts or Substantially More Severe Impacts?	Any New Circumstances Involving New Significant Impacts or Substantially More Severe Impacts?	Any New Information Requiring New Analysis or Verification?	Prior Environmental Documents' Mitigation Measures Implemented or Addressing Impacts.
a) Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?	4.5-33	No	No	No	MM 4.5-1 Air Quality Measures and MM 4.5-2 Additional Measures to Reduce GHG Emissions
b) Conflict with an applicable plan, policy, or regulation adopted for the purpose of reducing the emissions of greenhouse gases?	4.5-37	No	No	No	None
Discussion: The CSP EIR concluded that impacts related to the project's emissions of greenhouse gases were significant and unavoidable and mitigation measures were adopted to reduce the project's greenhouse gas emissions and resultant impacts. The changes introduced by the CSP SPA and/or new circumstances relevant to the project would not, as compared to the CSP EIR, result in a new significant impact or significant impacts that are substantially more severe than significant impacts previously disclosed. In addition, there is no new information indicating that the project would have one or more significant effects not previously discussed or that any previously examined significant effects would be substantially more severe than significant effects shown in the previous EIR. In fact, as presented in the air quality analysis and illustrated in Table 2 below, the CSP SPA will result in a reduction of greenhouse gas emissions as compared to the					

approved project. The mitigation measures adopted with certification of the CSP EIR remain applicable and no additional impacts will occur. The prior conclusions of the CSP EIR remain applicable.

<i>Table 2</i> <i>2016 Unmitigated Project Operational GHG Emissions vs. CSP SPA 2019 Unmitigated Project Operational GHG Emission</i>			
Emission Source	2016 CSP	2019 CSP SPA	Net Change (MTCO ₂ e/yr)
	Annual GHG Emissions (MTCO ₂ e/yr)	Annual GHG Emissions (MTCO ₂ e/yr)	
Area	1,459.04	1,459.03	-0.01
Energy	6,332.60	5,865.71	-469.89
Mobile	5,280.63	4,878.83	-401.80
Solid Waste	1,101.74	1,025.89	-75.85
Water	511.60	434.72	-76.88
TOTAL ANNUAL GHG EMISSIONS	14,685.61	13,664.18	-1,024.43
Source: Air Quality Impact and Greenhouse Gas Analysis; July 2019 (Attachment 1).			

Mitigation Measures:

MM 4.5-1 *Air Quality Measures (Impact 4.5-1 CSP and Urban Reserve)*

Implement Mitigation Measure 4.4-1. Implementation of the Air Quality Mitigation Measure 4.4-1, listed in Section 4.4 *Air Quality*, would reduce operational and construction-related emissions of criteria air pollutants and precursors, and would also act to reduce GHG emissions associated with project construction and operation. Mitigation Measure 4.4-1 is relevant to Impact 4.5-1 because both criteria air pollutant and GHG emissions are frequently associated with combustion byproducts.

MM 4.5-2 *Additional Measures to Reduce GHG Emissions (Impact 4.5-1- CSP and Urban Reserve)*

Development within the CSP area as a whole shall demonstrate that GHG emissions from project construction and operation will be reduced by 30% from business-as-usual emissions levels projected for 2025. Reductions in GHG emissions from the base-case "business-as-usual" scenario¹ shall be calculated and applied to specific development within the CSP in accordance with the handbook *Quantifying Greenhouse Gas Mitigation Measures* (CAPCOA, August 2010. or as may be subsequently revised or updated.) ("CAPCOA Handbook"). GHG emissions reduction credit shall be given both for Specific Plan-wide mitigation measures and project design features that reduce GHG emissions, as well as for additional specific measures implemented for each increment or phase of development within the Specific Plan in order to achieve the full 30% reduction.

¹ The CAPCOA Handbook defines the "business as usual" scenario to mean "the normal course of business or activities for an entity or project before the imposition of greenhouse gas emission reduction requirements or incentives."

In conjunction with each phase of development within the CSP area, the developer shall prepare and submit a Greenhouse Gas Reduction Plan for City review and approval. Each Greenhouse Gas Reduction Plan shall demonstrate how the proposed development phase will achieve a 30% reduction in GHG emissions, through a combination of Specific Plan-wide and project-specific emissions reduction measures. Each Greenhouse Gas Reduction Plan shall identify the base case “business-as-usual” level of GHG emissions in accordance with the CAPCOA Handbook, along with a description of each proposed GHG reduction measures and the calculated emissions reduction attributable to each measure. Emissions reductions shall be calculated for each measure in the manner provided by the CAPCOA handbook. A developer may propose, and the City may approve, the implementation of an emission reduction measure not identified in the CAPCOA Handbook, if the effectiveness of the proposed measure in reducing GHG emissions can be demonstrated and quantified to the satisfaction of the City.

Following approval of the Greenhouse Gas Reduction Plan by the Planning Director, the emissions reduction measures identified in the approved Greenhouse Gas Reduction Plan shall be adopted as enforceable conditions of approval by the City for the development phase in question.

Specific development shall rely on the CAPCOA Handbook and other effective and accepted methods for reducing greenhouse gas emissions, including recommended measures by the PCAPCD, unless and until regulatory measures are adopted that impose different requirements. The following measures are examples of the types of feasible mitigation measures that may be implemented and the percentage of greenhouse gas emissions from particular project sources that would be expected to be reduced from business as usual:

- Design buildings to meet CEC Tier II requirements (e.g., exceeding the requirements of the Title 24 (as of 2007) by 35%).
- Implement roundabouts. (30% intersection emissions reduction)
- Provide the necessary facilities and infrastructure to encourage the use of low or zero-emission vehicles (e.g., electric vehicle charging facilities and conveniently located alternative fueling stations) (0.5-1.5% emissions reduction).
- Incorporate bicycle lanes, routes, and intersection improvements into street systems within the Specific Plan (1% emissions reduction).
- For commercial land uses, provide adequate bicycle parking near building entrances to promote cyclist safety, security, and convenience (1% emissions reduction).
- Create Class II bicycle lanes and walking paths directed to the location of schools, parks and other destination points (1% emissions reduction).
- Construction of transit facility/amenity (bus shelters, bicycle lockers/racks, etc.) for existing public and private transit (0.5% emissions reduction).

In addition, the PCAPCD recommends the following measures that may be implemented:

Prior to the approval of a building permit for residential structures, construction of each dwelling include the following design features (a-d or e) in order to reduce energy consumption. Floor plans submitted to the Building Division shall demonstrate compliance with each requirement listed in a-e or as an alternative to a-d meet the requirements of option “e” as follows:

- a) An AC unit which exceeds the Seasonal Energy Efficiency Ratio (SEER) by two points in effect at the time of the building permit submittal shall be installed in each residential dwelling. Floor plans submitted to the Building Division must clearly show that this condition is being met.
- b) Include energy-efficiency heating and efficient ventilation methods on all new residential units. Furnaces to be low-NOx with an AFUE of 94 percent.
- c) A “whole house fan” shall be installed within each residential dwelling. Floor plans submitted to the Building Division must clearly show that this condition is being met.
- d) All dwellings shall have installed a “tankless” water heater or high-efficiency water heater with an external insulation of an R-value of 16 and an efficiency value of 0.65.

Or in place of a-d, the builder may choose to install solar panels or photovoltaic roofing tiles. Prior to the issuance of a building permit for residential structures, Building Plans shall show provisions for the installation of solar panels or photovoltaic roofing tiles.

VIII. Hazards and Hazardous Materials

	Where Impact Was Analyzed in Prior Environmental Documents.	Do Proposed Changes Involve New Significant Impacts or Substantially More Severe Impacts?	Any New Circumstances Involving New Significant Impacts or Substantially More Severe Impacts?	Any New Information Requiring New Analysis or Verification?	Prior Environmental Documents' Mitigation Measures Implemented or Addressing Impacts.
a) Create a significant hazard to the public or the environment through the routine transport, use, or disposal of hazardous materials?	4.10-22	No	No	No	None
b) Create a significant hazard to the public or the environment through reasonably foreseeable upset and accident conditions involving the release of hazardous materials into the environment?	4.10-30	No	No	No	None

c) Emit hazardous emissions or handle hazardous or acutely hazardous materials, substances, or waste within on-quarter mile of an existing or proposed school?	4.10-26	No	No	No	None
d) Be located on a site which is included on a list of hazardous materials sites compiled pursuant to Government Code Section 65962.5 and, as a result, would it create a significant hazard to the public or the environment?	4.10-28	No	No	No	MM 4.10-1 Identify and Remediate Soil Contamination
e) For a project located within an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project result in a safety hazard for people residing or working in the project area?	4.10-1	No	No	No	None
f) For a project within the vicinity of a private airstrip, would the project result in a safety hazard for people residing in the project area?	4.10-1	No	No	No	None
g) Impair implementation of or physically interfere with an adopted emergency response plan or emergency evacuation plan?	4.10-25	No	No	No	None
h) Expose people or structures to a significant risk of loss, injury or death involving wildland fires, including where wildlands are adjacent to urbanized areas or where residences are intermixed with wildlands?	4.10-25	No	No	No	None

Discussion:

The CSP EIR concluded that compliance with the City's existing General Plan policies, Stormwater Management program, Household Hazardous Waste program, as well as Roseville Fire Department Standards and federal and State laws and regulations would ensure that impacts related to hazards and exposure to hazardous materials were less than significant and no mitigation was required. Mitigation requiring remediation of existing soil contamination was required to ensure the potentially significant impacts due to exposure to contaminated soil were less than significant. The mitigation measures adopted with certification of the CSP EIR remain applicable and no additional impacts will occur. Impacts remain less than significant.

In the proposed CSP SPA, the location of the proposed 60kV overhead electrical transmission lines, previously proposed to be located along the south edge of the Pleasant Grove Creek open space corridor, will now extend west along the northern edge of Blue Oaks Boulevard and then north along the eastern edge of Westbrook Boulevard. This change will place the 60kV line adjacent to the rear yards of the residential lots backing on to the eastern side of Westbrook Boulevard

south of Pleasant Grove Creek instead of the rear yards of the residential lots adjacent to the Pleasant Grove Creek open space corridor. The change to the location of this transmission line will not result in any new impacts that were not previously disclosed. As stated in the CSP EIR, mitigation measures and consistency with existing regulations and policies will ensure that impacts remain less than significant.

Mitigation Measures:

MM 4.10-1 *Identify and Remediate Soil Contamination (Impact 4.10-4-soil contamination, tank or well sites, lead based paint and/or asbestos-CSP)*

Prior to site development in the CSP, recommended testing and remediation by the applicant, if needed, shall occur. Groundwater wells shall be properly closed.

If evidence of soil contamination, septic tanks, or other underground storage tanks are encountered in the CSP area, work shall cease until the area can be tested, and, if necessary, contaminated materials shall be removed and properly disposed or remediated, and regulatory site closure obtained. Remediation activities could include removal of contaminated soil, and/or treatment. The City shall ensure that any necessary investigation and/or remediation activities are coordinated with the Roseville Fire Department, Placer County Division of Environmental Health, and if needed, other appropriate federal, state and local agencies. Once a site is remediated to the satisfaction of the appropriate regulatory agency, construction can continue.

IX. Hydrology and Water Quality

	Where Impact Was Analyzed in Prior Environmental Documents.	Do Proposed Changes Involve New Significant Impacts or Substantially More Severe Impacts?	Any New Circumstances Involving New Significant Impacts or Substantially More Severe Impacts?	Any New Information Requiring New Analysis or Verification?	Prior Environmental Documents' Mitigation Measures Implemented or Addressing Impacts.
a) Violate any water quality standards or waste discharge requirements?	4.13-35	No	No	No	MM 4.13-1 Implementation of Construction Activity Stormwater Protection Standards

b) Substantially deplete groundwater supplies or interfere substantially with groundwater recharge such that there would be a net deficit in aquifer volume or a lowering of the local groundwater table level (e.g., the production rate of pre-existing nearby wells would drop to a level which would not support existing land uses or planned uses for which permits have been granted)?	4.12.1-74, 4.12.1-78;	No	No	No	None
c) Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river, in a manner which would result in substantial erosion or siltation on or off-site?	4.13-20, 4.13-22	No	No	No	None
d) Substantially alter the existing drainage pattern of the site or area, including through the alteration of the course of a stream or river, or substantially increase the rate or amount of surface runoff in a manner which would result in flooding on or off-site?	4.13-20, 4.13-22	No	No	No	None
e) Create or contribute runoff water which would exceed the capacity of existing or planned stormwater drainage systems or provide substantial additional sources of polluted water?	4.13-28	No	No	No	WMM 4.12-2 Pay Fair Share of Roseville Regional Stormwater Retention Facility Improvements
f) Otherwise substantially degrade water quality?	4.13-35	No	No	No	MM 4.13-1 Implementation of Construction Activity Stormwater Protection Standards
g) Place housing within a 100-year flood hazard area as mapped on a federal Flood Hazard Boundary or Flood Insurance Rate Map or other flood hazard delineation map?	4.13-30	No	No	No	None
h) Place within a 100-year flood hazard area structures, which would impede or redirect flood flows?	4.13-30	No	No	No	None

i) Expose people or structures to a significant risk of loss, injury or death involving flooding, including flooding as a result of the failure of a levee or dam?	4.13-4	No	No	No	None
j) Inundation by seiche, tsunami, or mudflow?	4.13-20	No	No	No	None

Discussion:

The CSP EIR concluded that significant impacts due to alteration of the stormwater runoff pattern into Pleasant Grove Creek and increased stormwater runoff volume could be reduced to less than significant with the implementation of mitigation measures requiring a fair share payment toward the region's planned stormwater retention facility improvements; and that significant impacts related to construction erosion and runoff could be reduced to less than significant with mitigation requiring construction activity stormwater protection standards. Significant impacts to surface water quality from urban stormwater runoff could be reduced to less than significant with mitigation requiring compliance with the NPDES and implementation of Stormwater Management measures.

A technical memorandum to the CSP Drainage and Stormwater Master Plan was prepared to evaluate the CSP SPA (Attachment 2). The technical memorandum evaluated the differences between the approved CSP (2016) and the CSP SPA and analyzed the effects of the proposed land use changes on planned drainage and stormwater facilities within the watershed. As discussed in Attachment 2, the proposed conversion of commercial and business professional land uses to single-family uses on the south side of Pleasant Grove Creek will reduce the overall amount of pervious surfaces in this portion of the plan area resulting reduced runoff from the site. The planned drainage and stormwater improvements are sufficient to accommodate the proposed land use changes. In fact, the reduction of flows into the Pleasant Grove Creek bypass channel may help with hydromodification compliance at the project's west boundary. The stormwater facilities as approved in the CSP Drainage and Stormwater Master plan remain sufficient.

The proposed CSP SPA and resulting changes to the anticipated runoff will not result in additional impacts that have not already been addressed in the CSP EIR. The CSP SPA will not result in development outside those areas previously identified and the intensity of development will be reduced. The mitigation measures adopted with certification of the CSP EIR remain applicable and will ensure that impacts remain less than significant.

Mitigation Measures:**MM 4.13-1 *Implementation of Construction Activity Stormwater Protection Standards (Impact 4.13-5- CSP and Urban Reserve)***

Prior to the issuance of a City grading permit and the commencement of construction activities, compliance with the State's General Construction permit, the City of Roseville's Construction Standards and the City's Stormwater BMP Guidance Manual shall be met. This compliance shall include the creation of a Storm Water Pollution Prevention Plan (SWPPP) that will identify the site, the location of sensitive habitats or watercourses, drainage areas, discharge locations, soil disturbance areas, and the locations of all runoff, erosion control, and sediment control Best Management Practices (BMPs). Ongoing monitoring shall be conducted, and adjustments to the SWPPP shall be implemented when needed to address changes in the field as construction activities evolve.

MM 4.13-2 *Stormwater Management Development Standards (Impact 4.13-6 - CSP and 4.13-5 – Urban Reserve)*

At the tentative map or site development stage, development shall be conditioned to include source control and treatment control measures, including but not limited to LID strategies and BMP treatment as required by the City's then current design standards and the City's then current General Phase II Water Quality Permit issued by the State. The measures shall include, but are not limited to, the measures identified above and in Table IV.B.2 *Applicable LID Measures by Development Type*, found in the *Creekview Drainage and Stormwater Master Plan* found in O of this report.

MM 4.13-3

Storm Water Quality Policies (Impact 4.13-5 and Impact 4.13-6- Urban Reserve)

Specific Plans and/or other development proposals for the Urban Reserve shall identify measures to reduce water quality impacts as a result of construction. Future development shall include low impact development (LID) measures. LID improvements shall be required to be constructed as a condition of approval of the proposed development.

X. Land Use and Planning

	Where Impact Was Analyzed in Prior Environmental Documents.	Do Proposed Changes Involve New Significant Impacts or Substantially More Severe Impacts?	Any New Circumstances Involving New Significant Impacts or Substantially More Severe Impacts?	Any New Information Requiring New Analysis or Verification?	Prior Environmental Documents' Mitigation Measures Implemented or Addressing Impacts.
a) Physically divide an established community?	4.1-45	No	No	No	None
b) Conflict with any applicable land use plan, policy, or regulation of an agency with jurisdiction over the project (including, but not limited to the general plan, specific plan, local coastal program, or zoning ordinance) adopted for the purpose of avoiding or mitigating an environmental effect?	4.1-45, 4.1-52, 4.1-62; 4.6-36	No	No	No	None
c) Conflict with any applicable habitat conservation plan or natural community conservation plan?	4.1-66	No	No	No	None

Discussion:

The approved (2016) CSP includes a mix of residential, commercial, office, open space, park and public/quasi-public uses designed to incorporate elements that are consistent with SACOG Blueprint Objectives such as compact development, a variety of housing and transportation choices, and substantial natural resource conservation. Because the plan area has been designed consistent with the SACOG Blueprint, would be internally compatible, does not conflict with the alignment of Placer Parkway, and is consistent with the City's General Plan, the CSP EIR determined that impacts related to conflicts with land use and conservation plans were less than significant.

The land use changes proposed with the CSP SPA would reorient the land uses planned south of Pleasant Grove Creek while leaving the land uses north of the creek unchanged. The LDR units within the plan area will be increased by moving 141 units from MDR parcels to LDR parcels; however the overall unit amount will remain unchanged at 2,011. To accommodate the additional LDR units, additional LDR acreage will be added south of the creek by reducing the Community Commercial (CC) acreage from 15.5 to 9.2 and eliminating 3.8 acres of Community Commercial/Business Professional (CC/BP) land use.

For the most part, the proposed changes associated with the CSP SPA consist of minor adjustments to the location of the land uses. On the east side of Westbrook Boulevard the modifications include replacing the MDR parcels with LDR parcels, the CC/BP parcel with a HDR parcel, and a portion of the CC parcel with a LDR parcel. These changes will place residential uses (Parcel C-17) immediately adjacent to commercial uses (Parcel C-70). The CSP Design Guidelines have been amended to address this interface with the addition of sound attenuating features, landscaping and a paseo. On the west side of Westbrook Boulevard the park site (Parcel C-63) has been modified from a horizontal shape surrounded by MDR land uses to a vertical shape surrounded by LDR uses and Grasscreek Drive has been shifted east to align with the park. The combination of uses west of Westbrook Boulevard are considered internally compatible. Consistency with the CSP Design Guidelines and the Community Design Guidelines will limit conflicts between these uses and no new impacts are anticipated that were not previously disclosed. Impacts remain less than significant.

Mitigation Measures: None required.

XI. Mineral Resources

	Where Impact Was Analyzed in Prior Environmental Documents.	Do Proposed Changes Involve New Significant Impacts or Substantially More Severe Impacts?	Any New Circumstances Involving New Significant Impacts or Substantially More Severe Impacts?	Any New Information Requiring New Analysis or Verification?	Prior Environmental Documents' Mitigation Measures Implemented or Addressing Impacts.
a) Result in the loss of availability of a known mineral resource that would be of value to the region and the residents of the state?	4.7-11	No	No	No	None

b) Result in the loss of availability of a locally-important mineral resource recovery site delineated on a local general plan, specific plan or other land use plan?	4.7-11	No	No	No	None
Discussion: The project site is identified as an area of no known mineral occurrence by the California. No impacts will occur. Mitigation Measures: None required.					

XII. Noise

	Where Impact Was Analyzed in Prior Environmental Documents.	Do Proposed Changes Involve New Significant Impacts or Substantially More Severe Impacts?	Any New Circumstances Involving New Significant Impacts or Substantially More Severe Impacts?	Any New Information Requiring New Analysis or Verification?	Prior Environmental Documents' Mitigation Measures Implemented or Addressing Impacts.
a) Generation of a substantial temporary or permanent increase in ambient noise levels in the vicinity of the project in excess of standards established in the local general plan or noise ordinance, or applicable standards of other agencies?	4.6-17; 4.6-21; 4.6-3; 4.6-25; 4.6-26; 4.6-28; 4.6-31; 4.6-33	No	No	No	MM 4.6-1 Construction Noise Reduction; MM 4.6-2 Commercial Noise Controls; MM 4.6-3: Traffic Noise Attenuation; MM 4.6-3 Traffic Noise Attenuation;
b) Generation of excessive ground borne vibration of ground borne noise levels?	4.6-17	No	No	No	MM 4.6-1 Construction Noise Reduction

c) For a project located within the vicinity of a private airstrip or an airport land use plan or, where such a plan has not been adopted, within two miles of a public airport or public use airport, would the project expose people residing or working in the project area to excessive noise levels?	4.6-17	No	No	No	None

Discussion:

The CSP EIR determined that short-term impacts from noise generated during construction of infrastructure projects within the CSP area were significant and unavoidable even after mitigation measures were applied. Because the CSP SPA does not expand the limits of the development footprint or the project's physical impact boundary, no additional analysis is required. The mitigation measures adopted with the CSP EIR remain applicable and no additional impacts will occur. Remaining impacts related to construction noise impacts remain significant and unavoidable. The EIR determined that impacts from new noise generating uses introduced as a result of the approved CSP, such as commercial uses, would result in a significant impact that could be reduced to less than significant with mitigation. The mitigation measures adopted with certification of the CSP EIR will apply to noise generating uses within the CSP SPA and no new impacts that were not previously disclosed will occur. Impacts remain less than significant.

The CSP EIR also analyzed noise impacts related to placing residential uses within proximity to noise generating uses such as roadways and the Roseville Energy Park (REP). Though the previous document analyzed the effects of transportation noise and noise from the Roseville Energy Park (REP) on the proposed residential uses, the CEQA checklist items related to noise impacts have been updated and that analysis is no longer required. No additional analyses of the impact from existing and future noise sources on residential properties is required. Though not required as part of the CEQA analysis, this issue will be addressed in staff's evaluation of the requested planning entitlements.

The CSP EIR also analyzed the project's consistency with General Plan Noise Element Policy C-6 related to placing noise sensitive receptors within the Roseville Energy Park's 45 dB and 50 dB noise contours. The CSP EIR determined that this was a significant impact that would be reduced to less than significant with approval of the proposed General Plan Amendment that would allow the noise levels at municipal power plants to exceed the allowable noise levels by 10 dB. The proposed modifications to the land use plan would place residential uses within the 50 dB contour where commercial/office uses had previously been planned with the approved CSP (2016). Under the proposed CSP SPA, the 3.8-acre Community Commercial/Business Professional parcel planned immediately north of the Blue Oaks Boulevard and the REP would be replaced with a HDR parcel (Parcel C-43) which would introduce residential uses at a location previously planned for non-residential uses, within the 50 dB contour. Although additional residential uses would be introduced within the 50 dB contour, this conflict was previously identified in the CSP EIR. Furthermore, as amended, the General Plan allows municipal power plants to exceed the allowable noise levels and no conflict exists. No new impact that was not previously disclosed would occur and the impact remains less than significant.

Mitigation Measures:**MM 4.6-1: *Construction Noise Reduction (Impact 4.6-1-CSP and Urban Reserve)***

MM 4.6-1(a): Construction activities shall comply with the requirements of the City of Roseville Noise Ordinance.

MM4.6-1(b): Locate fixed construction equipment such as compressors and generators as far as possible from sensitive receptors. Shroud or shield all impact tools, and muffle or shield all in-take and exhaust ports on power construction equipment.

MM 4.6-1(c): Designate a construction disturbance coordinator and conspicuously post the Coordinator's contact information around the project site and in adjacent public spaces. The disturbance coordinator will receive all public complaints about construction noise disturbances, and will be responsible for determining the cause of the complaint, and implementing any feasible measures to be taken to alleviate the problem.

MM 4.6-1(d):	Well drilling shall occur prior to construction of the adjacent subdivision, to the extent feasible. If construction timing for the wells occurs after subdivision construction, then measures to reduce noise shall include; hanging flexible sound control curtains around the drilling apparatus, and the drill rig, to the degree feasible as determined by the Environmental Utilities Director, if located within 1,000-feet of an occupied residence.
MM 4.6-2:	<i>Commercial Noise Controls (Impact 4.6-2-CSP)</i> For all commercial uses within 150 feet of residential uses, the developer shall implement the following or equally effective measures: • Where commercial land uses adjoin residential property lines, the following measures shall be included in the design of the commercial use. If the primary noise sources are parking lot noise, HVAC equipment and light truck deliveries, then 6-7 foot tall masonry walls shall be constructed to provide adequate isolation of parking lot and delivery truck activities. HVAC equipment shall be located either at ground level, or when located on roof-tops the building facades shall include parapets for shielding. • Where commercial uses adjoin common residential property lines, and loading docks or truck circulation routes face the residential areas, the following mitigation measures shall be included in the project design: ○ Loading docks and truck delivery areas shall be a minimum distance of 30 feet from residential property lines; ○ Property line barriers shall be 6 to 8 feet in height. Circulation routes for trucks shall be located a minimum of 30-feet from residential property lines; ○ All heating, cooling and ventilation equipment shall be located within mechanical rooms where possible; ○ All heating, cooling and ventilation equipment shall be shielded from view with solid barriers; ○ Emergency generators shall comply with the local noise criteria at the nearest noise-sensitive receivers; ○ In cases where loading docks or truck delivery circulation routes are located less than 100 feet from residential property lines, an acoustical evaluation shall be submitted to verify compliance with the City of Roseville Noise Level Performance Standards.
MM 4.6- 3:	<i>Traffic Noise Attenuation (Impact 4.6-7 and 4.6-8 CSP)</i>
MM 4.6-3(a):	In areas requiring sound attenuation, noise barrier walls shall be constructed of concrete panels, concrete masonry units, earthen berms, or any combination of these materials. Wood is not recommended for construction due to eventual warping and degradation of acoustical performance.
MM 4.6-3(b):	Tentative map applications for residential uses located along Blue Oaks Boulevard, Westbrook Boulevard, Holt Parkway, Benchmark Drive and Creekview Plaza shall include an analysis of interior noise levels. The analysis and report shall be conducted by a qualified

acoustical engineer and shall specify the measures required to achieve compliance with the City of Roseville 45 dB Ldn interior noise level standard.

XIII. Population and Housing

	Where Impact Was Analyzed in Prior Environmental Documents.	Do Proposed Changes Involve New Significant Impacts or Substantially More Severe Impacts?	Any New Circumstances Involving New Significant Impacts or Substantially More Severe Impacts?	Any New Information Requiring New Analysis or Verification?	Prior Environmental Documents Mitigation Measures Implemented or Addressing Impacts.
a) Induce substantial population growth in an area, either directly (for example, by proposing new homes and businesses) or indirectly (for example, though extension of roads or other infrastructure)?	4.2-18	No	No	No	None
b) Displace substantial numbers of existing housing, necessitating the construction of replacement housing elsewhere?	4.2-17	No	No	No	None
c) Displace substantial numbers of people, necessitating the construction of replacement housing elsewhere?	4.2-17	No	No	No	None

Discussion:

The CSP EIR concluded that the project would result in significant and unavoidable growth inducing impacts which were attributed to the physical impacts of development on natural environmental resources. Because the CSP SPA does not expand the limits of the development footprint or the project's physical impact boundary no additional analysis is required. This impact remains significant and unavoidable. Impacts related to displacement of existing housing and people were identified as less than significant because there is no existing housing on the site. No changes in circumstance related to existing housing and people have occurred and no additional analysis is required for the CSP SPA. Impacts remain less than significant.

Mitigation Measures: None required.

XIV. Public Services

	Where Impact Was Analyzed in Prior Environmental Documents.	Do Proposed Changes Involve New Significant Impacts or Substantially More Severe Impacts?	Any New Circumstances Involving New Significant Impacts or Substantially More Severe Impacts?	Any New Information Requiring New Analysis or Verification?	Prior Environmental Documents Mitigation Measures Implemented or Addressing Impacts.
Would the project result in substantial adverse physical impacts associated with the provision of new or physically altered governmental facilities, need for new or physically altered governmental facilities, the construction of which could cause significant environmental impacts, in order to maintain acceptable service ratios, response times or other performance objectives for any the public services:					
a) Fire protection?	4.11-11	No	No	No	None
b) Police protection?	4.11-5	No	No	No	None
c) Schools?	4.11-21	No	No	No	MM 4.11-3 Safe Routes to School
d) Parks?	4.11-25	No	No	No	None
e) Other public facilities?	None	No	No	No	None

Discussion:

The CSP EIR evaluated the increased demands for fire services, police services, schools, and parks as a result of the new residential population. Impacts were determined to be less than significant for fire, police, and parks because the project includes mechanism for construction and funding of the facilities need to provide these services. The EIR identified potentially significant impacts related to providing safe routes to school, but determined that those impacts could be reduced to less than significant with mitigation requiring that the applicant work with the school districts to provide safe routes to school. The proposed project does not change the prior analysis conclusions, because the overall number of residential units will not be affected by the proposed CSP SPA. In addition, the project was routed to the affected City's departments for review and no comments related to service provision were received.

The proposed CSP SPA would not result in new significant impacts that are substantially more severe than impacts previously disclosed relative to public services. In addition, there is no new information of substantial importance showing that the project would have one or more significant effects not previously discussed or that any previously examined significant effects would be substantially more severe than significant effects shown in the previous EIR. Nor is there new information of substantial importance showing (i) that mitigation measures or alternatives previously found not to be feasible would in fact be feasible, and would substantially reduce one or more significant effects of the project, but the project proponents decline to adopt the mitigation measure or

alternative or (ii) that mitigation measures or alternatives considerably different from those analyzed in the previous EIR would substantially reduce one or more significant effects, but the proponents decline to adopt the mitigation measure or alternative.

Mitigation Measures:

MM. 4.11.3 Safe Routes to School (Impact 4.11-3 CSP)

The applicants shall work with the school districts to identify safe routes to school. The school districts should encourage an appropriate mechanism for transporting students to schools, both within the specific plan area and outside the project area. Bus programs would reduce traffic congestion and reduce potential air quality impacts.

XV. Recreation

	Where Impact Was Analyzed in Prior Environmental Documents.	Do Proposed Changes Involve New Significant Impacts or Substantially More Severe Impacts?	Any New Circumstances Involving New Significant Impacts or Substantially More Severe Impacts?	Any New Information Requiring New Analysis or Verification?	Prior Environmental Documents Mitigation Measures Implemented or Addressing Impacts.
a) Would the project increase the use of existing neighborhood and regional parks or other recreational facilities such that physical deterioration of the facility would occur or be accelerated?	4.11-31	No	No	No	None
b) Does the project include recreational facilities or require the construction or expansion of recreational facilities which might have an adverse physical effect on the environment?	4.11-31	No	No	No	None

Discussion:

The CSP EIR evaluated the increased demands for park and recreation services as a result of the new residential population. Impacts were determined to be less than significant because the project includes mechanism for construction and funding of the facilities need to provide these services. The physical impacts of construction of these facilities were addressed in separate chapters of the CSP EIR as appropriate. The proposed CSP SPA meets the City's standards for City-wide parks, neighborhood parks, and open space and no additional impacts will occur as a result of the project. Impacts remain less than significant.

Mitigation Measures: None required.

XVI. Transportation/Traffic

	Where Impact Was Analyzed in Prior Environmental Documents.	Do Proposed Changes Involve New Significant Impacts or Substantially More Severe Impacts?	Any New Circumstances Involving New Significant Impacts or Substantially More Severe Impacts?	Any New Information Requiring New Analysis or Verification?	Prior Environmental Documents Mitigation Measures Implemented or Addressing Impacts.
a) Conflict with an applicable plan, ordinance or policy establishing measures of effectiveness for the performance of the circulation system, taking into account all modes of transportation including mass transit and non-motorized travel and relevant components of the circulation system, including but not limited to intersections, streets, highways and freeways, pedestrian and bicycle paths, and mass transit?	4.3-77, 4.3-77; 4.3-79; 4.3-99; 4.3-104; 4.3-164;	No	No	No	MM 4.3-2 Pay Fair Share Toward Transit Improvements; MM 4.3-7: Contribute Fair Share Costs to State Interchanges; MM 4.3-8: Contribute Fair Share Costs to State Roadway Segments

b) Conflict with an applicable congestion management program, including, but not limited to level of service standards and travel demand measures, or other standards established by the county congestion management agency for designated roads or highways?	4.3-57; 4.3-77; 4.3-80; 4.3-81; 4.3-83; 4.3-87; 4.3-90; 4.3-92; 4.3-95; 4.3-98; 4.3-113; 4.3-147; 4.3-149; 4.3-151; 4.3-153; 4.3-155; 4.3-157; 4.3-158; 4.3-160;	No	No	No	MM 4.3-2 Pay Fair Share Toward Transit Improvements; MM-4.3-3, Placer County: Contribute Fair Share Costs to Roadways; MM-4.3-3 Placer County Intersections: Pay Fair Share Cost of Improvements; MM 4.3-4 Pay Fair Share of Improvements (Walerga Road); MM 4.3-5 Contribute Fair Share Costs to Sacramento County Facilities; MM 4.3-6 Contribute Fair Share Costs to Sutter County Facilities; MM 4.3-1 Pay Fair Share Improvements to the CIP
c) Result in a change in air traffic patterns, including either an increase in traffic levels or a change in location that results in substantial safety risks?	4.3-18	No	No	No	None
d) Substantially increase hazards due to a design feature(s) (e.g., sharp curves or dangerous intersections) or incompatible uses (e.g., farm equipment)?	4.3-2	No	No	No	None
e) Result in inadequate emergency access?	4.3-2	No	No	No	None
f) Conflict with adopted policies, plans, or programs supporting public transit, bicycle, or pedestrian facilities, or otherwise decrease the performance or safety of such facilities?	4.3-144; 4.3-146;	No	No	No	MM 4.3-2 Pay Fair Share Toward Transit Improvements

Discussion:

A Traffic Impact Analysis was prepared for the CSP EIR to analyze the impacts of the proposed urban development including the addition of new and extended roadways. The analysis included a quantification of traffic from the CSP under existing and future (2025) conditions. The EIR identified significant impacts related to transit services that would be reduced to less than significant with fair share payment toward planned improvements; and significant impacts from

increased traffic volumes on roadways and intersection delays within the City of Roseville that would be reduced to less than significant with mitigation requiring fair share payment toward CIP improvements.

Impacts to roadways and intersections within Sacramento County and the Cities of Lincoln and Rocklin were identified as less than significant.

Significant impacts to Sutter County roadways, Placer County roadways and intersections, and increased traffic volumes on State Highways were identified and mitigation was adopted to require fair share payment for cost of improvement on the affected infrastructure; however, due to uncertainty related to the feasibility and timing of those improvements given that they improvements are outside the City's jurisdiction, the EIR concluded that the impact would remain significant and unavoidable even with mitigation requiring fair share payment toward roadway improvements.

The proposed CSP SPA includes an update to the circulation network south of Pleasant Grove Creek. The project includes minor revisions to the internal roadway network and will shift Grasscreek Drive east. Grasscreek Drive is considered a collector that provides north south access to the development west of Westbrook Boulevard from Blue Oaks Boulevard. A Technical Memorandum was prepared by Fehr and Peers (Attachment 3) to compare the proposed changes in land use and circulation associated with the CSP SPA to the existing approved CSP (2016). The analysis compared the trip generation anticipated from the proposed CSP SPA to the trip generation anticipated under the current scenario (2016 CSP) and determined that due to anticipated reduction in trips, traffic volumes in the vicinity of the project would be reduced during both peak hours and daily.

The City of Roseville 2035 travel demand model was used to estimate the expected change to vehicle miles traveled (VMT) that result from the proposed land use changes in the CSP SPA. Due to the proposed elimination of CC/BP land uses and the reduction in CC land uses with the CSP SPA, the proposed project will result in a reduction in VMT (5,374,879) as compared to the existing condition (2016 CSP VMT 5,378,872). As detailed in the technical memorandum, only a small portion of the trips to and from the CC/BP land use are fully contained with the CSP and most connect to destinations in other parts of the region. Eliminating this destination also eliminates those trips resulting in a reduction. Given the anticipated reduction in peak and daily trips as well as the reduction to VMT, no additional impacts are anticipated and the conclusions and mitigation measures from the CSP EIR remain applicable.

Mitigation Measures:

MM 4.3-1 *Roseville Intersections: Pay Fair Share of Improvements in the CIP (Impact 4.3-1, 4.3-14 CSP and Urban Reserve)*

Improvements would be necessary to the following intersections, as part of the project to achieve acceptable service levels under the 2025 CIP plus Project scenario. However, as noted, many intersections cannot be mitigated because of constraints.

1. **Blue Oaks Boulevard and Diamond Creek Boulevard** This intersection currently has a southbound left turn lane and a southbound shared left/thru/right lane. It could be mitigated by changing the southbound shared left/thru/right lane to a shared thru/right lane and adding a separate southbound right turn lane. This improvement is feasible and will be added to the City of Roseville's Capital Improvement program. Development within the Creekview Specific Plan Area will be required to pay fair share costs for this improvement.
2. **Pleasant Grove Boulevard and Fiddymont Road** - This intersection could be mitigated by adding a second westbound through lane. This improvement is feasible and will be added to the City of Roseville's Capital Improvement program. Development within the Creekview Specific Plan Area will be required to pay fair share costs for this improvement.

3. **Pleasant Grove Boulevard and Washington Boulevard** - This intersection could be mitigated by adding a fourth eastbound through lane. Due to the proximity of homes in the area and the associated right-of-way that would be required, this mitigation is not feasible.
4. **Roseville Parkway and Chase Drive** - This intersection could be mitigated by adding a second westbound left-turn lane. The improvement would require the addition of a second southbound receiving lane. Due to the proximity of homes in the area and the associated right-of-way that would be required, this mitigation is not feasible.
5. **Woodcreek Oaks Boulevard and Baseline Road** - This intersection could be mitigated by adding a second westbound left turn lane. This improvement is feasible and will be added to the City of Roseville's Capital Improvement program. Development within the Creekview Specific Plan Area will be required to pay fair share costs for this improvement.
6. **Industrial Avenue and Alantown Drive** - This intersection could be mitigated by adding a second southbound through lane. This improvement is feasible and will be added to the City of Roseville's Capital Improvement program. Development within the Creekview Specific Plan Area will be required to pay fair share costs for this improvement.

The CSP will develop over a period of years. Therefore, these impacts would occur over a period of time. As with other improvements in the 2025 CIP, the City will monitor traffic conditions and determine when specific improvements are needed. The City of Roseville's traffic impact fees should be revised to include the CSP area. Specific Plans and/or development proposals shall provide for fair share contributions of the cost of the improvements through the updated traffic impact fees.

MM 4.3-2

Transit Services: Pay Fair Share Toward Transit Improvements (Impacts 4.3-2 and 4.3-16 CSP)

CSP shall contribute its fair share towards the capital improvements for expanded transit services to the project area. This includes bus turn-outs, shelter pads, shelters, and a transfer station. The amount of transit services needed would be identified in an updated Short Range Transit Plan and updated Long Range Transit Master Plan prepared for the Project.

MM 4.3-3

Placer County Intersections: Pay Fair Share of Improvements including Improvements to the Following Intersections (Impacts 4.3-7 and 4.3-18 CSP and Urban Reserve)

- Fiddymont and Athens: This intersection is not included in the City/County fee program.

Consistent with Placer County's Mitigation Measure 4.7-2a for the Placer Vineyards Specific Plan and Mitigation Measure 6.12-1 for the Regional University Specific Plan, the City of Roseville, in working with Placer County to provide funding for improvements not already subject to an existing inter-agency fee program, shall negotiate in good faith with Placer County to enter into additional fair and reasonable arrangements with the intention of achieving within a reasonable time period after approval of the Creekview Specific Plan commitment for the provision of adequate fair share mitigation from the Specific Plan for significant impacts on Placer County roadways. In reaching an accommodation with Placer County, the City and Placer County, in order to better ensure an effective sub-regional approach to mitigating transportation-related impacts, may choose to include within the same agreements or Joint Powers Authority additional public

agencies with whom it must work to mitigate transportation-related impacts, such as Sacramento County, Sutter County, and Caltrans. As the City strives to achieve agreement(s) with one or more of these other agencies, the City shall insist that “fair share” fee obligations be reciprocal, in the sense that the other local agencies, in accepting fair share contributions from the CSP developers, must agree to require new development occurring in their own jurisdictions to make fair share contributions towards mitigating the significant effects of such development on the City’s transportation network. Any such arrangement(s), with just Placer County or with additional agencies, shall account for existing inter-agency fee programs in order to avoid requiring redundant mitigation or fee payments exceeding fair share mitigation levels.

The City intends that its arrangement(s) with Placer County and any other agencies shall permit the participating agencies flexibility in providing cross-jurisdictional credits and reimbursements consistent with the general “fair share” mitigation standard, and require an updated model run incorporating the best available information in order to obtain the most accurate, up-to-date impact assessment feasible and to generate the most accurate, up-to-date estimates of regional fair share contributions. These arrangements, moreover, should also include provisions that allow for periodic updates to the traffic modeling on which fair share payment calculations depend in order to account for (i) newly approved projects cumulatively contributing to transportation-related impacts and that therefore should contribute to the funding of necessary improvements (e.g., the Curry Creek Community Plan in Placer County), (ii) additional physical improvements necessitated in whole or in part by newly approved projects, (iii) changing cost calculations for the construction of needed improvements based on changes in the costs of materials, labor, and other inputs.

The City of Roseville will monitor traffic volumes and coordinate with the County regarding traffic mitigation fees to fund regional improvements.

4.3-4

Placer County Segments: Pay Fair Cost of Improvements (Impact 4.3-7 CSP and Urban Reserve)

- Walerga Road south of Baseline: This segment is not included within the existing City/County Fee Program.

The City shall determine the means of providing the project’s fair share to fund these improvements with Placer County through the inter-agency agreement or other arrangement required by Mitigation Measure 4.3-3. Widening of Walerga Road south of Baseline to six lanes is identified in the Dry Creek Community Plan.

4.3-5

Sacramento County Facilities: Contribute Fair Share Costs to Sacramento County Facilities (Impact 4.3-9, CSP and Urban Reserve)

- Walerga Road

Consistent with Placer County’s Mitigation Measure 4.7-2a for the Placer Vineyards Specific Plan and Mitigation Measure 6.12-1 for the Regional University Specific Plan, which require Placer County to attempt to enter into an agreement with Sacramento County in order to mitigate the significant effects of the those two Placer County projects within Sacramento County, the City of Roseville shall negotiate in good faith to enter into a fair agreement with Sacramento County regarding Creekview’s fair share mitigation for this improvement. In reaching an accommodation with Sacramento County, the City and Sacramento County, in order to better ensure an effective sub-regional approach to mitigating transportation-related impacts, may choose to include within the same agreements or Joint Powers Authority additional public agencies with whom it must work to mitigate transportation-related impacts, such as Placer County, Sutter County, and

Caltrans. As the City strives to achieve agreement(s) with one or more of these other agencies, the City shall insist that “fair share” fee obligations be reciprocal, in the sense that the other local agencies, in accepting fair share contributions from the CSP developers, must agree to require new development occurring in their own jurisdictions to make fair share contributions towards mitigating the significant effects of such development on the City’s transportation network. Any such arrangement(s), with just Sacramento County or with additional agencies, shall account for existing inter-agency fee programs in order to avoid requiring redundant mitigation or fee payments exceeding fair share mitigation levels. The City intends that its arrangement(s) with Sacramento County and any other agencies shall permit the participating agencies flexibility in providing cross-jurisdictional credits and reimbursements consistent with the general “fair share” mitigation standard, and require an updated model run incorporating the best available information in order to obtain the most accurate, up-to-date impact assessment feasible and to generate the most accurate, up-to-date estimates of regional fair share contributions. These arrangements, moreover, should also include provisions that allow for periodic updates to the traffic modeling on which fair share payment calculations depend in order to account for (i) newly approved projects cumulatively contributing to transportation-related impacts and that therefore should contribute to the funding of necessary improvements (e.g., the Curry Creek Community Plan in Placer County), (ii) additional physical improvements necessitated in whole or in part by newly approved projects, (iii) changing cost calculations for the construction of needed improvements based on changes in the costs of materials, labor, and other inputs. Implementation of MM 4.3-5 would reduce impacts to a less than significant level; however, these improvements lie outside the jurisdiction of the City of Roseville.

MM 4.3-6***Sutter County Facilities: Contribute Fair Share Costs to Sutter County Facilities (Impact 4.3-10 CSP and Urban Reserve)***

- Riego Road and Pleasant Grove South:

The City of Roseville shall negotiate in good faith to enter into a fair agreement with Sutter County regarding Creekview’s fair share mitigation for this improvement. In reaching an accommodation with Sutter County, the City and Sutter County, in order to better ensure an effective sub-regional approach to mitigating transportation-related impacts, may choose to include within the same agreements or Joint Powers Authority additional public agencies with whom it must work to mitigate transportation-related impacts, such as Placer County, Sacramento County, and Caltrans. As the City strives to achieve agreement(s) with one or more of these other agencies, the City shall insist that “fair share” fee obligations be reciprocal, in the sense that the other local agencies, in accepting fair share contributions from the CSP developers, must agree to require new development occurring in their own jurisdictions to make fair share contributions towards mitigation the significant effects of such development on the City’s transportation network. Any such arrangement(s), with just Sutter County or with additional agencies, shall account for existing inter-agency fee programs in order to avoid requiring redundant mitigation or fee payments exceeding fair share mitigation levels. The City intends that its arrangement(s) with Sutter County and any other agencies shall permit the participating agencies flexibility in providing cross-jurisdictional credits and reimbursements consistent with the general “fair share” mitigation standard, and require an updated model run incorporating the best available information in order to obtain the most accurate, up-to-date impact assessment feasible and to generate the most accurate, up-to-date estimates of regional fair share contributions. These arrangements, moreover, should also include provisions that allow for periodic updates to the traffic modeling on which fair share payment calculations depend in order to account for (i) newly approved projects cumulatively contributing to transportation-related impacts and that therefore should contribute to the funding of necessary improvements (e.g., the Curry Creek Community Plan in Placer County), (ii) additional physical improvements necessitated in whole or in part by newly approved projects, (iii) changing cost calculations for the construction of needed improvements based on changes in the costs of materials, labor, and other

inputs. Implementation of MM 4.3-6 would reduce impacts to a less than significant level; however, these improvements lie outside the jurisdiction of the City of Roseville.

MM 4.3-7***State Facilities Interchanges: Contribute Fair Share Costs to State Roadway Segments (Impact 4.3-12 and 27 CSP and Urban Reserve)***

- I-80 Eastbound at Taylor Road/Eureka Boulevard:

The City of Roseville is currently moving forward with the design for improvements at this interchange as part of the CIP. The funding for the improvement is currently included within the City's Capital Improvement Program and development within the Creekview's Specific Plan Area will be required to pay fair share costs for these improvements.

MM 4.3-8***State Facilities Segments: Contribute Fair Share Costs to State Roadway Segments (Impact 4.3-13 and 4.3-27 CSP and Urban Reserve)***

No specific improvements have been identified to mitigate project impacts on I-80, SR 70/99, or SR 65; however, the City is willing to work with Caltrans & the Placer County Transportation Planning Agency (PCTPA) to establish a regional approach to institute a fee program for the purpose of funding improvements on these facilities. If and when Caltrans and the City enter into an enforceable agreement, the Project shall pay impact fees to the City of Roseville in amounts that constitute the Project's fair share contributions to the construction of transportation facilities and/or improvements, consistent with the Mitigation Fee Act (Gov. Code, § 66000 et seq.).

The City shall determine the means of providing the project's fair share of the funds for these improvements to Caltrans through the inter-agency agreement or other arrangement.

XVII. Tribal Cultural Resources

	Where Impact Was Analyzed in Prior Environmental Documents.	Do Proposed Changes Involve New Significant Impacts or Substantially More Severe Impacts?	Any New Circumstances Involving New Significant Impacts or Substantially More Severe Impacts?	Any New Information Requiring New Analysis or Verification?	Prior Environmental Documents Mitigation Measures Implemented or Addressing Impacts.
Would the project cause a substantial adverse change in the significance of a Tribal Cultural Resource as defined in Public Resources Code Section 21074 as either a site, feature, place, cultural landscape that is geographically defined in terms of the size and scope of the landscape, sacred place, or object with cultural value to a California Native American tribe, and that is:					
a) Listed or eligible for listing in the California Register of Historical Resources, or in a local register of historical resources as defined in Public Resources Code section 5020.1(k)?	4.9-16	No	No	No	None
b) A resource determined by the lead agency, in its discretion and supported by substantial evidence, to be significant pursuant to criteria set forth in subdivision (c) of Public Resources Code Section 5024.1? In applying the criteria set forth in subdivision (c) of Public Resources Code Section 5024.1 the lead agency shall consider the significance of the resource to a California Native American tribe.	Not Applicable	No	No	No	

Discussion:

In addition to archeological resources, tribal cultural resources are also given particular treatment. Tribal cultural resources are defined in Public Resources Code Section 21074, as either 1) a site, feature, place, geographically-defined cultural landscape, sacred place, or object with cultural value to a California Native American Tribe, that is listed or eligible for listing on the California Register or Historical Resources, or on a local register of historical resources or as 2) a resource determined by the lead agency, supported by substantial evidence, to be significant according to the historical register criteria in Public Resources Code section 5024.1(c), and considering the significance of the resource to a California Native American Tribe. This section was added to the CEQA Guidelines after the certification of the Creekview EIR, but cultural resources were addressed in that document.

Mitigation Measures: None

XVIII. Utilities and Service Systems

	Where Impact Was Analyzed in Prior Environmental Documents.	Do Proposed Changes Involve New Significant Impacts or Substantially More Severe Impacts?	Any New Circumstances Involving New Significant Impacts or Substantially More Severe Impacts?	Any New Information Requiring New Analysis or Verification?	Prior Environmental Documents Mitigation Measures Implemented or Addressing Impacts.
a) Exceed wastewater treatment requirements of the applicable Regional Water Quality Control Board?	4.12.3-16; 4.12.3-23	No	No	No	MM 4.12.3-1 Treatment Plant Capacity; MM 4.12.3-2 Treatment Plant Expansion
b) Require or result in the construction of new water or wastewater treatment facilities or expansion of existing facilities, the construction of which could cause significant environmental effects?	4.12.3-14; 4.12.3-14; 4.12.3-21; 4.12.1-69; 4.12.1-71	No	No	No	MM 4.12.3-2 Treatment Plant Expansion
c) Require or result in the construction of new storm water drainage facilities or expansion of existing facilities, the construction of which could cause significant environmental effects?	4.13-28	No	No	No	WMM 4.12-2 Pay Fair Share of Roseville Regional Stormwater Retention Facility Improvements

d) Have sufficient water supplies available to serve the project from existing entitlements and resources, or are new or expanded entitlements needed?	4.12.1-49; 4.12.1-54	No	No	No	None
e) Result in a determination by the wastewater treatment provider which serves the project that it has adequate capacity to serve the project's projected demand in addition of the provider's existing commitments?	4.12.3-16;	No	No	No	MM 4.12.3-1 Treatment Plant Capacity
f) Be served by a landfill with sufficient permitted capacity to accommodate the project's solid waste disposal needs?	4.12.4-10; 4.12.4-12; 4.12.4-14; and 4.12.4-15	No	No	No	WMM 4.11-7 Expand the WRSL Landfill; WMM 4.11-7 Expand the WRSL Landfill; WMM 4.11-11 Divert Construction Debris
g) Comply with federal, state, and local statutes and regulations related to solid waste?	4.12.4-5; 4.12.4-15	No	No	No	WMM 4.11-11 Divert Construction Debris

Discussion:Wastewater

The CSP EIR determined that the impact related to the expansion of the PGWWTP facility and service area needed to accommodate growth from the project would result in a significant impact that could be reduced to less than significant with mitigation measures requiring expansion of the service area, connection fees, and a fair share payment for environmental review. The significant physical impacts related to construction of new facilities would be reduced to less than significant with implementation of mitigation measures identified in the Wastewater Master Plan EIR.

Water Supply

The total projected potable water demand for the originally approved project is 58,099 acre feet per year (AFY). As presented in the CSP EIR, the City's normal/wet year water supply from the American River of 58,900 AFY would meet the project's water demand with a surplus of 801 AFY. In dry years, the City supplements the water supply from the American River with ground water and maintains its supply. Furthermore, the capacity of the existing water treatment plant exceeds the anticipated buildout demand. The CSP EIR determined that the existing supply and treatment plant would serve the CSP and that impacts were less than significant.

A technical memorandum was prepared for the proposed project to determine how the proposed modification would affect the overall water demand for the project. The memorandum determined that the proposed land use changes would result in a 2 AFY annual water demand reduction.

Solid Waste

The CSP EIR determined that the solid waste generated by the CSP would exceed the ultimate capacity of the landfill by 501 tons per day ultimately reducing the lifetime of the landfill by 3 months and that this resulted in a Significant Impact. Although the CSP is required to pay collection fees toward expansion of the landfill the impact was determined to be Significant and Unavoidable because the City cannot guarantee expansion of the landfill. Additionally, impacts to biological and agricultural resources associated with the future expansion of the landfill and impacts from the increased construction and demolition debris expected from the project were identified as Significant and Unavoidable even with the adoption of mitigation measures.

Conclusion

The proposed project would not result in a new significant impacts that are substantially more severe than impacts previously disclosed. In addition, there is no new information of substantial importance showing that the project would have one or more significant effects not previously discussed or that any previously examined significant effects would be substantially more severe than significant effects shown in the previous EIR. Nor is there new information of substantial importance showing (i) that mitigation measures or alternatives previously found not to be feasible would in fact be feasible, and would substantially reduce one or more significant effects of the project, but the project proponents decline to adopt the mitigation measure or alternative or (ii) that mitigation measures or alternatives considerably different from those analyzed in the previous EIR would substantially reduce one or more significant effects, but the proponents decline to adopt the mitigation measure or alternative. The CSP SPA will not result in development outside those areas previously identified for development and, with the CSP SPA, the intensity of development will be reduced. The prior conclusions and mitigation measures of the CSP EIR remain applicable.

Mitigation Measures:**MM 4.12.3-1 *Treatment Plant Capacity (Impacts 4.12.3-2 CSP)***

Prior to issuance of building permits for development in the CSP area, the applicant shall demonstrate to the City that the SPWA has approved expansion of the SPWA 2005 Service Area Boundary to include the CSP. All applicants shall participate financially in the construction of additional wastewater treatment capacity sufficient to accommodate projected flows through payment of connection fees. Applicant shall also participate on a fair share basis in other financial mechanisms for any additional environmental review required to secure approvals necessary to increase wastewater discharges from the plant, including approval by the SPWA for expansion of the service area boundary. It is recognized that the CSP applicant will rely on the City (on behalf of the SPWA partners) to construct regional treatment and regional transmission facilities needed to treat and discharge wastewater produced within the service area boundary. In the event the City is unable to obtain all required permits (e.g. NPDES permit and WDRs) or is unable to complete the required facility expansion(s), development within the service area boundary may continue until existing capacity has been exhausted, at which time any remaining development shall be curtailed until such time as sufficient wastewater treatment and discharge capacity becomes available.

MM 4.12.3-2 *Treatment Plant Expansion (Impacts 4.12.3-3 CSP and Urban Reserve, Impact 4.12.3-4 CSP)*

The applicant and/or the City, as specified, shall implement all relevant construction related mitigation measures for expansion of the PGWWTP listed in certified Final EIR Appendix J and all water quality and aquatic resource mitigation measures applicable to this project as listed in certified Final EIR Table 4.12.3-5.

WMM 4.11-7 *Expand the WRSL Landfill (Impact 4.12.4-2 and 4.12.4-3 – CSP and Urban Reserve)*

Development in the CSP Area and Urban Reserve shall pay collection fess to the City of Roseville, a portion of which shall be used to service bonds necessary to fund landfill expansion.

Since preparation of the WRSP FEIR, the City has implemented a green waste program whereby all new residential customers receive green waste bins. Therefore this mitigation measure is no longer required because it is a standard operating procedure.

WMM 4.11-11 *Divert Construction Debris (Impact 4.12.4-4 – CSP and Urban Reserve)*

Developers of the CSP and Urban Reserve areas shall ensure a 50% diversion of development's construction waste stream from landfill disposal. In Developer contracts with construction contractors and their sub-contractors, the Developer shall require that the amount of construction waste be diverted from landfill disposal by no less than 50%. The Developer shall further require that contractors and sub-contractors submit records of diversion and disposal to the City's Environmental Utilities Department in order to verify compliance with this requirement.

XIX. Other Considerations

Since the publication of the EIR, the Office of Planning and Research (OPR) has updated CEQA Guidelines Appendix G (Environmental Checklist Form). These updates address legislative changes to CEQA, clarify language, and update language consistent with case law. None of the changes to the checklist require new analysis related to impacts which were not known or which could not have been known at the time the CSP EIR was prepared. The majority of the checklist changes clarify language, reorganize existing language, or eliminate analysis requirements. For analysis requirements which have been eliminated, this is in response to case law affirming that analysis must focus on impacts caused by the project, not impacts to the project. An example of each of these types of changes is included below:

- Cultural Resources (a): Cause a substantial adverse change in the significance of an historic resource ~~as defined in~~ pursuant to Section 15064.5?

The replacement of “as defined in” with “pursuant to” is a phrasing change which has no impact on required analysis.

- Cultural Resources (c) has been moved to Geology and Soils (f).

Moving the topical section of this analysis requirement (which is related to paleontological resources) from Cultural Resources to Geology and Soils has no impact on required analysis.

- Noise (b): ~~Exposure of persons to or~~ generation of excessive ground borne vibration of ground borne noise levels?

The above changes redirect the analysis from considering overall exposure of persons to ground borne vibration, and focus the analysis on any ground borne vibration generated by a project. This same change is reflected in all other checklist questions related to noise. Therefore, the CSP EIR and this Addendum includes more analysis than is currently required, because it included analysis related to exposing neighboring areas to noise, but also analyzed the effect of noise on the proposed uses; the latter analysis is no longer required.

The updated CEQA Guidelines Appendix G also includes two new sections (Tribal Cultural Resources and Energy) and includes new and modified requirements as part of the Transportation/Traffic section. Although Tribal Cultural Resources section is new, the analysis of this impact area was included in the CSP EIR as part of the Cultural Resources section. The new Energy section was formerly included in CEQA Guidelines Appendix F, but has been moved into the Appendix G, so while it is new to the checklist it is not new to the CEQA Guidelines. The changes to the Transportation/Traffic section—which is now called simply Transportation—refocuses the analysis on vehicle miles traveled (VMT). However, while

OPR has promulgated these changes, the legislation requiring the use of VMT in CEQA analysis specifies that the requirement for lead agencies to use VMT goes into effect on July 1, 2020. Therefore, a VMT analysis is not currently required, and has not been included in this Addendum.

Based on the foregoing, none of the modifications to CEQA Guidelines Appendix G require new analysis related to impacts which were not known or which could not have been known at the time the EIR was prepared. Therefore, an Addendum is the appropriate environmental document to describe the impacts of the proposed project.

XX. Mandatory Findings of Significance

	Where Impact Was Analyzed in Prior Environmental Documents.	Do Proposed Changes Involve New Significant Impacts or Substantially More Severe Impacts?	Any New Circumstances Involving New Significant Impacts or Substantially More Severe Impacts?	Any New Information Requiring New Analysis or Verification?	Prior Environmental Documents Mitigation Measures Implemented or Addressing Impacts.
a) Does the project have the potential to degrade the quality of the environment, substantially reduce the habitat of a fish or wildlife species, cause a fish or wildlife population to drop below self-sustaining levels, threaten to eliminate a plant or animal community, substantially reduce the number or restrict the range of an endangered, threatened or rare species, or eliminate important examples of the major periods of California history or prehistory?	See prior sections	No	No	No	See prior sections
b) Does the project have impacts which are individually limited, but cumulatively considerable? ("Cumulatively considerable" means that the incremental effects of a project are considerable when viewed in connection with the effects of past projects, the effects of other current projects, and the effects of probable future projects.)	See prior sections	No	No	No	See prior sections
c) Does the project have environmental effects which will cause substantial adverse effects on human beings, either directly or indirectly?	See prior sections	No	No	No	See prior sections

Discussion: Based on the environmental analysis of this Addendum, the proposed project will not have the potential to result in any of the mandatory findings of significance, and will in general result in reduced impacts compared to previous analyses.

ENVIRONMENTAL DETERMINATION:

In reviewing the site specific information provided for this project and acting as Lead Agency, the City of Roseville, Development Services Department, Planning Division has analyzed the potential environmental impacts created by this project and determined that the findings of CEQA Section 15162 concerning the decision not to prepare a subsequent EIR or negative declaration and the findings of CEQA Section 15164 concerning the decision to prepare an Addendum can be made. As supported by substantial evidence within the Addendum to the Creekview Specific Plan Final Environmental Impact Report (SCH # 02008032017, adopted September 19, 2012), the Lead Agency makes the following findings:

[X] No substantial changes are proposed in the project which would require major revisions of the previous EIR.

[X] No substantial changes have occurred with respect to the circumstances under which the project is undertaken.

[X] There is no new information of substantial importance which was not known and could not have been known with the exercise of due diligence at the time the previous EIR was certified as complete.

[X] Only minor technical changes or additions are necessary in order to deem the adopted environmental document adequate.

Addendum Prepared by:

Charity Gold, Associate Planner
City of Roseville, Development Services–Planning Division

Attachments:

1. Air Quality Impact and Greenhouse Gas Analysis Creekview Specific Plan Amendment, Raney Planning & Management, July 2019
2. Addendum #1 to the Drainage and Stormwater Master Plan for the Creekview Specific Plan, MacKay & Soms, August 12, 2019.
3. Technical Memorandum: Transportation Impact Assessment of Proposed Land Use Amendment to Creekview Specific Plan, Fehr & Peers, June 28, 2019.

Air Quality Impact and Greenhouse Gas Analysis

Creekview Specific Plan Amendment

Prepared for:

ANTHEM UNITED CREEKVIEW DEVELOPMENTS LP

JULY 2019

Prepared by:



1501 SPORTS DRIVE, SUITE A • SACRAMENTO • CA • 95834
OFFICE 916.372.6100 • FAX 916.419.6108
INFO@RANEYMANAGEMENT.COM

Introduction

This Air Quality Impact and Greenhouse Gas Analysis identifies and analyzes the potential environmental impacts of the modifications to the original Creekview Specific Plan (CSP) related to air quality and greenhouse gas (GHG) emissions. The modifications to the project will hereby referred to as the proposed project. The information and analysis in this document is organized in accordance with the checklist in Appendix G of the California Environmental Quality Act (CEQA) Guidelines. If the analysis provided in this document identifies potentially significant environmental effects of the project, mitigation measures that should be applied to the project are prescribed. All modeling results are included as Appendix A to this document.

Project Background

The CSP consists of 501 acres north and west of the West Roseville Specific Plan (WRSP) in the City of Roseville, California (see Figure 1). The CSP is bound by the planned extension of Blue Oaks Boulevard (along the Phillip Road alignment) within the WRSP on the south, the Fiddymont Ranch portion of the WRSP to the east, the City of Roseville's Johnson Wildlife Area property to the west, and agriculturally-zoned properties within unincorporated Placer County to the north (see Figure 2). Pleasant Grove Creek bisects the vacant project site flowing southeast. North and west of the site is vacant land, and southeast and southwest of the site is an existing residential development. The land directly to the south includes the Roseville Energy Park and the Pleasant Grove Waste Water Treatment Plant (WWTP). Directly east of the project site is vacant land and east of the vacant land is a residential subdivision currently under development.

In 2012, the proposed project was approved for development of 2,011 residential units and included community commercial, community commercial/business park, school, park, open space, quasi-public and urban reserve uses. The approved land use of the CSP consisted of 157.30-acres of Low Density Residential (LDR), 66.00-acres of Medium Density Residential (MDR), 18.70-acres of High Density Residential (HDR), 15.50-acres of Community Commercial (CC), 3.80-acres of Community Commercial/Business Professional (CC/BP), and 240-acres of open space and other public uses (see Figure 3). In 2013, a Large Lot Tentative Map was approved to subdivide the 501-acre CSP into 53 large lots, consistent with the adopted 2012 CSP land use plan. Following the approval of the Large Lot Tentative Map, a Specific Plan Amendment was proposed to shift residential units among large lots while maintaining the approved land use pattern and acreage. The modification was subsequently approved in 2016 along with a Small Lott Tentative Subdivision Map, Design Review for Residential Subdivision, and a Tree Permit. A summary of the approved residential units from the 2012 project plans compared to the 2016 project plans is presented in Table 1 below.

Table 1			
2012 Approved Residential Unit Count vs. 2016 Approved Residential Unit Count			
2012 CSP		2016 SPA	
Uses	Units	Uses	Units
LDR	836	LDR	810
MDR	655	MDR	654
HDR	520	HDR	547
TOTAL UNITS	2,011	TOTAL UNITS	2,011

Figure 1
Regional Project Location




Figure 2
Project Vicinity Map





Figure 3
2012 CSP Approved Land Use Plan



Project Summary

The proposed project consists of amendments to the CSP (2019 SPA) to align residential housing types to meet market demand and to reduce the burden of Phase 1 infrastructure. All modifications to circulation, lotting, parcel sizes, and configurations are proposed for only the parcels south of Pleasant Grove Creek. Additionally, the 2019 SPA includes text amendments to the CSP, Development Standards, and Design Guidelines to describe and implement the proposed land use revisions described below.

Revised Land Use Plan

The 2019 SPA proposes modifications to the land use plan (see Figure 4); however, the 2019 SPA does not propose to change the development footprint or size of the CSP.

The HDR parcels south of Pleasant Grove Creek are proposed for adjustment. HDR Parcel C-42 is reoriented and enlarged slightly to increase frontage along Blue Oaks Boulevard and HDR Parcel C-41 was moved east of Westbrook Boulevard. Additionally, the 2019 SPA includes a 3.9-acre parcel, HDR Parcel C-43, east of Creekview Plaza. Due to the above adjustments, 17 HDR units are proposed to be shifted to HDR Parcel C-40 north of the creek; however, the shape and size of Parcel C-40 remains the same.

With respect to Service and Employment, the CC parcel is proposed to be reduced from 15.5 acres to 9.3 acres and the 2019 SPA includes elimination of the CC/BP land use. The reduction of commercial land uses is due to a surplus of land designated for commercial uses within a short distance of the CSP, thus, reducing the demand for commercial uses. The 3.8-acre CC/BP parcel north of Blue Oaks Boulevard is now proposed as HDR.

With respect to Open Space and Public, the 2019 SPA includes an increased total park acreage by 0.2 acres and increased ROW by 0.2 acres. The 2019 SPA would maintain the current OS and P/QP parcels in size and placement. Additionally, the 2019 SPA includes relocation of the transit transfer center previously planned north of Commercial Parcel C-70 to the east side of C-70 on Creekview Plaza, north of Blue Oaks Boulevard.

A summary of the currently approved land use map versus the proposed land use map that includes the proposed amendments is provided in Table 2 on the following page.


Table 2			
2012 Approved Land Uses vs. 2019 Proposed Land Uses			
Approved Land Uses 2012		Approved Land Uses 2016	
Uses	Acres	Uses	Acres
Residential			
LDR	157.3	LDR	182.74
MDR	66.0	MDR	51.20
HDR	18.7	HDR	17.68
Residential Sub-Total	242.0	Residential Sub-Total	251.62
Service and Employment			
CC	15.5	CC	9.26
CC/BP	3.8	CC/BP	0
Service and Employment Sub-Total	19.3	Service and Employment Sub-Total	9.26
Open Space and Public			
Open Space (OS)	136.9	OS	136.90
Park (PR)	16.1	PR	16.27
Public/Quasi-Public (P/QP)	9.6	P/QP	9.65
Urban Reserve (UR)	39.9	UR	39.90
Right-of-Way (ROW)	37.5	ROW	37.70
Open Space and Public Sub-Total	240	Open Space and Public Sub-Total	240.42
TOTAL ACRES	501.3	TOTAL ACRES	501.30

Residential Unit Count and Distribution

The 2019 SPA includes adjustments to the residential unit and distributions due to residential parcels being reconfigured west and east of Westbrook Boulevard and south of the Pleasant Grove Creek. Additionally, the 2019 SPA revised land uses resulting in the addition of LDR parcels increasing the LDR residential unit count and distribution. A summary of the approved residential unit count from the 2016 SPA compared to the proposed residential unit count as part of this proposed 2019 SPA is presented in Table 3 below.

Table 3			
2016 Approved Residential Unit Count vs. 2019 Proposed Residential Unit Count			
2016 SPA		2019 SPA	
Uses	Units	Uses	Units
LDR	810	LDR	954
MDR	654	MDR	510
HDR	547	HDR	547
TOTAL UNITS	2,011	TOTAL UNITS	2,011

Figure 4
2019 SPA Proposed Land Use Plan



Construction and Design

The following is a discussion of the project construction phases and site features associated with the proposed project modifications.

Construction Phases

Construction of the CSP is anticipated to occur over three phases, A, B and C. As part of the 2019 SPA, the phasing plan has been modified to reflect the revisions to the land use plan; however, the area of disturbance in each phase remains the same.

Phase A includes the development of all parcels and associated infrastructure south of Pleasant Grove Creek and consists of 66.5 acres of LDR, 23.5 acres of MDR, 12.5 acres of HDR, 9.3 acres of CC, 4.0 acres of PR, 49.7 acres of OS, and 1.8 acres of P/QP.

Phase B includes the development of all parcels and associated infrastructure in the northeast corner of the project site (C-52, C6, C-7, and C-8) and consists of 27.6 acres of LDR and 15.1 acres of OS.

Phase C includes the development of the remaining parcels and infrastructure north of Pleasant Grove Creek and consists of 88.6 acres of LDR, 27.7 acres of MDR, 5.2 acres of HDR, 12.2 acres of PR, and 7.9 acres of P/QP.

Site Development Features

It should be noted that the proposed project would incorporate a variety of sustainable design features, which would include, but not necessarily be limited to, the following:

- Land use plan with compact form and higher density uses, consistent with the SACOG Blueprint and the City's Blueprint Implementation Strategies, proximate to transit services, schools, and parks;
- Development of a commercial center that provides services proximate to residential areas to reduce reliance on vehicles;
- Provision of a park and ride lot, electric charging stations, bus transfer station, bus stops, and right of way for future bus rapid transit;
- Provision of traffic calming measures and streets designed to maximize connectivity,
- Provision of physical improvements, such as sidewalk improvements, walkway enhancements, landscaping, pavement markings, and bicycle parking that would act as incentives for pedestrian and bicycle modes of travel;
- Provision of a planned pedestrian and bike network containing Class I and Class II facilities;
- Connection of the site with a regional bikeway/pedestrian trail system;
- Improvements to the existing bikeway/pedestrian trail network, including landscape treatment and widening in some locations; and
- Provision of direct, safe, attractive pedestrian access from project land uses to transit stops and adjacent development.

Furthermore, due to the project location, the following site features are inherent in the proposed project design:

- Within walking distance to public transportation;
- Existing network of pedestrian and bicycle connections;
- Near major transportation route (i.e., SR 65);
- Near residential development; and
- Near existing commercial uses, including retail and restaurants.

Sources

1. California Air Pollution Control Officers Association. *Quantifying Greenhouse Gas Mitigation Measures*. August 2010.
2. California Air Resources Board. *Air Quality and Land Use Handbook: A Community Health Perspective*. April 2005.
3. California Air Resources Board. *Ambient Air Quality Standards*. May 04, 2016.
4. California Air Resources Board. *First Update to the Climate Change Scoping Plan*. May 15, 2014.
5. California Air Resources Board. *Final Supplement to the AB 32 Scoping Plan Functional Equivalent Document*. August 19, 2011.
6. Fehr and Peers. *Transportation Impact Assessment of Proposed Land Use Amendment to Creekview Specific Plan*. June 28, 2019.
7. Placer County Air Pollution Control District. *CEQA Air Quality Handbook*. November 21, 2017.
8. Placer County Air Pollution Control District. *Placer County Air Pollution Control District Policy. Review of Land Use Projects Under CEQA*. October 13, 2016
9. Sacramento Metropolitan Air Quality Management District. *Guide to Air Quality Assessment in Sacramento County*. December 2009.
10. Sacramento Metropolitan Air Quality Management District. *Sacramento Regional 8-Hour Ozone Attainment and Reasonable Further Progress Plan (2013 SIP Revisions)*. September 26, 2013.

III. AIR QUALITY. <i>Would the project:</i>		Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less- Than- Significant Impact	No Impact
a.	Conflict with or obstruct implementation of the applicable air quality plan?	☐	☐	✘	☐
b.	Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is non-attainment under an applicable federal or state ambient air quality standard?	☐	☐	✘	☐
c.	Expose sensitive receptors to substantial pollutant concentrations?	☐	☐	✘	☐
d.	Result in other emissions (such as those leading to odors) adversely affecting a substantial number of people?	☐	☐	✘	☐

Discussion

- a,b. The proposed project site is located within the Sacramento Valley Air Basin (SVAB) and is under the jurisdiction of the Placer County Air Pollution Control District (PCAPCD). The SVAB is designated nonattainment for the federal particulate matter 2.5 microns in diameter (PM_{2.5}) and the State particulate matter 10 microns in diameter (PM₁₀) standards, as well as for both the federal and State ozone standards. The federal Clean Air Act requires areas designated as federal nonattainment to prepare an air quality control plan referred to as the State Implementation Plan (SIP). The SIP contains the strategies and control measures for states to use to attain the national ambient air quality standards (NAAQS). The SIP is periodically modified to reflect the latest emissions inventories, planning documents, rules, and regulations of air basins as reported by the agencies with jurisdiction over them. In compliance with regulations, the PCAPCD periodically prepares and updates air quality plans that provide emission reduction strategies to achieve attainment of the NAAQS, including control strategies to reduce air pollutant emissions via regulations, incentive programs, public education, and partnerships with other agencies.

The current applicable air quality plan for the proposed project area is the *Sacramento Regional 8-Hour Ozone Attainment and Reasonable Further Progress Plan* (Ozone Attainment Plan), adopted September 26, 2013. The U.S. Environmental Protection Agency (USEPA) determined the motor vehicle emission budgets in the Plan to be adequate and made such findings effective August 25, 2014. On January 9, 2015, the USEPA approved the 2013 Ozone Attainment Plan.

The 2013 Ozone Attainment Plan demonstrates how existing and new control strategies would provide the necessary future emission reductions to meet the CAA requirements, including the NAAQS. It should be noted that in addition to strengthening the 8-hour ozone NAAQS, the USEPA also strengthened the secondary 8-hour ozone NAAQS, making the secondary standard identical to the primary standard. The SVAB remains classified as a severe nonattainment area with an attainment deadline of 2027. On October 26, 2015, the USEPA released a final implementation rule for the revised

NAAQS for ozone to address the requirements for reasonable further progress, modeling and attainment demonstrations, and reasonably available control measures (RACM) and reasonably available control technology (RACT). With the publication of the new NAAQS ozone rules, areas in nonattainment must update their ozone attainment plans and submit new plans by 2020/2021.

General conformity requirements of the regional air quality plan include whether a project would cause or contribute to new violations of any NAAQS, increase the frequency or severity of an existing violation of any NAAQS, or delay timely attainment of any NAAQS. In order to evaluate ozone and other criteria air pollutant emissions and support attainment goals for those pollutants that the area is designated nonattainment, the PCAPCD adopts recommended thresholds of significance for emissions of PM₁₀, and ozone precursors – reactive organic gases (ROG) and oxides of nitrogen (NO_x). On October 13, 2016, the PCAPCD adopted updated significance thresholds for the aforementioned pollutants.

The significance thresholds, expressed in pounds per day (lbs/day), listed in Table 4 are the PCAPCD's recently updated thresholds of significance for use in the evaluation of air quality impacts associated with proposed development projects. The City of Roseville, as lead agency, uses the PCAPCD's recommended thresholds of significance for CEQA evaluation purposes. Thus, if the proposed project's emissions exceed the pollutant thresholds presented in Table 4, the project could have a significant effect on air quality, the attainment of federal and State AAQS, and could conflict with or obstruct implementation of the applicable air quality plan.

Table 4		
PCAPCD Thresholds of Significance		
Pollutant	Construction Threshold (lbs/day)	Operational Threshold (lbs/day)
ROG	82	55
NO _x	82	55
PM ₁₀	82	82
<i>Source: Placer County Air Pollution Control District. Placer County Air Pollution Control District Policy. Review of Land Use Projects Under CEQA. October 13, 2016</i>		

The proposed project's operational emissions were quantified using the California Emissions Estimator Model (CalEEMod) software version 2016.3.2 – a statewide model designed to provide a uniform platform for government agencies, land use planners, and environmental professionals to quantify air quality emissions, including GHG emissions, from land use projects. The model applies inherent default values for various land uses, including construction data, trip generation rates, vehicle mix, trip length, average speed, compliance with the California Building Standards Code (CBSC), etc. Where project-specific information is available, such information should be applied in the model. For the proposed project, project-specific trip generation rates provided by traffic consultants were input into the model. The emissions intensity factor for electricity consumed at the project site was updated to reflect Roseville Electric's progress towards achieving the State's Renewable Portfolio Standards (RPS). All CalEEMod results are included in Appendix A.

The proposed project's potential air quality impacts associated with construction and operations are discussed in further detail below. A discussion of the proposed modifications' contribution to cumulative air quality conditions is provided below as well.

Construction Emissions

During construction of the project, various types of equipment and vehicles would temporarily operate on the project site. Construction exhaust emissions would be generated from construction equipment, vegetation clearing and earth movement activities, construction worker commutes, and construction material hauling for the entire construction period. The aforementioned activities would involve the use of diesel- and gasoline-powered equipment that would generate emissions of criteria pollutants. Project construction activities also represent sources of fugitive dust, which includes particulate matter (PM) emissions. As construction of the proposed project would generate air pollutant emissions intermittently within the site, and the vicinity of the site, until all construction has been completed, construction is a potential concern because the proposed project is in a non-attainment area for ozone and PM₁₀ and PM_{2.5}.

The proposed project would be required to comply with all PCAPCD rules and regulations for construction, which would be noted on City-approved construction plans. The applicable rules and regulations would include, but not be limited to, the following:

- Rule 202 related to visible emissions;
- Rule 217 related to cutback and emulsified asphalt paving materials;
- Rule 218 related to architectural coatings;
- Rule 228 related to fugitive dust; and
- Rule 501 related to general permit requirements.

The proposed project's compliance with the above PCAPCD rules would minimize construction-related emissions. For example, Rule 228 includes implementation of dust control measures, such as minimizing track-out on to paved public roadways, limiting vehicle travel on unpaved surfaces to 15 miles per hour, and stabilization of storage piles and disturbed areas. A Dust Control Plan must also be submitted to the PCAPCD per Rule 228 prior to the start of earth-disturbing activities.

Construction of the proposed project would not change the three project phases and the construction disturbance area in each phase is consistent with the currently approved CSP. Therefore, the construction emissions for the 2019 SPA would be consistent with the emissions that would occur with the current CSP. Thus, the proposed project's construction emissions were not modeled as part of this analysis. It should be noted that given the passage of time, construction equipment has generally become more efficient in design resulting in reduced emissions during construction. As such, the proposed project's construction emissions can be assumed to be equal to or less than what was previously anticipated for the CSP. Because the proposed project would not result in emissions beyond what has already been anticipated for the CSP, construction emissions

would not result in any additional or more severe impacts associated with construction air quality emissions.

Operational Emissions

Operational emissions of ROG, NO_x, and PM₁₀ would be generated by the proposed project from area, energy, and mobile sources. Area sources include architectural coating vapors, landscape maintenance equipment exhaust, and use of consumer products (e.g., deodorants, cleaning products, spray paint, etc.). Energy sources include electricity and natural gas consumption. Mobile-source emissions would result from the future employee and patron vehicle trips. As stated above, the proposed project would be required to comply with all applicable PCAPCD rules and regulations, including the following related to operations:

- Rule 205 related to nuisances;
- Rule 231 or Rule 247 related to commercial water heaters and boilers; and
- Rule 502 related to review of new sources of emissions.

The modeling assumes an operational year of 2026, when all three phases of the proposed project are complete. The modeling includes emissions estimates for the currently allowed development (2016 CSP) as well as the proposed project (2019 SPA). Table 5 presents a comparison of the operational emissions associated with the 2016 CSP and the proposed project to determine the net new emissions associated with the proposed amendment. Traffic consultants, Fehr and Peers, provided project-specific trip generation and vehicle miles travelled (VMT) for both the 2016 CSP and 2019 SPA.

Table 5				
Total Operational Emissions				
Pollutant	2016 CSP Projected Emissions (lbs/day)	2019 SPA Projected Emissions (lbs/day)	Net New Emissions (lbs/day)	PCAPCD Significance Threshold (lbs/day)
ROG	125.66	118.56	7.10	55
NO _x	193.33	175.58	17.75	55
PM ₁₀	16.03	15.95	0.08	82
<i>Source: CalEEMod, June 2019 (see Appendix A).</i>				

As shown in Table 5, while the overall emissions associated with both the 2016 CSP and 2019 SPA would exceed the PCAPCD significant thresholds, the proposed project would result in a reduction in emissions as compared to the development currently allowed in the CSP. Therefore, because the proposed project's operational emissions would result in an emissions reduction, the proposed project would not be considered to conflict with air quality plans during project operations beyond what has already been anticipated from the CSP.

Cumulative Emissions

A cumulative impact analysis considers a project over time in conjunction with other past, present, and reasonably foreseeable future projects whose impacts might compound those of the project being assessed. Due to the dispersive nature and regional sourcing of air pollutants, air pollution is already largely a cumulative impact. The nonattainment status of regional pollutants, including ozone and PM, is a result of past and present development, and, thus, cumulative impacts related to these pollutants could be considered cumulatively significant.

To improve air quality and attain the health-based standards, reductions in emissions are necessary within nonattainment areas. The project is part of a pattern of urbanization occurring in the greater Sacramento ozone nonattainment area. The growth and combined vehicle usage, and business activity within the nonattainment area from the project, in combination with other past, present, and reasonably foreseeable projects within Roseville and surrounding areas, could either delay attainment of the standards or require the adoption of additional controls on existing and future air pollution sources to offset emission increases. Thus, the project could cumulatively contribute to regional air quality health effects through emissions of criteria and mobile source air pollutants.

The PCAPCD recommends using the region's existing attainment plans as a basis for analysis of cumulative emissions. If a project would interfere with an adopted attainment plan, the project would inhibit the future attainment of AAQS, and thus result in a cumulative impact. As discussed above, the PCAPCD's recommended thresholds of significance for ozone precursors and PM₁₀ are based on attainment plans for the region. Thus, the PCAPCD concluded that if a project's ozone precursor and PM₁₀ emissions would be less than PCAPCD project-level thresholds, the project would not be expected to conflict with any relevant attainment plans, and would not result in a cumulatively considerable contribution to a significant cumulative impact. As a result, the PCACPD established operational phase cumulative-level emissions thresholds identical to the operational thresholds identified above, in Table 44.

While the proposed project would amend the land uses anticipated under the approved 2016 CSP, the emissions associated with the 2019 SPA would reduce emissions anticipated from the CSP, and, thus, would not be considered to result in a cumulatively considerable contribution to citywide emissions.

Conclusion

It should be noted that the currently approved project had been previously analyzed by the City under CEQA and was determined to result in a significant and unavoidable impact related to criteria pollutant emissions. However, based on the modeling conducted for the proposed project, the 2019 SPA would result in reduced criteria air pollutant emissions.

As stated previously, the applicable regional air quality plans include the 2001 Ozone Attainment Plan and the 2017 CAP. Because the proposed project would not result in construction-related or operational emissions of criteria air pollutants in excess of what has already be anticipated for the CSP, conflicts with or obstruction of the implementation of the applicable regional air quality plans would not occur beyond what has already been anticipated for the CSP. In addition, the project would not result in a cumulatively considerable net increase of any criteria pollutant for which the project region is nonattainment under an applicable federal or state AAQS. Thus, a ***less-than-significant*** impact would result.

- c. Some land uses are considered more sensitive to air pollution than others, due to the types of population groups or activities involved. Heightened sensitivity may be caused by health problems, proximity to the emissions source, and/or duration of exposure to air pollutants. Children, pregnant women, the elderly, and those with existing health problems are especially vulnerable to the effects of air pollution. Sensitive receptors are typically defined as facilities where sensitive receptor population groups (i.e., children, the elderly, the acutely ill, and the chronically ill) are likely to be located. Accordingly, land uses that are typically considered to be sensitive receptors include residences, schools, playgrounds, childcare centers, retirement homes, convalescent homes, hospitals, and medical clinics.

The proposed project involves the construction and operation of a specific plan that includes a mix of uses. The residences to the south of the project site would be considered sensitive receptors. The major pollutant concentrations of concern are localized CO emissions and toxic air contaminant (TAC) emissions, which are addressed in further detail below.

Localized CO Emissions

Localized concentrations of CO are related to the levels of traffic and congestion along streets and at intersections. Implementation of the proposed project would increase traffic volumes on streets near the project site; therefore, the project would be expected to increase local CO concentrations. Concentrations of CO approaching the AAQS are only expected where background levels are high, and traffic volumes and congestion levels are high. The statewide CO Protocol document identifies signalized intersections operating at Level of Service (LOS) E or F, or projects that would result in the worsening of signalized intersections to LOS E or F, as having the potential to result in localized CO concentrations in excess of the State or federal AAQS, as a result of large numbers of cars idling at stop lights.¹

In accordance with the statewide CO Protocol, the PCAPCD has established screening methodology for localized CO emissions, which are intended to provide a conservative indication of whether project-generated vehicle trips would result in the generation of localized CO emissions that would contribute to an exceedance of AAQS and potentially

¹ University of California, Davis. *Transportation Project-Level Carbon Monoxide Protocol*. December 1997.

expose sensitive receptors to substantial CO concentrations. Per the PCAPCD's screening methodology, if the project would result in vehicle operations producing more than 550 lbs/day of CO emissions and if either of the following scenarios are true, the projects could result in localized CO emissions that would violate CO standards:

- Degrade the peak hour level of service (LOS) on one or more streets or at one or more intersections (both signalized and non-signalized) in the project vicinity from an acceptable LOS (i.e., LOS A, B, C, or D) to an unacceptable LOS (i.e., LOS E or F); or
- Substantially worsen an already existing unacceptable peak hour LOS on one or more streets or at one or more intersections in the project vicinity. "Substantially worsen" includes an increase in delay at an intersection by 10 seconds or more when project-generated traffic is included.

According to the Air Quality analysis performed for the proposed project, the 2019 SPA would result in net reduction of 15.73 lbs/day maximum mobile source CO emissions associated with the CSP. (see Appendix A). Consequently, CO emissions related to operation of the proposed project would CO exposure. Therefore, according to the PCAPCD's screening methodology for localized CO emissions, the proposed project would not be expected to generate localized CO emissions that would contribute to an exceedance of AAQS and the proposed project would not expose sensitive receptors to substantial concentrations of localized CO beyond that already anticipated for the CSP.

TAC Emissions

Another category of environmental concern is TACs. The *CARB's Air Quality and Land Use Handbook: A Community Health Perspective* (Handbook) provides recommended setback distances for sensitive land uses from major sources of TACs, including, but not limited to, freeways and high traffic roads, distribution centers, and rail yards. The CARB has identified diesel particulate matter (DPM) from diesel-fueled engines as a TAC; thus, high volume freeways, stationary diesel engines, and facilities attracting heavy and constant diesel vehicle traffic are identified as having the highest associated health risks from DPM. Health risks from TACs are a function of both the concentration of emissions and the duration of exposure. Health-related risks associated with DPM in particular are primarily associated with long-term exposure and associated risk of contracting cancer.

Construction activities have the potential to generate DPM emissions related to the number and types of equipment typically associated with construction. Off-road heavy-duty diesel equipment used for site grading, paving, and other construction activities would result in the generation of DPM. However, construction is temporary and occurs over a relatively short duration in comparison to the operational lifetime of the proposed project. Operation of construction equipment would be regulated by the PCAPCD and would likely occur intermittently throughout the course of a day. Furthermore, considering the short-term nature of construction activities, as well as the regulated and intermittent nature of the operation of construction equipment, the likelihood that any one sensitive receptor would be exposed to high concentrations of DPM for any extended period of time would be low. As discussed above, the proposed project would not change

the anticipated construction emissions associated with the CSP. As such, construction of the proposed project would not be expected to generate substantial DPM emissions that could result in health risks beyond what could currently occur. As such, project construction would not be result in an increase in exposure of sensitive receptors to substantial TAC concentrations.

Conclusion

Based on the above, the proposed project would not result in an increased exposure of any sensitive receptors to substantial concentrations of any pollutants. Therefore, impacts related to exposing sensitive receptors to substantial pollutant concentrations would be ***less than significant***.

- d. Emissions of pollutants have the potential to adversely affect sensitive receptors within the project area. Pollutants of principal concern include emissions leading to odors, emissions of dust, or emissions considered to constitute air pollutants. Air pollutants have been discussed in sections “a” through “c” above. Therefore, the following discussion focuses on emissions of odors, dust, and exhaust.

Examples of common land use types that typically generate significant odor impacts include, but are not limited to wastewater treatment plants; composting/green waste facilities; recycling facilities; petroleum refineries; chemical manufacturing plants; painting/coating operations; rendering plants; and food packaging plants. The proposed project would include residential, retail, office, school, and park uses. The proposed uses are not typically associated with substantial objectionable odors.

Although less common, diesel fumes associated with substantial diesel-fueled equipment and heavy-duty trucks, such as from construction activities, freeway traffic, or distribution centers, could be found to be objectionable. However, as discussed above, construction is temporary and diesel emissions would be minimal and regulated through compliance with the PCAPCD’s rules and regulations. The aforementioned regulations would help to minimize air pollutant emissions, as well as any associated odors. Considering the short-term nature of construction activities and the regulated and intermittent nature of the operation of construction equipment on the site, construction of the proposed project would not be expected to create objectionable odors affecting a substantial number of people.

It should be noted that PCAPCD Rule 205, Nuisance, addresses the exposure of “nuisance or annoyance” air contaminant discharges, including odors from restaurants and construction, and provides enforcement of odor control. Rule 205 is complaint-based, where if public complaints are sufficient to cause the odor source to be considered a public nuisance, then the PCAPCD is required to investigate the identified source, as well as determine and ensure a solution for the source of the complaint, which could include operational modifications to correct the nuisance condition. Thus, although not anticipated, if odor or air quality complaints are made upon development of the proposed project, the PCAPCD would be required (per PCAPCD Rule 205) to ensure that such complaints are addressed and mitigated, as necessary.

As noted previously, construction of projects in the City are required to comply with all applicable PCAPCD rules and regulations. The aforementioned rules would act to reduce construction-related dust by implementing dust control measures. Following project construction, vehicles operating within the project site would be limited to paved areas of the site, which would not have the potential to create substantial dust emissions. Thus, project operations would not include sources of dust that could adversely affect a substantial number of people.

For the aforementioned reasons, construction and operation of the proposed project would not result in emissions (such as those leading to odors) adversely affecting a substantial number of people, and a ***less-than-significant*** impact would result.

VII. GREENHOUSE GAS EMISSIONS. <i>Would the project:</i>	Potentially Significant Impact	Less Than Significant with Mitigation Incorporated	Less-Than- Significant Impact	No Impact
a. Generate greenhouse gas emissions, either directly or indirectly, that may have a significant impact on the environment?	☐	☐	✘	☐
b. Conflict with an applicable plan, policy or regulation adopted for the purpose of reducing the emissions of greenhouse gasses?	☐	☐	✘	☐

Discussion

- a,b. Emissions of greenhouse gases (GHGs) associated with human activities that contribute to global climate change are associated with the industrial/manufacturing, utility, transportation, residential, and agricultural sectors. Therefore, the cumulative global emissions of GHGs contributing to global climate change can be attributed to every nation, region, and city, and virtually every individual on earth. An individual project's GHG emissions are at a micro-scale level relative to global emissions and effects to global climate change; however, an individual project could result in a cumulatively considerable incremental contribution to a significant cumulative macro-scale impact. As such, impacts related to emissions of GHG are inherently considered cumulative impacts.

Implementation of the proposed project would cumulatively contribute to increases of GHG emissions. Estimated GHG emissions attributable to future development would be primarily associated with increases of carbon dioxide (CO₂) and, to a lesser extent, other GHG pollutants, such as methane (CH₄) and nitrous oxide (N₂O) associated with area sources, mobile sources or vehicles, utilities (electricity and natural gas), water usage, wastewater generation, and the generation of solid waste. The primary source of GHG emissions for the project would be mobile source emissions. The common unit of measurement for GHG is expressed in terms of annual metric tons of CO₂ equivalents (MTCO_{2e}/yr).

Recognizing the global scale of climate change, California has enacted several pieces of legislation in an attempt to address GHG emissions. Specifically, Assembly Bill (AB) 32, and more recently Senate Bill (SB) 32, have established statewide GHG emissions reduction targets. Accordingly, the CARB has prepared the Climate Change Scoping Plan for California (Scoping Plan), which was approved in 2008 and updated in 2014. The Scoping Plan provides the outline for actions to reduce California's GHG emissions and achieve the emissions reductions targets required by AB 32. In concert with statewide efforts to reduce GHG emissions, air districts, counties, and local jurisdictions throughout the State have implemented their own policies and plans to achieve emissions reductions in line with the Scoping Plan and emissions reductions targets, including AB 32 and SB 32.

On October 13, 2016, the PCAPCD adopted GHG emissions thresholds in concurrent with the criteria pollutant threshold update. The updated thresholds begin with a

screening emission level of 1,100 MT CO₂e/yr. Any project below the 1,100 MT CO₂e/yr threshold is judged by the PCAPCD as having a less-than-significant impact on GHG emissions within the District and thus would not conflict with any state or regional GHG emissions reduction goals. Projects that would result in emissions above the 1,100 MT CO₂e/yr threshold would not necessarily result in substantial impacts, if certain efficiency thresholds are met. The efficiency thresholds, which are based on service populations and square footage, are presented in Table 6.

Table 6			
PCAPCD Operational Thresholds of Significance			
Efficiency Thresholds			
Residential (MT CO₂e/capita)		Non-Residential (MT CO₂e/1,000 sf)	
Urban	Rural	Urban	Rural
4.5	5.5	26.5	27.3
<i>Source: Placer County Air Pollution Control District. Placer County Air Pollution Control District Policy. Review of Land Use Projects Under CEQA. October 13, 2016.</i>			

Projects which involve emissions below the 1,100 MT CO₂e/yr threshold or below the efficiency thresholds presented in Table 6, are considered to result in less-than-significant impacts in regards to GHG emissions within the District and thus would not conflict with any state or regional GHG emissions reduction goals. Finally, the PCAPCD has also established a Bright Line Cap, which shall be the maximum limit for any proposed project. The Bright Line Cap is 10,000 MT CO₂e/yr for all types of projects.

Buildout of the proposed project would contribute to increases of GHG emissions that are associated with global climate change during construction and operations. Based on the Traffic Memo prepared for the project, the 2019 SPA would result in an overall reduction in vehicle trips, and thus, would result in reduced GHG emissions associated with mobile sources. The proposed project's short-term construction-related and long-term operational GHG emissions are discussed below.

Short-Term Construction GHG Emissions

Construction-related GHG emissions are a one-time release and are, therefore, not typically expected to generate a significant contribution to global climate change, as global climate change is inherently a cumulative effect that occurs over a long period of time and is quantified on a yearly basis.

As previously discussed, construction of the proposed project would not change the three project phases and the construction disturbance area in each phase remaining consistent with the currently approved CSP. As such, the proposed project's construction-related GHG emissions can be assumed to be equal to or less than what was previously anticipated for the CSP. Because the proposed project would not result in GHG emissions beyond what could currently occur for the CSP, construction-related GHG emissions would not result in any additional or more severe impacts associated with short-term construction-related GHG emissions.

Long-Term Operational GHG Emissions

The proposed project's estimated GHG emissions at full buildout (2026) would result in a net decrease in GHG emissions of 1,024.43 MT CO₂e/yr as compared to the current CSP (see Table 7). Although the estimated emissions of both the 2016 CSP and 2019 SPA would be in excess of the 10,000 MTCO₂e/yr Bright Line Cap, the proposed amendment would reduce emission from what could currently occur on site. Because the proposed modifications would result in a reduction of GHG emissions, the proposed project would not create GHG emissions, either directly or indirectly, that may have a significant impact on the environment or conflict with an applicable plan, policy, or regulation adopted for the purpose of reducing GHG emissions beyond what is already anticipated with buildout of the CSP, and a ***less-than-significant*** impact associated with the proposed 2019 SPA would occur.

Table 7 2016 Unmitigated Project Operational GHG Emissions vs. 2019 Unmitigated Project Operational GHG Emission			
Emission Source	2016 CSP	2019 SPA	Net Change (MTCO₂e/yr)
	Annual GHG Emissions (MTCO₂e/yr)	Annual GHG Emissions (MTCO₂e/yr)	
Area	1,459.04	1,459.03	-0.01
Energy	6,332.60	5,865.71	-469.89
Mobile	5,280.63	4,878.83	-401.80
Solid Waste	1,101.74	1,025.89	-75.85
Water	511.60	434.72	-76.88
TOTAL ANNUAL GHG EMISSIONS	14,685.61	13,664.18	-1,024.43
<i>Source: CalEEMod, June 2019 (see Appendix).</i>			

APPENDIX A

CALEEMOD RESULTS

Creekview Specific Plan Ammendment - Placer County APCD Air District, Annual

Creekview Specific Plan Ammendment

Placer County APCD Air District, Annual

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
General Office Building	143.00	1000sqft	3.80	143,000.00	0
Elementary School	600.00	Student	9.60	50,162.02	0
Parking Lot	325.00	Space	2.92	130,000.00	0
City Park	16.10	Acre	16.10	701,316.00	0
Apartments Mid Rise	547.00	Dwelling Unit	18.70	547,000.00	1564
Single Family Housing	1,464.00	Dwelling Unit	223.30	2,635,200.00	4187
Strip Mall	179.00	1000sqft	12.58	179,000.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	74
Climate Zone	2			Operational Year	2026
Utility Company	Roseville Electric				
CO2 Intensity (lb/MW hr)	443.13	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.006

1.3 User Entered Comments & Non-Default Data

Creekview Specific Plan Ammendment - Placer County APCD Air District, Annual

Project Characteristics - CO2 Intensity factor adjusted based on Roseville Electric's anticipated progress towards statewide RPS goals.

Land Use - Applicant Provided Information

Construction Phase - Construction not modeled

Off-road Equipment - Construction not modeled

Trips and VMT - Construction not modeled

Vehicle Trips - Information from F&P Technical Memo

Woodstoves - Applicant Provided Information

Energy Use -

Area Mitigation -

Table Name	Column Name	Default Value	New Value
tblConstructionPhase	NumDays	180.00	1.00
tblLandUse	LotAcreage	3.28	3.80
tblLandUse	LotAcreage	1.15	9.60
tblLandUse	LotAcreage	14.39	18.70
tblLandUse	LotAcreage	475.32	223.30
tblLandUse	LotAcreage	4.11	12.58
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	4.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblProjectCharacteristics	CO2IntensityFactor	793.8	443.13
tblTripsAndVMT	HaulingTripLength	20.00	0.00
tblTripsAndVMT	VendorTripLength	7.30	0.00
tblTripsAndVMT	WorkerTripLength	10.80	0.00
tblVehicleTrips	CC_TL	7.30	0.60
tblVehicleTrips	CC_TL	7.30	0.60

Creekview Specific Plan Ammendment - Placer County APCD Air District, Annual

tblVehicleTrips	CC_TL	7.30	0.60
tblVehicleTrips	CC_TL	7.30	0.60
tblVehicleTrips	CC_TL	7.30	0.60
tblVehicleTrips	CNW_TL	7.30	0.60
tblVehicleTrips	CNW_TL	7.30	0.60
tblVehicleTrips	CNW_TL	7.30	0.60
tblVehicleTrips	CNW_TL	7.30	0.60
tblVehicleTrips	CNW_TL	7.30	0.60
tblVehicleTrips	CW_TL	9.50	0.87
tblVehicleTrips	CW_TL	9.50	0.87
tblVehicleTrips	CW_TL	9.50	0.87
tblVehicleTrips	CW_TL	9.50	0.87
tblVehicleTrips	CW_TL	9.50	0.87
tblVehicleTrips	HO_TL	7.50	0.60
tblVehicleTrips	HO_TL	7.50	0.60
tblVehicleTrips	HS_TL	7.30	0.60
tblVehicleTrips	HS_TL	7.30	0.60
tblVehicleTrips	HW_TL	10.80	0.87
tblVehicleTrips	HW_TL	10.80	0.87
tblVehicleTrips	ST_TR	6.39	6.50
tblVehicleTrips	ST_TR	22.75	2.20
tblVehicleTrips	ST_TR	0.00	1.00
tblVehicleTrips	ST_TR	2.46	17.70
tblVehicleTrips	ST_TR	9.91	9.00
tblVehicleTrips	ST_TR	42.04	35.00
tblVehicleTrips	SU_TR	5.86	6.50
tblVehicleTrips	SU_TR	16.74	2.20

Creekview Specific Plan Ammendment - Placer County APCD Air District, Annual

tblVehicleTrips	SU_TR	0.00	1.00
tblVehicleTrips	SU_TR	1.05	17.70
tblVehicleTrips	SU_TR	8.62	9.00
tblVehicleTrips	SU_TR	20.43	35.00
tblVehicleTrips	WD_TR	6.65	6.50
tblVehicleTrips	WD_TR	1.89	2.20
tblVehicleTrips	WD_TR	1.29	1.00
tblVehicleTrips	WD_TR	11.03	17.70
tblVehicleTrips	WD_TR	9.52	9.00
tblVehicleTrips	WD_TR	44.32	35.00

2.0 Emissions Summary

Creekview Specific Plan Ammendment - Placer County APCD Air District, Annual

2.1 Overall Construction

Unmitigated Construction

[illegible]

Mitigated Construction

[illegible][illegible]

Creekview Specific Plan Ammendment - Placer County APCD Air District, Annual

Quarter	Start Date	End Date	Maximum Unmitigated ROG + NOX (tons/quarter)	Maximum Mitigated ROG + NOX (tons/quarter)
		Highest		

2.2 Overall Operational**Unmitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	142.6936	2.6361	170.6880	0.2830		21.9217	21.9217		21.9217	21.9217	2,077.2779	895.5937	2,972.8716	1.9404	0.1634	3,070.0729
Energy	0.2592	2.2298	1.0489	0.0141		0.1791	0.1791		0.1791	0.1791	0.0000	6,296.2021	6,296.2021	0.2933	0.0976	6,332.6045
Mobile	3.7663	27.0106	19.8304	0.0566	1.9981	0.0401	2.0382	0.5375	0.0373	0.5747	0.0000	5,269.8258	5,269.8258	0.4323	0.0000	5,280.6324
Waste						0.0000	0.0000		0.0000	0.0000	444.7045	0.0000	444.7045	26.2813	0.0000	1,101.7365
Water						0.0000	0.0000		0.0000	0.0000	54.2993	277.0628	331.3621	5.5952	0.1354	511.6025
Total	146.7192	31.8766	191.5673	0.3537	1.9981	22.1409	24.1390	0.5375	22.1380	22.6755	2,576.2818	12,738.6843	15,314.9660	34.5425	0.3964	16,296.6487

Creekview Specific Plan Ammendment - Placer County APCD Air District, Annual

2.2 Overall Operational**Mitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	16.6551	1.4029	15.4531	8.6500e-003		0.1823	0.1823		0.1823	0.1823	0.0000	1,449.9810	1,449.9810	0.0507	0.0261	1,459.0378
Energy	0.2592	2.2298	1.0489	0.0141		0.1791	0.1791		0.1791	0.1791	0.0000	6,296.2021	6,296.2021	0.2933	0.0976	6,332.6045
Mobile	3.7663	27.0106	19.8304	0.0566	1.9981	0.0401	2.0382	0.5375	0.0373	0.5747	0.0000	5,269.8258	5,269.8258	0.4323	0.0000	5,280.6324
Waste						0.0000	0.0000		0.0000	0.0000	444.7045	0.0000	444.7045	26.2813	0.0000	1,101.7365
Water						0.0000	0.0000		0.0000	0.0000	54.2993	277.0628	331.3621	5.5952	0.1354	511.6025
Total	20.6806	30.6433	36.3324	0.0794	1.9981	0.4016	2.3997	0.5375	0.3987	0.9362	499.0038	13,293.0716	13,792.0754	32.6528	0.2591	14,685.6137

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	85.90	3.87	81.03	77.55	0.00	98.19	90.06	0.00	98.20	95.87	80.63	-4.35	9.94	5.47	34.63	9.89

3.0 Construction Detail**Construction Phase**

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Site Preparation	Site Preparation	7/1/2020	7/1/2020	5	1	

Acres of Grading (Site Preparation Phase): 0

Creekview Specific Plan Ammendment - Placer County APCD Air District, Annual

Acres of Grading (Grading Phase): 0**Acres of Paving: 2.92****Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 0; Non-Residential Outdoor: 0; Striped Parking Area: 0 (Architectural Coating – sqft)****OffRoad Equipment**

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Site Preparation	Rubber Tired Dozers	0	0.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	0	0.00	97	0.37

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Site Preparation	0	0.00	0.00	0.00	0.00	0.00	0.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Creekview Specific Plan Ammendment - Placer County APCD Air District, Annual

3.2 Site Preparation - 2020

Unmitigated Construction On-Site

[illegible]

Unmitigated Construction Off-Site

[illegible]

Creekview Specific Plan Ammendment - Placer County APCD Air District, Annual

3.2 Site Preparation - 2020**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

4.0 Operational Detail - Mobile

Creekview Specific Plan Ammendment - Placer County APCD Air District, Annual

4.1 Mitigation Measures Mobile

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	3.7663	27.0106	19.8304	0.0566	1.9981	0.0401	2.0382	0.5375	0.0373	0.5747	0.0000	5,269.8258	5,269.8258	0.4323	0.0000	5,280.6324
Unmitigated	3.7663	27.0106	19.8304	0.0566	1.9981	0.0401	2.0382	0.5375	0.0373	0.5747	0.0000	5,269.8258	5,269.8258	0.4323	0.0000	5,280.6324

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Apartments Mid Rise	3,555.50	3,555.50	3555.50	825,158	825,158
City Park	35.42	35.42	35.42	6,563	6,563
Elementary School	600.00	600.00	600.00	119,909	119,909
General Office Building	2,531.10	2,531.10	2531.10	522,701	522,701
Parking Lot	0.00	0.00	0.00		
Single Family Housing	13,176.00	13,176.00	13176.00	3,057,876	3,057,876
Strip Mall	6,265.00	6,265.00	6265.00	842,974	842,974
Total	26,163.02	26,163.02	26,163.02	5,375,181	5,375,181

4.3 Trip Type Information

Creekview Specific Plan Ammendment - Placer County APCD Air District, Annual

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Apartments Mid Rise	0.87	0.60	0.60	42.60	21.00	36.40	86	11	3
City Park	0.87	0.60	0.60	33.00	48.00	19.00	66	28	6
Elementary School	0.87	0.60	0.60	65.00	30.00	5.00	63	25	12
General Office Building	0.87	0.60	0.60	33.00	48.00	19.00	77	19	4
Parking Lot	0.87	0.60	0.60	0.00	0.00	0.00	0	0	0
Single Family Housing	0.87	0.60	0.60	42.60	21.00	36.40	86	11	3
Strip Mall	0.87	0.60	0.60	16.60	64.40	19.00	45	40	15

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Apartments Mid Rise	0.515189	0.037254	0.221040	0.114665	0.016498	0.005188	0.033759	0.046875	0.001360	0.001132	0.005439	0.000735	0.000868
City Park	0.515189	0.037254	0.221040	0.114665	0.016498	0.005188	0.033759	0.046875	0.001360	0.001132	0.005439	0.000735	0.000868
Elementary School	0.515189	0.037254	0.221040	0.114665	0.016498	0.005188	0.033759	0.046875	0.001360	0.001132	0.005439	0.000735	0.000868
General Office Building	0.515189	0.037254	0.221040	0.114665	0.016498	0.005188	0.033759	0.046875	0.001360	0.001132	0.005439	0.000735	0.000868
Parking Lot	0.515189	0.037254	0.221040	0.114665	0.016498	0.005188	0.033759	0.046875	0.001360	0.001132	0.005439	0.000735	0.000868
Single Family Housing	0.515189	0.037254	0.221040	0.114665	0.016498	0.005188	0.033759	0.046875	0.001360	0.001132	0.005439	0.000735	0.000868
Strip Mall	0.515189	0.037254	0.221040	0.114665	0.016498	0.005188	0.033759	0.046875	0.001360	0.001132	0.005439	0.000735	0.000868

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Creekview Specific Plan Ammendment - Placer County APCD Air District, Annual

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Electricity Mitigated						0.0000	0.0000		0.0000	0.0000	0.0000	3,730.6137	3,730.6137	0.2441	0.0505	3,751.7701
Electricity Unmitigated						0.0000	0.0000		0.0000	0.0000	0.0000	3,730.6137	3,730.6137	0.2441	0.0505	3,751.7701
NaturalGas Mitigated	0.2592	2.2298	1.0489	0.0141		0.1791	0.1791		0.1791	0.1791	0.0000	2,565.5884	2,565.5884	0.0492	0.0470	2,580.8344
NaturalGas Unmitigated	0.2592	2.2298	1.0489	0.0141		0.1791	0.1791		0.1791	0.1791	0.0000	2,565.5884	2,565.5884	0.0492	0.0470	2,580.8344

Creekview Specific Plan Ammendment - Placer County APCD Air District, Annual

5.2 Energy by Land Use - NaturalGas**Unmitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Apartments Mid Rise	5.33221e+006	0.0288	0.2457	0.1046	1.5700e-003		0.0199	0.0199		0.0199	0.0199	0.0000	284.5471	284.5471	5.4500e-003	5.2200e-003	286.2380
City Park	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Elementary School	475034	2.5600e-003	0.0233	0.0196	1.4000e-004		1.7700e-003	1.7700e-003		1.7700e-003	1.7700e-003	0.0000	25.3496	25.3496	4.9000e-004	4.6000e-004	25.5003
General Office Building	2.35378e+006	0.0127	0.1154	0.0969	6.9000e-004		8.7700e-003	8.7700e-003		8.7700e-003	8.7700e-003	0.0000	125.6067	125.6067	2.4100e-003	2.3000e-003	126.3531
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Single Family Housing	3.7822e+007	0.2039	1.7428	0.7416	0.0111		0.1409	0.1409		0.1409	0.1409	0.0000	2,018.3252	2,018.3252	0.0387	0.0370	2,030.3191
Strip Mall	2.0943e+006	0.0113	0.1027	0.0862	6.2000e-004		7.8000e-003	7.8000e-003		7.8000e-003	7.8000e-003	0.0000	111.7598	111.7598	2.1400e-003	2.0500e-003	112.4240
Total		0.2592	2.2298	1.0489	0.0141		0.1791	0.1791		0.1791	0.1791	0.0000	2,565.5884	2,565.5884	0.0492	0.0470	2,580.8344

Creekview Specific Plan Ammendment - Placer County APCD Air District, Annual

5.2 Energy by Land Use - NaturalGas**Mitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Apartments Mid Rise	5.33221e+006	0.0288	0.2457	0.1046	1.5700e-003		0.0199	0.0199		0.0199	0.0199	0.0000	284.5471	284.5471	5.4500e-003	5.2200e-003	286.2380
City Park	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Elementary School	475034	2.5600e-003	0.0233	0.0196	1.4000e-004		1.7700e-003	1.7700e-003		1.7700e-003	1.7700e-003	0.0000	25.3496	25.3496	4.9000e-004	4.6000e-004	25.5003
General Office Building	2.35378e+006	0.0127	0.1154	0.0969	6.9000e-004		8.7700e-003	8.7700e-003		8.7700e-003	8.7700e-003	0.0000	125.6067	125.6067	2.4100e-003	2.3000e-003	126.3531
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Single Family Housing	3.7822e+007	0.2039	1.7428	0.7416	0.0111		0.1409	0.1409		0.1409	0.1409	0.0000	2,018.3252	2,018.3252	0.0387	0.0370	2,030.3191
Strip Mall	2.0943e+006	0.0113	0.1027	0.0862	6.2000e-004		7.8000e-003	7.8000e-003		7.8000e-003	7.8000e-003	0.0000	111.7598	111.7598	2.1400e-003	2.0500e-003	112.4240
Total		0.2592	2.2298	1.0489	0.0141		0.1791	0.1791		0.1791	0.1791	0.0000	2,565.5884	2,565.5884	0.0492	0.0470	2,580.8344

Creekview Specific Plan Ammendment - Placer County APCD Air District, Annual

5.3 Energy by Land Use - Electricity**Unmitigated**

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Apartments Mid Rise	2.32828e+006	467.9859	0.0306	6.3400e-003	470.6399
City Park	0	0.0000	0.0000	0.0000	0.0000
Elementary School	282914	56.8658	3.7200e-003	7.7000e-004	57.1883
General Office Building	1.43143e+006	287.7180	0.0188	3.9000e-003	289.3496
Parking Lot	45500	9.1455	6.0000e-004	1.2000e-004	9.1974
Single Family Housing	1.23617e+007	2,484.7053	0.1626	0.0336	2,498.7961
Strip Mall	2.11041e+006	424.1932	0.0278	5.7400e-003	426.5988
Total		3,730.6137	0.2442	0.0505	3,751.7701

Creekview Specific Plan Ammendment - Placer County APCD Air District, Annual

5.3 Energy by Land Use - Electricity**Mitigated**

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Apartments Mid Rise	2.32828e+006	467.9859	0.0306	6.3400e-003	470.6399
City Park	0	0.0000	0.0000	0.0000	0.0000
Elementary School	282914	56.8658	3.7200e-003	7.7000e-004	57.1883
General Office Building	1.43143e+006	287.7180	0.0188	3.9000e-003	289.3496
Parking Lot	45500	9.1455	6.0000e-004	1.2000e-004	9.1974
Single Family Housing	1.23617e+007	2,484.7053	0.1626	0.0336	2,498.7961
Strip Mall	2.11041e+006	424.1932	0.0278	5.7400e-003	426.5988
Total		3,730.6137	0.2442	0.0505	3,751.7701

6.0 Area Detail**6.1 Mitigation Measures Area**

Use only Natural Gas Hearths

Creekview Specific Plan Ammendment - Placer County APCD Air District, Annual

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	16.6551	1.4029	15.4531	8.6500e-003		0.1823	0.1823		0.1823	0.1823	0.0000	1,449.9810	1,449.9810	0.0507	0.0261	1,459.0378
Unmitigated	142.6936	2.6361	170.6880	0.2830		21.9217	21.9217		21.9217	21.9217	2,077.2779	895.5937	2,972.8716	1.9404	0.1634	3,070.0729

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	2.1655					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	13.8966					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Hearth	126.1826	2.4642	155.7587	0.2822		21.8389	21.8389		21.8389	21.8389	2,077.2779	871.1801	2,948.4580	1.9170	0.1634	3,045.0739
Landscaping	0.4490	0.1719	14.9293	7.9000e-004		0.0828	0.0828		0.0828	0.0828	0.0000	24.4136	24.4136	0.0234	0.0000	24.9990
Total	142.6936	2.6361	170.6880	0.2830		21.9217	21.9217		21.9217	21.9217	2,077.2779	895.5936	2,972.8716	1.9404	0.1634	3,070.0728

Creekview Specific Plan Ammendment - Placer County APCD Air District, Annual

6.2 Area by SubCategory**Mitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	2.1655					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	13.8966					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Hearth	0.1441	1.2309	0.5238	7.8600e-003		0.0995	0.0995		0.0995	0.0995	0.0000	1,425.5674	1,425.5674	0.0273	0.0261	1,434.0388
Landscaping	0.4490	0.1719	14.9293	7.9000e-004		0.0828	0.0828		0.0828	0.0828	0.0000	24.4136	24.4136	0.0234	0.0000	24.9990
Total	16.6551	1.4029	15.4531	8.6500e-003		0.1823	0.1823		0.1823	0.1823	0.0000	1,449.9810	1,449.9810	0.0507	0.0261	1,459.0378

7.0 Water Detail**7.1 Mitigation Measures Water**

Creekview Specific Plan Ammendment - Placer County APCD Air District, Annual

	Total CO2	CH4	N2O	CO2e
Category	MT/yr			
Mitigated	331.3621	5.5952	0.1354	511.6025
Unmitigated	331.3621	5.5952	0.1354	511.6025

Creekview Specific Plan Ammendment - Placer County APCD Air District, Annual

7.2 Water by Land Use**Unmitigated**

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Apartments Mid Rise	35.6393 / 22.4682	65.8748	1.1649	0.0282	103.3884
City Park	0 / 19.1828	13.4952	8.8000e-004	1.8000e-004	13.5717
Elementary School	1.45454 / 3.74026	4.6747	0.0477	1.1800e-003	6.2170
General Office Building	25.4159 / 15.5775	46.6648	0.8307	0.0201	73.4156
Parking Lot	0 / 0	0.0000	0.0000	0.0000	0.0000
Single Family Housing	95.3855 / 60.1343	176.3085	3.1177	0.0754	276.7104
Strip Mall	13.259 / 8.12647	24.3441	0.4334	0.0105	38.2994
Total		331.3621	5.5952	0.1354	511.6025

Creekview Specific Plan Ammendment - Placer County APCD Air District, Annual

7.2 Water by Land Use**Mitigated**

	Indoor/Outdoor Use	Total CO ₂	CH ₄	N ₂ O	CO ₂ e
Land Use	Mgal	MT/yr			
Apartments Mid Rise	35.6393 / 22.4682	65.8748	1.1649	0.0282	103.3884
City Park	0 / 19.1828	13.4952	8.8000e-004	1.8000e-004	13.5717
Elementary School	1.45454 / 3.74026	4.6747	0.0477	1.1800e-003	6.2170
General Office Building	25.4159 / 15.5775	46.6648	0.8307	0.0201	73.4156
Parking Lot	0 / 0	0.0000	0.0000	0.0000	0.0000
Single Family Housing	95.3855 / 60.1343	176.3085	3.1177	0.0754	276.7104
Strip Mall	13.259 / 8.12647	24.3441	0.4334	0.0105	38.2994
Total		331.3621	5.5952	0.1354	511.6025

8.0 Waste Detail**8.1 Mitigation Measures Waste**

Creekview Specific Plan Ammendment - Placer County APCD Air District, Annual

Category/Year

	Total CO2	CH4	N2O	CO2e
	MT/yr			
Mitigated	444.7045	26.2813	0.0000	1,101.7365
Unmitigated	444.7045	26.2813	0.0000	1,101.7365

Creekview Specific Plan Ammendment - Placer County APCD Air District, Annual

8.2 Waste by Land Use**Unmitigated**

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Apartments Mid Rise	251.62	51.0766	3.0185	0.0000	126.5401
City Park	1.38	0.2801	0.0166	0.0000	0.6940
Elementary School	109.5	22.2275	1.3136	0.0000	55.0677
General Office Building	132.99	26.9958	1.5954	0.0000	66.8809
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Single Family Housing	1507.32	305.9723	18.0825	0.0000	758.0335
Strip Mall	187.95	38.1522	2.2547	0.0000	94.5203
Total		444.7045	26.2813	0.0000	1,101.7365

Creekview Specific Plan Ammendment - Placer County APCD Air District, Annual

8.2 Waste by Land Use**Mitigated**

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Apartments Mid Rise	251.62	51.0766	3.0185	0.0000	126.5401
City Park	1.38	0.2801	0.0166	0.0000	0.6940
Elementary School	109.5	22.2275	1.3136	0.0000	55.0677
General Office Building	132.99	26.9958	1.5954	0.0000	66.8809
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Single Family Housing	1507.32	305.9723	18.0825	0.0000	758.0335
Strip Mall	187.95	38.1522	2.2547	0.0000	94.5203
Total		444.7045	26.2813	0.0000	1,101.7365

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type

10.0 Stationary Equipment**Fire Pumps and Emergency Generators**

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type

Creekview Specific Plan Ammendment - Placer County APCD Air District, Annual

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type

User Defined Equipment

Equipment Type	Number

11.0 Vegetation

Creekview Specific Plan Ammendment - Placer County APCD Air District, Summer

Creekview Specific Plan Ammendment

Placer County APCD Air District, Summer

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
General Office Building	143.00	1000sqft	3.80	143,000.00	0
Elementary School	600.00	Student	9.60	50,162.02	0
Parking Lot	325.00	Space	2.92	130,000.00	0
City Park	16.10	Acre	16.10	701,316.00	0
Apartments Mid Rise	547.00	Dwelling Unit	18.70	547,000.00	1564
Single Family Housing	1,464.00	Dwelling Unit	223.30	2,635,200.00	4187
Strip Mall	179.00	1000sqft	12.58	179,000.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	74
Climate Zone	2			Operational Year	2026
Utility Company	Roseville Electric				
CO2 Intensity (lb/MW hr)	443.13	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.006

1.3 User Entered Comments & Non-Default Data

Creekview Specific Plan Ammendment - Placer County APCD Air District, Summer

Project Characteristics - CO2 Intensity factor adjusted based on Roseville Electric's anticipated progress towards statewide RPS goals.

Land Use - Applicant Provided Information

Construction Phase - Construction not modeled

Off-road Equipment - Construction not modeled

Trips and VMT - Construction not modeled

Vehicle Trips - Information from F&P Technical Memo

Woodstoves - Applicant Provided Information

Energy Use -

Area Mitigation -

Table Name	Column Name	Default Value	New Value
tblConstructionPhase	NumDays	180.00	1.00
tblLandUse	LotAcreage	3.28	3.80
tblLandUse	LotAcreage	1.15	9.60
tblLandUse	LotAcreage	14.39	18.70
tblLandUse	LotAcreage	475.32	223.30
tblLandUse	LotAcreage	4.11	12.58
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	4.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblProjectCharacteristics	CO2IntensityFactor	793.8	443.13
tblTripsAndVMT	HaulingTripLength	20.00	0.00
tblTripsAndVMT	VendorTripLength	7.30	0.00
tblTripsAndVMT	WorkerTripLength	10.80	0.00
tblVehicleTrips	CC_TL	7.30	0.60
tblVehicleTrips	CC_TL	7.30	0.60

Creekview Specific Plan Ammendment - Placer County APCD Air District, Summer

tblVehicleTrips	CC_TL	7.30	0.60
tblVehicleTrips	CC_TL	7.30	0.60
tblVehicleTrips	CC_TL	7.30	0.60
tblVehicleTrips	CNW_TL	7.30	0.60
tblVehicleTrips	CNW_TL	7.30	0.60
tblVehicleTrips	CNW_TL	7.30	0.60
tblVehicleTrips	CNW_TL	7.30	0.60
tblVehicleTrips	CNW_TL	7.30	0.60
tblVehicleTrips	CW_TL	9.50	0.87
tblVehicleTrips	CW_TL	9.50	0.87
tblVehicleTrips	CW_TL	9.50	0.87
tblVehicleTrips	CW_TL	9.50	0.87
tblVehicleTrips	CW_TL	9.50	0.87
tblVehicleTrips	HO_TL	7.50	0.60
tblVehicleTrips	HO_TL	7.50	0.60
tblVehicleTrips	HS_TL	7.30	0.60
tblVehicleTrips	HS_TL	7.30	0.60
tblVehicleTrips	HW_TL	10.80	0.87
tblVehicleTrips	HW_TL	10.80	0.87
tblVehicleTrips	ST_TR	6.39	6.50
tblVehicleTrips	ST_TR	22.75	2.20
tblVehicleTrips	ST_TR	0.00	1.00
tblVehicleTrips	ST_TR	2.46	17.70
tblVehicleTrips	ST_TR	9.91	9.00
tblVehicleTrips	ST_TR	42.04	35.00
tblVehicleTrips	SU_TR	5.86	6.50
tblVehicleTrips	SU_TR	16.74	2.20

Creekview Specific Plan Ammendment - Placer County APCD Air District, Summer

tblVehicleTrips	SU_TR	0.00	1.00
tblVehicleTrips	SU_TR	1.05	17.70
tblVehicleTrips	SU_TR	8.62	9.00
tblVehicleTrips	SU_TR	20.43	35.00
tblVehicleTrips	WD_TR	6.65	6.50
tblVehicleTrips	WD_TR	1.89	2.20
tblVehicleTrips	WD_TR	1.29	1.00
tblVehicleTrips	WD_TR	11.03	17.70
tblVehicleTrips	WD_TR	9.52	9.00
tblVehicleTrips	WD_TR	44.32	35.00

2.0 Emissions Summary

Creekview Specific Plan Ammendment - Placer County APCD Air District, Summer

2.1 Overall Construction (Maximum Daily Emission)

Unmitigated Construction

[illegible]

Mitigated Construction

[illegible][illegible]

Creekview Specific Plan Ammendment - Placer County APCD Air District, Summer

2.2 Overall Operational**Unmitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	3,170.624 0	62.0129	3,964.874 4	6.8915		533.5752	533.5752		533.5752	533.5752	55,848.95 05	23,721.25 04	79,570.20 09	51.8261	4.3929	82,174.95 02
Energy	1.4205	12.2181	5.7473	0.0775		0.9814	0.9814		0.9814	0.9814		15,496.31 30	15,496.31 30	0.2970	0.2841	15,588.39 99
Mobile	27.7311	149.1736	95.1335	0.3280	11.4734	0.2179	11.6913	3.0746	0.2023	3.2768		33,683.49 97	33,683.49 97	2.4399		33,744.49 60
Total	3,199.775 5	223.4046	4,065.755 2	7.2970	11.4734	534.7746	546.2479	3.0746	534.7589	537.8334	55,848.95 05	72,901.06 31	128,750.0 136	54.5630	4.6770	131,507.8 461

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	96.5130	31.9335	178.6572	0.2004		3.3476	3.3476		3.3476	3.3476	0.0000	38,626.30 92	38,626.30 92	1.0214	0.7027	38,861.23 91
Energy	1.4205	12.2181	5.7473	0.0775		0.9814	0.9814		0.9814	0.9814		15,496.31 30	15,496.31 30	0.2970	0.2841	15,588.39 99
Mobile	27.7311	149.1736	95.1335	0.3280	11.4734	0.2179	11.6913	3.0746	0.2023	3.2768		33,683.49 97	33,683.49 97	2.4399		33,744.49 60
Total	125.6646	193.3252	279.5380	0.6059	11.4734	4.5469	16.0203	3.0746	4.5313	7.6058	0.0000	87,806.12 20	87,806.12 20	3.7583	0.9868	88,194.13 49

Creekview Specific Plan Ammendment - Placer County APCD Air District, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	96.07	13.46	93.12	91.70	0.00	99.15	97.07	0.00	99.15	98.59	100.00	-20.45	31.80	93.11	78.90	32.94

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Site Preparation	Site Preparation	7/1/2020	7/1/2020	5	1	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 0

Acres of Paving: 2.92

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 0; Non-Residential Outdoor: 0; Striped Parking Area: 0 (Architectural Coating – sqft)

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Site Preparation	Rubber Tired Dozers	0	0.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	0	0.00	97	0.37

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Site Preparation	0	0.00	0.00	0.00	0.00	0.00	0.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Creekview Specific Plan Ammendment - Placer County APCD Air District, Summer

3.2 Site Preparation - 2020**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000			0.0000			0.0000
Off-Road	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Total	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Total	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000

Creekview Specific Plan Ammendment - Placer County APCD Air District, Summer

3.2 Site Preparation - 2020**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000			0.0000			0.0000
Off-Road	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000
Total	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Total	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000

4.0 Operational Detail - Mobile

Creekview Specific Plan Ammendment - Placer County APCD Air District, Summer

4.1 Mitigation Measures Mobile

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	27.7311	149.1736	95.1335	0.3280	11.4734	0.2179	11.6913	3.0746	0.2023	3.2768		33,683.49 97	33,683.49 97	2.4399		33,744.49 60
Unmitigated	27.7311	149.1736	95.1335	0.3280	11.4734	0.2179	11.6913	3.0746	0.2023	3.2768		33,683.49 97	33,683.49 97	2.4399		33,744.49 60

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Apartments Mid Rise	3,555.50	3,555.50	3555.50	825,158	825,158
City Park	35.42	35.42	35.42	6,563	6,563
Elementary School	600.00	600.00	600.00	119,909	119,909
General Office Building	2,531.10	2,531.10	2531.10	522,701	522,701
Parking Lot	0.00	0.00	0.00		
Single Family Housing	13,176.00	13,176.00	13176.00	3,057,876	3,057,876
Strip Mall	6,265.00	6,265.00	6265.00	842,974	842,974
Total	26,163.02	26,163.02	26,163.02	5,375,181	5,375,181

4.3 Trip Type Information

Creekview Specific Plan Ammendment - Placer County APCD Air District, Summer

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Apartments Mid Rise	0.87	0.60	0.60	42.60	21.00	36.40	86	11	3
City Park	0.87	0.60	0.60	33.00	48.00	19.00	66	28	6
Elementary School	0.87	0.60	0.60	65.00	30.00	5.00	63	25	12
General Office Building	0.87	0.60	0.60	33.00	48.00	19.00	77	19	4
Parking Lot	0.87	0.60	0.60	0.00	0.00	0.00	0	0	0
Single Family Housing	0.87	0.60	0.60	42.60	21.00	36.40	86	11	3
Strip Mall	0.87	0.60	0.60	16.60	64.40	19.00	45	40	15

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Apartments Mid Rise	0.515189	0.037254	0.221040	0.114665	0.016498	0.005188	0.033759	0.046875	0.001360	0.001132	0.005439	0.000735	0.000868
City Park	0.515189	0.037254	0.221040	0.114665	0.016498	0.005188	0.033759	0.046875	0.001360	0.001132	0.005439	0.000735	0.000868
Elementary School	0.515189	0.037254	0.221040	0.114665	0.016498	0.005188	0.033759	0.046875	0.001360	0.001132	0.005439	0.000735	0.000868
General Office Building	0.515189	0.037254	0.221040	0.114665	0.016498	0.005188	0.033759	0.046875	0.001360	0.001132	0.005439	0.000735	0.000868
Parking Lot	0.515189	0.037254	0.221040	0.114665	0.016498	0.005188	0.033759	0.046875	0.001360	0.001132	0.005439	0.000735	0.000868
Single Family Housing	0.515189	0.037254	0.221040	0.114665	0.016498	0.005188	0.033759	0.046875	0.001360	0.001132	0.005439	0.000735	0.000868
Strip Mall	0.515189	0.037254	0.221040	0.114665	0.016498	0.005188	0.033759	0.046875	0.001360	0.001132	0.005439	0.000735	0.000868

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Creekview Specific Plan Ammendment - Placer County APCD Air District, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
NaturalGas Mitigated	1.4205	12.2181	5.7473	0.0775		0.9814	0.9814		0.9814	0.9814		15,496.3130	15,496.3130	0.2970	0.2841	15,588.3999
NaturalGas Unmitigated	1.4205	12.2181	5.7473	0.0775		0.9814	0.9814		0.9814	0.9814		15,496.3130	15,496.3130	0.2970	0.2841	15,588.3999

Creekview Specific Plan Ammendment - Placer County APCD Air District, Summer

5.2 Energy by Land Use - NaturalGas**Unmitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Apartments Mid Rise	14608.8	0.1576	1.3463	0.5729	8.5900e-003		0.1089	0.1089		0.1089	0.1089		1,718.6819	1,718.6819	0.0329	0.0315	1,728.8952
City Park	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Elementary School	1301.46	0.0140	0.1276	0.1072	7.7000e-004		9.7000e-003	9.7000e-003		9.7000e-003	9.7000e-003		153.1134	153.1134	2.9300e-003	2.8100e-003	154.0233
General Office Building	6448.71	0.0695	0.6322	0.5311	3.7900e-003		0.0481	0.0481		0.0481	0.0481		758.6720	758.6720	0.0145	0.0139	763.1805
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Single Family Housing	103622	1.1175	9.5495	4.0636	0.0610		0.7721	0.7721		0.7721	0.7721		12,190.8094	12,190.8094	0.2337	0.2235	12,263.2533
Strip Mall	5737.81	0.0619	0.5625	0.4725	3.3800e-003		0.0428	0.0428		0.0428	0.0428		675.0363	675.0363	0.0129	0.0124	679.0477
Total		1.4205	12.2181	5.7473	0.0775		0.9814	0.9814		0.9814	0.9814		15,496.3130	15,496.3130	0.2970	0.2841	15,588.3999

Creekview Specific Plan Ammendment - Placer County APCD Air District, Summer

5.2 Energy by Land Use - NaturalGas**Mitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Apartments Mid Rise	14.6088	0.1576	1.3463	0.5729	8.5900e-003		0.1089	0.1089		0.1089	0.1089		1,718.6819	1,718.6819	0.0329	0.0315	1,728.8952
City Park	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Elementary School	1.30146	0.0140	0.1276	0.1072	7.7000e-004		9.7000e-003	9.7000e-003		9.7000e-003	9.7000e-003		153.1134	153.1134	2.9300e-003	2.8100e-003	154.0233
General Office Building	6.44871	0.0695	0.6322	0.5311	3.7900e-003		0.0481	0.0481		0.0481	0.0481		758.6720	758.6720	0.0145	0.0139	763.1805
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Single Family Housing	103.622	1.1175	9.5495	4.0636	0.0610		0.7721	0.7721		0.7721	0.7721		12,190.8094	12,190.8094	0.2337	0.2235	12,263.2533
Strip Mall	5.73781	0.0619	0.5625	0.4725	3.3800e-003		0.0428	0.0428		0.0428	0.0428		675.0363	675.0363	0.0129	0.0124	679.0477
Total		1.4205	12.2181	5.7473	0.0775		0.9814	0.9814		0.9814	0.9814		15,496.3130	15,496.3130	0.2970	0.2841	15,588.3999

6.0 Area Detail**6.1 Mitigation Measures Area**

Use only Natural Gas Hearths

Creekview Specific Plan Ammendment - Placer County APCD Air District, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	96.5130	31.9335	178.6572	0.2004		3.3476	3.3476		3.3476	3.3476	0.0000	38,626.3092	38,626.3092	1.0214	0.7027	38,861.2391
Unmitigated	3,170.6240	62.0129	3,964.8744	6.8915		533.5752	533.5752		533.5752	533.5752	55,848.9505	23,721.2504	79,570.2009	51.8261	4.3929	82,174.9502

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	11.8657					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	76.1455					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	3,077.6243	60.1025	3,798.9929	6.8827		532.6550	532.6550		532.6550	532.6550	55,848.9505	23,422.2353	79,271.1858	51.5393	4.3929	81,868.7652
Landscaping	4.9885	1.9104	165.8815	8.7700e-003		0.9202	0.9202		0.9202	0.9202		299.0151	299.0151	0.2868		306.1850
Total	3,170.6240	62.0129	3,964.8744	6.8915		533.5752	533.5752		533.5752	533.5752	55,848.9505	23,721.2504	79,570.2009	51.8261	4.3929	82,174.9502

Creekview Specific Plan Ammendment - Placer County APCD Air District, Summer

6.2 Area by SubCategory**Mitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	11.8657					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	76.1455					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	3.5133	30.0231	12.7758	0.1916		2.4274	2.4274		2.4274	2.4274	0.0000	38,327.29 41	38,327.29 41	0.7346	0.7027	38,555.05 41
Landscaping	4.9885	1.9104	165.8815	8.7700e-003		0.9202	0.9202		0.9202	0.9202		299.0151	299.0151	0.2868		306.1850
Total	96.5131	31.9335	178.6572	0.2004		3.3476	3.3476		3.3476	3.3476	0.0000	38,626.30 92	38,626.30 92	1.0214	0.7027	38,861.23 91

7.0 Water Detail**7.1 Mitigation Measures Water****8.0 Waste Detail****8.1 Mitigation Measures Waste****9.0 Operational Offroad**

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type

10.0 Stationary Equipment

Creekview Specific Plan Amendment - Placer County APCD Air District, Summer

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type

User Defined Equipment

Equipment Type	Number

11.0 Vegetation

Creekview Specific Plan Ammendment - Placer County APCD Air District, Winter

Creekview Specific Plan Ammendment

Placer County APCD Air District, Winter

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
General Office Building	143.00	1000sqft	3.80	143,000.00	0
Elementary School	600.00	Student	9.60	50,162.02	0
Parking Lot	325.00	Space	2.92	130,000.00	0
City Park	16.10	Acre	16.10	701,316.00	0
Apartments Mid Rise	547.00	Dwelling Unit	18.70	547,000.00	1564
Single Family Housing	1,464.00	Dwelling Unit	223.30	2,635,200.00	4187
Strip Mall	179.00	1000sqft	12.58	179,000.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	74
Climate Zone	2			Operational Year	2026
Utility Company	Roseville Electric				
CO2 Intensity (lb/MW hr)	443.13	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.006

1.3 User Entered Comments & Non-Default Data

Creekview Specific Plan Ammendment - Placer County APCD Air District, Winter

Project Characteristics - CO2 Intensity factor adjusted based on Roseville Electric's anticipated progress towards statewide RPS goals.

Land Use - Applicant Provided Information

Construction Phase - Construction not modeled

Off-road Equipment - Construction not modeled

Trips and VMT - Construction not modeled

Vehicle Trips - Information from F&P Technical Memo

Woodstoves - Applicant Provided Information

Energy Use -

Area Mitigation -

Table Name	Column Name	Default Value	New Value
tblConstructionPhase	NumDays	180.00	1.00
tblLandUse	LotAcreage	3.28	3.80
tblLandUse	LotAcreage	1.15	9.60
tblLandUse	LotAcreage	14.39	18.70
tblLandUse	LotAcreage	475.32	223.30
tblLandUse	LotAcreage	4.11	12.58
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	4.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblProjectCharacteristics	CO2IntensityFactor	793.8	443.13
tblTripsAndVMT	HaulingTripLength	20.00	0.00
tblTripsAndVMT	VendorTripLength	7.30	0.00
tblTripsAndVMT	WorkerTripLength	10.80	0.00
tblVehicleTrips	CC_TL	7.30	0.60
tblVehicleTrips	CC_TL	7.30	0.60

Creekview Specific Plan Ammendment - Placer County APCD Air District, Winter

tblVehicleTrips	CC_TL	7.30	0.60
tblVehicleTrips	CC_TL	7.30	0.60
tblVehicleTrips	CC_TL	7.30	0.60
tblVehicleTrips	CNW_TL	7.30	0.60
tblVehicleTrips	CNW_TL	7.30	0.60
tblVehicleTrips	CNW_TL	7.30	0.60
tblVehicleTrips	CNW_TL	7.30	0.60
tblVehicleTrips	CNW_TL	7.30	0.60
tblVehicleTrips	CW_TL	9.50	0.87
tblVehicleTrips	CW_TL	9.50	0.87
tblVehicleTrips	CW_TL	9.50	0.87
tblVehicleTrips	CW_TL	9.50	0.87
tblVehicleTrips	CW_TL	9.50	0.87
tblVehicleTrips	HO_TL	7.50	0.60
tblVehicleTrips	HO_TL	7.50	0.60
tblVehicleTrips	HS_TL	7.30	0.60
tblVehicleTrips	HS_TL	7.30	0.60
tblVehicleTrips	HW_TL	10.80	0.87
tblVehicleTrips	HW_TL	10.80	0.87
tblVehicleTrips	ST_TR	6.39	6.50
tblVehicleTrips	ST_TR	22.75	2.20
tblVehicleTrips	ST_TR	0.00	1.00
tblVehicleTrips	ST_TR	2.46	17.70
tblVehicleTrips	ST_TR	9.91	9.00
tblVehicleTrips	ST_TR	42.04	35.00
tblVehicleTrips	SU_TR	5.86	6.50
tblVehicleTrips	SU_TR	16.74	2.20

Creekview Specific Plan Ammendment - Placer County APCD Air District, Winter

tblVehicleTrips	SU_TR	0.00	1.00
tblVehicleTrips	SU_TR	1.05	17.70
tblVehicleTrips	SU_TR	8.62	9.00
tblVehicleTrips	SU_TR	20.43	35.00
tblVehicleTrips	WD_TR	6.65	6.50
tblVehicleTrips	WD_TR	1.89	2.20
tblVehicleTrips	WD_TR	1.29	1.00
tblVehicleTrips	WD_TR	11.03	17.70
tblVehicleTrips	WD_TR	9.52	9.00
tblVehicleTrips	WD_TR	44.32	35.00

2.0 Emissions Summary

Creekview Specific Plan Ammendment - Placer County APCD Air District, Winter

2.1 Overall Construction (Maximum Daily Emission)

Unmitigated Construction

[illegible]

Mitigated Construction

[illegible][illegible]

Creekview Specific Plan Ammendment - Placer County APCD Air District, Winter

2.2 Overall Operational**Unmitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	3,170.6240	62.0129	3,964.8744	6.8915		533.5752	533.5752		533.5752	533.5752	55,848.9505	23,721.2504	79,570.2009	51.8261	4.3929	82,174.9502
Energy	1.4205	12.2181	5.7473	0.0775		0.9814	0.9814		0.9814	0.9814		15,496.3130	15,496.3130	0.2970	0.2841	15,588.3999
Mobile	19.2844	147.1515	126.2693	0.2966	11.4734	0.2246	11.6980	3.0746	0.2086	3.2832		30,379.2729	30,379.2729	2.8325		30,450.0863
Total	3,191.3289	221.3825	4,096.8910	7.2656	11.4734	534.7812	546.2546	3.0746	534.7653	537.8398	55,848.9505	69,596.8364	125,445.7869	54.9557	4.6770	128,213.4363

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	96.5130	31.9335	178.6572	0.2004		3.3476	3.3476		3.3476	3.3476	0.0000	38,626.3092	38,626.3092	1.0214	0.7027	38,861.2391
Energy	1.4205	12.2181	5.7473	0.0775		0.9814	0.9814		0.9814	0.9814		15,496.3130	15,496.3130	0.2970	0.2841	15,588.3999
Mobile	19.2844	147.1515	126.2693	0.2966	11.4734	0.2246	11.6980	3.0746	0.2086	3.2832		30,379.2729	30,379.2729	2.8325		30,450.0863
Total	117.2179	191.3031	310.6738	0.5745	11.4734	4.5536	16.0270	3.0746	4.5376	7.6122	0.0000	84,501.8952	84,501.8952	4.1509	0.9868	84,899.7252

Creekview Specific Plan Ammendment - Placer County APCD Air District, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	96.33	13.59	92.42	92.09	0.00	99.15	97.07	0.00	99.15	98.58	100.00	-21.42	32.64	92.45	78.90	33.78

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Site Preparation	Site Preparation	7/1/2020	7/1/2020	5	1	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 0

Acres of Paving: 2.92

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 0; Non-Residential Outdoor: 0; Striped Parking Area: 0 (Architectural Coating – sqft)

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Site Preparation	Rubber Tired Dozers	0	0.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	0	0.00	97	0.37

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Site Preparation	0	0.00	0.00	0.00	0.00	0.00	0.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Creekview Specific Plan Ammendment - Placer County APCD Air District, Winter

3.2 Site Preparation - 2020**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000			0.0000			0.0000
Off-Road	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Total	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Total	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000

Creekview Specific Plan Ammendment - Placer County APCD Air District, Winter

3.2 Site Preparation - 2020**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000			0.0000			0.0000
Off-Road	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000
Total	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Total	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000

4.0 Operational Detail - Mobile

Creekview Specific Plan Ammendment - Placer County APCD Air District, Winter

4.1 Mitigation Measures Mobile

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	19.2844	147.1515	126.2693	0.2966	11.4734	0.2246	11.6980	3.0746	0.2086	3.2832		30,379.27 29	30,379.27 29	2.8325		30,450.08 63
Unmitigated	19.2844	147.1515	126.2693	0.2966	11.4734	0.2246	11.6980	3.0746	0.2086	3.2832		30,379.27 29	30,379.27 29	2.8325		30,450.08 63

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Apartments Mid Rise	3,555.50	3,555.50	3555.50	825,158	825,158
City Park	35.42	35.42	35.42	6,563	6,563
Elementary School	600.00	600.00	600.00	119,909	119,909
General Office Building	2,531.10	2,531.10	2531.10	522,701	522,701
Parking Lot	0.00	0.00	0.00		
Single Family Housing	13,176.00	13,176.00	13176.00	3,057,876	3,057,876
Strip Mall	6,265.00	6,265.00	6265.00	842,974	842,974
Total	26,163.02	26,163.02	26,163.02	5,375,181	5,375,181

4.3 Trip Type Information

Creekview Specific Plan Ammendment - Placer County APCD Air District, Winter

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Apartments Mid Rise	0.87	0.60	0.60	42.60	21.00	36.40	86	11	3
City Park	0.87	0.60	0.60	33.00	48.00	19.00	66	28	6
Elementary School	0.87	0.60	0.60	65.00	30.00	5.00	63	25	12
General Office Building	0.87	0.60	0.60	33.00	48.00	19.00	77	19	4
Parking Lot	0.87	0.60	0.60	0.00	0.00	0.00	0	0	0
Single Family Housing	0.87	0.60	0.60	42.60	21.00	36.40	86	11	3
Strip Mall	0.87	0.60	0.60	16.60	64.40	19.00	45	40	15

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Apartments Mid Rise	0.515189	0.037254	0.221040	0.114665	0.016498	0.005188	0.033759	0.046875	0.001360	0.001132	0.005439	0.000735	0.000868
City Park	0.515189	0.037254	0.221040	0.114665	0.016498	0.005188	0.033759	0.046875	0.001360	0.001132	0.005439	0.000735	0.000868
Elementary School	0.515189	0.037254	0.221040	0.114665	0.016498	0.005188	0.033759	0.046875	0.001360	0.001132	0.005439	0.000735	0.000868
General Office Building	0.515189	0.037254	0.221040	0.114665	0.016498	0.005188	0.033759	0.046875	0.001360	0.001132	0.005439	0.000735	0.000868
Parking Lot	0.515189	0.037254	0.221040	0.114665	0.016498	0.005188	0.033759	0.046875	0.001360	0.001132	0.005439	0.000735	0.000868
Single Family Housing	0.515189	0.037254	0.221040	0.114665	0.016498	0.005188	0.033759	0.046875	0.001360	0.001132	0.005439	0.000735	0.000868
Strip Mall	0.515189	0.037254	0.221040	0.114665	0.016498	0.005188	0.033759	0.046875	0.001360	0.001132	0.005439	0.000735	0.000868

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Creekview Specific Plan Ammendment - Placer County APCD Air District, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
NaturalGas Mitigated	1.4205	12.2181	5.7473	0.0775		0.9814	0.9814		0.9814	0.9814		15,496.3130	15,496.3130	0.2970	0.2841	15,588.3999
NaturalGas Unmitigated	1.4205	12.2181	5.7473	0.0775		0.9814	0.9814		0.9814	0.9814		15,496.3130	15,496.3130	0.2970	0.2841	15,588.3999

Creekview Specific Plan Ammendment - Placer County APCD Air District, Winter

5.2 Energy by Land Use - NaturalGas**Unmitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Apartments Mid Rise	14608.8	0.1576	1.3463	0.5729	8.5900e-003		0.1089	0.1089		0.1089	0.1089		1,718.6819	1,718.6819	0.0329	0.0315	1,728.8952
City Park	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Elementary School	1301.46	0.0140	0.1276	0.1072	7.7000e-004		9.7000e-003	9.7000e-003		9.7000e-003	9.7000e-003		153.1134	153.1134	2.9300e-003	2.8100e-003	154.0233
General Office Building	6448.71	0.0695	0.6322	0.5311	3.7900e-003		0.0481	0.0481		0.0481	0.0481		758.6720	758.6720	0.0145	0.0139	763.1805
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Single Family Housing	103622	1.1175	9.5495	4.0636	0.0610		0.7721	0.7721		0.7721	0.7721		12,190.8094	12,190.8094	0.2337	0.2235	12,263.2533
Strip Mall	5737.81	0.0619	0.5625	0.4725	3.3800e-003		0.0428	0.0428		0.0428	0.0428		675.0363	675.0363	0.0129	0.0124	679.0477
Total		1.4205	12.2181	5.7473	0.0775		0.9814	0.9814		0.9814	0.9814		15,496.3130	15,496.3130	0.2970	0.2841	15,588.3999

Creekview Specific Plan Ammendment - Placer County APCD Air District, Winter

5.2 Energy by Land Use - NaturalGas**Mitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Apartments Mid Rise	14.6088	0.1576	1.3463	0.5729	8.5900e-003		0.1089	0.1089		0.1089	0.1089		1,718.6819	1,718.6819	0.0329	0.0315	1,728.8952
City Park	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Elementary School	1.30146	0.0140	0.1276	0.1072	7.7000e-004		9.7000e-003	9.7000e-003		9.7000e-003	9.7000e-003		153.1134	153.1134	2.9300e-003	2.8100e-003	154.0233
General Office Building	6.44871	0.0695	0.6322	0.5311	3.7900e-003		0.0481	0.0481		0.0481	0.0481		758.6720	758.6720	0.0145	0.0139	763.1805
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Single Family Housing	103.622	1.1175	9.5495	4.0636	0.0610		0.7721	0.7721		0.7721	0.7721		12,190.8094	12,190.8094	0.2337	0.2235	12,263.2533
Strip Mall	5.73781	0.0619	0.5625	0.4725	3.3800e-003		0.0428	0.0428		0.0428	0.0428		675.0363	675.0363	0.0129	0.0124	679.0477
Total		1.4205	12.2181	5.7473	0.0775		0.9814	0.9814		0.9814	0.9814		15,496.3130	15,496.3130	0.2970	0.2841	15,588.3999

6.0 Area Detail**6.1 Mitigation Measures Area**

Use only Natural Gas Hearths

Creekview Specific Plan Ammendment - Placer County APCD Air District, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	96.5130	31.9335	178.6572	0.2004		3.3476	3.3476		3.3476	3.3476	0.0000	38,626.3092	38,626.3092	1.0214	0.7027	38,861.2391
Unmitigated	3,170.6240	62.0129	3,964.8744	6.8915		533.5752	533.5752		533.5752	533.5752	55,848.9505	23,721.2504	79,570.2009	51.8261	4.3929	82,174.9502

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	11.8657					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	76.1455					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	3,077.6243	60.1025	3,798.9929	6.8827		532.6550	532.6550		532.6550	532.6550	55,848.9505	23,422.2353	79,271.1858	51.5393	4.3929	81,868.7652
Landscaping	4.9885	1.9104	165.8815	8.7700e-003		0.9202	0.9202		0.9202	0.9202		299.0151	299.0151	0.2868		306.1850
Total	3,170.6240	62.0129	3,964.8744	6.8915		533.5752	533.5752		533.5752	533.5752	55,848.9505	23,721.2504	79,570.2009	51.8261	4.3929	82,174.9502

Creekview Specific Plan Ammendment - Placer County APCD Air District, Winter

6.2 Area by SubCategory**Mitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	11.8657					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	76.1455					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	3.5133	30.0231	12.7758	0.1916		2.4274	2.4274		2.4274	2.4274	0.0000	38,327.29 41	38,327.29 41	0.7346	0.7027	38,555.05 41
Landscaping	4.9885	1.9104	165.8815	8.7700e-003		0.9202	0.9202		0.9202	0.9202		299.0151	299.0151	0.2868		306.1850
Total	96.5131	31.9335	178.6572	0.2004		3.3476	3.3476		3.3476	3.3476	0.0000	38,626.30 92	38,626.30 92	1.0214	0.7027	38,861.23 91

7.0 Water Detail**7.1 Mitigation Measures Water****8.0 Waste Detail****8.1 Mitigation Measures Waste****9.0 Operational Offroad**

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type

10.0 Stationary Equipment

Creekview Specific Plan Ammendment - Placer County APCD Air District, Winter

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type

User Defined Equipment

Equipment Type	Number

11.0 Vegetation

Creekview Specific Plan Ammendment
Placer County APCD Air District, Mitigation Report

Construction Mitigation Summary

[illegible]

OFFROAD Equipment Mitigation

Equipment Type	Fuel Type	Tier	Number Mitigated	Total Number of Equipment	DPF	Oxidation Catalyst
Rubber Tired Dozers	Diesel	No Change	0	0	No Change	0.00
Tractors/Loaders/Backhoes	Diesel	No Change	0	0	No Change	0.00

[illegible][illegible]

Equipment Type	ROG	NOx	CO	SO2	Exhaust PM10	Exhaust PM2.5	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction												
Rubber Tired Dozers	0.00000E+000	0.00000E+000	0.00000E+000	0.00000E+000	0.00000E+000	0.00000E+000	0.00000E+000	0.00000E+000	0.00000E+000	0.00000E+000	0.00000E+000	0.00000E+000
Tractors/Loaders/Backhoes	0.00000E+000	0.00000E+000	0.00000E+000	0.00000E+000	0.00000E+000	0.00000E+000	0.00000E+000	0.00000E+000	0.00000E+000	0.00000E+000	0.00000E+000	0.00000E+000

Fugitive Dust Mitigation

Yes/No	Mitigation Measure	Mitigation Input	Mitigation Input	Mitigation Input
No	Soil Stabilizer for unpaved Roads	PM10 Reduction	PM2.5 Reduction	
No	Replace Ground Cover of Area Disturbed	PM10 Reduction	PM2.5 Reduction	
No	Water Exposed Area	PM10 Reduction	PM2.5 Reduction	Frequency (per day)
No	Unpaved Road Mitigation	Moisture Content %	Vehicle Speed (mph)	0.00
No	Clean Paved Road	% PM Reduction	0.00	

Phase	Source	Unmitigated		Mitigated		Percent Reduction	
		PM10	PM2.5	PM10	PM2.5	PM10	PM2.5
Site Preparation	Fugitive Dust	0.00	0.00	0.00	0.00	0.00	0.00
Site Preparation	Roads	0.00	0.00	0.00	0.00	0.00	0.00

Operational Percent Reduction Summary

Category	ROG	NOx	CO	SO2	Exhaust PM10	Exhaust PM2.5	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction												
Architectural Coating	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Consumer Products	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Electricity	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Hearth	99.89	50.05	99.66	97.21	99.54	99.54	100.00	-63.64	51.65	98.57	84.00	52.91
Landscaping	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Mobile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Natural Gas	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Water Indoor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Water Outdoor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Operational Mobile Mitigation

Project Setting:

Mitigation	Category	Measure	% Reduction	Input Value 1	Input Value 2	Input Value 3
No	Land Use	Increase Density	0.00			
No	Land Use	Increase Diversity	0.29	0.64		
No	Land Use	Improve Walkability Design	0.00			
No	Land Use	Improve Destination Accessibility	0.00			
No	Land Use	Increase Transit Accessibility	0.25			
No	Land Use	Integrate Below Market Rate Housing	0.00			
	Land Use	Land Use SubTotal	0.00			

No	Neighborhood Enhancements	Improve Pedestrian Network			
No	Neighborhood Enhancements	Provide Traffic Calming Measures			
No	Neighborhood Enhancements	Implement NEV Network	0.00		
	Neighborhood Enhancements	Neighborhood Enhancements Subtotal	0.00		
No	Parking Policy Pricing	Limit Parking Supply	0.00		
No	Parking Policy Pricing	Unbundle Parking Costs	0.00		
No	Parking Policy Pricing	On-street Market Pricing	0.00		
	Parking Policy Pricing	Parking Policy Pricing Subtotal	0.00		
No	Transit Improvements	Provide BRT System	0.00		
No	Transit Improvements	Expand Transit Network	0.00		
No	Transit Improvements	Increase Transit Frequency	0.00		
	Transit Improvements	Transit Improvements Subtotal	0.00		
		Land Use and Site Enhancement Subtotal	0.00		
No	Commute	Implement Trip Reduction Program			
No	Commute	Transit Subsidy			
No	Commute	Implement Employee Parking "Cash Out"			
No	Commute	Workplace Parking Charge			
No	Commute	Encourage Telecommuting and Alternative Work Schedules	0.00		
No	Commute	Market Commute Trip Reduction Option	0.00		
No	Commute	Employee Vanpool/Shuttle	0.00		2.00
No	Commute	Provide Ride Sharing Program			
	Commute	Commute Subtotal	0.00		

No	School Trip	Implement School Bus Program	0.00		
		Total VMT Reduction	0.00		

Area Mitigation

Measure Implemented	Mitigation Measure	Input Value
Yes	Only Natural Gas Hearth	
No	No Hearth	
No	Use Low VOC Cleaning Supplies	
No	Use Low VOC Paint (Residential Interior)	100.00
No	Use Low VOC Paint (Residential Exterior)	100.00
No	Use Low VOC Paint (Non-residential Interior)	100.00
No	Use Low VOC Paint (Non-residential Exterior)	100.00
No	Use Low VOC Paint (Parking)	100.00
No	% Electric Lawnmower	0.00
No	% Electric Leafblower	0.00
No	% Electric Chainsaw	0.00

Energy Mitigation Measures

Measure Implemented	Mitigation Measure	Input Value 1	Input Value 2
No	Exceed Title 24		
No	Install High Efficiency Lighting		
No	On-site Renewable		

Appliance Type	Land Use Subtype	% Improvement
ClothWasher		30.00
DishWasher		15.00
Fan		50.00
Refrigerator		15.00

Water Mitigation Measures

Measure Implemented	Mitigation Measure	Input Value 1	Input Value 2
No	Apply Water Conservation on Strategy		
No	Use Reclaimed Water		
No	Use Grey Water		
No	Install low-flow bathroom faucet	32.00	
No	Install low-flow Kitchen faucet	18.00	
No	Install low-flow Toilet	20.00	
No	Install low-flow Shower	20.00	
No	Turf Reduction		
No	Use Water Efficient Irrigation Systems	6.10	
No	Water Efficient Landscape		

Solid Waste Mitigation

Mitigation Measures	Input Value

Institute Recycling and Composting Services Percent Reduction in Waste Disposed	

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Annual

Creekview Specific Plan Ammendment 2019

Placer County APCD Air District, Annual

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Elementary School	600.00	Student	9.60	50,162.02	0
Parking Lot	325.00	Space	2.92	130,000.00	0
City Park	16.30	Acre	16.30	710,028.00	0
Apartments Mid Rise	547.00	Dwelling Unit	17.70	547,000.00	1564
Single Family Housing	1,464.00	Dwelling Unit	233.90	2,635,200.00	4187
Strip Mall	162.00	1000sqft	6.38	162,000.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	74
Climate Zone	2			Operational Year	2026
Utility Company	Roseville Electric				
CO2 Intensity (lb/MW hr)	443.13	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.006

1.3 User Entered Comments & Non-Default Data

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Annual

Project Characteristics - CO2 Intensity factor adjusted based on Roseville Electric's anticipated progress towards statewide RPS goals.

Land Use - Applicant Provided Information

Construction Phase - Construction not modeled

Off-road Equipment - Construction not modeled

Trips and VMT - Construction not modeled

Vehicle Trips - Information from F&P Technical Memo

Woodstoves - Applicant Provided Information

Energy Use -

Area Mitigation -

Table Name	Column Name	Default Value	New Value
tblConstructionPhase	NumDays	180.00	1.00
tblLandUse	LotAcreage	1.15	9.60
tblLandUse	LotAcreage	14.39	17.70
tblLandUse	LotAcreage	475.32	233.90
tblLandUse	LotAcreage	3.72	6.38
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	4.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblProjectCharacteristics	CO2IntensityFactor	793.8	443.13
tblTripsAndVMT	HaulingTripLength	20.00	0.00
tblTripsAndVMT	VendorTripLength	7.30	0.00
tblTripsAndVMT	WorkerTripLength	10.80	0.00
tblVehicleTrips	CC_TL	7.30	0.70
tblVehicleTrips	CC_TL	7.30	0.70
tblVehicleTrips	CC_TL	7.30	0.70

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Annual

tblVehicleTrips	CC_TL	7.30	0.70
tblVehicleTrips	CNW_TL	7.30	0.72
tblVehicleTrips	CNW_TL	7.30	0.72
tblVehicleTrips	CNW_TL	7.30	0.72
tblVehicleTrips	CNW_TL	7.30	0.72
tblVehicleTrips	CW_TL	9.50	0.93
tblVehicleTrips	CW_TL	9.50	0.93
tblVehicleTrips	CW_TL	9.50	0.93
tblVehicleTrips	CW_TL	9.50	0.93
tblVehicleTrips	HO_TL	7.50	0.72
tblVehicleTrips	HO_TL	7.50	0.72
tblVehicleTrips	HS_TL	7.30	0.70
tblVehicleTrips	HS_TL	7.30	0.70
tblVehicleTrips	HW_TL	10.80	0.93
tblVehicleTrips	HW_TL	10.80	0.93
tblVehicleTrips	ST_TR	6.39	6.50
tblVehicleTrips	ST_TR	22.75	2.20
tblVehicleTrips	ST_TR	0.00	1.00
tblVehicleTrips	ST_TR	9.91	9.00
tblVehicleTrips	ST_TR	42.04	35.00
tblVehicleTrips	SU_TR	5.86	6.50
tblVehicleTrips	SU_TR	16.74	2.20
tblVehicleTrips	SU_TR	0.00	1.00
tblVehicleTrips	SU_TR	8.62	9.00
tblVehicleTrips	SU_TR	20.43	35.00
tblVehicleTrips	WD_TR	6.65	6.50
tblVehicleTrips	WD_TR	1.89	2.20

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Annual

tblVehicleTrips	WD_TR	1.29	1.00
tblVehicleTrips	WD_TR	9.52	9.00
tblVehicleTrips	WD_TR	44.32	35.00

2.0 Emissions Summary

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Annual

2.1 Overall Construction

Unmitigated Construction

[illegible]

Mitigated Construction

[illegible][illegible]

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Annual

Quarter	Start Date	End Date	Maximum Unmitigated ROG + NOX (tons/quarter)	Maximum Mitigated ROG + NOX (tons/quarter)
		Highest		

2.2 Overall Operational**Unmitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	141.9945	2.6361	170.6866	0.2830		21.9217	21.9217		21.9217	21.9217	2,077.277 9	895.5908	2,972.868 7	1.9404	0.1634	3,070.069 8
Energy	0.2455	2.1047	0.9438	0.0134		0.1696	0.1696		0.1696	0.1696	0.0000	5,831.976 9	5,831.976 9	0.2692	0.0906	5,865.709 7
Mobile	3.3368	23.9327	17.9204	0.0523	1.9968	0.0370	2.0339	0.5371	0.0344	0.5715	0.0000	4,869.207 5	4,869.207 5	0.3850	0.0000	4,878.832 7
Waste						0.0000	0.0000		0.0000	0.0000	414.0894	0.0000	414.0894	24.4720	0.0000	1,025.888 9
Water						0.0000	0.0000		0.0000	0.0000	45.8365	236.7164	282.5530	4.7233	0.1144	434.7181
Total	145.5768	28.6735	189.5507	0.3487	1.9968	22.1283	24.1251	0.5371	22.1256	22.6628	2,537.203 9	11,833.49 16	14,370.69 54	31.7900	0.3684	15,275.21 92

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Annual

2.2 Overall Operational**Mitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Area	15.9560	1.4029	15.4517	8.6500e-003		0.1823	0.1823		0.1823	0.1823	0.0000	1,449.9781	1,449.9781	0.0507	0.0261	1,459.0348
Energy	0.2455	2.1047	0.9438	0.0134		0.1696	0.1696		0.1696	0.1696	0.0000	5,831.9769	5,831.9769	0.2692	0.0906	5,865.7097
Mobile	3.3368	23.9327	17.9204	0.0523	1.9968	0.0370	2.0339	0.5371	0.0344	0.5715	0.0000	4,869.2075	4,869.2075	0.3850	0.0000	4,878.8327
Waste						0.0000	0.0000		0.0000	0.0000	414.0894	0.0000	414.0894	24.4720	0.0000	1,025.8889
Water						0.0000	0.0000		0.0000	0.0000	45.8365	236.7164	282.5530	4.7233	0.1144	434.7181
Total	19.5382	27.4402	34.3158	0.0744	1.9968	0.3889	2.3858	0.5371	0.3863	0.9234	459.9259	12,387.8789	12,847.8048	29.9003	0.2311	13,664.1841

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	86.58	4.30	81.90	78.67	0.00	98.24	90.11	0.00	98.25	95.93	81.87	-4.68	10.60	5.94	37.26	10.55

3.0 Construction Detail**Construction Phase**

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Site Preparation	Site Preparation	7/1/2020	7/1/2020	5	1	

Acres of Grading (Site Preparation Phase): 0

Creekview Specific Plan Amendment 2019 - Placer County APCD Air District, Annual

Acres of Grading (Grading Phase): 0**Acres of Paving: 2.92****Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 0; Non-Residential Outdoor: 0; Striped Parking Area: 0 (Architectural Coating – sqft)****OffRoad Equipment**

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Site Preparation	Rubber Tired Dozers	0	0.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	0	0.00	97	0.37

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Site Preparation	0	0.00	0.00	0.00	0.00	0.00	0.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Annual

3.2 Site Preparation - 2020

Unmitigated Construction On-Site

[illegible]

Unmitigated Construction Off-Site

[illegible]

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Annual

3.2 Site Preparation - 2020**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Fugitive Dust					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Off-Road	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Total	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000

4.0 Operational Detail - Mobile

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Annual

4.1 Mitigation Measures Mobile

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	3.3368	23.9327	17.9204	0.0523	1.9968	0.0370	2.0339	0.5371	0.0344	0.5715	0.0000	4,869.2075	4,869.2075	0.3850	0.0000	4,878.8327
Unmitigated	3.3368	23.9327	17.9204	0.0523	1.9968	0.0370	2.0339	0.5371	0.0344	0.5715	0.0000	4,869.2075	4,869.2075	0.3850	0.0000	4,878.8327

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Apartments Mid Rise	3,555.50	3,555.50	3555.50	926,717	926,717
City Park	35.86	35.86	35.86	7,499	7,499
Elementary School	600.00	600.00	600.00	131,214	131,214
Parking Lot	0.00	0.00	0.00		
Single Family Housing	13,176.00	13,176.00	13176.00	3,434,236	3,434,236
Strip Mall	5,670.00	5,670.00	5670.00	872,127	872,127
Total	23,037.36	23,037.36	23,037.36	5,371,793	5,371,793

4.3 Trip Type Information

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Annual

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Apartments Mid Rise	0.93	0.70	0.72	42.60	21.00	36.40	86	11	3
City Park	0.93	0.70	0.72	33.00	48.00	19.00	66	28	6
Elementary School	0.93	0.70	0.72	65.00	30.00	5.00	63	25	12
Parking Lot	0.93	0.70	0.72	0.00	0.00	0.00	0	0	0
Single Family Housing	0.93	0.70	0.72	42.60	21.00	36.40	86	11	3
Strip Mall	0.93	0.70	0.72	16.60	64.40	19.00	45	40	15

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Apartments Mid Rise	0.515189	0.037254	0.221040	0.114665	0.016498	0.005188	0.033759	0.046875	0.001360	0.001132	0.005439	0.000735	0.000868
City Park	0.515189	0.037254	0.221040	0.114665	0.016498	0.005188	0.033759	0.046875	0.001360	0.001132	0.005439	0.000735	0.000868
Elementary School	0.515189	0.037254	0.221040	0.114665	0.016498	0.005188	0.033759	0.046875	0.001360	0.001132	0.005439	0.000735	0.000868
Parking Lot	0.515189	0.037254	0.221040	0.114665	0.016498	0.005188	0.033759	0.046875	0.001360	0.001132	0.005439	0.000735	0.000868
Single Family Housing	0.515189	0.037254	0.221040	0.114665	0.016498	0.005188	0.033759	0.046875	0.001360	0.001132	0.005439	0.000735	0.000868
Strip Mall	0.515189	0.037254	0.221040	0.114665	0.016498	0.005188	0.033759	0.046875	0.001360	0.001132	0.005439	0.000735	0.000868

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Annual

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Electricity Mitigated						0.0000	0.0000		0.0000	0.0000	0.0000	3,402.609 2	3,402.609 2	0.2227	0.0461	3,421.905 5
Electricity Unmitigated						0.0000	0.0000		0.0000	0.0000	0.0000	3,402.609 2	3,402.609 2	0.2227	0.0461	3,421.905 5
NaturalGas Mitigated	0.2455	2.1047	0.9438	0.0134		0.1696	0.1696		0.1696	0.1696	0.0000	2,429.367 7	2,429.367 7	0.0466	0.0445	2,443.804 2
NaturalGas Unmitigated	0.2455	2.1047	0.9438	0.0134		0.1696	0.1696		0.1696	0.1696	0.0000	2,429.367 7	2,429.367 7	0.0466	0.0445	2,443.804 2

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Annual

5.2 Energy by Land Use - NaturalGas**Unmitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Apartments Mid Rise	5.33221e+006	0.0288	0.2457	0.1046	1.5700e-003		0.0199	0.0199		0.0199	0.0199	0.0000	284.5471	284.5471	5.4500e-003	5.2200e-003	286.2380
City Park	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Elementary School	475034	2.5600e-003	0.0233	0.0196	1.4000e-004		1.7700e-003	1.7700e-003		1.7700e-003	1.7700e-003	0.0000	25.3496	25.3496	4.9000e-004	4.6000e-004	25.5003
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Single Family Housing	3.7822e+007	0.2039	1.7428	0.7416	0.0111		0.1409	0.1409		0.1409	0.1409	0.0000	2,018.3252	2,018.3252	0.0387	0.0370	2,030.3191
Strip Mall	1.8954e+006	0.0102	0.0929	0.0781	5.6000e-004		7.0600e-003	7.0600e-003		7.0600e-003	7.0600e-003	0.0000	101.1458	101.1458	1.9400e-003	1.8500e-003	101.7468
Total		0.2455	2.1047	0.9438	0.0134		0.1696	0.1696		0.1696	0.1696	0.0000	2,429.3677	2,429.3677	0.0466	0.0445	2,443.8042

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Annual

5.2 Energy by Land Use - NaturalGas**Mitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	tons/yr										MT/yr					
Apartments Mid Rise	5.33221e+006	0.0288	0.2457	0.1046	1.5700e-003		0.0199	0.0199		0.0199	0.0199	0.0000	284.5471	284.5471	5.4500e-003	5.2200e-003	286.2380
City Park	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Elementary School	475034	2.5600e-003	0.0233	0.0196	1.4000e-004		1.7700e-003	1.7700e-003		1.7700e-003	1.7700e-003	0.0000	25.3496	25.3496	4.9000e-004	4.6000e-004	25.5003
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Single Family Housing	3.7822e+007	0.2039	1.7428	0.7416	0.0111		0.1409	0.1409		0.1409	0.1409	0.0000	2,018.3252	2,018.3252	0.0387	0.0370	2,030.3191
Strip Mall	1.8954e+006	0.0102	0.0929	0.0781	5.6000e-004		7.0600e-003	7.0600e-003		7.0600e-003	7.0600e-003	0.0000	101.1458	101.1458	1.9400e-003	1.8500e-003	101.7468
Total		0.2455	2.1047	0.9438	0.0134		0.1696	0.1696		0.1696	0.1696	0.0000	2,429.3677	2,429.3677	0.0466	0.0445	2,443.8042

Creekview Specific Plan Amendment 2019 - Placer County APCD Air District, Annual

5.3 Energy by Land Use - Electricity**Unmitigated**

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Apartments Mid Rise	2.32828e+006	467.9859	0.0306	6.3400e-003	470.6399
City Park	0	0.0000	0.0000	0.0000	0.0000
Elementary School	282914	56.8658	3.7200e-003	7.7000e-004	57.1883
Parking Lot	45500	9.1455	6.0000e-004	1.2000e-004	9.1974
Single Family Housing	1.23617e+007	2,484.7053	0.1626	0.0336	2,498.7961
Strip Mall	1.90998e+006	383.9067	0.0251	5.2000e-003	386.0839
Total		3,402.6092	0.2227	0.0461	3,421.9055

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Annual

5.3 Energy by Land Use - Electricity**Mitigated**

	Electricity Use	Total CO2	CH4	N2O	CO2e
Land Use	kWh/yr	MT/yr			
Apartments Mid Rise	2.32828e+006	467.9859	0.0306	6.3400e-003	470.6399
City Park	0	0.0000	0.0000	0.0000	0.0000
Elementary School	282914	56.8658	3.7200e-003	7.7000e-004	57.1883
Parking Lot	45500	9.1455	6.0000e-004	1.2000e-004	9.1974
Single Family Housing	1.23617e+007	2,484.7053	0.1626	0.0336	2,498.7961
Strip Mall	1.90998e+006	383.9067	0.0251	5.2000e-003	386.0839
Total		3,402.6092	0.2227	0.0461	3,421.9055

6.0 Area Detail**6.1 Mitigation Measures Area**

Use only Natural Gas Hearths

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Annual

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	tons/yr										MT/yr					
Mitigated	15.9560	1.4029	15.4517	8.6500e-003		0.1823	0.1823		0.1823	0.1823	0.0000	1,449.9781	1,449.9781	0.0507	0.0261	1,459.0348
Unmitigated	141.9945	2.6361	170.6866	0.2830		21.9217	21.9217		21.9217	21.9217	2,077.2779	895.5908	2,972.8687	1.9404	0.1634	3,070.0698

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	2.0913					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	13.2718					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Hearth	126.1826	2.4642	155.7587	0.2822		21.8389	21.8389		21.8389	21.8389	2,077.2779	871.1801	2,948.4580	1.9170	0.1634	3,045.0739
Landscaping	0.4488	0.1719	14.9279	7.9000e-004		0.0828	0.0828		0.0828	0.0828	0.0000	24.4107	24.4107	0.0234	0.0000	24.9959
Total	141.9945	2.6361	170.6866	0.2830		21.9217	21.9217		21.9217	21.9217	2,077.2779	895.5908	2,972.8687	1.9404	0.1634	3,070.0698

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Annual

6.2 Area by SubCategory**Mitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	tons/yr										MT/yr					
Architectural Coating	2.0913					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Consumer Products	13.2718					0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000
Hearth	0.1441	1.2309	0.5238	7.8600e-003		0.0995	0.0995		0.0995	0.0995	0.0000	1,425.5674	1,425.5674	0.0273	0.0261	1,434.0388
Landscaping	0.4488	0.1719	14.9279	7.9000e-004		0.0828	0.0828		0.0828	0.0828	0.0000	24.4107	24.4107	0.0234	0.0000	24.9959
Total	15.9560	1.4029	15.4517	8.6500e-003		0.1823	0.1823		0.1823	0.1823	0.0000	1,449.9781	1,449.9781	0.0507	0.0261	1,459.0348

7.0 Water Detail**7.1 Mitigation Measures Water**

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Annual

	Total CO2	CH4	N2O	CO2e
Category	MT/yr			
Mitigated	282.5530	4.7233	0.1144	434.7181
Unmitigated	282.5530	4.7233	0.1144	434.7181

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Annual

7.2 Water by Land Use**Unmitigated**

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Apartments Mid Rise	35.6393 / 22.4682	65.8748	1.1649	0.0282	103.3884
City Park	0 / 19.4211	13.6628	8.9000e-004	1.8000e-004	13.7403
Elementary School	1.45454 / 3.74026	4.6747	0.0477	1.1800e-003	6.2170
Parking Lot	0 / 0	0.0000	0.0000	0.0000	0.0000
Single Family Housing	95.3855 / 60.1343	176.3085	3.1177	0.0754	276.7104
Strip Mall	11.9997 / 7.35468	22.0321	0.3922	9.4800e-003	34.6621
Total		282.5529	4.7233	0.1144	434.7181

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Annual

7.2 Water by Land Use**Mitigated**

	Indoor/Outdoor Use	Total CO2	CH4	N2O	CO2e
Land Use	Mgal	MT/yr			
Apartments Mid Rise	35.6393 / 22.4682	65.8748	1.1649	0.0282	103.3884
City Park	0 / 19.4211	13.6628	8.9000e-004	1.8000e-004	13.7403
Elementary School	1.45454 / 3.74026	4.6747	0.0477	1.1800e-003	6.2170
Parking Lot	0 / 0	0.0000	0.0000	0.0000	0.0000
Single Family Housing	95.3855 / 60.1343	176.3085	3.1177	0.0754	276.7104
Strip Mall	11.9997 / 7.35468	22.0321	0.3922	9.4800e-003	34.6621
Total		282.5529	4.7233	0.1144	434.7181

8.0 Waste Detail**8.1 Mitigation Measures Waste**

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Annual

Category/Year

	Total CO2	CH4	N2O	CO2e
	MT/yr			
Mitigated	414.0894	24.4720	0.0000	1,025.888 ₉
Unmitigated	414.0894	24.4720	0.0000	1,025.888 ₉

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Annual

8.2 Waste by Land Use**Unmitigated**

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Apartments Mid Rise	251.62	51.0766	3.0185	0.0000	126.5401
City Park	1.4	0.2842	0.0168	0.0000	0.7041
Elementary School	109.5	22.2275	1.3136	0.0000	55.0677
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Single Family Housing	1507.32	305.9723	18.0825	0.0000	758.0335
Strip Mall	170.1	34.5288	2.0406	0.0000	85.5436
Total		414.0894	24.4720	0.0000	1,025.888 9

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Annual

8.2 Waste by Land Use**Mitigated**

	Waste Disposed	Total CO2	CH4	N2O	CO2e
Land Use	tons	MT/yr			
Apartments Mid Rise	251.62	51.0766	3.0185	0.0000	126.5401
City Park	1.4	0.2842	0.0168	0.0000	0.7041
Elementary School	109.5	22.2275	1.3136	0.0000	55.0677
Parking Lot	0	0.0000	0.0000	0.0000	0.0000
Single Family Housing	1507.32	305.9723	18.0825	0.0000	758.0335
Strip Mall	170.1	34.5288	2.0406	0.0000	85.5436
Total		414.0894	24.4720	0.0000	1,025.8889

9.0 Operational Offroad

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type

10.0 Stationary Equipment**Fire Pumps and Emergency Generators**

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type

Boilers

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Annual

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type

User Defined Equipment

Equipment Type	Number

11.0 Vegetation

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Summer

Creekview Specific Plan Ammendment 2019

Placer County APCD Air District, Summer

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Elementary School	600.00	Student	9.60	50,162.02	0
Parking Lot	325.00	Space	2.92	130,000.00	0
City Park	16.30	Acre	16.30	710,028.00	0
Apartments Mid Rise	547.00	Dwelling Unit	17.70	547,000.00	1564
Single Family Housing	1,464.00	Dwelling Unit	233.90	2,635,200.00	4187
Strip Mall	162.00	1000sqft	6.38	162,000.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	74
Climate Zone	2			Operational Year	2026
Utility Company	Roseville Electric				
CO2 Intensity (lb/MW hr)	443.13	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.006

1.3 User Entered Comments & Non-Default Data

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Summer

Project Characteristics - CO2 Intensity factor adjusted based on Roseville Electric's anticipated progress towards statewide RPS goals.

Land Use - Applicant Provided Information

Construction Phase - Construction not modeled

Off-road Equipment - Construction not modeled

Trips and VMT - Construction not modeled

Vehicle Trips - Information from F&P Technical Memo

Woodstoves - Applicant Provided Information

Energy Use -

Area Mitigation -

Table Name	Column Name	Default Value	New Value
tblConstructionPhase	NumDays	180.00	1.00
tblLandUse	LotAcreage	1.15	9.60
tblLandUse	LotAcreage	14.39	17.70
tblLandUse	LotAcreage	475.32	233.90
tblLandUse	LotAcreage	3.72	6.38
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	4.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblProjectCharacteristics	CO2IntensityFactor	793.8	443.13
tblTripsAndVMT	HaulingTripLength	20.00	0.00
tblTripsAndVMT	VendorTripLength	7.30	0.00
tblTripsAndVMT	WorkerTripLength	10.80	0.00
tblVehicleTrips	CC_TL	7.30	0.70
tblVehicleTrips	CC_TL	7.30	0.70
tblVehicleTrips	CC_TL	7.30	0.70

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Summer

tblVehicleTrips	CC_TL	7.30	0.70
tblVehicleTrips	CNW_TL	7.30	0.72
tblVehicleTrips	CNW_TL	7.30	0.72
tblVehicleTrips	CNW_TL	7.30	0.72
tblVehicleTrips	CNW_TL	7.30	0.72
tblVehicleTrips	CW_TL	9.50	0.93
tblVehicleTrips	CW_TL	9.50	0.93
tblVehicleTrips	CW_TL	9.50	0.93
tblVehicleTrips	CW_TL	9.50	0.93
tblVehicleTrips	HO_TL	7.50	0.72
tblVehicleTrips	HO_TL	7.50	0.72
tblVehicleTrips	HS_TL	7.30	0.70
tblVehicleTrips	HS_TL	7.30	0.70
tblVehicleTrips	HW_TL	10.80	0.93
tblVehicleTrips	HW_TL	10.80	0.93
tblVehicleTrips	ST_TR	6.39	6.50
tblVehicleTrips	ST_TR	22.75	2.20
tblVehicleTrips	ST_TR	0.00	1.00
tblVehicleTrips	ST_TR	9.91	9.00
tblVehicleTrips	ST_TR	42.04	35.00
tblVehicleTrips	SU_TR	5.86	6.50
tblVehicleTrips	SU_TR	16.74	2.20
tblVehicleTrips	SU_TR	0.00	1.00
tblVehicleTrips	SU_TR	8.62	9.00
tblVehicleTrips	SU_TR	20.43	35.00
tblVehicleTrips	WD_TR	6.65	6.50
tblVehicleTrips	WD_TR	1.89	2.20

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Summer

tblVehicleTrips	WD_TR	1.29	1.00
tblVehicleTrips	WD_TR	9.52	9.00
tblVehicleTrips	WD_TR	44.32	35.00

2.0 Emissions Summary

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Summer

2.1 Overall Construction (Maximum Daily Emission)

Unmitigated Construction

[illegible]

Mitigated Construction

[illegible][illegible]

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Summer

2.2 Overall Operational**Unmitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	3,166.7926	62.0127	3,964.8581	6.8915		533.5751	533.5751		533.5751	533.5751	55,848.9505	23,721.2154	79,570.1659	51.8260	4.3929	82,174.9130
Energy	1.3451	11.5325	5.1713	0.0734		0.9293	0.9293		0.9293	0.9293		14,673.5314	14,673.5314	0.2812	0.2690	14,760.7289
Mobile	24.5326	132.1116	86.7211	0.3034	11.4661	0.2011	11.6672	3.0726	0.1867	3.2593		31,133.3024	31,133.3024	2.1765		31,187.7144
Total	3,192.6703	205.6568	4,056.7505	7.2682	11.4661	534.7056	546.1717	3.0726	534.6912	537.7638	55,848.9505	69,528.0493	125,376.9998	54.2837	4.6620	128,123.3563

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	92.6816	31.9333	178.6410	0.2004		3.3475	3.3475		3.3475	3.3475	0.0000	38,626.2743	38,626.2743	1.0213	0.7027	38,861.2018
Energy	1.3451	11.5325	5.1713	0.0734		0.9293	0.9293		0.9293	0.9293		14,673.5314	14,673.5314	0.2812	0.2690	14,760.7289
Mobile	24.5326	132.1116	86.7211	0.3034	11.4661	0.2011	11.6672	3.0726	0.1867	3.2593		31,133.3024	31,133.3024	2.1765		31,187.7144
Total	118.5593	175.5774	270.5334	0.5772	11.4661	4.4780	15.9441	3.0726	4.4635	7.5362	0.0000	84,433.1081	84,433.1081	3.4790	0.9717	84,809.6451

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	96.29	14.63	93.33	92.06	0.00	99.16	97.08	0.00	99.17	98.60	100.00	-21.44	32.66	93.59	79.16	33.81

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Site Preparation	Site Preparation	7/1/2020	7/1/2020	5	1	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 0

Acres of Paving: 2.92

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 0; Non-Residential Outdoor: 0; Striped Parking Area: 0 (Architectural Coating – sqft)

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Site Preparation	Rubber Tired Dozers	0	0.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	0	0.00	97	0.37

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Site Preparation	0	0.00	0.00	0.00	0.00	0.00	0.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Summer

3.2 Site Preparation - 2020**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000			0.0000			0.0000
Off-Road	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Total	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Total	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Summer

3.2 Site Preparation - 2020**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000			0.0000			0.0000
Off-Road	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000
Total	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Total	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000

4.0 Operational Detail - Mobile

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Summer

4.1 Mitigation Measures Mobile

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	24.5326	132.1116	86.7211	0.3034	11.4661	0.2011	11.6672	3.0726	0.1867	3.2593		31,133.30 24	31,133.30 24	2.1765		31,187.71 44
Unmitigated	24.5326	132.1116	86.7211	0.3034	11.4661	0.2011	11.6672	3.0726	0.1867	3.2593		31,133.30 24	31,133.30 24	2.1765		31,187.71 44

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Apartments Mid Rise	3,555.50	3,555.50	3555.50	926,717	926,717
City Park	35.86	35.86	35.86	7,499	7,499
Elementary School	600.00	600.00	600.00	131,214	131,214
Parking Lot	0.00	0.00	0.00		
Single Family Housing	13,176.00	13,176.00	13176.00	3,434,236	3,434,236
Strip Mall	5,670.00	5,670.00	5670.00	872,127	872,127
Total	23,037.36	23,037.36	23,037.36	5,371,793	5,371,793

4.3 Trip Type Information

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Summer

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Apartments Mid Rise	0.93	0.70	0.72	42.60	21.00	36.40	86	11	3
City Park	0.93	0.70	0.72	33.00	48.00	19.00	66	28	6
Elementary School	0.93	0.70	0.72	65.00	30.00	5.00	63	25	12
Parking Lot	0.93	0.70	0.72	0.00	0.00	0.00	0	0	0
Single Family Housing	0.93	0.70	0.72	42.60	21.00	36.40	86	11	3
Strip Mall	0.93	0.70	0.72	16.60	64.40	19.00	45	40	15

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Apartments Mid Rise	0.515189	0.037254	0.221040	0.114665	0.016498	0.005188	0.033759	0.046875	0.001360	0.001132	0.005439	0.000735	0.000868
City Park	0.515189	0.037254	0.221040	0.114665	0.016498	0.005188	0.033759	0.046875	0.001360	0.001132	0.005439	0.000735	0.000868
Elementary School	0.515189	0.037254	0.221040	0.114665	0.016498	0.005188	0.033759	0.046875	0.001360	0.001132	0.005439	0.000735	0.000868
Parking Lot	0.515189	0.037254	0.221040	0.114665	0.016498	0.005188	0.033759	0.046875	0.001360	0.001132	0.005439	0.000735	0.000868
Single Family Housing	0.515189	0.037254	0.221040	0.114665	0.016498	0.005188	0.033759	0.046875	0.001360	0.001132	0.005439	0.000735	0.000868
Strip Mall	0.515189	0.037254	0.221040	0.114665	0.016498	0.005188	0.033759	0.046875	0.001360	0.001132	0.005439	0.000735	0.000868

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
NaturalGas Mitigated	1.3451	11.5325	5.1713	0.0734		0.9293	0.9293		0.9293	0.9293		14,673.53 14	14,673.53 14	0.2812	0.2690	14,760.72 89
NaturalGas Unmitigated	1.3451	11.5325	5.1713	0.0734		0.9293	0.9293		0.9293	0.9293		14,673.53 14	14,673.53 14	0.2812	0.2690	14,760.72 89

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Summer

5.2 Energy by Land Use - NaturalGas**Unmitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Apartments Mid Rise	14608.8	0.1576	1.3463	0.5729	8.5900e-003		0.1089	0.1089		0.1089	0.1089		1,718.6819	1,718.6819	0.0329	0.0315	1,728.8952
City Park	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Elementary School	1301.46	0.0140	0.1276	0.1072	7.7000e-004		9.7000e-003	9.7000e-003		9.7000e-003	9.7000e-003		153.1134	153.1134	2.9300e-003	2.8100e-003	154.0233
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Single Family Housing	103622	1.1175	9.5495	4.0636	0.0610		0.7721	0.7721		0.7721	0.7721		12,190.8094	12,190.8094	0.2337	0.2235	12,263.2533
Strip Mall	5192.88	0.0560	0.5091	0.4277	3.0500e-003		0.0387	0.0387		0.0387	0.0387		610.9267	610.9267	0.0117	0.0112	614.5571
Total		1.3451	11.5325	5.1713	0.0734		0.9293	0.9293		0.9293	0.9293		14,673.5314	14,673.5314	0.2812	0.2690	14,760.7289

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Summer

5.2 Energy by Land Use - NaturalGas**Mitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Apartments Mid Rise	14.6088	0.1576	1.3463	0.5729	8.5900e-003		0.1089	0.1089		0.1089	0.1089		1,718.6819	1,718.6819	0.0329	0.0315	1,728.8952
City Park	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Elementary School	1.30146	0.0140	0.1276	0.1072	7.7000e-004		9.7000e-003	9.7000e-003		9.7000e-003	9.7000e-003		153.1134	153.1134	2.9300e-003	2.8100e-003	154.0233
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Single Family Housing	103.622	1.1175	9.5495	4.0636	0.0610		0.7721	0.7721		0.7721	0.7721		12,190.8094	12,190.8094	0.2337	0.2235	12,263.2533
Strip Mall	5.19288	0.0560	0.5091	0.4277	3.0500e-003		0.0387	0.0387		0.0387	0.0387		610.9267	610.9267	0.0117	0.0112	614.5571
Total		1.3451	11.5325	5.1713	0.0734		0.9293	0.9293		0.9293	0.9293		14,673.5314	14,673.5314	0.2812	0.2690	14,760.7289

6.0 Area Detail**6.1 Mitigation Measures Area**

Use only Natural Gas Hearths

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Summer

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	92.6816	31.9333	178.6410	0.2004		3.3475	3.3475		3.3475	3.3475	0.0000	38,626.27 43	38,626.27 43	1.0213	0.7027	38,861.20 18
Unmitigated	3,166.792 6	62.0127	3,964.858 1	6.8915		533.5751	533.5751		533.5751	533.5751	55,848.95 05	23,721.21 54	79,570.16 59	51.8260	4.3929	82,174.91 30

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	11.4593					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	72.7220					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	3,077.624 3	60.1025	3,798.992 9	6.8827		532.6550	532.6550		532.6550	532.6550	55,848.95 05	23,422.23 53	79,271.18 58	51.5393	4.3929	81,868.76 52
Landscaping	4.9870	1.9103	165.8652	8.7700e- 003		0.9201	0.9201		0.9201	0.9201		298.9801	298.9801	0.2867		306.1478
Total	3,166.792 6	62.0127	3,964.858 1	6.8915		533.5751	533.5751		533.5751	533.5751	55,848.95 05	23,721.21 54	79,570.16 59	51.8260	4.3929	82,174.91 30

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Summer

6.2 Area by SubCategory**Mitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	11.4593					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	72.7220					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	3.5133	30.0231	12.7758	0.1916		2.4274	2.4274		2.4274	2.4274	0.0000	38,327.29 41	38,327.29 41	0.7346	0.7027	38,555.05 41
Landscaping	4.9870	1.9103	165.8652	8.7700e-003		0.9201	0.9201		0.9201	0.9201		298.9801	298.9801	0.2867		306.1478
Total	92.6816	31.9333	178.6410	0.2004		3.3475	3.3475		3.3475	3.3475	0.0000	38,626.27 43	38,626.27 43	1.0213	0.7027	38,861.20 18

7.0 Water Detail**7.1 Mitigation Measures Water****8.0 Waste Detail****8.1 Mitigation Measures Waste****9.0 Operational Offroad**

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type

10.0 Stationary Equipment

Creekview Specific Plan Amendment 2019 - Placer County APCD Air District, Summer

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type

User Defined Equipment

Equipment Type	Number

11.0 Vegetation

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Winter

Creekview Specific Plan Ammendment 2019

Placer County APCD Air District, Winter

1.0 Project Characteristics

1.1 Land Usage

Land Uses	Size	Metric	Lot Acreage	Floor Surface Area	Population
Elementary School	600.00	Student	9.60	50,162.02	0
Parking Lot	325.00	Space	2.92	130,000.00	0
City Park	16.30	Acre	16.30	710,028.00	0
Apartments Mid Rise	547.00	Dwelling Unit	17.70	547,000.00	1564
Single Family Housing	1,464.00	Dwelling Unit	233.90	2,635,200.00	4187
Strip Mall	162.00	1000sqft	6.38	162,000.00	0

1.2 Other Project Characteristics

Urbanization	Urban	Wind Speed (m/s)	2.2	Precipitation Freq (Days)	74
Climate Zone	2			Operational Year	2026
Utility Company	Roseville Electric				
CO2 Intensity (lb/MW hr)	443.13	CH4 Intensity (lb/MW hr)	0.029	N2O Intensity (lb/MW hr)	0.006

1.3 User Entered Comments & Non-Default Data

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Winter

Project Characteristics - CO2 Intensity factor adjusted based on Roseville Electric's anticipated progress towards statewide RPS goals.

Land Use - Applicant Provided Information

Construction Phase - Construction not modeled

Off-road Equipment - Construction not modeled

Trips and VMT - Construction not modeled

Vehicle Trips - Information from F&P Technical Memo

Woodstoves - Applicant Provided Information

Energy Use -

Area Mitigation -

Table Name	Column Name	Default Value	New Value
tblConstructionPhase	NumDays	180.00	1.00
tblLandUse	LotAcreage	1.15	9.60
tblLandUse	LotAcreage	14.39	17.70
tblLandUse	LotAcreage	475.32	233.90
tblLandUse	LotAcreage	3.72	6.38
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	3.00	0.00
tblOffRoadEquipment	OffRoadEquipmentUnitAmount	4.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblOffRoadEquipment	UsageHours	8.00	0.00
tblProjectCharacteristics	CO2IntensityFactor	793.8	443.13
tblTripsAndVMT	HaulingTripLength	20.00	0.00
tblTripsAndVMT	VendorTripLength	7.30	0.00
tblTripsAndVMT	WorkerTripLength	10.80	0.00
tblVehicleTrips	CC_TL	7.30	0.70
tblVehicleTrips	CC_TL	7.30	0.70
tblVehicleTrips	CC_TL	7.30	0.70

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Winter

tblVehicleTrips	CC_TL	7.30	0.70
tblVehicleTrips	CNW_TL	7.30	0.72
tblVehicleTrips	CNW_TL	7.30	0.72
tblVehicleTrips	CNW_TL	7.30	0.72
tblVehicleTrips	CNW_TL	7.30	0.72
tblVehicleTrips	CW_TL	9.50	0.93
tblVehicleTrips	CW_TL	9.50	0.93
tblVehicleTrips	CW_TL	9.50	0.93
tblVehicleTrips	CW_TL	9.50	0.93
tblVehicleTrips	HO_TL	7.50	0.72
tblVehicleTrips	HO_TL	7.50	0.72
tblVehicleTrips	HS_TL	7.30	0.70
tblVehicleTrips	HS_TL	7.30	0.70
tblVehicleTrips	HW_TL	10.80	0.93
tblVehicleTrips	HW_TL	10.80	0.93
tblVehicleTrips	ST_TR	6.39	6.50
tblVehicleTrips	ST_TR	22.75	2.20
tblVehicleTrips	ST_TR	0.00	1.00
tblVehicleTrips	ST_TR	9.91	9.00
tblVehicleTrips	ST_TR	42.04	35.00
tblVehicleTrips	SU_TR	5.86	6.50
tblVehicleTrips	SU_TR	16.74	2.20
tblVehicleTrips	SU_TR	0.00	1.00
tblVehicleTrips	SU_TR	8.62	9.00
tblVehicleTrips	SU_TR	20.43	35.00
tblVehicleTrips	WD_TR	6.65	6.50
tblVehicleTrips	WD_TR	1.89	2.20

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Winter

tblVehicleTrips	WD_TR	1.29	1.00
tblVehicleTrips	WD_TR	9.52	9.00
tblVehicleTrips	WD_TR	44.32	35.00

2.0 Emissions Summary

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Winter

2.1 Overall Construction (Maximum Daily Emission)

Unmitigated Construction

[illegible]

Mitigated Construction

[illegible][illegible]

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Winter

2.2 Overall Operational**Unmitigated Operational**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	3,166.7926	62.0127	3,964.8581	6.8915		533.5751	533.5751		533.5751	533.5751	55,848.9505	23,721.2154	79,570.1659	51.8260	4.3929	82,174.9130
Energy	1.3451	11.5325	5.1713	0.0734		0.9293	0.9293		0.9293	0.9293		14,673.5314	14,673.5314	0.2812	0.2690	14,760.7289
Mobile	17.0936	130.4212	113.6623	0.2746	11.4661	0.2070	11.6731	3.0726	0.1923	3.2649		28,116.3761	28,116.3761	2.5205		28,179.3892
Total	3,185.2312	203.9665	4,083.6917	7.2395	11.4661	534.7114	546.1776	3.0726	534.6968	537.7694	55,848.9505	66,511.1229	122,360.0734	54.6278	4.6620	125,115.0310

Mitigated Operational

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Area	92.6816	31.9333	178.6410	0.2004		3.3475	3.3475		3.3475	3.3475	0.0000	38,626.2743	38,626.2743	1.0213	0.7027	38,861.2018
Energy	1.3451	11.5325	5.1713	0.0734		0.9293	0.9293		0.9293	0.9293		14,673.5314	14,673.5314	0.2812	0.2690	14,760.7289
Mobile	17.0936	130.4212	113.6623	0.2746	11.4661	0.2070	11.6731	3.0726	0.1923	3.2649		28,116.3761	28,116.3761	2.5205		28,179.3892
Total	111.1203	173.8871	297.4746	0.5484	11.4661	4.4838	15.9499	3.0726	4.4692	7.5418	0.0000	81,416.1817	81,416.1817	3.8231	0.9717	81,801.3199

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio-CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction	96.51	14.75	92.72	92.42	0.00	99.16	97.08	0.00	99.16	98.60	100.00	-22.41	33.46	93.00	79.16	34.62

3.0 Construction Detail

Construction Phase

Phase Number	Phase Name	Phase Type	Start Date	End Date	Num Days Week	Num Days	Phase Description
1	Site Preparation	Site Preparation	7/1/2020	7/1/2020	5	1	

Acres of Grading (Site Preparation Phase): 0

Acres of Grading (Grading Phase): 0

Acres of Paving: 2.92

Residential Indoor: 0; Residential Outdoor: 0; Non-Residential Indoor: 0; Non-Residential Outdoor: 0; Striped Parking Area: 0 (Architectural Coating – sqft)

OffRoad Equipment

Phase Name	Offroad Equipment Type	Amount	Usage Hours	Horse Power	Load Factor
Site Preparation	Rubber Tired Dozers	0	0.00	247	0.40
Site Preparation	Tractors/Loaders/Backhoes	0	0.00	97	0.37

Trips and VMT

Phase Name	Offroad Equipment Count	Worker Trip Number	Vendor Trip Number	Hauling Trip Number	Worker Trip Length	Vendor Trip Length	Hauling Trip Length	Worker Vehicle Class	Vendor Vehicle Class	Hauling Vehicle Class
Site Preparation	0	0.00	0.00	0.00	0.00	0.00	0.00	LD_Mix	HDT_Mix	HHDT

3.1 Mitigation Measures Construction

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Winter

3.2 Site Preparation - 2020**Unmitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000			0.0000			0.0000
Off-Road	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Total	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000

Unmitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Total	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Winter

3.2 Site Preparation - 2020**Mitigated Construction On-Site**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Fugitive Dust					0.0000	0.0000	0.0000	0.0000	0.0000	0.0000			0.0000			0.0000
Off-Road	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000
Total	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000

Mitigated Construction Off-Site

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Hauling	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Vendor	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Worker	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000
Total	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000	0.0000		0.0000

4.0 Operational Detail - Mobile

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Winter

4.1 Mitigation Measures Mobile

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	17.0936	130.4212	113.6623	0.2746	11.4661	0.2070	11.6731	3.0726	0.1923	3.2649		28,116.3761	28,116.3761	2.5205		28,179.3892
Unmitigated	17.0936	130.4212	113.6623	0.2746	11.4661	0.2070	11.6731	3.0726	0.1923	3.2649		28,116.3761	28,116.3761	2.5205		28,179.3892

4.2 Trip Summary Information

Land Use	Average Daily Trip Rate			Unmitigated	Mitigated
	Weekday	Saturday	Sunday	Annual VMT	Annual VMT
Apartments Mid Rise	3,555.50	3,555.50	3555.50	926,717	926,717
City Park	35.86	35.86	35.86	7,499	7,499
Elementary School	600.00	600.00	600.00	131,214	131,214
Parking Lot	0.00	0.00	0.00		
Single Family Housing	13,176.00	13,176.00	13176.00	3,434,236	3,434,236
Strip Mall	5,670.00	5,670.00	5670.00	872,127	872,127
Total	23,037.36	23,037.36	23,037.36	5,371,793	5,371,793

4.3 Trip Type Information

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Winter

Land Use	Miles			Trip %			Trip Purpose %		
	H-W or C-W	H-S or C-C	H-O or C-NW	H-W or C-W	H-S or C-C	H-O or C-NW	Primary	Diverted	Pass-by
Apartments Mid Rise	0.93	0.70	0.72	42.60	21.00	36.40	86	11	3
City Park	0.93	0.70	0.72	33.00	48.00	19.00	66	28	6
Elementary School	0.93	0.70	0.72	65.00	30.00	5.00	63	25	12
Parking Lot	0.93	0.70	0.72	0.00	0.00	0.00	0	0	0
Single Family Housing	0.93	0.70	0.72	42.60	21.00	36.40	86	11	3
Strip Mall	0.93	0.70	0.72	16.60	64.40	19.00	45	40	15

4.4 Fleet Mix

Land Use	LDA	LDT1	LDT2	MDV	LHD1	LHD2	MHD	HHD	OBUS	UBUS	MCY	SBUS	MH
Apartments Mid Rise	0.515189	0.037254	0.221040	0.114665	0.016498	0.005188	0.033759	0.046875	0.001360	0.001132	0.005439	0.000735	0.000868
City Park	0.515189	0.037254	0.221040	0.114665	0.016498	0.005188	0.033759	0.046875	0.001360	0.001132	0.005439	0.000735	0.000868
Elementary School	0.515189	0.037254	0.221040	0.114665	0.016498	0.005188	0.033759	0.046875	0.001360	0.001132	0.005439	0.000735	0.000868
Parking Lot	0.515189	0.037254	0.221040	0.114665	0.016498	0.005188	0.033759	0.046875	0.001360	0.001132	0.005439	0.000735	0.000868
Single Family Housing	0.515189	0.037254	0.221040	0.114665	0.016498	0.005188	0.033759	0.046875	0.001360	0.001132	0.005439	0.000735	0.000868
Strip Mall	0.515189	0.037254	0.221040	0.114665	0.016498	0.005188	0.033759	0.046875	0.001360	0.001132	0.005439	0.000735	0.000868

5.0 Energy Detail

Historical Energy Use: N

5.1 Mitigation Measures Energy

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
NaturalGas Mitigated	1.3451	11.5325	5.1713	0.0734		0.9293	0.9293		0.9293	0.9293		14,673.53 14	14,673.53 14	0.2812	0.2690	14,760.72 89
NaturalGas Unmitigated	1.3451	11.5325	5.1713	0.0734		0.9293	0.9293		0.9293	0.9293		14,673.53 14	14,673.53 14	0.2812	0.2690	14,760.72 89

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Winter

5.2 Energy by Land Use - NaturalGas**Unmitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Apartments Mid Rise	14608.8	0.1576	1.3463	0.5729	8.5900e-003		0.1089	0.1089		0.1089	0.1089		1,718.6819	1,718.6819	0.0329	0.0315	1,728.8952
City Park	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Elementary School	1301.46	0.0140	0.1276	0.1072	7.7000e-004		9.7000e-003	9.7000e-003		9.7000e-003	9.7000e-003		153.1134	153.1134	2.9300e-003	2.8100e-003	154.0233
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Single Family Housing	103622	1.1175	9.5495	4.0636	0.0610		0.7721	0.7721		0.7721	0.7721		12,190.8094	12,190.8094	0.2337	0.2235	12,263.2533
Strip Mall	5192.88	0.0560	0.5091	0.4277	3.0500e-003		0.0387	0.0387		0.0387	0.0387		610.9267	610.9267	0.0117	0.0112	614.5571
Total		1.3451	11.5325	5.1713	0.0734		0.9293	0.9293		0.9293	0.9293		14,673.5314	14,673.5314	0.2812	0.2690	14,760.7289

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Winter

5.2 Energy by Land Use - NaturalGas**Mitigated**

	NaturalGas Use	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Land Use	kBTU/yr	lb/day										lb/day					
Apartments Mid Rise	14.6088	0.1576	1.3463	0.5729	8.5900e-003		0.1089	0.1089		0.1089	0.1089		1,718.6819	1,718.6819	0.0329	0.0315	1,728.8952
City Park	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Elementary School	1.30146	0.0140	0.1276	0.1072	7.7000e-004		9.7000e-003	9.7000e-003		9.7000e-003	9.7000e-003		153.1134	153.1134	2.9300e-003	2.8100e-003	154.0233
Parking Lot	0	0.0000	0.0000	0.0000	0.0000		0.0000	0.0000		0.0000	0.0000		0.0000	0.0000	0.0000	0.0000	0.0000
Single Family Housing	103.622	1.1175	9.5495	4.0636	0.0610		0.7721	0.7721		0.7721	0.7721		12,190.8094	12,190.8094	0.2337	0.2235	12,263.2533
Strip Mall	5.19288	0.0560	0.5091	0.4277	3.0500e-003		0.0387	0.0387		0.0387	0.0387		610.9267	610.9267	0.0117	0.0112	614.5571
Total		1.3451	11.5325	5.1713	0.0734		0.9293	0.9293		0.9293	0.9293		14,673.5314	14,673.5314	0.2812	0.2690	14,760.7289

6.0 Area Detail**6.1 Mitigation Measures Area**

Use only Natural Gas Hearths

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Winter

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Category	lb/day										lb/day					
Mitigated	92.6816	31.9333	178.6410	0.2004		3.3475	3.3475		3.3475	3.3475	0.0000	38,626.27 43	38,626.27 43	1.0213	0.7027	38,861.20 18
Unmitigated	3,166.792 6	62.0127	3,964.858 1	6.8915		533.5751	533.5751		533.5751	533.5751	55,848.95 05	23,721.21 54	79,570.16 59	51.8260	4.3929	82,174.91 30

6.2 Area by SubCategory

Unmitigated

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	11.4593					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	72.7220					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	3,077.624 3	60.1025	3,798.992 9	6.8827		532.6550	532.6550		532.6550	532.6550	55,848.95 05	23,422.23 53	79,271.18 58	51.5393	4.3929	81,868.76 52
Landscaping	4.9870	1.9103	165.8652	8.7700e- 003		0.9201	0.9201		0.9201	0.9201		298.9801	298.9801	0.2867		306.1478
Total	3,166.792 6	62.0127	3,964.858 1	6.8915		533.5751	533.5751		533.5751	533.5751	55,848.95 05	23,721.21 54	79,570.16 59	51.8260	4.3929	82,174.91 30

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Winter

6.2 Area by SubCategory**Mitigated**

	ROG	NOx	CO	SO2	Fugitive PM10	Exhaust PM10	PM10 Total	Fugitive PM2.5	Exhaust PM2.5	PM2.5 Total	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
SubCategory	lb/day										lb/day					
Architectural Coating	11.4593					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Consumer Products	72.7220					0.0000	0.0000		0.0000	0.0000			0.0000			0.0000
Hearth	3.5133	30.0231	12.7758	0.1916		2.4274	2.4274		2.4274	2.4274	0.0000	38,327.29 41	38,327.29 41	0.7346	0.7027	38,555.05 41
Landscaping	4.9870	1.9103	165.8652	8.7700e-003		0.9201	0.9201		0.9201	0.9201		298.9801	298.9801	0.2867		306.1478
Total	92.6816	31.9333	178.6410	0.2004		3.3475	3.3475		3.3475	3.3475	0.0000	38,626.27 43	38,626.27 43	1.0213	0.7027	38,861.20 18

7.0 Water Detail**7.1 Mitigation Measures Water****8.0 Waste Detail****8.1 Mitigation Measures Waste****9.0 Operational Offroad**

Equipment Type	Number	Hours/Day	Days/Year	Horse Power	Load Factor	Fuel Type

10.0 Stationary Equipment

Creekview Specific Plan Ammendment 2019 - Placer County APCD Air District, Winter

Fire Pumps and Emergency Generators

Equipment Type	Number	Hours/Day	Hours/Year	Horse Power	Load Factor	Fuel Type

Boilers

Equipment Type	Number	Heat Input/Day	Heat Input/Year	Boiler Rating	Fuel Type

User Defined Equipment

Equipment Type	Number

11.0 Vegetation

Creekview Specific Plan Ammendment 2019

Placer County APCD Air District, Mitigation Report

Construction Mitigation Summary

[illegible]

OFFROAD Equipment Mitigation

Equipment Type	Fuel Type	Tier	Number Mitigated	Total Number of Equipment	DPF	Oxidation Catalyst
Rubber Tired Dozers	Diesel	No Change	0	0	No Change	0.00
Tractors/Loaders/Backhoes	Diesel	No Change	0	0	No Change	0.00

[illegible][illegible]

Equipment Type	ROG	NOx	CO	SO2	Exhaust PM10	Exhaust PM2.5	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction												
Rubber Tired Dozers	0.00000E+000	0.00000E+000	0.00000E+000	0.00000E+000	0.00000E+000	0.00000E+000	0.00000E+000	0.00000E+000	0.00000E+000	0.00000E+000	0.00000E+000	0.00000E+000
Tractors/Loaders/Backhoes	0.00000E+000	0.00000E+000	0.00000E+000	0.00000E+000	0.00000E+000	0.00000E+000	0.00000E+000	0.00000E+000	0.00000E+000	0.00000E+000	0.00000E+000	0.00000E+000

Fugitive Dust Mitigation

Yes/No	Mitigation Measure	Mitigation Input	Mitigation Input	Mitigation Input
No	Soil Stabilizer for unpaved Roads	PM10 Reduction	PM2.5 Reduction	
No	Replace Ground Cover of Area Disturbed	PM10 Reduction	PM2.5 Reduction	
No	Water Exposed Area	PM10 Reduction	PM2.5 Reduction	Frequency (per day)
No	Unpaved Road Mitigation	Moisture Content %	Vehicle Speed (mph)	0.00
No	Clean Paved Road	% PM Reduction	0.00	

Phase	Source	Unmitigated		Mitigated		Percent Reduction	
		PM10	PM2.5	PM10	PM2.5	PM10	PM2.5
Site Preparation	Fugitive Dust	0.00	0.00	0.00	0.00	0.00	0.00
Site Preparation	Roads	0.00	0.00	0.00	0.00	0.00	0.00

Operational Percent Reduction Summary

Category	ROG	NOx	CO	SO2	Exhaust PM10	Exhaust PM2.5	Bio- CO2	NBio- CO2	Total CO2	CH4	N2O	CO2e
Percent Reduction												
Architectural Coating	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Consumer Products	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Electricity	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Hearth	99.89	50.05	99.66	97.21	99.54	99.54	100.00	-63.64	51.65	98.57	84.00	52.91
Landscaping	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Mobile	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Natural Gas	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Water Indoor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Water Outdoor	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Operational Mobile Mitigation

Project Setting:

Mitigation	Category	Measure	% Reduction	Input Value 1	Input Value 2	Input Value 3
No	Land Use	Increase Density	0.00			
No	Land Use	Increase Diversity	0.27	0.60		
No	Land Use	Improve Walkability Design	0.00			
No	Land Use	Improve Destination Accessibility	0.00			
No	Land Use	Increase Transit Accessibility	0.25			
No	Land Use	Integrate Below Market Rate Housing	0.00			
	Land Use	Land Use SubTotal	0.00			

No	Neighborhood Enhancements	Improve Pedestrian Network			
No	Neighborhood Enhancements	Provide Traffic Calming Measures			
No	Neighborhood Enhancements	Implement NEV Network	0.00		
	Neighborhood Enhancements	Neighborhood Enhancements Subtotal	0.00		
No	Parking Policy Pricing	Limit Parking Supply	0.00		
No	Parking Policy Pricing	Unbundle Parking Costs	0.00		
No	Parking Policy Pricing	On-street Market Pricing	0.00		
	Parking Policy Pricing	Parking Policy Pricing Subtotal	0.00		
No	Transit Improvements	Provide BRT System	0.00		
No	Transit Improvements	Expand Transit Network	0.00		
No	Transit Improvements	Increase Transit Frequency	0.00		
	Transit Improvements	Transit Improvements Subtotal	0.00		
		Land Use and Site Enhancement Subtotal	0.00		
No	Commute	Implement Trip Reduction Program			
No	Commute	Transit Subsidy			
No	Commute	Implement Employee Parking "Cash Out"			
No	Commute	Workplace Parking Charge			
No	Commute	Encourage Telecommuting and Alternative Work Schedules	0.00		
No	Commute	Market Commute Trip Reduction Option	0.00		
No	Commute	Employee Vanpool/Shuttle	0.00		2.00
No	Commute	Provide Ride Sharing Program			
	Commute	Commute Subtotal	0.00		

No	School Trip	Implement School Bus Program	0.00			
		Total VMT Reduction	0.00			

Area Mitigation

Measure Implemented	Mitigation Measure	Input Value
Yes	Only Natural Gas Hearth	
No	No Hearth	
No	Use Low VOC Cleaning Supplies	
No	Use Low VOC Paint (Residential Interior)	100.00
No	Use Low VOC Paint (Residential Exterior)	100.00
No	Use Low VOC Paint (Non-residential Interior)	100.00
No	Use Low VOC Paint (Non-residential Exterior)	100.00
No	Use Low VOC Paint (Parking)	100.00
No	% Electric Lawnmower	0.00
No	% Electric Leafblower	0.00
No	% Electric Chainsaw	0.00

Energy Mitigation Measures

Measure Implemented	Mitigation Measure	Input Value 1	Input Value 2
No	Exceed Title 24		
No	Install High Efficiency Lighting		
No	On-site Renewable		

Appliance Type	Land Use Subtype	% Improvement
ClothWasher		30.00
DishWasher		15.00
Fan		50.00
Refrigerator		15.00

Water Mitigation Measures

Measure Implemented	Mitigation Measure	Input Value 1	Input Value 2
No	Apply Water Conservation on Strategy		
No	Use Reclaimed Water		
No	Use Grey Water		
No	Install low-flow bathroom faucet	32.00	
No	Install low-flow Kitchen faucet	18.00	
No	Install low-flow Toilet	20.00	
No	Install low-flow Shower	20.00	
No	Turf Reduction		
No	Use Water Efficient Irrigation Systems	6.10	
No	Water Efficient Landscape		

Solid Waste Mitigation

Mitigation Measures	Input Value

Institute Recycling and Composting Services Percent Reduction in Waste Disposed	


TECHNICAL MEMORANDUM

DATE: August 12, 2019

TO: Brian Moore
Anthem United

FROM: Mark Sauer
MacKay & Soms

SUBJECT: Addendum #1 to the Drainage and Stormwater Master Plan for the Creekview Specific Plan



Introduction

This Technical Memorandum functions as an Addendum to the Drainage and Stormwater Master Plan, dated October 18, 2012 and updated in 2014 and 2015, prepared for the Creekview Specific Plan (CSP). The purpose of this Technical Memorandum is to evaluate the differences, relative to drainage and stormwater, between the CSP land use plan approved in 2012 (Approved Project) shown in Exhibit A and the proposed CSP land use plan (2019) (Proposed Project), shown in Exhibit B. Together, this Addendum and the Master Plan provide technical data and analysis to guide buildout of Creekview's backbone infrastructure as depicted on the Proposed Project's Land Use Plan.

Definitions

- **Master Plan:** The approved Drainage and Stormwater Master Plan, dated October 18, 2012.
- **Approved Project:** The CSP project as shown in the 2012 Master Plan and subsequent updates, including 2014 update to System D and the 2015 update to System B.
- **Proposed Project:** Based upon the Approved Project but with new land use plan dated July 26, 2019.

Background

The Master Plan (2012) evaluated the infrastructure requirements for the Approved Project. The Proposed Project (Exhibit B) reflects the following revisions to the land uses and parcel configurations south of Pleasant Grove Creek:

- Land uses in the southwest quadrant of the CSP (south of Pleasant Grove Creek and west of Westbrook Blvd.) have been reconfigured and re-lotted, while maintaining a mix of low-, medium-, and high-density residential uses and park sites.
- Land uses in the southeast quadrant of the CSP (south of Pleasant Grove Creek and east of Westbrook Blvd.) have been reconfigured, including:
 - Converting parcels C-24 and C-23 from MDR to LDR.
 - Converting a portion of parcel C-70 from CC to LDR, resulting in a 9.2-acre CC site and a 6.9-acre LDR site.
 - Converting parcel C-71 from CC/BP to HDR.
- Reconfigured land uses result in a rebalancing of acreages and unit allocations for LDR, MDR, and HDR, as shown in Table 1.
- Two north/south roadway connections between Blue Oaks Blvd. and Creekview Plaza Drive were consolidated into one street, resulting in an eastward shift in the alignment of Grasscreek Drive.
- Park sites and paseos have been adjusted and reconfigured while maintaining a connectivity between residential villages and Pleasant Grove Creek.

- The overall unit count of 2,011 units is unchanged.

The table below summarizes the differences between the Approved Project and the Proposed Project.

Table 1: Comparison of Approved and Proposed Land Uses and Development Assumptions

Land Use Designation		Acreage			Dwelling Units		
		Approved (2012)	Proposed (2019)	Difference	Approved (2012)	Proposed (2019)	Difference
Residential Uses							
LDR	Low Density Residential	155.8 ac	182.8 ac	27.0 ac	836 du	951 du	115 du
MDR	Medium Density Residential	64.3 ac	51.2 ac	-13.1 ac	655 du	513 du	-142 du
HDR	High Density Residential	17.1 ac	17.7 ac	0.6 ac	520 du	547 du	27 du
	Subtotal	237.2 ac	251.7 ac	14.5 ac	2,011 du	2,011 du	0 du
Service & Employment							
CC	General Commercial	15.5 ac	9.2 ac	-6.3 ac			
CC/BP	Community Comm/ Bus. Prof.	3.8 ac	0.0 ac	-3.8 ac			
	Subtotal	19.3 ac	9.2 ac	-10.1 ac			
Open Space and Public							
OS	Open Space	136.2 ac	136.9 ac	0.7 ac			
PR	Park	15.7 ac	16.3 ac	0.6 ac			
P/QP	Public/Quasi-Public	9.6 ac	9.7 ac	0.1 ac			
UR	Urban Reserve	39.9 ac	39.9 ac	0.0 ac	405 du	405 du	0 du
ROW	Right of Way	43.4 ac	37.7 ac	-5.7 ac			
	Subtotal	244.8 ac	240.4 ac	-4.4 ac	405 du	405 du	
TOTAL		501.3 ac	501.3 ac	0.0 ac	2,416 du	2,416 du	0 du

Note: The allocation of 405 units to the Urban Reserve land use is included in approved utility master plans, but not the approved Specific Plan, which has an allocation of 2,011 units.

Analysis

An evaluation of the differences between the Approved Project and the Proposed Project, as described in the Background section above, was conducted to determine if changes in the overall project occurred. Table 2 below shows the differences in contributory areas and percent impervious rates between the Approved Project and the Proposed Project by outfall. Only those outfalls affected by the proposed changes are shown in Table 2. Minor differences can be observed at each shed contributory to each outfall and overall there is a decrease in percent impervious rates. Slight changes to the onsite facilities proposed in the Drainage and Stormwater Master Plan (Master Plan) and subsequent updates are expected due to these minor changes.

The contributory areas and their percent impervious rates for each outfall that are affected by the proposed land use are tabulated in Table 2. Included, is an excerpt of the update to the Master Plan's Storm Drain Exhibit dated October 2014 (Exhibit C) as well as an exhibit with the Proposed Project's land use and revised shed areas (Exhibit D) that depicts the data tabulated in Table 2.

In the Approved Project, peak flow attenuation occurs within a parallel channel to Pleasant Grove Creek that is proposed to be built with the Creekview Specific Plan. The portion of Creekview Specific Plan to the south of Pleasant Grove Creek discharges directly to this parallel channel referred to as the bypass channel. The bypass

channel uses weirs to distribute peak flows to and from Pleasant Grove Creek. The bypass channel provides additional conveyance and storage capacity which returns the floodplain water surfaces to levels found prior to the creation of the constriction within Pleasant Grove Creek in this area and exposes developable land previously inundated (Master Plan, 2012).

Table 2: Comparison of Approved and Proposed by Outfall Contributory Areas

Outfall	Contributory Area			Percent Impervious Rates		
	Approved	Proposed	Difference	Approved	Proposed	Difference
OTA	31.4 ac	34.2 ac	2.8 ac	80.4%	65.0%	-15.3%
OTB	142.8 ac	145.6 ac	2.9 ac	52.7%	51.5%	-1.2%
OTC	33.3 ac	14.1 ac	-19.3 ac	59.9%	60.0%	0.1%
OTD	66.4 ac	79.4 ac	13.0 ac	45.4%	44.6%	-0.8%
OTK	17.4 ac	17.9 ac	0.6 ac	50.0%	48.2%	-1.8%
TOTAL	291.2 ac	291.2 ac	0.0 ac	54.7%	51.4%	-3.3%

Notes:

- Only outfalls with sheds that have proposed land use changes are listed above. No changes are proposed for areas north of Pleasant Grove Creek.
- Outfalls OTB and OTD include offsite contributory areas, 135.1 acres and 23.1 acres respectively, in both the approved and proposed scenarios.
- Percent Impervious Rates are weighted averages.

Flood Control: Contributing Watershed & Bypass Channel

The Pleasant Grove watershed contributing to the downstream project boundary of the Creekview Specific Plan is approximately 19,200±acres. The CSP sheds contributory areas including offsite shed areas that discharge through the development discussed herein are approximately 1.5% of the Pleasant Grove watershed. The onsite sheds (OTA, OTB, OTC, OTD, and OTK) have the proposed land use changes discussed above total 133.1 acres and are approximately 0.7% of the Pleasant Grove watershed area. The slight decrease in impervious area for the onsite sheds and the slight shifts in subshed boundaries onsite would produce negligible changes to the peak flow, peak flow timing, water surface elevations, hydromodification, and volumetric impacts within the bypass channel and Pleasant Grove Creek through the project and at the previously established points of compliance.

The volume created with the proposed bypass channel and the system of weirs to connect the bypass channel and Pleasant Grove Creek has a significant impact to peak flow, peak flow timing, water surface elevations, and hydromodification. It is observed in the approved SDMP model that flows passing over the weirs and within the bypass channel are greater than that contributed through the outfalls of the CSP. This demonstrates the bypass channel's function to return the Pleasant Grove Creek floodplain characteristics to pre-constriction conditions that were brought about with the agricultural activities in the area. The impact of the bypass channel on the key markers of compliance including peak flow, peak flow timing, and water surface elevations is greater than that of hydrologic changes to the southern portion of the CSP which is 0.7% of the contributing watershed area.

Due to the reduction of imperviousness of the site, it is expected that the total flows discharging to the bypass channel would slightly decrease. However, the resultant flows are not expected to have a noticeable effect on the flows in Pleasant Grove Creek and bypass channel due to the proportion of the CSP to the upstream watershed and the underlying type D soils. It is known that type D soils have a higher runoff potential in flood control events and changes to impervious rates of a developed site does not have as great an impact on type D soils as it does on more infiltrative type soils such as type B or type C. Additionally, because of the volume created by the bypass channel, the proposed weirs, and the overall size of the upstream watershed, it is expected that little to no effects in hydraulic function due to onsite hydrological changes would be observed.

Currently, the bypass channel and a portion of the weirs are in construction. The bypass channel and weirs are being constructed as proposed in the Approved SDMP. The construction of the weirs is a phased plan per the

request of the City of Roseville thus weir #6 and features of weir #1 are not being constructed at this time. As the regional retention facility at Reason Farms is developed, weirs #1 and #6 will be completed. A LOMR will be prepared for the constructed bypass channel system. As a part of the LOMR process, a review of the hydrologic data will be performed to ensure consistency with the proposed project.

Onsite Drainage

To convey storm water runoff to the drainage corridor, conceptual trunk storm drain pipes are analyzed in the Master Plan and subsequent updates including improvement plans. The storm drain systems included in the Phase 1 portion of the Specific Plan are in the improvement plan stage at this time and are analyzed with the land use changes described herein. These trunk storm drain pipes are sized to the 10-year 24-hour event with the consideration of overland flows in the streets from infrequent high intensity storm events such as the 100-year 24-hour event. As previously mentioned, generally, higher percent impervious land use types have decreased while lower percent impervious land use types have increased with the Proposed Project. Localized increases and decreases in trunk storm drain pipes may occur, however, the overall inventory of pipes should not change.

Hydromodification & Storm Water Quality

In addition to flood control, the bypass channel contributes to providing hydromodification compliance at the project boundary for the 2-year 24-hour event. Hydromodification compliance is met by the incorporation of onsite Low Impact Development (LID) measures described below and the proposed bypass channel described above. The approved SDMP discusses how the imperviousness of a site influences hydromodification. By implementing Low Impact Development (LID) features, the retention and infiltration of stormwater effectively reduces the imperviousness of the site. Given that the proposed project has a reduced impervious rate due to land use changes, the runoff volume for the hydromodification event should be the same or less than previously analyzed.

Low Impact Development measures are proposed onsite to clean and reduce storm water at discharge points for the 85th percentile 24-hour event. LID measures proposed in the Master Plan are tree planting and preservation, disconnected impervious areas, soil amendments, and vegetated swales. The quantity of each LID feature was allocated by land use and the bypass channel functions as a vegetated swale. Since LID features were determined by land use type in the Master Plan, proposed land use changes herein do not alter the rates of application found in the Master Plan. The storm water quality standards from the West Placer Storm Water Quality Design Manual are applied in the recent Storm Water Quality Evaluation for Creekview Tentative Subdivision Map dated March 8, 2019. These standards are new since the analyses in Master Plan were performed, however, the types and rates of application of LID features were not changed. And, in general, higher percent impervious land use types have been replaced with lower percent impervious land use types as can be observed in Table 1.

Retention

The Creekview Specific Plan is a part of the Natomas Cross Canal watershed. It has been found that upstream development in the watershed increases the potential flooding in the lower portion of Natomas Cross Canal watershed. Due to this, mitigation by way of retention for the 100-year 8-day event is required for the proposed project. Mitigation for the 100-year 8-day event is not affected or reduced by LID or flood control features such as the bypass channel. Mitigation will occur downstream of the project in the City of Roseville's Reason Farms Facility (Master Plan, 2012). To determine the required retention volume for Creekview, the equations in the Pleasant Grove Watershed Mitigation Fee (2010) are used in the Master Plan. The Pleasant Grove/Curry Creek Watershed Mitigation Fee report was updated by Civil Engineering Solutions, Inc. in 2017 for the City of Roseville. A revision to Table V.A from the Master Plan using the updated volumetric impact rates and resultant retention volume by land use are presented in Table 3 below. The equations in both studies use soil types and percent impervious rates to determine the required volume for retention of a contributing area. Due to an update to the volumetric impact rates, the resultant retention volume has increased. These increases would be more than what is shown in Table 3 if the overall percent impervious rate of the site remained as it was in the Approved Project due to the increase in the land use impact rate.

Table 3: Comparison of Approved and Proposed Volumetric Impact Rates in Type D Soils

Land Use Designation		Land Use Impact Rate (ac-ft/ac)			Land Use Impact (acre-feet)		
		Approved	Updated	Difference	Approved	Updated	Difference
LDR	Low Density Residential	0.072	0.090	0.018	11.22	16.51	5.29
MDR	Medium Density Residential	0.126	0.146	0.020	8.10	7.47	-0.63
HDR	High Density Residential	0.206	0.229	0.023	3.52	4.06	0.54
CC/BP	Com. Commercial/ Bus. Prof	0.233	0.313	0.024	4.50	2.37	-2.13
OS	Open Space	0	0	0.000	0.00	0.00	0.00
PR	Park	-0.115	-0.104	0.011	-1.81	-1.70	0.11
P/QP	Public/Quasi-Public	0.126	0.146	0.020	1.21	1.42	0.21
UR	Urban Reserve	0	0	0.000	0.00	0.00	0.00
ROW	Right of Way	0.313	0.341	0.028	13.58	12.85	-0.73
					40.32	42.97	2.65

Notes:

- The Land Use Impact Rate is based upon type D soils and are calculated using formulas presented in the update to the Pleasant Grove/Curry Creek Watershed Mitigation Fee report updated by Civil Engineering Solutions, Inc. in 2017.
- The increase in retention volume is due to the increased Land Use Impact Rate.

Conclusions

Based on the analysis above, it is determined that the facilities proposed in the Drainage and Stormwater Master Plan and subsequent updates would not be significantly impacted by the proposed land use changes. The largest proposed impact to the peak flow rates, timing, and volume is the bypass channel system. The bypass channel and five of the weirs are in construction at the time of writing and are being constructed as proposed in the Master Plan with the exception of weirs #1 and #6. Per the request of the City, weir#6 and the culverts in weir#1 will be constructed at a later date to correspond with the construction of the downstream retention facility at Reason Farms. The bypass channel and weirs as further described in the Master Plan and herein, restores the Pleasant Grove floodplain to pre-agricultural conditions.

The bypass channel may see a slight reduction in contributing flows due to the reduced impervious cover which may help with peak flow and hydromodification compliance at the project boundary. It is commonly known that lower impervious rates generate less runoff volume meaning a lower peak flow rate overall. Only storm water quality and trunk drainage facilities may undergo minor increases and decreases based on contributing area. However, at the master plan level of analysis, these facilities remain adequately sized in the approved Master Plan and subsequent updates to provide a foundation for the improvement plan analyses' when a greater level of detail is warranted. In summary, the analysis demonstrates that the changes between the Approved Project and the Proposed Project are not significant.

Attachments

- Exhibit A: Approved Project Land Use Plan (2012)
- Exhibit B: Proposed Project Land Use Plan (July 26, 2019)
- Exhibit C: Excerpt from the System D Creekview Update of the Drainage and Stormwater Master Plan
- Exhibit D: Revised Drainage Sheds for Proposed Project

Exhibit A
Approved Project Land Use Plan (2012)




Exhibit B
Proposed Project Land Use Plan (July 26, 2019)




Exhibit C

Excerpt from the System D Creekview Update of the Drainage and Stormwater Master Plan





Exhibit D
Revised Drainage Sheds for Proposed Project



August 12, 2019

Brian Walker, P.E.
City of Roseville
Public Works Department
311 Vernon Street
Roseville, CA 95678

Re: Addendum #1 to the Drainage and Stormwater Master Plan for the Creekview Specific Plan

Mr. Brian Walker,

In response to the comments dated August 5, 2019, our responses to these issues are as follows:

- 1) Comment: The conclusions within the TM are straightforward and believable; however, there are a few noted deficiencies below:

Response: Please see responses below.

- 2) The City possesses a “Drainage and Stormwater Master Plan for the Creekview Specific Plan” (I’ll refer to as “2012 drainage master plan update”) dated 10/18/2012 (by CESI) (that I understand is the most current version) that is not referenced within this TM. Therefore, a revised MacKay & Somps TM that clarifies the role of the 10/18/2012 drainage master plan update in relation to the analysis provided is needed

Response: The reference to the Master Plan has been updated.

- 3) Comment: The 2018 drainage master plan update does not address or provide sufficient insight on several technical issues analyzed within the 2012 drainage master plan update, which need to be corrected. These are:
 - a. The Hydromodification Evaluation of Post-Project Hydrology Model (section II.E) including timing of peak flows released into the receiving waters/bypass channel
 - b. Update of summary of findings, including values in Table II.F.1A1 (for PGC), Figure II.F.1A (Comparison of PG Cr Hydrographs), Table II.F.1A2 FEMA Basis 100-year & 10-year peak flow comparison (PG Crk), Table II.F.1B – Required Attenuation Creation Areas (100-year).
 - c. (stormwater) Values in Table IV.C.2A and Table IV.C.2B
 - d. Peak flow response, including updated Figure IV.D.2A
 - e. Volumetric response, including updated Figure IV.D.3A and Table IV.D.4A

- f. Volumetric impacts, including updated Table V.A
- g. Hydraulics – a discussion of whether and how much the Proposed Project alters the water surface elevations including update results in Table III.A.3F and whether/how/if the previously submitted CLOMR still sufficiently describes the project (or not)

Response: In response to Comments 3a-3e, and 3g: Additional language is added to the TM discussing the effects of the minor changes in land use. It should be noted that the upstream contributing shed of Pleasant Grove to the Creekview Specific Plan area is approximately 19,200 acres (30.1 sq. mi.) and the relatively small size of the CSP indicates that a minor decrease to the impervious rate of 133.1 acres (0.21 sq. mi.) of the CSP would not have an observable impact to peak flow rates, peak flow timing, volume, or hydromodification. It is commonly known that lower impervious rates generate less runoff volume meaning a lower peak flow rate overall. Since it is a minor decrease in imperviousness, if a change were to be observed, a decrease would be expected in peak flow rates, timing, and volume which would be an improvement for both flood control events and hydromodification.

Minor shed shifts were also made with the Proposed Project. This increases some outfalls' contributory area and decreases others. Sheds OTA, OTB, and OTK have small increases in contributory areas (<10%). Shed OTC has a decrease of 19.3 acres (58% decrease) while shed OTD has an increase of 13.0 acres (20% increase). Sheds OTC and OTD are located relatively close to one another and both discharge to the bypass channel. While some localized differences in water surface elevations may be observed near these outfalls, the large flows in the bypass channel and Pleasant Grove Creek would soon override the small fluctuations in the local water surface elevations.

Hydromodification was proven achievable in the Master Plan and is attributed to the effects of Low Impact Development measures. The goal of LID measures is to assist a developed site in mimicking the runoff characteristics of the existing site. LID measures do this through increase infiltration, retention, and evapotranspiration. The proposed LID measures in the Master Plan are applied to the site as a rate per land use type and effectively lower the imperviousness of the site. Minor changes in land use do not decrease the effectiveness of the LID measures proposed to be applied therefore no discernible impacts are expected for hydromodification. An updated storm water quality analysis is presented in the Storm Water Quality Evaluation for Creekview Tentative Subdivision Map dated March 8, 2019.

The largest proposed impact to the peak flow rates, timing, and volume is the bypass channel system. The bypass channel and five of the weirs are in construction at the time of writing. Per the request of the City, Weir#6 and the culverts in Weir#1 will be constructed at a later date to correspond with the construction of the downstream retention facility at Reason Farms. The bypass channel and weirs as further described in the Master Plan and in the TM, restores the Pleasant Grove floodplain to pre-agricultural conditions. The volume created with the bypass channel and the system of weirs to connect the bypass channel and Pleasant Grove Creek has a



significant impact to peak flow, peak flow timing, water surface elevations, and hydromodification.

Prior to the LOMR, a review of the hydrologic data will be performed to ensure consistency with the proposed project.

In response to Comment 3f: Since the Master Plan was approved, the volumetric impact rates used to calculate retention volume for the 100-year 8-day event have increased. The rates are from the Pleasant Grove/Curry Creek Watershed Mitigation Fee report which was updated by Civil Engineering Solutions, Inc. in 2017 for the City of Roseville. This is the only aspect of CSP expected to have an increase and it is not due to the changes in the land use. The required volume using the updated rates with the Approved Project land use, would have netted a larger increase in required retention volume to mitigate the site. Since the overall land use imperviousness has decreased, the update to the rates has a smaller impact on the retention volume required for the CSP.

Please do not hesitate to call if you have any questions.

Sincerely,

MacKay & Somps Civil Engineers, Inc.



TECHNICAL MEMORANDUM

Date: June 28, 2019
To: Matthew Todd – City of Roseville
From: John Gard and Rod Brown – Fehr & Peers
Subject: *Transportation Impact Assessment of Proposed Land Use Amendment to Creekview Specific Plan*
RS19-3787

This memorandum presents the assumptions, analysis methods, and results of an evaluation of the transportation-related effects of proposed changes to the Creekview Specific Plan (CSP).


Background

The CSP was approved in 2012 and included 2,011 residential units and community commercial, community commercial/business professional, school, park, open space, quasi-public, and urban reserve uses. A Specific Plan Amendment was approved in 2016 (2016 SPA) that maintained the overall land use pattern, maintained the unit count of 2,011 that was approved in 2012, and shifted residential units among parcels.

Proposed Land Use Changes

Amendments to the CSP are proposed (2019 SPA) to align residential housing types to meet market demand and to reduce the burden of Phase 1 infrastructure costs. Elimination of Community Commercial (CC) and Community Commercial/Business Professional (CC/BP) uses is also proposed, driven by the surplus of land designated for commercial uses within a short distance of the CSP and the reduced demand for commercial uses resulting from changing consumer preferences. Land use changes between the 2016 SPA and 2019 SPA are shown in **Table 1**, and the updated circulation plan is shown in **Figure 1**. All proposed modifications to circulation are only for the area south of Pleasant Grove Creek. The primary circulation change would be the shift of Grasscreek Drive (north-south collector west of Westbrook Boulevard) slightly further east.

The square footage of the remaining Community Commercial land use was estimated using a floor area ratio of 0.4 per email direction from Charity Gold of the City of Roseville, dated May 22, 2019.

Figure 1: Creekview Specific Plan 2019 SPA Proposed Land Use Plan

Source: City of Roseville, 2019.

Table 1 Creekview Specific Plan Land Use – 2016 SPA vs. 2019 SPA						
Land Use	2016 SPA		2019 SPA (Proposed)		Change	
	Acres	Units	Acres	Units	Acres	Units
<i>Residential</i>						
Low Density Residential (LDR)	157.3	810	182.7	954	+ 25.4	+ 144
Medium Density Residential (MDR)	66.0	654	51.2	510	- 14.8	- 144
High Density Residential (HDR)	18.7	547	17.7	547	- 1.0	0
<i>Subtotal</i>	242.0	2,011	251.6	2,011	+ 9.6	0
<i>Service & Employment</i>						
Community Commercial (CC)	15.5	-	9.3	-	- 6.2	-
Community Comm/Business Prof (CC/BP)	3.8	-	0	-	- 3.8	-
<i>Subtotal</i>	19.3	-	9.3	-	- 10.0	-
<i>Open Space & Public</i>						
Open Space (OS)	136.9	-	136.9	-	0	-
Park (PR)	16.1	-	16.3	-	+ 0.2	-
Public/Quasi-Public (P/QP)	9.6	-	9.6	-	0	-
Urban Reserve (UR)	39.9	-	39.9	-	0	-
Right-of-Way (ROW)	37.5	-	37.7	-	+ 0.2	-
<i>Subtotal</i>	240.0	-	240.4	-	+ 0.4	-
Total	501.3	2,011	501.3	2,011	0	0
Source: City of Roseville, 2019.						

Trip Generation Comparison

We compared the project's trip generation based on the approved 2016 SPA with the proposed 2019 SPA, using rates from the City of Roseville 2035 CIP travel demand model. **Table 2** shows the results of these calculations and indicates that the proposed land use modifications in the 2019 SPA would result in fewer trips being generated. These results suggest that traffic volumes in the vicinity of the project would be reduced during both peak hours and daily as a result of the land use changes.

Table 2							
Trip Generation Comparison – 2016 SPA vs. 2019 SPA							
Land Use	Amount	Trip Rate ¹			Trips		
		AM Peak Hour	PM Peak Hour	Daily	AM Peak Hour	PM Peak Hour	Daily
2016 SPA							
Single-Family Residential	1,464 du's	0.71	0.78	9	1,033	1,142	13,176
Multi-Family Residential	547 du's	0.41	0.58	6.5	223	317	3,556
Retail	179 ksf	0.87	2.67	35	156	478	6,265
Office	143 ksf	2.11	1.68	17.7	301	240	2,531
School	600 students	0.35	0.04	1	213	24	600
Park	16 acres	0.04	0.17	2.2	1	3	35
Total					1,927	2,204	26,163
2019 SPA (Proposed)							
Single-Family Residential	1,464 du's	0.71	0.78	9	1,033	1,142	13,176
Multi-Family Residential	547 du's	0.41	0.58	6.5	223	317	3,556
Retail	162 ksf	0.87	2.67	35	141	433	5,670
Office	0 ksf	2.11	1.68	17.7	0	0	0
School	600 students	0.35	0.04	1	213	24	600
Park	16 acres	0.06	0.17	2.2	1	3	35
Total					1,611	1,918	23,037
Difference					-316	-286	-3,126
Notes:							
1. Daily and PM peak hour trip rates from the City of Roseville travel demand model. AM peak hour rate estimated by calculating ratio of the <i>Trip Generation Manual</i> (ITE, 2017) AM peak hour rate to the ITE daily rate and applying this factor to the City of Roseville travel demand model daily rate.							
ksf = thousand square feet. du's = dwelling units.							
Source: Fehr & Peers, 2019.							

Vehicle Miles of Travel Comparison

The proposed land use changes and roadway network changes were entered into the City of Roseville 2035 travel demand model. Vehicle miles of travel (VMT) was calculated for both the 2016 SPA and the 2019 SPA, using the boundary method for the City of Roseville. This method estimates the VMT for all roadways within the City.

According to model output, the scenario comprising the 2019 SPA was calculated to have a total VMT of 5,374,879; in contrast, the scenario comprising the 2016 SPA was calculated to have a total VMT of 5,378,872. Thus, the 2019 SPA would result in a reduction of 3,993 VMT. Model output for this calculation is included in Appendix A.

The VMT reduction caused by the 2019 SPA is likely largely due to the elimination of the CC/BP and reduction in the CC land uses within the CSP. Appendix A includes a plot of daily trips traveling to and

from the CC/BP land use based on the 2016 SPA. As shown in the plot, only a small portion of these trips are fully contained within the CSP, and many connect to destinations throughout Roseville and beyond City limits. VMT generation for office space in the CSP area is likely to be higher than VMT generation for office space located more centrally within Roseville.

Evaluation of 2019 SPA Roadway Network

The City of Roseville 2035 CIP travel demand model was used to estimate cumulative AM and PM peak hour traffic volumes at the following intersections, assuming the 2019 SPA in place:

1. Blue Oaks Boulevard/Grasscreek Drive
2. Blue Oaks Boulevard/Westbrook Boulevard
3. Westbrook Boulevard/Creekview Plaza
4. Creekview Plaza Drive/Street PP (evaluated for 2019 SPA only)

These volumes are shown in **Figure 2**. As shown in Figure 2, traffic volumes on Blue Oaks Boulevard and Westbrook Boulevard would be reduced due to the changes in land use.

Figure 2 also displays the traffic volumes at Intersection 1. Using the California *Manual of Uniform Traffic Control Devices* (2016) peak hour traffic volume signal warrant, this intersection would not meet the warrant (see Appendix A). While there is sufficient traffic on the Grasscreek Drive approach to warrant a signal, there is not adequate volume on Blue Oaks Boulevard to meet the warrant. It should be noted that this version of the 2035 travel demand model does not assume the extension of Placer Parkway to Santucci Boulevard. As a result, the segment of Blue Oaks Boulevard west of Westbrook Boulevard carries approximately 15,200 daily trips. Modeling conducted for the Amoruso Ranch Specific Plan indicated that the connection of Placer Parkway to Santucci Boulevard would cause the volume on this segment to increase to 38,000 daily trips. Under such a condition, a signal would be warranted at the Blue Oaks Boulevard/Grasscreek Drive intersection. Therefore, The City and applicant should coordinate to decide the following:¹

1. When and by whom a traffic signal should be installed, and
2. If access should be restricted to right-turns only until such time that a signal is installed.

According to the Phase 1 Lotting Study (McKay & Soms, May 16, 2018), the proposed spacing of Intersections 1 and 2 on Blue Oaks Boulevard is approximately 900 feet. City standards recommend traffic signals be spaced a minimum of 1/4-mile apart. However, exceptions to this standard have been allowed under certain circumstances. The Blue Oaks Boulevard/Grasscreek Drive intersection would be a T-intersection, meaning the majority of intersection green time would be provided for the more

¹ Due to the uncertainty of the timing of Placer Parkway, development phasing of Creekview properties, and decisions regarding how infrastructure will be funded, these discussions are warranted.

heavily traveled eastbound and westbound approaches. Therefore, installation of a traffic signal would not adversely affect progression of traffic along this segment of Blue Oaks Boulevard.

Intersection 3 (Westbrook Boulevard/Grasscreek Drive) is planned to be signalized. The proposed 2019 SPA would not alter the needed lane configurations or need for signalization at this intersection.

Intersection 4 is a planned roundabout on Creekview Plaza Drive east of Westbrook Boulevard. It would carry modest volumes of traffic and operate acceptably as a single-lane roundabout. The *Tentative Subdivision Map* (MacKay & Soms, March 2019) shows a conceptual layout of the roundabout. We recommend its final design be constructed in accordance with City standards including geometric details, accommodation of large vehicles, pedestrian facilities, etc. It is also recommended that additional analysis be conducted to review the proposed driveway (shown below) that would serve Lot C-70 due to the potential for limited sight distance due to the street's horizontal curvature.






Figure 2: Peak Hour Traffic Volumes

2016 SPA



2019 SPA




Legend

AM (PM) Peak Hour Traffic Volume

Source: Fehr & Peers, 2019.

Appendix A: Technical Reports



Major Street Blue Oaks Boulevard
 Minor Street Grasscreek Drive

Project Creekview SPA
 Scenario 2019 SPA
 Peak Hour AM


Turn Movement Volumes

	NB	SB	EB	WB
Left	0	126	17	0
Through	0	0	538	296
Right	0	54	0	26
Total	0	181	555	322

Major Street Direction

	North/South
x	East/West

Warrant 3B, Peak Hour



* Note: 150 vph applies as the lower threshold volume for a minor-street approach with two or more lanes and 100 vph applies as the lower threshold volume for a minor-street approach with one lane.

Source: California Manual on Uniform Traffic Control Devices, Caltrans, 2014

	Major Street	Minor Street	Warrant Met
	Blue Oaks Boulevard	Grasscreek Drive	
Number of Approach Lanes	3	1	<u>NO</u>
Traffic Volume (VPH) *	878	181	
* Note: Traffic Volume for Major Street is Total Volume of Both Approches. Traffic Volume for Minor Street is the Volume of High Volume Approach.			

Major Street Blue Oaks Boulevard
Minor Street Grasscreek Drive

Project Creekview SPA
Scenario 2019 SPA
Peak Hour PM


Turn Movement Volumes

	NB	SB	EB	WB
Left	0	50	53	0
Through	0	0	434	667
Right	0	22	0	131
Total	0	72	487	798

Major Street Direction

	North/South
x	East/West

Warrant 3B, Peak Hour



* Note: 150 vph applies as the lower threshold volume for a minor-street approach with two or more lanes and 100 vph applies as the lower threshold volume for a minor-street approach with one lane.

Source: California Manual on Uniform Traffic Control Devices, Caltrans, 2014

	Major Street	Minor Street	Warrant Met
	Blue Oaks Boulevard	Grasscreek Drive	
Number of Approach Lanes	3	1	<u>NO</u>
Traffic Volume (VPH) *	1,284	72	
* Note: Traffic Volume for Major Street is Total Volume of Both Approches. Traffic Volume for Minor Street is the Volume of High Volume Approach.			

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
7	8	25	0.22596	2	10	1.00	1	3	3	0.54230	0.00005	24.99976	0.67788
7	8670	25	0.15682	2	10	1.00	1	3	721	0.37730	0.01226	24.93883	113.0672
7	8688	25	0.09988	2	10	1.00	1	3	510	0.24013	0.00868	24.95667	50.9388
8	7	25	0.22596	2	10	1.00	1	3	3	0.54230	0.00005	24.99976	0.67788
8	8666	25	0.12820	2	10	1.00	1	3	699	0.30841	0.01188	24.94073	89.6118
8	8692	25	0.14814	2	10	1.00	1	3	136	0.35571	0.00231	24.98844	20.14704
9	8654	25	0.12051	2	10	1.00	1	3	527	0.28975	0.00896	24.95527	63.50877
9	8692	25	0.15551	2	10	1.00	1	3	130	0.37338	0.00222	24.98891	20.2163
10	8686	25	0.12673	2	10	1.00	1	3	1258	0.30545	0.02139	24.89348	159.4263
11	8716	25	0.03278	2	10	1.00	1	3	2925	0.07947	0.04975	24.75370	95.8815
12	9026	25	0.06117	2	10	1.00	1	3	531	0.14708	0.00904	24.95490	32.48127
12	9028	25	0.16874	2	10	1.00	1	3	582	0.40577	0.00990	24.95057	98.20668
13	9034	25	0.10232	2	10	1.00	5	3	1196	0.24658	0.02034	24.89871	122.3747
14	8864	25	0.13678	2	10	1.00	1	3	697	0.32904	0.01185	24.94088	95.33566
15	8720	25	0.17001	2	10	1.00	1	3	1483	0.41008	0.02522	24.87454	252.1248
16	8878	25	0.13364	2	10	1.00	1	3	1810	0.32271	0.03078	24.84705	241.8884
17	8864	25	0.38585	2	10	1.00	1	3	820	0.92862	0.01395	24.93043	316.397
18	8726	25	0.07083	2	10	1.00	1	3	1044	0.17060	0.01776	24.91152	73.94652
19	8728	25	0.26141	2	10	1.00	1	3	99	0.62758	0.00168	24.99161	25.87959
19	8866	25	0.15154	2	10	1.00	1	3	351	0.36414	0.00596	24.97022	53.19054
19	8872	25	0.28092	2	10	1.00	1	3	627	0.67565	0.01066	24.94679	176.1368
20	8830	25	0.16477	2	10	1.00	1	3	2242	0.39845	0.03813	24.81080	369.4143
20	8874	25	0.25626	2	10	1.00	1	3	387	0.61583	0.00659	24.96712	99.17262
21	8732	25	0.12414	2	10	1.00	1	3	778	0.29873	0.01324	24.93398	96.58092
22	8734	25	0.07920	2	10	1.00	1	3	612	0.19047	0.01041	24.94804	48.4704
23	8736	25	0.15839	2	10	1.00	1	3	950	0.38136	0.01615	24.91951	150.4705
24	8822	25	0.09345	2	10	1.00	1	3	967	0.22502	0.01645	24.91804	90.36615
25	8826	25	0.13801	2	10	1.00	1	3	1749	0.33321	0.02975	24.85214	241.3795
26	8774	25	0.10324	2	10	1.00	1	3	333	0.24805	0.00566	24.97175	34.37892
26	8778	25	0.12255	2	10	1.00	1	3	371	0.29450	0.00631	24.96849	45.46605
27	8816	25	0.04277	2	10	1.00	1	3	2797	0.10363	0.04757	24.76438	119.6277
27	8820	25	0.13537	2	10	1.00	1	3	1094	0.32609	0.01861	24.90730	148.0948
28	8810	25	0.05791	2	10	1.00	1	3	5144	0.14141	0.08748	24.57011	297.889
29	8860	25	0.04015	2	10	1.00	1	3	5200	0.09807	0.08844	24.56549	208.78
30	8856	25	0.03719	2	10	1.00	1	3	1671	0.08977	0.02841	24.85875	62.14449
31	5938	25	0.36472	2	10	1.00	1	3	931	0.87811	0.01584	24.92104	339.5543
31	8802	25	0.18056	2	10	1.00	1	3	1840	0.43605	0.03128	24.84455	332.2304
31	8806	25	0.14591	2	10	1.00	1	3	99	0.35031	0.00169	24.99156	14.44509
32	8806	25	0.04623	2	10	1.00	1	3	4881	0.11280	0.08302	24.59169	225.6486
33	5916	25	0.11588	2	10	1.00	1	3	933	0.27899	0.01587	24.92090	108.116
33	5922	25	0.20392	2	10	1.00	1	3	448	0.49014	0.00763	24.96192	91.35616
33	8806	25	0.17174	2	10	1.00	1	3	88	0.41230	0.00150	24.99252	15.11312
34	5920	25	0.05170	2	10	1.00	1	3	1674	0.12480	0.02847	24.85843	86.5458
35	5912	25	0.08977	2	10	1.00	1	3	1561	0.21660	0.02655	24.86796	140.131
36	37	25	0.32001	2	10	1.00	1	3	15	0.76806	0.00026	24.99870	4.80015
36	8670	25	0.11679	2	10	1.00	1	3	730	0.28099	0.01242	24.93806	85.2567
36	9020	25	0.11438	2	10	1.00	1	3	1118	0.27557	0.01901	24.90532	127.8768
37	36	25	0.32001	2	10	1.00	1	3	15	0.76806	0.00026	24.99870	4.80015
37	38	25	0.22674	2	10	1.00	1	3	11	0.54420	0.00019	24.99904	2.49414
37	8668	25	0.21623	2	10	1.00	1	3	212	0.51933	0.00361	24.98197	45.84076
37	8672	25	0.20473	2	10	1.00	1	3	869	0.49281	0.01478	24.92630	177.9104
37	9018	25	0.22017	2	10	1.00	1	3	777	0.52980	0.01321	24.93412	171.0721
38	37	25	0.22674	2	10	1.00	1	3	11	0.54420	0.00019	24.99904	2.49414
38	8674	25	0.13166	2	10	1.00	1	3	473	0.31650	0.00805	24.95980	62.27518
38	9016	25	0.15316	2	10	1.00	1	3	960	0.36878	0.01633	24.91862	147.0336
39	41	25	0.26100	2	10	1.00	1	3	10	0.62641	0.00017	24.99915	2.61
39	42	25	0.16216	2	10	1.00	1	3	9	0.38921	0.00016	24.99920	1.45944
39	8672	25	0.19352	2	10	1.00	1	3	447	0.46514	0.00760	24.96208	86.50344
39	9566	25	0.15060	2	10	1.00	1	3	387	0.36192	0.00659	24.96709	58.2822
40	9565	25	0.05041	2	10	1.00	1	3	1477	0.12160	0.02512	24.87503	74.45557
41	39	25	0.26100	2	10	1.00	1	3	10	0.62641	0.00017	24.99915	2.61
41	42	25	0.25564	2	10	1.00	1	3	22	0.61357	0.00037	24.99813	5.62408
41	9565	25	0.21482	2	10	1.00	1	3	1607	0.51839	0.02733	24.86408	345.2157
41	9569	25	0.41313	2	10	1.00	1	3	374	0.99277	0.00637	24.96821	154.5106
42	39	25	0.16216	2	10	1.00	1	3	9	0.38921	0.00016	24.99920	1.45944
42	41	25	0.25564	2	10	1.00	1	3	22	0.61357	0.00037	24.99813	5.62408
42	9565	25	0.41543	2	10	1.00	1	3	486	0.99869	0.00827	24.95873	201.899
42	9566	25	0.31135	2	10	1.00	1	3	276	0.74793	0.00470	24.97651	85.9326
42	9569	25	0.15871	2	10	1.00	1	3	957	0.38215	0.01627	24.91889	151.8855
43	5900	25	0.17402	2	10	1.00	1	3	2707	0.42149	0.04603	24.77193	471.0721
43	9012	25	0.22983	2	10	1.00	1	3	2967	0.55715	0.05046	24.75022	681.9056
44	8708	25	0.08224	2	10	1.00	1	3	1768	0.19856	0.03006	24.85058	145.4003
44	9060	25	0.09049	2	10	1.00	1	3	914	0.21785	0.01554	24.92252	82.70786
45	8714	25	0.12244	2	10	1.00	1	0	140	0.29399	0.00238	24.98809	17.1416
45	9058	25	0.15242	2	10	1.00	1	3	646	0.36660	0.01099	24.94516	98.46332
46	9008	25	0.13625	2	10	1.00	1	3	453	0.32751	0.00771	24.96153	61.72125
46	9056	25	0.20231	2	10	1.00	1	3	355	0.48614	0.00604	24.96982	71.82005
47	9008	25	0.12669	2	10	1.00	1	3	1505	0.30562	0.02560	24.87266	190.6685
48	5898	25	0.11382	2	10	1.00	1	3	630	0.27375	0.01072	24.94653	71.7066
49	5892	25	0.10350	2	10	1.00	1	3	5573	0.25310	0.09477	24.53494	576.8055
50	5898	25	0.70760	2	10	1.00	1	3	391	1.70050	0.00665	24.96677	276.6716
52	25088	25	0.40681	1	10	1.00	100	0	85	0.97664	0.00145	24.99275	34.57885
54	8702	25	0.12516	1	10	1.00	100	0	1540	0.30195	0.02619	24.86971	192.7464

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
54	8714	25	0.13617	1	10	1.00	100	0	607	0.32748	0.01033	24.94847	82.65519
55	8784	25	0.06984	2	10	1.00	1	3	2104	0.16881	0.03579	24.82234	146.9434
55	8786	25	0.13143	2	10	1.00	1	3	2250	0.31785	0.03827	24.81009	295.7175
56	8786	25	0.07371	2	10	1.00	1	3	2353	0.17831	0.04001	24.80153	173.4396
56	8846	25	0.07389	2	10	1.00	1	3	844	0.17784	0.01435	24.92844	62.36316
57	8850	25	0.19165	2	10	1.00	1	3	439	0.46066	0.00746	24.96274	84.13435
57	8862	25	0.16739	2	10	1.00	1	3	787	0.40280	0.01338	24.93329	131.7359
58	8850	25	0.08978	2	10	1.00	1	3	559	0.21589	0.00951	24.95256	50.18702
59	9553	25	0.10502	2	10	1.00	1	3	799	0.25273	0.01360	24.93220	83.91098
59	9554	25	0.11201	2	10	1.00	1	3	601	0.26938	0.01022	24.94903	67.31801
60	8788	25	0.09089	2	10	1.00	1	3	1295	0.21909	0.02202	24.89037	117.7026
61	8794	25	0.06859	2	10	1.00	1	3	463	0.16487	0.00787	24.96073	31.75717
62	5944	25	0.18024	2	10	1.00	1	3	28	0.43261	0.00047	24.99765	5.04672
62	8790	25	0.16846	2	10	1.00	1	3	574	0.40509	0.00976	24.95131	96.69604
63	5944	25	0.15474	2	10	1.00	1	3	55	0.37144	0.00093	24.99535	8.5107
63	8796	25	0.18196	2	10	1.00	1	3	651	0.43767	0.01106	24.94480	118.456
64	5942	25	0.14427	2	10	1.00	1	3	1410	0.34790	0.02398	24.88066	203.4207
65	5940	25	0.07850	2	10	1.00	1	3	1592	0.18942	0.02707	24.86539	124.972
66	5870	25	0.09433	2	10	1.00	1	3	1672	0.22767	0.02844	24.85860	157.7198
67	5918	25	0.18380	2	10	1.00	1	3	3966	0.44707	0.06744	24.66728	728.9508
68	5870	25	0.11633	2	10	1.00	1	3	4009	0.28300	0.06817	24.66372	466.367
68	30004	25	0.06963	2	10	1.00	1	3	1755	0.16812	0.02986	24.85161	122.2007
69	5874	25	0.06897	2	10	1.00	1	3	1272	0.16623	0.02162	24.89234	87.72984
70	5930	25	0.04643	2	10	1.00	1	3	1412	0.11197	0.02401	24.88052	65.55916
71	5874	25	0.14941	2	10	1.00	1	3	646	0.35937	0.01099	24.94518	96.51886
71	5924	25	0.37453	2	10	1.00	1	3	78	0.89910	0.00132	24.99338	29.21334
72	5926	25	0.06375	2	10	1.00	1	3	1505	0.15378	0.02559	24.87270	95.94375
73	5905	25	0.20040	2	10	1.00	1	0	340	0.48151	0.00579	24.97111	68.136
73	5924	25	0.14287	2	10	1.00	1	3	294	0.34322	0.00500	24.97501	42.00378
74	5878	25	0.15241	2	10	1.00	1	3	200	0.36603	0.00340	24.98301	30.482
74	5908	25	0.08815	2	10	1.00	1	3	254	0.21175	0.00432	24.97843	22.3901
75	5906	25	0.30788	2	10	1.00	1	3	2134	0.74428	0.03629	24.81984	657.0159
76	5884	25	0.07889	2	10	1.00	1	3	2722	0.19109	0.04630	24.77064	214.7386
77	5910	25	0.05294	2	10	1.00	1	3	1113	0.12753	0.01892	24.90574	58.92222
78	8780	25	0.04981	2	10	1.00	1	3	1673	0.12023	0.02845	24.85857	83.33213
79	8782	25	0.05113	2	10	1.00	1	3	3379	0.12413	0.05746	24.71595	172.7683
80	5826	25	0.07332	2	10	1.00	1	3	1105	0.17662	0.01879	24.90639	81.0186
81	8924	25	0.04122	2	10	1.00	1	3	1460	0.09942	0.02484	24.87643	60.1812
82	5558	25	0.04314	2	10	1.00	1	3	413	0.10368	0.00703	24.96490	17.81682
83	5844	25	0.03178	2	10	1.00	1	3	1122	0.07657	0.01908	24.90498	35.65716
84	5566	25	0.05271	2	10	1.00	1	3	2782	0.12770	0.04731	24.76568	146.6392
85	5776	25	0.21194	2	10	1.00	1	3	794	0.51003	0.01350	24.93270	168.2804
85	5852	25	0.06247	2	10	1.00	1	3	1118	0.15050	0.01902	24.90528	69.84146
86	5828	25	0.17035	2	10	1.00	1	3	336	0.40931	0.00571	24.97147	57.2376
86	8930	25	0.12044	2	10	1.00	1	3	303	0.28936	0.00515	24.97429	36.49332
87	5840	25	0.02323	2	10	1.00	1	3	1000	0.05594	0.01701	24.91524	23.23
88	5850	25	0.08666	2	10	1.00	1	3	930	0.20864	0.01581	24.92118	80.5938
89	5854	25	0.06897	2	10	1.00	1	3	777	0.16595	0.01321	24.93414	53.58969
90	5768	25	0.12064	2	10	1.00	1	3	312	0.28985	0.00530	24.97352	37.63968
90	5854	25	0.29282	2	10	1.00	1	3	55	0.70289	0.00093	24.99535	16.1051
91	5832	25	0.09067	2	10	1.00	1	3	1124	0.21845	0.01912	24.90478	101.9131
92	8934	25	0.04365	2	10	1.00	1	3	1595	0.10534	0.02713	24.86510	69.62175
93	8932	25	0.18361	2	10	1.00	1	3	3301	0.44561	0.05614	24.72239	606.0966
94	5868	25	0.27293	2	10	1.00	1	3	667	0.65651	0.01134	24.94344	182.0443
94	6002	25	0.17455	2	10	1.00	1	3	828	0.42011	0.01409	24.92976	144.5274
95	5664	25	0.11480	2	10	1.00	1	3	2628	0.27799	0.04469	24.77854	301.6944
96	5664	25	0.03983	2	10	1.00	1	3	1917	0.09621	0.03260	24.83804	76.35411
97	5764	25	0.10917	2	10	1.00	1	3	713	0.26264	0.01212	24.93955	77.83821
98	5834	25	0.20522	2	10	1.00	1	3	474	0.49333	0.00806	24.95979	97.27428
98	22228	25	0.18645	2	10	1.00	1	3	221	0.44781	0.00376	24.98121	41.20545
99	22227	25	0.10990	2	10	1.00	1	3	625	0.26432	0.01063	24.94695	68.6875
99	22228	25	0.10025	2	10	1.00	1	3	848	0.24130	0.01442	24.92810	85.012
100	5948	25	0.06040	2	10	1.00	1	3	79	0.14499	0.00134	24.99331	4.7716
101	5934	25	0.03441	2	10	1.00	1	3	793	0.08280	0.01348	24.93277	27.28713
102	5936	25	0.08732	2	10	1.00	1	3	3181	0.21184	0.05410	24.73242	277.7649
103	105	25	0.26317	2	10	1.00	1	3	2	0.63160	0.00004	24.99981	0.52634
103	5951	25	0.33413	2	10	1.00	1	3	154	0.80234	0.00262	24.98693	51.45602
103	5953	25	0.11922	2	10	1.00	1	3	785	0.28689	0.01335	24.93344	93.5877
104	5864	25	0.09175	2	10	1.00	1	3	965	0.22093	0.01641	24.91823	88.53875
105	103	25	0.26317	2	10	1.00	1	3	2	0.63160	0.00004	24.99981	0.52634
105	5670	25	0.23242	2	10	1.00	1	3	422	0.55860	0.00718	24.96416	98.08124
105	5951	25	0.09036	2	10	1.00	1	3	382	0.21714	0.00650	24.96756	34.51752
105	5953	25	0.30919	2	10	1.00	1	3	137	0.74240	0.00233	24.98834	42.35903
107	5934	25	0.21166	1	10	1.00	100	0	852	0.50946	0.01448	24.92780	180.3343
108	5668	25	0.03900	2	10	1.00	1	3	1379	0.09404	0.02346	24.88325	53.781
108	5764	25	0.11802	2	10	1.00	1	3	277	0.28353	0.00471	24.97647	32.69154
109	110	25	0.26388	2	10	1.00	1	3	1	0.63331	0.00002	24.99988	0.26388
109	111	25	0.16129	2	10	1.00	1	3	1	0.38711	0.00003	24.99987	0.16129
109	5670	25	0.30678	2	10	1.00	1	3	240	0.73688	0.00409	24.97958	73.6272
109	5837	25	0.18827	2	10	1.00	1	3	441	0.45253	0.00751	24.96253	83.02707
110	109	25	0.26388	2	10	1.00	1	3	1	0.63331	0.00002	24.99988	0.26388
110	5671	25	0.10410	2	10	1.00	1	3	941	0.25064	0.01601	24.92023	97.9581
111	109	25	0.16129	2	10	1.00	1	3	1	0.38711	0.00003	24.99987	0.16129

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
111	5677	25	0.07187	2	10	1.00	1	3	807	0.17297	0.01372	24.93159	57.99909
112	22227	25	0.08149	2	10	1.00	1	3	1145	0.19635	0.01947	24.90300	93.30605
113	5683	25	0.17314	2	10	1.00	1	3	1399	0.41750	0.02379	24.88160	242.2229
113	5759	25	0.13622	2	10	1.00	1	3	1227	0.32828	0.02086	24.89612	167.1419
114	5752	25	0.22128	2	10	1.00	1	3	1408	0.53362	0.02395	24.88080	311.5622
114	5822	25	0.14642	2	10	1.00	1	3	458	0.35196	0.00779	24.96110	67.06036
115	5689	25	0.11036	2	10	1.00	1	3	196	0.26505	0.00333	24.98337	21.63056
115	5823	25	0.09224	2	10	1.00	1	3	465	0.22174	0.00791	24.96050	42.8916
116	5820	25	0.07337	2	10	1.00	1	3	919	0.17664	0.01562	24.92213	67.42703
117	5748	25	0.04633	2	10	1.00	1	3	403	0.11133	0.00685	24.96580	18.67099
118	5818	25	0.03845	2	10	1.00	1	3	235	0.09236	0.00399	24.98005	9.03575
119	5808	25	0.17042	1	10	1.00	100	3	809	0.41014	0.01376	24.93140	137.8698
119	6007	25	0.11651	1	10	1.00	100	3	244	0.27986	0.00415	24.97925	28.42844
120	5744	25	0.15757	1	10	1.00	100	3	611	0.37896	0.01039	24.94816	96.27527
120	6008	25	0.11952	1	10	1.00	100	3	384	0.28722	0.00654	24.96736	45.89568
121	5744	25	0.13327	2	10	1.00	1	3	0	0.31985	0.00000	25.00000	0
125	5692	25	0.30468	1	10	1.00	100	0	325	0.73205	0.00553	24.97237	99.021
125	6007	25	0.32064	1	10	1.00	100	0	117	0.76985	0.00199	24.99005	37.51488
128	5798	25	0.22538	2	10	1.00	1	3	389	0.54163	0.00661	24.96698	87.67282
129	5794	25	0.04806	2	10	1.00	1	3	329	0.11548	0.00560	24.97203	15.81174
129	5806	25	0.05373	2	10	1.00	1	3	205	0.12905	0.00348	24.98261	11.01465
130	5790	25	0.22222	2	10	1.00	1	3	268	0.53381	0.00455	24.97727	59.55496
130	5810	25	0.13755	2	10	1.00	1	3	155	0.33029	0.00263	24.98683	21.32025
131	5768	25	0.15494	2	10	1.00	1	3	127	0.37201	0.00216	24.98921	19.67738
132	5782	25	0.08811	2	10	1.00	1	3	138	0.21156	0.00235	24.98827	12.15918
132	5800	25	0.13613	2	10	1.00	1	3	305	0.32706	0.00519	24.97407	41.51965
133	5802	25	0.10428	2	10	1.00	1	3	267	0.25050	0.00455	24.97728	27.84276
134	8918	25	0.08306	2	10	1.00	1	3	4526	0.20241	0.07698	24.62094	375.9296
135	5558	25	0.05928	2	10	1.00	1	3	1893	0.14319	0.03220	24.84002	112.217
135	5646	25	0.09258	2	10	1.00	1	3	25	0.22221	0.00042	24.99788	2.3145
135	8920	25	0.12102	2	10	1.00	1	3	342	0.29077	0.00582	24.97091	41.38884
136	5562	25	0.06705	2	10	1.00	1	3	2115	0.16207	0.03597	24.82143	141.8108
136	5646	25	0.08977	2	10	1.00	1	3	447	0.21578	0.00760	24.96205	40.12719
137	8918	25	0.10348	2	10	1.00	1	3	3919	0.25167	0.06664	24.67118	405.5381
138	5952	25	0.06293	2	10	1.00	1	3	6	0.15104	0.00011	24.99945	0.37758
138	8916	25	0.10902	2	10	1.00	1	3	2048	0.26347	0.03483	24.82704	223.273
138	8937	25	0.10558	2	10	1.00	1	3	1025	0.25428	0.01743	24.91315	108.2195
139	5636	25	0.08716	2	10	1.00	1	3	1403	0.21018	0.02387	24.88123	122.2855
139	5642	25	0.07317	2	10	1.00	1	3	665	0.17602	0.01132	24.94354	48.65805
140	5584	25	0.07799	2	10	1.00	1	3	3125	0.18916	0.05314	24.73707	243.7188
141	5588	25	0.07456	2	10	1.00	1	0	530	0.17926	0.00902	24.95500	39.5168
142	5594	25	0.12059	2	10	1.00	3	3	1110	0.29051	0.01887	24.90601	133.8549
144	8942	25	0.12084	2	10	1.00	1	3	2597	0.29258	0.04416	24.78112	313.8215
150	8650	25	0.06351	2	10	1.00	5	3	384	0.15263	0.00652	24.96743	24.38784
151	5960	25	0.22588	2	10	1.00	5	3	296	0.54267	0.00504	24.97482	66.86048
151	9066	25	0.08409	2	10	1.00	5	3	537	0.20219	0.00913	24.95446	45.15633
152	8676	25	0.18098	2	10	1.00	5	3	530	0.43514	0.00901	24.95505	95.9194
152	8684	25	0.11461	2	10	1.00	5	3	548	0.27558	0.00932	24.95348	62.80628
153	8680	25	0.13249	2	10	1.00	5	3	792	0.31884	0.01348	24.93280	104.9321
154	8708	25	0.11294	2	10	1.00	5	3	416	0.27144	0.00707	24.96470	46.98304
154	9064	25	0.05170	2	10	1.00	5	3	1535	0.12474	0.02611	24.87012	79.3595
155	8706	25	0.03693	2	10	1.00	5	3	58	0.08865	0.00098	24.99508	2.14194
156	8696	25	0.14023	2	10	1.00	5	3	420	0.33703	0.00715	24.96432	58.8966
156	8702	25	0.18939	2	10	1.00	5	3	618	0.45550	0.01050	24.94759	117.043
157	8694	25	0.07804	2	10	1.00	5	3	681	0.18772	0.01158	24.94225	53.14524
157	9066	25	0.17246	2	10	1.00	5	3	271	0.41429	0.00461	24.97696	46.73666
158	8694	25	0.11984	2	10	1.00	5	3	339	0.28794	0.00577	24.97120	40.62576
159	5506	25	0.20348	2	10	1.00	5	3	532	0.48923	0.00905	24.95482	108.2514
159	8696	25	0.10894	2	10	1.00	5	3	244	0.26168	0.00415	24.97926	26.58136
159	8982	25	0.23800	2	10	1.00	5	3	114	0.57142	0.00193	24.99033	27.132
160	8980	25	0.15503	2	10	1.00	5	3	572	0.37279	0.00973	24.95143	88.67716
160	8996	25	0.15115	2	10	1.00	5	3	507	0.36338	0.00862	24.95699	76.63305
161	5502	25	0.09503	2	10	1.00	5	3	77	0.22814	0.00131	24.99347	7.31731
161	8994	25	0.08437	2	10	1.00	5	3	43	0.20253	0.00074	24.99631	3.62791
162	5500	25	0.07582	2	10	1.00	5	3	231	0.18212	0.00393	24.98035	17.51442
162	8994	25	0.18628	2	10	1.00	5	3	85	0.44720	0.00144	24.99281	15.8338
163	8976	25	0.17425	2	10	1.00	5	3	355	0.41871	0.00605	24.96981	61.85875
163	8996	25	0.16245	2	10	1.00	5	3	446	0.39046	0.00758	24.96215	72.4527
164	8968	25	0.05256	2	10	1.00	5	3	624	0.12642	0.01061	24.94707	32.79744
164	8998	25	0.09004	2	10	1.00	5	3	401	0.21638	0.00682	24.96597	36.10604
165	8970	25	0.09197	2	10	1.00	5	3	230	0.22091	0.00391	24.98047	21.1531
165	8974	25	0.17739	2	10	1.00	5	3	108	0.42588	0.00183	24.99086	19.15812
166	8970	25	0.15124	2	10	1.00	5	3	728	0.36388	0.01238	24.93827	110.1027
167	8646	25	0.14670	2	10	1.00	5	3	130	0.35223	0.00220	24.98899	19.071
167	8968	25	0.15013	2	10	1.00	5	3	333	0.36073	0.00567	24.97170	49.99329
168	8647	25	0.36069	2	10	1.00	5	3	187	0.86621	0.00318	24.98412	67.44903
168	8983	25	0.22196	2	10	1.00	5	3	1536	0.53549	0.02613	24.87004	340.9306
169	8647	25	0.16274	2	10	1.00	5	3	542	0.39130	0.00921	24.95403	88.20508
170	8682	25	0.09203	2	10	1.00	5	3	223	0.22103	0.00380	24.98101	20.52269
170	9030	25	0.17487	2	10	1.00	5	3	153	0.41991	0.00259	24.98703	26.75511
171	8682	25	0.10106	2	10	1.00	5	3	164	0.24269	0.00279	24.98603	16.57384
171	9034	25	0.08651	2	10	1.00	5	3	134	0.20771	0.00227	24.98863	11.59234
172	8680	25	0.16847	2	10	1.00	5	3	492	0.40501	0.00837	24.95824	82.88724

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
172	9034	25	0.17408	2	10	1.00	5	3	1440	0.41984	0.02449	24.87815	250.6752
173	9036	25	0.13011	2	10	1.00	5	3	996	0.31333	0.01695	24.91556	129.5896
174	176	25	0.27881	2	10	1.00	5	3	4	0.66916	0.00007	24.99964	1.11524
174	9567	25	0.29297	2	10	1.00	5	3	363	0.70399	0.00618	24.96916	106.3481
174	9568	25	0.21417	2	10	1.00	5	3	1046	0.51585	0.01779	24.91139	224.0218
175	5960	25	0.17793	2	10	1.00	5	3	270	0.42743	0.00460	24.97702	48.0411
175	5962	25	0.09046	2	10	1.00	5	3	1562	0.21826	0.02656	24.86790	141.2985
176	174	25	0.27881	2	10	1.00	5	3	4	0.66916	0.00007	24.99964	1.11524
176	9567	25	0.09403	2	10	1.00	5	3	1085	0.22651	0.01846	24.90804	102.0226
176	9568	25	0.49138	2	10	1.00	5	3	209	1.18015	0.00355	24.98225	102.6984
177	9076	25	0.27982	2	10	1.00	5	3	1295	0.67453	0.02203	24.89033	362.3669
178	8738	25	0.01345	2	10	1.00	5	3	1785	0.03247	0.03035	24.84915	24.00825
179	5962	25	0.09383	2	10	1.00	5	3	1237	0.22613	0.02104	24.89523	116.0677
179	8626	25	0.09488	2	10	1.00	5	3	1486	0.22886	0.02526	24.87432	140.9917
179	8638	25	0.19395	2	10	1.00	5	3	628	0.46647	0.01069	24.94669	121.8006
180	8630	25	0.12309	2	10	1.00	5	3	335	0.29575	0.00570	24.97154	41.23515
180	8634	25	0.18746	2	10	1.00	5	3	454	0.45061	0.00772	24.96148	85.10684
181	5504	25	0.13954	2	10	1.00	5	3	664	0.33566	0.01130	24.94363	92.65456
181	8990	25	0.13974	2	10	1.00	5	3	249	0.33566	0.00424	24.97884	34.79526
182	5504	25	0.33275	2	10	1.00	5	3	115	0.79892	0.00195	24.99024	38.26625
182	8620	25	0.18270	2	10	1.00	5	3	141	0.43870	0.00240	24.98802	25.7607
182	8630	25	0.14384	2	10	1.00	5	3	771	0.34611	0.01310	24.93465	110.9006
182	8988	25	0.17129	2	10	1.00	5	3	16	0.41112	0.00027	24.99866	2.74064
183	8622	25	0.15449	2	10	1.00	5	3	273	0.37113	0.00465	24.97680	42.17577
183	8628	25	0.18514	2	10	1.00	5	3	481	0.44505	0.00818	24.95919	89.05234
184	8626	25	0.16543	2	10	1.00	5	3	26	0.39707	0.00045	24.99776	4.30118
184	9074	25	0.04333	2	10	1.00	5	3	807	0.10427	0.01372	24.93158	34.96731
185	9076	25	0.22577	2	10	1.00	5	3	916	0.54353	0.01558	24.92233	206.8053
185	9092	25	0.16435	2	10	1.00	5	3	277	0.39482	0.00472	24.97644	45.52495
186	9080	25	0.06950	2	10	1.00	5	3	406	0.16703	0.00690	24.96554	28.217
186	9090	25	0.05417	2	10	1.00	5	3	207	0.13010	0.00352	24.98240	11.21319
187	9084	25	0.05710	2	10	1.00	5	3	1732	0.13784	0.02946	24.85356	98.8972
187	9090	25	0.12686	2	10	1.00	5	3	700	0.30518	0.01191	24.94061	88.802
188	9090	25	0.15604	2	10	1.00	5	3	289	0.37486	0.00492	24.97542	45.09556
189	9086	25	0.15304	2	10	1.00	5	3	1739	0.36947	0.02958	24.85298	266.1366
189	9090	25	0.33320	2	10	1.00	5	3	258	0.80039	0.00439	24.97808	85.9656
190	8604	25	0.25043	2	10	1.00	5	3	1796	0.60471	0.03055	24.84819	449.7723
191	9092	25	0.12473	2	10	1.00	5	3	536	0.29991	0.00911	24.95452	66.85528
192	9096	25	0.10134	2	10	1.00	5	3	1446	0.24442	0.02460	24.87762	146.5376
193	8616	25	0.15870	2	10	1.00	5	3	0	0.38088	0.00000	25.00000	0
193	8628	25	0.09012	2	10	1.00	5	3	0	0.21629	0.00000	25.00000	0
194	8610	25	0.14212	2	10	1.00	5	3	267	0.34140	0.00454	24.97730	37.94604
194	8614	25	0.15634	2	10	1.00	5	3	102	0.37536	0.00174	24.99129	15.94668
195	8642	25	0.12584	2	10	1.00	5	3	1058	0.30310	0.01800	24.91034	133.1387
196	5500	25	0.20681	2	10	1.00	5	3	470	0.49715	0.00800	24.96008	97.2007
196	8990	25	0.16287	2	10	1.00	5	3	233	0.39119	0.00396	24.98020	37.94871
197	5500	25	0.20456	2	10	1.00	5	3	123	0.49114	0.00209	24.98955	25.16088
197	6005	25	0.05168	2	10	1.00	5	3	208	0.12411	0.00354	24.98233	10.74944
198	6005	25	0.27027	2	10	1.00	5	3	170	0.64902	0.00289	24.98557	45.9459
198	8614	25	0.09756	2	10	1.00	5	3	976	0.23491	0.01659	24.91730	95.21856
198	8988	25	0.24286	2	10	1.00	5	3	89	0.58303	0.00151	24.99247	21.61454
200	8600	25	0.10159	2	10	1.00	5	3	74	0.24388	0.00126	24.99368	7.51766
200	8610	25	0.29169	2	10	1.00	5	3	30	0.70012	0.00050	24.99749	8.7507
201	8600	25	0.22994	2	10	1.00	5	3	2870	0.55725	0.04881	24.75832	659.9278
201	8602	25	0.34444	2	10	1.00	5	3	692	0.82860	0.01177	24.94127	238.3525
202	8606	25	0.22921	2	10	1.00	5	3	2229	0.55428	0.03791	24.81186	510.9091
203	8611	25	0.08638	2	10	1.00	6	3	0	0.20732	0.00000	25.00000	0
203	9085	25	0.09862	2	10	1.00	6	3	0	0.23668	0.00000	25.00000	0
204	6003	25	0.22121	2	10	1.00	6	3	0	0.53089	0.00000	25.00000	0
204	9099	25	0.23922	2	10	1.00	6	3	0	0.57414	0.00000	25.00000	0
205	8667	25	0.10817	2	10	1.00	7	3	570	0.26011	0.00970	24.95161	61.6569
205	8669	25	0.11747	2	10	1.00	7	3	1228	0.28310	0.02088	24.89605	144.2532
206	6003	25	0.34060	2	10	1.00	6	3	4671	0.83042	0.07944	24.60900	1590.943
207	8629	25	0.15246	2	10	1.00	7	3	498	0.36653	0.00846	24.95776	75.92508
208	8603	25	0.16392	2	10	1.00	6	3	868	0.39457	0.01476	24.92644	142.2826
208	9071	25	0.08980	2	10	1.00	6	3	1046	0.21629	0.01778	24.91141	93.9308
208	9095	25	0.34594	2	10	1.00	6	3	1567	0.83467	0.02664	24.86749	542.088
209	9071	25	0.28720	2	10	1.00	6	3	2247	0.69455	0.03822	24.81035	645.3384
209	9075	25	0.61256	2	10	1.00	6	3	1843	1.47935	0.03134	24.84427	1128.948
210	5516	25	0.32283	2	10	1.00	4	3	12170	0.80685	0.20697	24.00627	3928.841
211	5650	25	0.10824	2	10	1.00	4	3	7707	0.26659	0.13107	24.36140	834.2057
212	5524	25	0.06349	2	10	1.00	4	3	272	0.15252	0.00462	24.97691	17.26928
212	5648	25	0.07625	2	10	1.00	4	3	189	0.18311	0.00322	24.98392	14.41125
213	5520	25	0.15218	2	10	1.00	4	3	240	0.36552	0.00408	24.97962	36.5232
213	5526	25	0.09035	2	10	1.00	4	3	536	0.21723	0.00912	24.95449	48.4276
214	5518	25	0.17614	2	10	1.00	4	3	558	0.42355	0.00949	24.95264	98.28612
214	5528	25	0.24093	2	10	1.00	4	3	129	0.57849	0.00220	24.98901	31.07997
214	9054	25	0.15300	2	10	1.00	4	3	904	0.36832	0.01537	24.92336	138.312
215	5532	25	0.15861	2	10	1.00	4	3	1357	0.38243	0.02308	24.88511	215.2338
216	5524	25	0.13744	2	10	1.00	4	3	1417	0.33144	0.02410	24.88005	194.7525
216	8746	25	0.09852	2	10	1.00	4	3	612	0.23693	0.01041	24.94808	60.29424
217	5534	25	0.05053	2	10	1.00	4	3	1043	0.12171	0.01774	24.91160	52.70279
218	8742	25	0.02867	2	10	1.00	4	3	983	0.06905	0.01672	24.91666	28.18261

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
219	8744	25	0.08025	2	10	1.00	4	3	641	0.19302	0.01090	24.94562	51.44025
220	8890	25	0.10804	2	10	1.00	4	3	957	0.26013	0.01628	24.91888	103.3943
221	5648	25	0.07684	2	10	1.00	4	3	1792	0.18555	0.03047	24.84857	137.6973
221	5958	25	0.07898	2	10	1.00	4	3	842	0.19009	0.01431	24.92864	66.50116
222	8892	25	0.12758	2	10	1.00	4	3	1995	0.30827	0.03393	24.83148	254.5221
223	8894	25	0.13701	2	10	1.00	4	3	6184	0.33574	0.10518	24.48496	847.2698
224	9803	25	0.04186	2	10	1.00	4	3	9918	0.10385	0.16867	24.18415	415.1675
225	8886	25	0.15475	2	10	1.00	4	3	1156	0.37287	0.01966	24.90210	178.891
226	8758	25	0.15314	2	10	1.00	4	3	764	0.36848	0.01299	24.93521	116.999
227	8880	25	0.05549	2	10	1.00	4	3	876	0.13358	0.01490	24.92575	48.60924
228	5954	25	0.09156	2	10	1.00	4	3	2859	0.22189	0.04862	24.75923	261.77
228	8762	25	0.18209	2	10	1.00	4	3	52	0.43710	0.00089	24.99557	9.46868
229	5954	25	0.18856	2	10	1.00	4	3	1297	0.45453	0.02206	24.89020	244.5623
229	8761	25	0.10892	2	10	1.00	4	3	2119	0.26329	0.03604	24.82111	230.8015
229	8831	25	0.10722	2	10	1.00	4	3	1515	0.25866	0.02577	24.87181	162.4383
230	8765	25	0.15563	2	10	1.00	4	3	0	0.37351	0.00000	25.00000	0
231	8828	25	0.30377	2	10	1.00	4	3	0	0.72904	0.00000	25.00000	0
232	8834	25	0.14436	2	10	1.00	4	3	6671	0.35432	0.11346	24.44531	963.0256
232	8898	25	0.11890	2	10	1.00	4	3	11302	0.29634	0.19222	24.07449	1343.808
233	8898	25	0.32330	2	10	1.00	4	3	2339	0.78208	0.03977	24.80271	756.1987
234	8758	25	0.22142	2	10	1.00	4	3	5235	0.54088	0.08903	24.56264	1159.134
234	8760	25	0.19716	2	10	1.00	4	3	7967	0.48600	0.13550	24.34038	1570.774
234	8767	25	0.18775	2	10	1.00	4	3	0	0.45060	0.00000	25.00000	0
234	8836	25	0.21270	2	10	1.00	4	3	7385	0.52330	0.12559	24.38742	1570.79
237	3587	20	0.19558	3	10	3.00	0	3	55	0.58677	0.00031	19.99875	10.7569
237	9555	20	0.06707	3	10	3.00	0	3	4409	0.20222	0.02500	19.90051	295.7116
238	3457	20	0.06510	3	10	3.00	0	3	5723	0.19655	0.03244	19.87106	372.5673
238	3458	20	0.12401	3	10	3.00	0	3	70	0.37206	0.00039	19.99842	8.6807
239	3460	20	0.05142	3	10	3.00	0	3	2417	0.15468	0.01370	19.94534	124.2821
240	3468	20	0.08040	3	10	3.00	0	3	638	0.24137	0.00362	19.98555	51.2952
241	3467	20	0.05389	3	10	3.00	0	3	809	0.16182	0.00459	19.98166	43.59701
242	3465	20	0.10373	3	10	3.00	0	3	179	0.31125	0.00102	19.99594	18.56767
242	3467	20	0.11858	3	10	3.00	0	3	135	0.35578	0.00077	19.99693	16.0083
243	3465	20	0.13141	3	10	3.00	0	3	115	0.39429	0.00065	19.99740	15.11215
243	3595	20	0.13692	3	10	3.00	0	3	401	0.41096	0.00227	19.99091	54.90492
244	3466	20	0.17525	3	10	3.00	0	3	295	0.52591	0.00167	19.99331	51.69875
244	3595	20	0.13776	3	10	3.00	0	3	252	0.41341	0.00143	19.99429	34.71552
244	3596	20	0.21910	3	10	3.00	0	3	0	0.65729	0.00000	20.00000	0
245	3469	20	0.14929	3	10	3.00	0	3	193	0.44797	0.00109	19.99562	28.81297
245	3596	20	0.08842	3	10	3.00	0	3	492	0.26540	0.00279	19.98885	43.50264
246	3469	20	0.04369	3	10	3.00	0	3	336	0.13113	0.00191	19.99237	14.67984
247	3470	20	0.05124	3	10	3.00	0	3	521	0.15382	0.00295	19.98819	26.69604
248	3588	25	0.14634	2	10	1.00	4	3	6378	0.35884	0.10847	24.46917	933.3565
249	3456	20	0.12739	3	10	3.00	0	3	1532	0.38284	0.00868	19.96532	195.1615
249	9555	20	0.11774	3	10	3.00	0	3	1696	0.35390	0.00961	19.96161	199.687
250	5566	25	0.07944	2	10	1.00	3	3	2113	0.19202	0.03593	24.82161	167.8567
250	5630	25	0.16269	2	10	1.00	3	3	1965	0.39306	0.03341	24.83405	319.6859
251	5638	25	0.08464	2	10	1.00	3	3	2501	0.20487	0.04253	24.78915	211.6846
252	8910	25	0.18385	2	10	1.00	3	3	8072	0.45334	0.13728	24.33196	1484.037
253	5616	25	0.07651	2	10	1.00	3	3	1622	0.18465	0.02758	24.86285	124.0992
254	6010	25	0.09637	2	10	1.00	3	3	677	0.23183	0.01152	24.94255	65.24249
254	8912	25	0.08953	2	10	1.00	3	3	1794	0.21619	0.03051	24.84836	160.6168
255	6010	25	0.13359	2	10	1.00	3	3	3042	0.32394	0.05174	24.74395	406.3808
255	8904	25	0.17492	2	10	1.00	3	3	1598	0.42210	0.02717	24.86486	279.5222
256	5572	25	0.10010	2	10	1.00	3	3	1864	0.24176	0.03169	24.84254	186.5864
256	5626	25	0.18182	2	10	1.00	3	3	4662	0.44328	0.07929	24.60975	847.6448
256	5630	25	0.14477	2	10	1.00	3	3	5608	0.35407	0.09538	24.53204	811.8702
256	5640	25	0.17233	2	10	1.00	3	3	7907	0.42470	0.13447	24.34528	1362.613
257	5622	25	0.11802	2	10	1.00	3	3	29	0.28329	0.00049	24.99755	3.42258
257	5634	25	0.11674	2	10	1.00	3	3	1451	0.28157	0.02468	24.87719	169.3897
257	5640	25	0.08739	2	10	1.00	3	3	1692	0.21094	0.02877	24.85695	147.8639
258	13976	25	0.07499	2	10	1.00	3	3	2676	0.18162	0.04552	24.77448	200.6732
258	15250	25	0.10660	2	10	1.00	3	3	1342	0.25701	0.02283	24.88637	143.0572
258	25043	25	0.12902	2	10	1.00	3	3	14	0.30965	0.00023	24.99883	1.80628
259	5622	25	0.05814	2	10	1.00	3	3	3690	0.14128	0.06275	24.69015	214.5366
260	5576	25	0.09825	2	10	1.00	3	3	3090	0.23828	0.05256	24.73995	303.5925
260	5626	25	0.14006	2	10	1.00	3	3	3127	0.33972	0.05319	24.73687	437.9676
261	5600	25	0.11276	2	10	1.00	3	3	1815	0.27230	0.03086	24.84662	204.6594
262	5582	25	0.07184	2	10	1.00	3	3	773	0.17288	0.01315	24.93442	55.53232
262	5950	25	0.12601	2	10	1.00	3	3	1663	0.30413	0.02829	24.85937	209.5546
263	5606	25	0.15418	2	10	1.00	3	3	239	0.37034	0.00406	24.97970	36.84902
263	5628	25	0.15865	2	10	1.00	3	3	418	0.38130	0.00711	24.96450	66.3157
263	25044	25	0.16065	2	10	1.00	3	3	786	0.38660	0.01336	24.93336	126.2709
264	5602	25	0.15844	2	10	1.00	3	3	2603	0.38363	0.04427	24.78060	412.4193
267	5596	25	0.10181	2	10	1.00	3	3	494	0.24474	0.00839	24.95810	50.29414
268	5590	25	0.13082	2	10	1.00	3	0	319	0.31432	0.00542	24.97291	41.73158
268	5594	25	0.22087	2	10	1.00	3	3	381	0.53077	0.00647	24.96768	84.15147
270	5614	25	0.10485	2	10	1.00	3	3	858	0.25236	0.01459	24.92726	89.9613
270	8904	25	0.15018	2	10	1.00	3	3	721	0.36131	0.01227	24.93880	108.2798
271	8770	25	0.02758	2	10	1.00	3	3	1148	0.06644	0.01952	24.90280	31.66184
272	8938	25	0.10301	2	10	1.00	3	3	5776	0.25208	0.09822	24.51834	594.9858
273	5555	25	0.12084	2	10	1.00	3	3	12506	0.30236	0.21269	23.97992	1511.225
275	3352	20	0.30548	3	10	3.00	0	3	261	0.91670	0.00148	19.99408	79.73028

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
275	3683	20	0.22959	3	10	3.00	0	0	39	0.68881	0.00022	19.99912	8.95401
281	5778	25	0.03272	2	10	1.00	2	3	3009	0.07933	0.05118	24.74670	98.45448
282	5572	25	0.12863	2	10	1.00	2	3	1511	0.31029	0.02569	24.87221	194.3599
282	5780	25	0.04021	2	10	1.00	2	3	293	0.09659	0.00497	24.97515	11.78153
283	5730	25	0.08384	2	10	1.00	2	3	980	0.20187	0.01667	24.91694	82.1632
284	5784	25	0.16193	2	10	1.00	2	3	156	0.38884	0.00266	24.98673	25.26108
285	5786	25	0.15307	2	10	1.00	2	3	496	0.36799	0.00844	24.95789	75.92272
286	5790	25	0.12132	2	10	1.00	2	3	7	0.29117	0.00012	24.99939	0.84924
287	5576	25	0.09753	2	10	1.00	2	3	68	0.23413	0.00116	24.99422	6.63204
287	5578	25	0.17027	2	10	1.00	2	3	1058	0.41013	0.01800	24.91032	180.1457
287	5728	25	0.20307	2	10	1.00	2	3	2696	0.49184	0.04586	24.77280	547.4767
288	5732	25	0.09670	2	10	1.00	2	3	876	0.23277	0.01489	24.92576	84.7092
289	9562	25	0.08071	2	10	1.00	2	3	1507	0.19469	0.02564	24.87247	121.63
290	5716	25	0.09375	2	10	1.00	2	3	136	0.22510	0.00232	24.98842	12.75
290	5736	25	0.07633	2	10	1.00	2	3	91	0.18324	0.00154	24.99230	6.94603
291	5734	25	0.13343	2	10	1.00	2	3	358	0.32061	0.00608	24.96963	47.76794
291	5814	25	0.11976	2	10	1.00	2	3	128	0.28755	0.00218	24.98908	15.32928
292	5736	25	0.12502	2	10	1.00	2	3	280	0.30034	0.00477	24.97618	35.0056
292	5816	25	0.03339	2	10	1.00	2	3	111	0.08017	0.00189	24.99053	3.70629
293	5816	25	0.10616	2	10	1.00	2	3	452	0.25517	0.00769	24.96163	47.98432
294	5582	25	0.11441	2	10	1.00	2	3	2424	0.27684	0.04123	24.79554	277.3298
294	9563	25	0.13929	2	10	1.00	2	3	531	0.33489	0.00903	24.95495	73.96299
295	297	25	0.24676	2	10	1.00	2	3	46	0.59232	0.00078	24.99612	11.35096
295	9563	25	0.17538	2	10	1.00	2	3	1357	0.42285	0.02308	24.88511	237.9907
295	9564	25	0.32542	2	10	1.00	2	3	485	0.78229	0.00824	24.95884	157.8287
296	5584	25	0.15092	2	10	1.00	2	3	1749	0.36437	0.02975	24.85213	263.9591
296	6011	25	0.10931	2	10	1.00	2	3	12	0.26235	0.00021	24.99897	1.31172
296	9564	25	0.18762	2	10	1.00	2	3	1034	0.45188	0.01758	24.91241	193.9991
297	295	25	0.24676	2	10	1.00	2	3	46	0.59232	0.00078	24.99612	11.35096
297	9563	25	0.41996	2	10	1.00	2	3	1227	1.01212	0.02086	24.89612	515.2909
297	9564	25	0.10188	2	10	1.00	2	3	1957	0.24614	0.03328	24.83471	199.3792
298	5716	25	0.22804	2	10	1.00	2	3	652	0.54850	0.01109	24.94468	148.6821
298	5740	25	0.12022	2	10	1.00	2	3	557	0.28908	0.00948	24.95271	66.96254
299	5722	25	0.32974	2	10	1.00	2	3	166	0.79181	0.00283	24.98587	54.73684
299	5740	25	0.15714	2	10	1.00	2	3	1030	0.37847	0.01751	24.91275	161.8542
300	5722	25	0.05279	2	10	1.00	2	3	516	0.12693	0.00878	24.95619	27.23964
300	5738	25	0.24729	2	10	1.00	2	3	110	0.59371	0.00188	24.99062	27.2019
301	5722	25	0.13224	2	10	1.00	2	3	240	0.31763	0.00409	24.97957	31.7376
301	5810	25	0.13141	2	10	1.00	2	3	57	0.31545	0.00097	24.99515	7.49037
302	5726	25	0.15229	2	10	1.00	2	3	237	0.36580	0.00403	24.97986	36.09273
302	5812	25	0.15566	2	10	1.00	2	3	54	0.37366	0.00092	24.99541	8.40564
303	5726	25	0.08860	2	10	1.00	2	3	82	0.21269	0.00139	24.99303	7.2652
304	5690	25	0.08788	2	10	1.00	2	3	423	0.21121	0.00719	24.96408	37.17324
304	5726	25	0.09073	2	10	1.00	2	3	303	0.21798	0.00515	24.97427	27.49119
305	5684	25	0.06728	2	10	1.00	2	3	2514	0.16285	0.04276	24.78802	169.1419
305	5702	25	0.16686	2	10	1.00	2	0	178	0.40071	0.00302	24.98491	29.70108
306	5701	25	0.14301	2	10	1.00	2	3	522	0.34385	0.00888	24.95568	74.65122
306	5703	25	0.08804	2	10	1.00	2	3	264	0.21149	0.00450	24.97754	23.24256
307	5703	25	0.12663	2	10	1.00	2	3	367	0.30429	0.00623	24.96887	46.47321
307	5706	25	0.09852	2	10	1.00	2	3	144	0.23655	0.00246	24.98772	14.18688
308	5705	25	0.30354	2	10	1.00	2	3	575	0.72992	0.00978	24.95120	174.5355
309	5694	25	0.06432	2	10	1.00	2	3	247	0.15450	0.00420	24.97901	15.88704
310	5710	25	0.14042	2	10	1.00	2	3	413	0.33748	0.00703	24.96490	57.99346
311	5712	25	0.07167	2	10	1.00	2	0	132	0.17209	0.00225	24.98875	9.46044
312	5712	25	0.33594	2	10	1.00	2	0	908	0.80874	0.01545	24.92301	305.0335
313	8671	25	0.07796	2	10	1.00	7	3	901	0.18769	0.01531	24.92366	70.24196
314	8635	25	0.14087	2	10	1.00	7	3	957	0.33919	0.01627	24.91892	134.8126
315	8673	25	0.06120	2	10	1.00	7	3	1058	0.14742	0.01799	24.91038	64.7496
315	8677	25	0.59157	2	10	1.00	7	3	7	1.41979	0.00012	24.99940	4.14099
316	8675	25	0.11957	2	10	1.00	7	3	353	0.28731	0.00601	24.97001	42.20821
317	8633	25	0.18745	2	10	1.00	7	3	596	0.45078	0.01013	24.94944	111.7202
318	8631	25	0.21085	2	10	1.00	7	3	786	0.50738	0.01337	24.93331	165.7281
319	8637	25	0.07296	2	10	1.00	7	3	1252	0.17586	0.02129	24.89400	91.34592
320	8740	25	0.12796	2	10	1.00	1	3	176	0.30730	0.00299	24.98508	22.52096
320	9040	25	0.13308	2	10	1.00	1	3	166	0.31956	0.00282	24.98591	22.09128
321	6004	25	0.15538	2	10	1.00	1	3	635	0.37372	0.01080	24.94613	98.6663
321	8740	25	0.15277	2	10	1.00	1	3	1358	0.36834	0.02310	24.88505	207.4617
321	9046	25	0.10715	2	10	1.00	1	3	2574	0.25942	0.04378	24.78302	275.8041
322	5510	25	0.26877	2	10	1.00	1	3	755	0.64670	0.01283	24.93600	202.9214
322	9052	25	0.15156	2	10	1.00	1	3	3598	0.36820	0.06119	24.69775	545.3129
323	5509	25	0.13876	2	10	1.00	1	3	3241	0.33670	0.05512	24.72742	449.7212
323	24840	25	0.13749	2	10	1.00	1	3	2413	0.33268	0.04104	24.79645	331.7634
324	27043	25	0.09062	2	10	1.00	1	3	1866	0.21888	0.03174	24.84230	169.0969
325	9561	25	0.12367	2	10	1.00	1	3	3177	0.30001	0.05402	24.73277	392.8996
326	9086	25	0.15524	2	10	1.00	1	3	5284	0.37927	0.08986	24.55865	820.2882
326	9093	25	0.26096	2	10	1.00	1	3	2345	0.63130	0.03987	24.80220	611.9512
327	9088	25	0.17376	2	10	1.00	1	3	2416	0.42045	0.04108	24.79626	419.8042
328	5660	25	0.22084	2	10	1.00	1	3	4122	0.53745	0.07010	24.65436	910.3025
329	6003	25	0.14239	2	10	1.00	6	3	1661	0.34367	0.02825	24.85953	236.5098
329	9078	25	0.15099	2	10	1.00	6	3	1895	0.36471	0.03223	24.83987	286.1261
330	8723	25	0.23545	2	10	1.00	1	3	3529	0.57186	0.06002	24.70348	830.9031
331	9075	25	0.35885	2	10	1.00	6	3	2003	0.86711	0.03407	24.83082	718.7766
331	9077	25	0.22137	2	10	1.00	6	3	66	0.53140	0.00113	24.99436	14.61042

A	B	SPEED	DISTANCE	SPDCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
331	9078	25	0.19434	2	10	1.00	6	3	3708	0.47231	0.06306	24.68864	720.6127
332	8723	25	0.08392	2	10	1.00	1	3	7575	0.20660	0.12883	24.37203	635.694
333	9615	25	0.14133	2	10	1.00	0	3	668	0.33997	0.01136	24.94333	94.40844
502	8978	20	0.21281	1	10	3.00	100	0	734	0.63897	0.00416	19.98337	156.2025
616	5704	20	0.03096	1	10	3.00	100	0	2120	0.09311	0.01202	19.95205	65.6352
877	5557	20	0.06631	3	10	3.00	0	3	353	0.19900	0.00200	19.99200	23.40743
877	8769	20	0.04544	3	10	3.00	0	3	776	0.13644	0.00440	19.98241	35.26144
879	5563	20	0.10091	3	10	3.00	0	3	748	0.30300	0.00424	19.98306	75.48068
880	5563	25	0.08951	3	10	1.00	0	3	1843	0.21618	0.03134	24.84426	164.9669
880	5619	20	0.07415	3	10	3.00	0	3	559	0.22260	0.00317	19.98734	41.44985
881	5621	20	0.23051	3	10	3.00	0	3	1678	0.69285	0.00951	19.96202	386.7958
882	3348	20	0.17992	3	10	3.00	0	3	702	0.54020	0.00398	19.98410	126.3038
882	3350	20	0.14923	3	10	3.00	0	3	9	0.44769	0.00005	19.99981	1.34307
883	5615	20	0.22655	3	10	3.00	0	3	1515	0.68081	0.00859	19.96571	343.2233
884	5610	20	0.08804	3	10	3.00	0	3	603	0.26431	0.00342	19.98634	53.08812
885	5561	20	0.09611	3	10	3.00	0	3	3073	0.28934	0.01742	19.93055	295.346
885	5619	20	0.16635	3	10	3.00	0	3	184	0.49915	0.00104	19.99582	30.6084
886	5625	20	0.05279	3	10	3.00	0	3	1430	0.15864	0.00811	19.96762	75.4897
887	5602	20	0.14331	3	10	3.00	0	3	573	0.43021	0.00325	19.98700	82.11663
888	3108	20	0.25834	3	10	3.00	0	0	1503	0.77634	0.00852	19.96597	388.285
889	5623	20	0.05952	3	10	3.00	0	3	417	0.17865	0.00236	19.99055	24.81984
890	5605	20	0.14493	3	10	3.00	0	3	64	0.43482	0.00037	19.99854	9.27552
890	5609	20	0.14109	3	10	3.00	0	3	386	0.42346	0.00219	19.99126	54.46074
891	5605	20	0.11545	3	10	3.00	0	3	450	0.34651	0.00255	19.98980	51.9525
891	5613	20	0.25134	3	10	3.00	0	3	600	0.75454	0.00340	19.98640	150.804
892	5613	20	0.08241	3	10	3.00	0	3	437	0.24735	0.00248	19.99010	36.01317
893	5611	20	0.16524	3	10	3.00	0	3	538	0.49601	0.00305	19.98780	88.89912
894	3352	20	0.13004	3	10	3.00	0	3	346	0.39026	0.00196	19.99215	44.99384
900	3447	20	0.09160	3	10	3.00	0	3	1062	0.27513	0.00602	19.97595	97.2792
900	3449	20	0.23521	3	10	3.00	0	3	2	0.70563	0.00001	19.99995	0.47042
901	3449	20	0.13853	3	10	3.00	0	3	246	0.41570	0.00140	19.99442	34.07838
901	3450	20	0.14754	3	10	3.00	0	3	394	0.44283	0.00223	19.99107	58.13076
901	3451	20	0.16592	3	10	3.00	0	3	105	0.49782	0.00059	19.99763	17.4216
902	3451	20	0.22403	3	10	3.00	0	3	1	0.67210	0.00000	19.99998	0.22403
902	3470	20	0.08858	3	10	3.00	0	3	642	0.26592	0.00364	19.98545	56.86836
903	3445	20	0.07309	3	10	3.00	0	3	812	0.21947	0.00460	19.98161	59.34908
903	3449	20	0.09036	3	10	3.00	0	3	2	0.27107	0.00001	19.99995	0.18072
903	3450	20	0.13035	3	10	3.00	0	3	0	0.39104	0.00000	19.99999	0
904	3450	20	0.16178	3	10	3.00	0	3	11	0.48536	0.00006	19.99976	1.77958
904	3451	20	0.11557	3	10	3.00	0	3	1	0.34672	0.00000	19.99998	0.11557
904	3460	20	0.09608	3	10	3.00	0	3	411	0.28837	0.00233	19.99068	39.48888
905	3444	20	0.10449	3	10	3.00	0	3	2130	0.31423	0.01208	19.95181	222.5637
906	3447	20	0.08040	3	10	3.00	0	3	3136	0.24206	0.01778	19.92914	252.1344
907	3445	20	0.07719	3	10	3.00	0	3	4546	0.23277	0.02577	19.89745	350.9057
908	3727	25	0.13674	2	10	1.00	0	3	2015	0.33042	0.03426	24.82984	275.5311
909	3727	25	0.12580	2	10	1.00	0	3	486	0.30241	0.00827	24.95871	61.1388
910	3734	25	0.07702	2	10	1.00	0	3	11	0.18485	0.00019	24.99906	0.84722
910	3758	25	0.05580	2	10	1.00	0	3	77	0.13396	0.00130	24.99348	4.2966
911	3733	25	0.11304	2	10	1.00	0	3	101	0.27139	0.00172	24.99142	11.41704
911	3737	25	0.15259	2	10	1.00	0	3	720	0.36711	0.01224	24.93893	109.8648
912	3732	25	0.07955	2	10	1.00	0	3	1684	0.19202	0.02865	24.85758	133.9622
912	3737	25	0.11716	2	10	1.00	0	3	1563	0.28268	0.02658	24.86783	183.1211
913	3717	25	0.08917	2	10	1.00	0	3	903	0.21466	0.01536	24.92344	80.52051
913	3730	25	0.09717	2	10	1.00	0	3	237	0.23339	0.00404	24.97984	23.02929
914	3730	25	0.14047	2	10	1.00	0	3	1706	0.33908	0.02902	24.85575	239.6418
915	3751	25	0.09622	2	10	1.00	0	3	688	0.23147	0.01169	24.94167	66.19936
915	3753	25	0.12528	2	10	1.00	0	3	24	0.30069	0.00041	24.99796	3.00672
915	8611	25	0.09425	2	10	1.00	0	3	1267	0.22716	0.02154	24.89276	119.4148
916	3755	25	0.11912	2	10	1.00	0	3	353	0.28624	0.00600	24.97005	42.04936
916	8613	25	0.12405	2	10	1.00	0	3	113	0.29784	0.00192	24.99041	14.01765
917	8613	25	0.08565	2	10	1.00	0	3	782	0.20610	0.01329	24.93371	66.9783
918	3756	25	0.14810	2	10	1.00	0	3	141	0.35561	0.00239	24.98804	20.8821
918	8607	25	0.12876	2	10	1.00	0	3	751	0.30981	0.01277	24.93630	96.69876
919	3759	25	0.08274	2	10	1.00	0	3	738	0.19908	0.01256	24.93737	61.06212
920	3761	25	0.10199	2	10	1.00	0	3	1534	0.24604	0.02609	24.87024	156.4527
921	3763	25	0.10373	2	10	1.00	0	3	350	0.24925	0.00595	24.97027	36.3055
921	8608	25	0.23597	2	10	1.00	0	3	274	0.56686	0.00466	24.97673	64.65578
922	8608	25	0.13554	2	10	1.00	0	3	641	0.32601	0.01090	24.94561	86.88114
923	3739	20	0.06950	2	10	1.00	0	3	317	0.20873	0.00539	19.97845	22.0315
924	3736	20	0.14760	2	10	1.00	0	3	453	0.44347	0.00770	19.96925	66.8628
924	3739	20	0.24738	2	10	1.00	0	3	231	0.74274	0.00393	19.98428	57.14478
925	3743	20	0.29123	2	10	1.00	0	3	721	0.87583	0.01227	19.95105	209.9768
926	8669	25	0.07228	2	10	1.00	7	3	3040	0.17527	0.05169	24.74418	219.7312
927	7359	25	0.04222	2	10	1.00	0	3	405	0.10146	0.00688	24.96563	17.0991
928	8679	25	0.11750	2	10	1.00	0	3	1214	0.28317	0.02064	24.89721	142.645
929	8625	25	0.08951	2	10	1.00	0	3	615	0.21528	0.01046	24.94782	55.04865
929	8661	25	0.09928	2	10	1.00	0	3	1	0.23827	0.00001	24.99993	0.09928
930	3765	25	0.16884	2	10	1.00	0	3	1121	0.40676	0.01906	24.90505	189.2696
930	3767	25	0.09726	2	10	1.00	0	3	848	0.23411	0.01443	24.92807	82.47648
931	3769	20	0.14551	2	10	1.00	0	3	1005	0.43803	0.01709	19.93188	146.2376
932	3771	20	0.12038	2	10	1.00	0	3	488	0.36174	0.00830	19.96687	58.74544
932	8648	20	0.10354	2	10	1.00	0	3	62	0.31070	0.00106	19.99578	6.41948
933	8981	25	0.05363	2	10	1.00	0	3	0	0.12872	0.00000	25.00000	0

A	B	SPEED	DISTANCE	SPDCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
934	8989	25	0.06036	2	10	1.00	0	3	163	0.14494	0.00278	24.98611	9.83868
935	3769	25	0.09076	2	10	1.00	0	3	1323	0.21880	0.02251	24.88797	120.0755
936	8621	20	0.11419	2	10	1.00	0	0	747	0.34343	0.01270	19.94932	85.29993
937	9104	20	0.13919	2	10	1.00	0	3	1155	0.41921	0.01965	19.92172	160.7645
938	3736	20	0.27206	2	10	1.00	0	3	1058	0.81911	0.01799	19.92829	287.8395
938	9104	20	0.17427	2	10	1.00	0	3	536	0.52375	0.00912	19.96359	93.40872
939	9101	20	0.08703	2	10	1.00	0	3	186	0.26126	0.00317	19.98734	16.18758
939	9103	20	0.12589	2	10	1.00	0	3	114	0.37782	0.00194	19.99225	14.35146
940	3707	20	0.08705	2	10	1.00	0	3	183	0.26131	0.00311	19.98757	15.93015
940	9102	20	0.06686	2	10	1.00	0	3	144	0.20067	0.00245	19.99021	9.62784
1100	15058	20	0.10189	2	10	1.00	0	0	1423	0.30716	0.02421	19.90363	144.9895
1100	23338	20	0.12735	2	10	1.00	0	0	1405	0.38387	0.02389	19.90488	178.9268
1101	25087	20	0.13718	2	10	1.00	7	0	1443	0.41356	0.02454	19.90231	197.9507
1102	3716	20	0.23538	2	10	1.00	7	3	881	0.70826	0.01498	19.94027	207.3698
1102	9584	20	0.29424	2	10	1.00	7	3	1227	0.88640	0.02087	19.91685	361.0325
1103	9364	20	0.14929	2	10	1.00	7	3	280	0.44830	0.00477	19.98094	41.8012
1103	25067	20	0.13418	2	10	1.00	7	3	1385	0.40443	0.02356	19.90620	185.8393
1103	25079	20	0.23913	2	10	1.00	7	3	7	0.71740	0.00013	19.99949	1.67391
1104	25063	20	0.10372	2	10	1.00	7	3	104	0.31126	0.00176	19.99295	10.78688
1104	25074	20	0.08253	2	10	1.00	7	3	203	0.24775	0.00346	19.98619	16.75359
1104	25081	20	0.11049	2	10	1.00	7	3	5	0.33146	0.00008	19.99968	0.55245
1105	25067	20	0.14744	2	10	1.00	7	3	6	0.44234	0.00010	19.99962	0.88464
1105	25069	20	0.16449	2	10	1.00	7	3	47	0.49356	0.00080	19.99679	7.73103
1105	25078	20	0.09665	2	10	1.00	7	3	844	0.29079	0.01436	19.94274	81.5726
1106	3708	20	0.18200	2	10	1.00	0	3	1835	0.54940	0.03121	19.87591	333.97
1106	25049	20	0.12337	2	10	1.00	0	3	1640	0.37219	0.02789	19.88905	202.3268
1107	8663	20	0.24058	2	10	1.00	7	3	2560	0.72802	0.04353	19.82737	615.8848
1107	9585	20	0.26635	2	10	1.00	7	3	2906	0.80695	0.04941	19.80428	774.0131
1109	9595	20	0.41260	2	10	1.00	0	0	54	1.23801	0.00092	19.99633	22.2804
1109	25129	20	0.19365	2	10	1.00	0	0	1502	0.58391	0.02554	19.89836	290.8623
1109	25189	20	0.21562	2	10	1.00	0	0	966	0.64897	0.01643	19.93449	208.2889
1110	9365	25	0.14531	2	10	1.00	7	3	1438	0.35044	0.02446	24.87830	208.9558
1111	9578	25	0.11709	2	10	1.00	7	3	1035	0.28201	0.01760	24.91230	121.1882
1112	9357	25	0.18402	2	10	1.00	7	3	296	0.44210	0.00504	24.97483	54.46992
1112	9389	25	0.22707	2	10	1.00	7	3	949	0.54673	0.01613	24.91960	215.4894
1113	9386	20	0.18560	2	10	1.00	0	0	2603	0.56172	0.04427	19.82449	483.1168
1114	5032	25	0.52035	2	10	1.00	7	3	152	1.24948	0.00259	24.98707	79.0932
1114	9355	20	0.16984	2	10	1.00	0	0	3720	0.51595	0.06327	19.75007	631.8048
1115	9578	25	0.19451	2	10	1.00	7	3	681	0.46792	0.01158	24.94226	132.4613
1115	30003	25	0.18983	2	10	1.00	7	3	221	0.45594	0.00376	24.98121	41.95243
1116	9356	20	0.20014	2	10	1.00	0	0	860	0.60217	0.01462	19.94169	172.1204
1117	9354	20	0.17931	2	10	1.00	0	0	1267	0.54025	0.02154	19.91420	227.1858
1118	9352	20	0.21011	2	10	1.00	0	0	1545	0.63365	0.02627	19.89546	324.62
1118	23261	20	0.19036	2	10	1.00	0	0	713	0.57246	0.01212	19.95163	135.7267
1119	5032	25	0.33159	2	10	1.00	7	3	194	0.79635	0.00330	24.98351	64.32846
1119	9352	20	0.17364	2	10	1.00	0	0	365	0.52158	0.00620	19.97522	63.3786
1119	9593	20	0.22692	2	10	1.00	0	0	335	0.68153	0.00570	19.97724	76.0182
1120	9370	25	0.19777	2	10	1.00	7	3	1148	0.47651	0.01952	24.90278	227.04
1121	9367	25	0.10061	2	10	1.00	7	3	773	0.24210	0.01315	24.93445	77.77153
1122	9371	25	0.12071	2	10	1.00	7	3	766	0.29047	0.01303	24.93503	92.46386
1122	9596	25	0.09566	2	10	1.00	7	3	544	0.23001	0.00926	24.95380	52.03904
1123	9342	25	0.06134	2	10	1.00	7	3	917	0.14768	0.01559	24.92227	56.24878
1124	9381	25	0.12902	2	10	1.00	7	3	911	0.31060	0.01549	24.92278	117.5372
1124	24911	25	0.11334	2	10	1.00	7	3	180	0.27218	0.00306	24.98472	20.4012
1125	9591	25	0.09899	2	10	1.00	7	3	1583	0.23886	0.02692	24.86613	156.7012
1126	9341	25	0.13878	2	10	1.00	7	3	428	0.33356	0.00728	24.96363	59.39784
1126	9574	25	0.11970	2	10	1.00	7	3	43	0.28732	0.00073	24.99634	5.1471
1126	9588	25	0.12605	2	10	1.00	7	3	135	0.30266	0.00230	24.98849	17.01675
1127	24903	25	0.07909	2	10	1.00	7	3	558	0.19018	0.00949	24.95264	44.13222
1128	9589	25	0.07764	2	10	1.00	7	3	201	0.18646	0.00342	24.98289	15.60564
1128	24900	25	0.08455	2	10	1.00	7	3	431	0.20321	0.00733	24.96339	36.44105
1129	9380	25	0.14667	2	10	1.00	7	3	86	0.35212	0.00146	24.99269	12.61362
1129	9611	25	0.08999	2	10	1.00	7	3	655	0.21646	0.01114	24.94441	58.94345
1130	9573	25	0.14082	2	10	1.00	7	3	3829	0.34237	0.06512	24.67860	539.1998
1130	9587	25	0.12221	2	10	1.00	7	3	1180	0.29447	0.02006	24.90008	144.2078
1130	9589	25	0.12471	2	10	1.00	7	3	30	0.29933	0.00051	24.99743	3.7413
1131	3616	20	0.17211	3	10	3.00	0	3	8213	0.52114	0.04656	19.81549	1413.539
1132	5515	20	0.18811	3	10	3.00	0	3	2499	0.56592	0.01417	19.94348	470.0869
1188	8796	25	0.04916	2	10	1.00	1	3	678	0.11825	0.01152	24.94251	33.33048
1189	3725	25	0.30147	2	10	1.00	0	3	1593	0.72745	0.02709	24.86529	480.2417
1198	13410	20	0.05520	2	10	1.00	0	0	349	0.16580	0.00594	19.97626	19.2648
1201	24791	20	0.25216	2	10	1.00	0	0	0	0.75648	0.00000	20.00000	0
1202	14153	20	0.16068	2	10	1.00	0	0	136	0.48226	0.00230	19.99079	21.85248
1202	23262	20	0.10976	2	10	1.00	0	0	499	0.32984	0.00848	19.96614	54.77024
1202	23275	20	0.16227	2	10	1.00	0	0	576	0.48776	0.00979	19.96091	93.46752
1203	23264	20	0.15815	2	10	1.00	0	0	519	0.47527	0.00883	19.96472	82.07985
1203	23275	20	0.10071	2	10	1.00	0	0	1296	0.30346	0.02204	19.91222	130.5202
1203	23277	20	0.14685	2	10	1.00	0	0	1579	0.44292	0.02686	19.89314	231.8762
1204	14157	20	0.16068	2	10	1.00	0	0	540	0.48292	0.00918	19.96334	86.7672
1204	23262	20	0.15754	2	10	1.00	0	0	664	0.47368	0.01129	19.95495	104.6066
1204	23278	20	0.17031	2	10	1.00	0	0	153	0.51120	0.00261	19.98958	26.05743
1205	23264	20	0.15789	2	10	1.00	0	0	697	0.47478	0.01185	19.95271	110.0493
1205	23278	20	0.08754	2	10	1.00	0	0	885	0.26341	0.01505	19.93999	77.4729

A	B	SPEED	DISTANCE	SPDCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
1205	23280	20	0.16148	2	10	1.00	0	0	0	0.48444	0.00000	20.00000	0
1206	23282	20	0.16627	2	10	1.00	0	0	406	0.49951	0.00691	19.97241	67.50562
1206	25052	20	0.13488	2	10	1.00	0	0	523	0.40536	0.00890	19.96446	70.54224
1207	23282	20	0.13159	2	10	1.00	0	0	369	0.39526	0.00628	19.97492	48.55671
1207	23283	20	0.13306	2	10	1.00	0	0	781	0.40025	0.01327	19.94705	103.9199
1207	23284	20	0.18811	2	10	1.00	0	0	457	0.56520	0.00777	19.96898	85.96627
1208	12276	20	0.09997	2	10	1.00	0	0	150	0.30007	0.00256	19.98977	14.9955
1208	23283	20	0.09788	2	10	1.00	0	0	400	0.29403	0.00681	19.97280	39.152
1208	23319	20	0.12330	2	10	1.00	0	0	1	0.36990	0.00002	19.99992	0.1233
1209	23280	20	0.13119	2	10	1.00	0	0	908	0.39479	0.01544	19.93843	119.1205
1210	23260	20	0.12280	2	10	1.00	0	0	108	0.36854	0.00183	19.99268	13.2624
1210	23284	20	0.11797	2	10	1.00	0	0	92	0.35402	0.00156	19.99374	10.85324
1211	12276	20	0.16066	2	10	1.00	0	0	79	0.48209	0.00134	19.99466	12.69214
1211	25053	20	0.11997	2	10	1.00	0	0	446	0.36045	0.00758	19.96972	53.50662
1224	9800	25	0.07534	2	10	1.00	4	3	1533	0.18176	0.02607	24.87031	115.4962
1225	9801	25	0.05713	2	10	1.00	4	3	62	0.13713	0.00105	24.99475	3.54206
1225	9802	25	0.05991	2	10	1.00	4	3	1205	0.14438	0.02049	24.89796	72.19155
1226	9803	25	0.07131	2	10	1.00	4	3	4633	0.17384	0.07878	24.61219	330.3792
1227	9614	25	0.07340	2	10	1.00	0	3	645	0.17656	0.01096	24.94531	47.343
1228	9614	25	0.12102	2	10	1.00	0	3	466	0.29091	0.00792	24.96047	56.39532
1228	9615	25	0.18572	2	10	1.00	0	3	1326	0.44774	0.02256	24.88773	246.2647
1229	9095	25	0.08470	2	10	1.00	0	3	633	0.20371	0.01076	24.94633	53.6151
1229	9619	25	0.13098	2	10	1.00	0	3	471	0.31486	0.00802	24.95997	61.69158
1230	5650	25	0.17834	2	10	1.00	4	3	4041	0.43390	0.06872	24.66108	720.6719
1231	13976	25	0.08749	2	10	1.00	3	3	3960	0.21280	0.06734	24.66778	346.4604
1231	25041	25	0.13891	2	10	1.00	3	3	1242	0.33479	0.02112	24.89483	172.5262
1232	25041	25	0.11603	2	10	1.00	3	3	1493	0.27989	0.02539	24.87372	173.2328
1233	25043	25	0.12830	2	10	1.00	3	3	1215	0.30920	0.02067	24.89707	155.8845
1233	25044	25	0.12322	2	10	1.00	3	3	672	0.29639	0.01143	24.94297	82.80384
1294	5644	25	0.12133	2	10	1.00	1	3	189	0.29138	0.00321	24.98396	22.93137
1294	5952	25	0.07945	2	10	1.00	1	3	937	0.19128	0.01594	24.92057	74.44465
1295	8912	25	0.08418	2	10	1.00	1	3	310	0.20226	0.00526	24.97371	26.0958
1295	8937	25	0.05489	2	10	1.00	1	3	358	0.13189	0.00610	24.96955	19.65062
1296	8765	25	0.05999	2	10	1.00	4	3	525	0.14424	0.00893	24.95543	31.49475
1297	8754	25	0.09075	2	10	1.00	4	3	586	0.21824	0.00997	24.95024	53.1795
1297	8884	25	0.11460	2	10	1.00	4	3	483	0.27550	0.00822	24.95897	55.3518
1298	5679	25	0.07411	2	10	1.00	1	3	356	0.17807	0.00606	24.96972	26.38316
1299	23265	20	0.11263	2	10	1.00	0	0	152	0.33806	0.00258	19.98967	17.11976
1299	24062	20	0.09349	2	10	1.00	0	0	155	0.28063	0.00264	19.98944	14.49095
1312	9610	20	0.13291	2	10	1.00	0	0	282	0.39911	0.00479	19.98085	37.48062
1312	23265	20	0.11413	2	10	1.00	0	0	371	0.34283	0.00632	19.97477	42.34223
1313	12272	20	0.14073	2	10	1.00	0	0	378	0.42272	0.00642	19.97434	53.19594
1313	12274	20	0.09543	2	10	1.00	0	0	470	0.28676	0.00799	19.96808	44.8521
1313	24035	20	0.14076	2	10	1.00	0	0	430	0.42291	0.00732	19.97077	60.5268
1314	12270	20	0.17895	2	10	1.00	0	0	1010	0.53870	0.01718	19.93150	180.7395
1314	12272	20	0.13795	2	10	1.00	0	0	2651	0.41757	0.04509	19.82125	365.7055
1314	14123	20	0.11617	2	10	1.00	0	0	5401	0.35490	0.09186	19.63919	627.4342
1315	12292	20	0.13559	2	10	1.00	0	0	177	0.40701	0.00300	19.98800	23.99943
1315	12293	20	0.13065	2	10	1.00	0	0	188	0.39220	0.00320	19.98719	24.5622
1315	24065	20	0.13322	2	10	1.00	0	0	499	0.40035	0.00849	19.96609	66.47678
1316	12294	20	0.13380	2	10	1.00	0	0	617	0.40224	0.01048	19.95815	82.5546
1316	24065	20	0.20010	2	10	1.00	0	0	423	0.60115	0.00720	19.97124	84.6423
1317	9347	20	0.18601	2	10	1.00	0	0	826	0.55959	0.01405	19.94395	153.6443
1317	12293	20	0.16981	2	10	1.00	0	0	373	0.51007	0.00634	19.97467	63.33913
1317	12294	20	0.13025	2	10	1.00	0	0	805	0.39182	0.01370	19.94537	104.8513
1317	17260	20	0.13941	2	10	1.00	0	0	1059	0.41973	0.01801	19.92822	147.6352
1318	9347	20	0.16621	2	10	1.00	0	0	374	0.49927	0.00637	19.97457	62.16254
1318	24671	20	0.14142	2	10	1.00	0	0	738	0.42533	0.01255	19.94992	104.368
1319	16567	20	0.11499	2	10	1.00	0	0	5037	0.35088	0.08566	19.66312	579.2046
1319	16568	20	0.19913	2	10	1.00	0	0	1729	0.60089	0.02941	19.88304	344.2958
1331	12160	20	0.12354	2	10	1.00	0	0	1131	0.37205	0.01924	19.92334	139.7237
1331	23288	20	0.12232	2	10	1.00	0	0	3849	0.37176	0.06545	19.74157	470.8097
1331	23339	20	0.11320	2	10	1.00	0	0	1511	0.34135	0.02569	19.89775	171.0452
1332	12160	20	0.11151	2	10	1.00	0	0	215	0.33477	0.00366	19.98537	23.97465
1332	23288	20	0.10464	2	10	1.00	0	0	524	0.31447	0.00891	19.96442	54.83136
1333	9610	20	0.14302	2	10	1.00	0	0	479	0.42977	0.00815	19.96746	68.50658
1333	12300	20	0.18300	2	10	1.00	0	0	185	0.54935	0.00314	19.98744	33.855
1334	23333	20	0.05381	2	10	1.00	0	0	369	0.16164	0.00627	19.97496	19.85589
1340	23338	20	0.12322	2	10	1.00	0	0	777	0.37063	0.01321	19.94729	95.74194
1341	12266	20	0.14221	2	10	1.00	0	0	2432	0.43017	0.04136	19.83591	345.8547
1341	14153	20	0.13352	2	10	1.00	0	0	45	0.40063	0.00077	19.99691	6.0084
1341	23273	20	0.16734	2	10	1.00	0	0	1459	0.50451	0.02482	19.90121	244.1491
1342	23279	20	0.14911	2	10	1.00	0	0	1036	0.44890	0.01762	19.92977	154.478
1343	14157	20	0.17215	2	10	1.00	0	0	995	0.51820	0.01693	19.93252	171.2893
1344	14157	20	0.18786	2	10	1.00	0	0	4	0.56357	0.00006	19.99975	0.75144
1344	23317	20	0.08394	2	10	1.00	0	0	392	0.25215	0.00667	19.97334	32.90448
1344	23325	20	0.08754	2	10	1.00	0	0	346	0.26293	0.00588	19.97650	30.28884
1345	23317	20	0.12663	2	10	1.00	0	0	0	0.37988	0.00000	20.00000	0
1346	12165	20	0.12453	2	10	1.00	0	0	332	0.37402	0.00564	19.97745	41.34396
1346	23324	20	0.11843	2	10	1.00	0	0	303	0.35567	0.00516	19.97938	35.88429
1347	12165	20	0.13217	2	10	1.00	0	0	536	0.39723	0.00912	19.96358	70.84312
1347	12270	20	0.14959	2	10	1.00	0	0	808	0.45000	0.01373	19.94521	120.8687
1347	12274	20	0.16704	2	10	1.00	0	0	4	0.50113	0.00008	19.99969	0.66816

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT	
1348	23319	20	0.13712	2	10	1.00	0	0	0	1	0.41137	0.00002	19.99992	0.13712
1348	25052	20	0.10479	2	10	1.00	0	0	0	682	0.31510	0.01159	19.95374	71.46678
1349	12295	20	0.13093	2	10	1.00	0	0	0	1463	0.39474	0.02489	19.90095	191.5506
1349	12296	20	0.16063	2	10	1.00	0	0	0	1910	0.48503	0.03249	19.87090	306.8033
1350	12298	20	0.07997	2	10	1.00	0	0	0	403	0.24025	0.00685	19.97262	32.22791
1350	12299	20	0.14589	2	10	1.00	0	0	0	79	0.43778	0.00135	19.99460	11.52531
1351	12300	20	0.17139	2	10	1.00	0	0	0	221	0.51456	0.00376	19.98495	37.87719
1351	24671	20	0.09202	2	10	1.00	0	0	0	356	0.27639	0.00606	19.97579	32.75912
1355	9340	20	0.15889	2	10	1.00	0	0	0	958	0.47822	0.01630	19.93501	152.2166
1355	24037	20	0.08326	2	10	1.00	0	0	0	655	0.25034	0.01113	19.95557	54.5353
1356	14125	20	0.15910	2	10	1.00	0	0	0	476	0.47808	0.00809	19.96769	75.7316
1356	23324	20	0.13327	2	10	1.00	0	0	0	22	0.39985	0.00038	19.99849	2.93194
1356	24035	20	0.12644	2	10	1.00	0	0	0	278	0.37969	0.00473	19.98111	35.15032
1357	12291	20	0.14336	2	10	1.00	0	0	0	18	0.43011	0.00031	19.99874	2.58048
1357	12292	20	0.14028	2	10	1.00	0	0	0	51	0.42092	0.00086	19.99655	7.15428
1357	14125	20	0.11015	2	10	1.00	0	0	0	527	0.33104	0.00896	19.96424	58.04905
1357	23332	20	0.14310	2	10	1.00	0	0	0	233	0.42964	0.00396	19.98417	33.3423
1358	9344	20	0.17979	2	10	1.00	0	0	0	55	0.53948	0.00094	19.99624	9.88845
1358	9345	20	0.16514	2	10	1.00	0	0	0	257	0.49584	0.00438	19.98251	42.44098
1358	12291	20	0.16757	2	10	1.00	0	0	0	118	0.50291	0.00201	19.99197	19.77326
1358	17260	20	0.12327	2	10	1.00	0	0	0	2163	0.37253	0.03679	19.85392	266.633
1359	9344	20	0.09928	2	10	1.00	0	0	0	1312	0.29918	0.02231	19.91116	130.2554
1359	12297	20	0.11927	2	10	1.00	0	0	0	496	0.35841	0.00843	19.96632	59.15792
1359	24062	20	0.16082	2	10	1.00	0	0	0	825	0.48381	0.01404	19.94401	132.6765
1415	22798	0	0.19380	2	10	0.00	0	0	0	0	0.00000	0.00000	0.00000	0
1415	23096	0	0.19726	2	10	0.00	0	0	0	0	0.00000	0.00000	0.00000	0
1418	23099	0	0.09099	2	10	0.00	0	0	0	0	0.00000	0.00000	0.00000	0
1419	9519	0	0.12036	2	10	0.00	0	0	0	0	0.00000	0.00000	0.00000	0
1419	22799	0	0.10499	2	10	0.00	0	0	0	0	0.00000	0.00000	0.00000	0
1502	9387	20	0.13681	2	10	1.00	0	0	0	0	0.41042	0.00000	20.00000	0
1503	24791	20	0.17141	2	10	1.00	0	0	0	426	0.51496	0.00725	19.97105	73.02066
1504	24791	20	0.13613	2	10	1.00	0	0	0	520	0.40910	0.00884	19.96472	70.7876
1505	24777	20	0.14990	2	10	1.00	0	0	0	408	0.45034	0.00694	19.97228	61.1592
1505	24779	20	0.14282	2	10	1.00	0	0	0	95	0.42861	0.00162	19.99354	13.5679
1506	24779	20	0.09131	2	10	1.00	0	0	0	288	0.27420	0.00490	19.98042	26.29728
1507	24782	20	0.04661	2	10	1.00	0	0	0	707	0.14016	0.01203	19.95199	32.95327
1508	24777	20	0.09754	2	10	1.00	0	0	0	166	0.29277	0.00282	19.98873	16.19164
1508	24779	20	0.08535	2	10	1.00	0	0	0	39	0.25608	0.00067	19.99733	3.32865
1509	24777	20	0.08185	2	10	1.00	0	0	0	194	0.24572	0.00330	19.98680	15.8789
1510	24777	20	0.11921	2	10	1.00	0	0	0	767	0.35857	0.01304	19.94798	91.43407
1510	25056	20	0.11507	2	10	1.00	0	0	0	192	0.34543	0.00326	19.98698	22.09344
1511	24795	20	0.09320	2	10	1.00	0	0	0	230	0.27983	0.00392	19.98434	21.436
1512	24767	20	0.12084	2	10	1.00	0	0	0	268	0.36285	0.00455	19.98181	32.38512
1512	24795	20	0.06001	2	10	1.00	0	0	0	83	0.18008	0.00141	19.99438	4.98083
1513	9384	20	0.05767	2	10	1.00	0	0	0	2	0.17300	0.00003	19.99986	0.11534
1514	24789	20	0.11457	2	10	1.00	0	0	0	162	0.34390	0.00276	19.98897	18.56034
1514	30005	20	0.14954	2	10	1.00	0	0	0	588	0.44951	0.01000	19.96007	87.92952
1515	25127	20	0.08742	2	10	1.00	0	0	0	4511	0.26628	0.07672	19.69777	394.3516
1516	24777	20	0.11134	2	10	1.00	0	0	0	310	0.33438	0.00527	19.97896	34.5154
1516	25056	20	0.10092	2	10	1.00	0	0	0	81	0.30283	0.00137	19.99452	8.17452
1517	3712	20	0.04573	2	10	1.00	0	0	0	1383	0.13782	0.02351	19.90638	63.24459
1518	24793	20	0.11624	2	10	1.00	0	0	0	213	0.34898	0.00362	19.98554	24.75912
1519	25130	20	0.05500	2	10	1.00	0	0	0	442	0.16523	0.00752	19.96995	24.31
1520	24794	20	0.09959	2	10	1.00	0	0	0	0	0.29877	0.00000	20.00000	0
1521	24794	20	0.08734	2	10	1.00	0	0	0	328	0.26230	0.00559	19.97768	28.64752
1522	24794	20	0.10915	2	10	1.00	0	0	0	0	0.32744	0.00000	20.00000	0
1542	5518	25	0.13532	2	10	1.00	4	3	3	618	0.32545	0.01051	24.94758	83.62776
1542	24840	25	0.18733	2	10	1.00	4	3	3	327	0.45010	0.00556	24.97225	61.25691
1573	9371	25	0.23413	2	10	1.00	7	3	3	131	0.56217	0.00223	24.98886	30.67103
1573	24908	25	0.09175	2	10	1.00	7	3	3	996	0.22094	0.01693	24.91563	91.383
1574	24904	25	0.20208	2	10	1.00	7	3	3	860	0.48641	0.01463	24.92706	173.7888
1575	9357	20	0.17667	2	10	1.00	7	3	3	1443	0.53261	0.02454	19.90232	254.9348
1575	9585	20	0.25819	2	10	1.00	7	3	3	362	0.77551	0.00616	19.97540	93.46478
1576	9364	20	0.14289	2	10	1.00	7	3	3	1095	0.43026	0.01862	19.92578	156.4646
1577	9580	20	0.28728	2	10	1.00	0	3	3	483	0.86327	0.00822	19.96718	138.7562
1578	9334	20	0.10244	2	10	1.00	0	0	0	1457	0.30885	0.02478	19.90138	149.2551
1581	25084	20	0.12259	2	10	1.00	7	3	3	381	0.36824	0.00648	19.97410	46.70679
1581	25086	20	0.12491	2	10	1.00	7	3	3	338	0.37515	0.00575	19.97702	42.21958
1582	9361	20	0.04508	2	10	1.00	7	3	3	1618	0.13598	0.02752	19.89054	72.93944
1583	25084	20	0.09121	2	10	1.00	7	3	3	1394	0.27491	0.02371	19.90562	127.1467
1584	25074	20	0.09717	2	10	1.00	7	3	3	1519	0.29303	0.02583	19.89721	147.6012
1584	25082	20	0.10589	2	10	1.00	7	3	3	0	0.31768	0.00000	20.00000	0
1585	25071	20	0.10792	2	10	1.00	7	3	3	390	0.32418	0.00663	19.97351	42.0888
1585	25082	20	0.10418	2	10	1.00	7	3	3	159	0.31272	0.00270	19.98921	16.56462
1586	25065	20	0.09217	2	10	1.00	7	3	3	6	0.27653	0.00010	19.99960	0.55302
1586	25069	20	0.11254	2	10	1.00	7	3	3	2	0.33761	0.00004	19.99986	0.22508
1586	25076	20	0.08200	2	10	1.00	7	3	3	476	0.24639	0.00809	19.96769	39.032
1586	25081	20	0.09493	2	10	1.00	7	3	3	50	0.28485	0.00085	19.99661	4.7465
1587	25071	20	0.13096	2	10	1.00	7	3	3	129	0.39306	0.00219	19.99123	16.89384
1587	25078	20	0.13772	2	10	1.00	7	3	3	531	0.41390	0.00903	19.96395	73.12932
1588	25063	20	0.08645	2	10	1.00	7	3	3	726	0.26000	0.0		

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
1589	25079	20	0.08312	2	10	1.00	7	3	545	0.24982	0.00927	19.96300	45.3004
1589	25080	20	0.08779	2	10	1.00	7	3	255	0.26358	0.00433	19.98269	22.38645
2489	9334	45	0.21637	9	3	3.00	100	0	16449	0.31264	0.54854	41.52459	3559.07
2489	14123	45	0.24912	9	3	2.00	100	0	19244	0.46966	0.96258	31.82530	4794.065
2489	15058	45	0.23798	9	3	2.00	100	0	17792	0.41124	0.88996	34.72097	4234.14
2500	2501	45	0.15822	10	2	3.00	1	3	30957	0.27014	0.87747	35.14160	4898.017
2500	5885	45	0.23765	10	2	3.00	1	3	31562	0.41260	0.89463	34.55847	7500.709
2501	2500	45	0.15822	10	2	3.00	1	3	31562	0.27470	0.89463	34.55847	4993.74
2501	2502	45	0.16153	10	2	3.00	1	3	30957	0.27579	0.87747	35.14160	5000.484
2502	2501	45	0.16153	10	2	3.00	1	3	31562	0.28044	0.89463	34.55847	5098.21
2502	5882	45	0.19759	10	2	3.00	1	3	30957	0.33736	0.87747	35.14160	6116.794
2507	9346	35	0.23918	10	4	1.00	7	0	3016	0.42451	0.32062	33.80593	721.3669
2507	12295	45	0.30740	9	3	2.00	100	0	17364	0.52059	0.86855	35.42983	5337.694
2507	16567	45	0.28623	9	3	2.00	100	0	17693	0.49223	0.88501	34.89005	5064.267
2507	22539	35	0.06359	23	5	1.00	901	0	2729	0.11305	0.33149	33.75037	173.5371
2508	16567	45	0.18789	9	3	2.00	100	0	16500	0.30722	0.82534	36.69432	3100.185
2508	16568	35	0.22640	10	4	1.00	7	0	2064	0.39640	0.21938	34.26860	467.2896
2508	23339	45	0.14302	9	3	2.00	100	0	17008	0.23853	0.85074	35.97637	2432.484
2978	3616	45	0.28035	9	4	1.00	100	0	8335	0.48253	0.88590	34.86004	2336.717
3033	3596	45	0.22381	11	3	3.00	20	0	22710	0.35047	0.75731	38.31676	5082.725
3108	888	20	0.25834	3	10	3.00	0	0	1503	0.77634	0.00852	19.96597	388.285
3108	3305	50	0.29376	9	3	2.00	100	0	9474	0.37519	0.47390	46.97747	2783.082
3138	8942	40	0.40106	11	3	2.00	20	0	12632	0.66874	0.63186	35.98312	5066.19
3303	3304	50	0.90616	11	3	3.00	20	0	9649	1.12599	0.32178	48.28581	8743.538
3304	3303	50	0.90616	11	3	3.00	20	0	8509	1.11986	0.28376	48.55046	7710.515
3304	3342	50	0.45089	9	3	3.00	100	3	11313	0.56527	0.37726	47.85959	5100.919
3304	3653	35	0.08278	11	5	1.00	20	0	2051	0.14547	0.24910	34.14226	169.7818
3305	3108	50	0.29376	9	3	2.00	100	0	10406	0.37926	0.52049	46.47272	3056.867
3305	3342	50	0.46149	9	3	2.00	100	3	9474	0.58942	0.47390	46.97747	4372.156
3342	3304	50	0.45089	9	3	3.00	100	3	10263	0.56204	0.34224	48.13450	4627.484
3342	3305	50	0.46149	9	3	2.00	100	3	10406	0.59582	0.52049	46.47272	4802.265
3342	3352	45	0.07276	10	4	2.00	0	3	4303	0.09919	0.22868	44.00977	313.0863
3348	882	20	0.17992	3	10	3.00	0	3	653	0.54017	0.00370	19.98520	117.4878
3348	5613	45	0.14192	10	4	2.00	0	3	4663	0.19395	0.24783	43.90428	661.773
3348	5615	45	0.25857	10	4	2.00	0	3	5151	0.35457	0.27375	43.75512	1331.894
3349	3350	40	0.25757	10	5	1.00	0	3	474	0.38805	0.05760	39.82640	122.0882
3349	5615	40	0.11030	10	5	1.00	0	3	507	0.16623	0.06156	39.81232	55.9221
3350	882	20	0.14923	3	10	3.00	0	3	57	0.44771	0.00032	19.99871	8.50611
3350	3349	40	0.25757	10	5	1.00	0	3	507	0.38818	0.06156	39.81232	130.588
3350	3351	40	0.16147	10	5	1.00	0	0	483	0.24328	0.05865	39.82269	77.99001
3351	3350	40	0.16147	10	5	1.00	0	0	564	0.24349	0.06848	39.78745	91.06908
3352	275	20	0.30548	3	10	3.00	0	3	261	0.91670	0.00148	19.99408	79.73028
3352	894	20	0.13004	3	10	3.00	0	3	346	0.39026	0.00196	19.99215	44.99384
3352	3342	45	0.07276	10	4	2.00	0	3	4184	0.09912	0.22238	44.04367	304.4278
3352	5603	45	0.06696	10	4	2.00	0	3	4429	0.09137	0.23541	43.97317	296.5658
3364	5704	40	0.38466	10	4	2.00	2	0	8322	0.61008	0.44226	37.83086	3201.141
3385	9560	35	0.56802	10	4	1.00	2	0	7515	1.17243	0.79884	29.06889	4268.67
3444	905	20	0.10449	3	10	3.00	0	3	2130	0.31423	0.01208	19.95181	222.5637
3444	3445	40	0.15123	10	3	2.00	4	3	12100	0.24994	0.60524	36.30361	1829.883
3444	3450	30	0.16061	10	5	1.00	0	3	402	0.32236	0.04880	29.89307	64.56522
3444	3459	40	0.16590	10	3	2.00	4	3	14860	0.29008	0.74330	34.31557	2465.274
3445	903	20	0.07309	3	10	3.00	0	3	812	0.21947	0.00460	19.98161	59.34908
3445	907	20	0.07719	3	10	3.00	0	3	4546	0.23277	0.02577	19.89745	350.9057
3445	3444	40	0.15123	10	3	2.00	4	3	13699	0.25735	0.68524	35.25778	2071.7
3445	3446	40	0.21064	10	3	2.00	4	3	10946	0.34231	0.54752	36.92075	2305.665
3446	3445	40	0.21064	10	3	2.00	4	3	12545	0.35070	0.62752	36.03705	2642.479
3446	3447	40	0.14365	10	3	2.00	4	3	11190	0.23423	0.55973	36.79825	1607.444
3446	3449	30	0.23863	10	5	1.00	0	3	244	0.47818	0.02966	29.94247	58.22572
3447	900	20	0.09160	3	10	3.00	0	3	1062	0.27513	0.00602	19.97595	97.2792
3447	906	20	0.08040	3	10	3.00	0	3	3136	0.24206	0.01778	19.92914	252.1344
3447	3446	40	0.14365	10	3	2.00	4	3	12790	0.24020	0.63974	35.88335	1837.284
3447	3448	40	0.10935	10	3	2.00	4	0	12153	0.18089	0.60792	36.27253	1328.931
3448	3447	40	0.10935	10	3	2.00	4	0	13753	0.18630	0.68792	35.21812	1503.891
3449	900	20	0.23521	3	10	3.00	0	3	2	0.70563	0.00001	19.99995	0.47042
3449	901	20	0.13853	3	10	3.00	0	3	246	0.41570	0.00140	19.99442	34.07838
3449	903	20	0.09036	3	10	3.00	0	3	2	0.27107	0.00001	19.99995	0.18072
3449	3446	30	0.23863	10	5	1.00	0	3	244	0.47818	0.02965	29.94250	58.22572
3450	901	20	0.14754	3	10	3.00	0	3	390	0.44283	0.00221	19.99116	57.5406
3450	903	20	0.13035	3	10	3.00	0	3	0	0.39104	0.00000	19.99999	0
3450	904	20	0.16178	3	10	3.00	0	3	12	0.48536	0.00007	19.99973	1.94136
3450	3444	30	0.16061	10	5	1.00	0	3	404	0.32237	0.04908	29.89231	64.88644
3451	901	20	0.16592	3	10	3.00	0	3	108	0.49782	0.00061	19.99755	17.91936
3451	902	20	0.22403	3	10	3.00	0	3	1	0.67210	0.00000	19.99998	0.22403
3451	904	20	0.11557	3	10	3.00	0	3	0	0.34672	0.00000	19.99999	0
3451	3461	30	0.19348	10	5	1.00	0	3	104	0.38715	0.01263	29.98520	20.12192
3455	9560	35	0.44058	9	5	1.00	100	0	1463	0.76769	0.17767	34.43440	644.5685
3456	249	20	0.12739	3	10	3.00	0	3	1520	0.38283	0.00862	19.96559	193.6328
3456	3587	25	0.06686	10	4	2.00	4	3	2704	0.16250	0.14372	24.68595	180.7894
3456	3592	40	0.12828	10	3	2.00	4	3	9239	0.20428	0.46213	37.67682	1185.179
3456	9555	40	0.19389	10	3	2.00	4	3	11093	0.31572	0.55487	36.84752	2150.822
3457	238	20	0.06510	3	10	3.00	0	3	5742	0.19656	0.03255	19.87064	373.8042
3457	3458	40	0.08970	10	3	2.00	4	3	14958	0.15724	0.74821	34.22729	1341.733
3457	3468	30	0.15000	10	5	1.00	0	3	1499	0.30508	0.18213	29.50054	224.85

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
3457	9555	40	0.21960	10	3	2.00	4	3	12682	0.36649	0.63434	35.95202	2784.967
3458	238	20	0.12401	3	10	3.00	0	3	51	0.37206	0.00029	19.99884	6.32451
3458	3457	40	0.08970	10	3	2.00	4	3	14260	0.15454	0.71326	34.82551	1279.122
3458	3459	40	0.19618	10	3	2.00	4	3	15028	0.34453	0.75169	34.16367	2948.193
3459	3444	40	0.16590	10	3	2.00	4	3	13258	0.27983	0.66318	35.57206	2199.502
3459	3458	40	0.19618	10	3	2.00	4	3	14311	0.33839	0.71581	34.78416	2807.532
3459	3460	45	0.14740	11	4	3.00	0	3	19692	0.22415	0.69770	39.45418	2902.601
3459	5655	45	0.14923	10	3	3.00	4	3	32878	0.36888	1.09636	24.27361	4906.384
3460	239	20	0.05142	3	10	3.00	0	3	2417	0.15468	0.01370	19.94534	124.2821
3460	904	20	0.09608	3	10	3.00	0	3	410	0.28837	0.00232	19.99071	39.3928
3460	3459	45	0.14740	11	4	3.00	0	3	19762	0.22440	0.70017	39.41142	2912.919
3460	3461	45	0.11036	11	4	3.00	0	3	18306	0.16455	0.64861	40.23919	2020.25
3461	3451	30	0.19348	10	5	1.00	0	3	107	0.38716	0.01302	29.98424	20.70236
3461	3460	45	0.11036	11	4	3.00	0	3	18375	0.16470	0.65104	40.20300	2027.865
3461	3462	30	0.13835	10	5	1.00	0	3	4714	0.30189	0.57265	27.49814	652.1819
3461	3470	45	0.17095	11	4	3.00	0	3	14421	0.24467	0.51096	41.92286	2465.27
3462	3461	30	0.13835	10	5	1.00	0	3	4856	0.30343	0.58994	27.35779	671.8276
3462	3463	30	0.14331	10	5	1.00	0	3	4714	0.31270	0.57265	27.49814	675.5633
3463	3462	30	0.14331	10	5	1.00	0	3	4856	0.31430	0.58994	27.35779	695.9134
3463	3464	30	0.18963	10	5	1.00	0	3	4824	0.41539	0.58598	27.39053	914.7751
3463	3468	30	0.14207	10	5	1.00	0	3	682	0.28603	0.08280	29.80132	96.89174
3463	3469	30	0.11820	10	5	1.00	0	3	523	0.23757	0.06354	29.85393	61.8186
3464	3463	30	0.18963	10	5	1.00	0	3	4989	0.41798	0.60601	27.22102	946.0641
3464	3465	30	0.14746	10	5	1.00	0	3	309	0.29568	0.03755	29.92230	45.56514
3464	3466	30	0.09905	10	5	1.00	0	3	4891	0.21751	0.59415	27.32253	484.4536
3465	242	20	0.10373	3	10	3.00	0	3	198	0.31126	0.00112	19.99551	20.53854
3465	243	20	0.13141	3	10	3.00	0	3	112	0.39429	0.00063	19.99747	14.71792
3465	3464	30	0.14746	10	5	1.00	0	3	293	0.29563	0.03564	29.92721	43.20578
3466	244	20	0.17525	3	10	3.00	0	3	307	0.52592	0.00174	19.99304	53.80175
3466	3464	30	0.09905	10	5	1.00	0	3	5072	0.21904	0.61609	27.13196	502.3816
3466	3595	45	0.25421	11	3	3.00	0	3	18319	0.37413	0.61087	40.76768	4656.873
3466	3596	45	0.06332	11	3	3.00	0	3	21555	0.09723	0.71880	39.07722	1364.863
3467	241	20	0.05389	3	10	3.00	0	3	809	0.16182	0.00459	19.98166	43.59701
3467	242	20	0.11858	3	10	3.00	0	3	117	0.35577	0.00066	19.99736	13.87386
3467	3468	30	0.18518	10	5	1.00	0	3	944	0.37397	0.11463	29.71056	174.8099
3468	240	20	0.08040	3	10	3.00	0	3	638	0.24137	0.00362	19.98555	51.2952
3468	3457	30	0.15000	10	5	1.00	0	3	1546	0.30527	0.18784	29.48156	231.9
3468	3463	30	0.14207	10	5	1.00	0	3	653	0.28593	0.07937	29.81083	92.77171
3468	3467	30	0.18518	10	5	1.00	0	3	925	0.37389	0.11235	29.71722	171.2915
3469	245	20	0.14929	3	10	3.00	0	3	187	0.44797	0.00106	19.99575	27.91723
3469	246	20	0.04369	3	10	3.00	0	3	336	0.13113	0.00191	19.99237	14.67984
3469	3463	30	0.11820	10	5	1.00	0	3	529	0.23758	0.06423	29.85207	62.5278
3470	247	20	0.05124	3	10	3.00	0	3	521	0.15382	0.00295	19.98819	26.69604
3470	902	20	0.08858	3	10	3.00	0	3	642	0.26592	0.00364	19.98545	56.86836
3470	3461	45	0.17095	11	4	3.00	0	3	14351	0.24452	0.50846	41.94796	2453.303
3470	5661	45	0.10761	11	3	3.00	0	0	13851	0.15233	0.46189	42.38850	1490.506
3587	237	20	0.19558	3	10	3.00	0	3	55	0.58677	0.00031	19.99875	10.7569
3587	3456	25	0.06686	10	4	2.00	4	3	2735	0.16252	0.14534	24.68176	182.8621
3587	3588	30	0.09148	10	4	2.00	4	3	2759	0.18534	0.14664	29.61411	252.3933
3588	248	25	0.14634	2	10	1.00	4	3	6378	0.35884	0.10847	24.46917	933.3565
3588	3587	30	0.09148	10	4	2.00	4	3	2790	0.18538	0.14826	29.60906	255.2292
3588	3593	25	0.21442	10	4	1.00	4	0	3588	0.53801	0.38141	23.91279	769.339
3592	3456	40	0.12828	10	3	2.00	4	3	9878	0.20572	0.49412	37.41256	1267.15
3592	3594	40	0.16061	10	3	2.00	4	0	9239	0.25576	0.46213	37.67682	1483.876
3593	3588	25	0.21442	10	4	1.00	4	0	3619	0.53831	0.38466	23.89935	775.986
3593	3594	40	0.12823	10	3	3.00	8	2	25782	0.24243	0.85975	31.73748	3306.026
3593	3629	25	0.20062	11	4	2.00	20	2	10267	0.52139	0.54564	23.08703	2059.766
3593	8845	40	0.19129	10	3	3.00	4	2	31956	0.49240	1.06562	23.30891	6112.863
3594	3592	40	0.16061	10	3	2.00	4	0	9878	0.25757	0.49412	37.41256	1586.506
3594	3593	40	0.12823	10	3	3.00	8	2	26269	0.24597	0.87597	31.28071	3368.474
3594	3595	45	0.23893	10	3	3.00	8	0	17739	0.34951	0.59153	41.01681	4238.379
3595	243	20	0.13692	3	10	3.00	0	3	404	0.41096	0.00229	19.99084	55.31568
3595	244	20	0.13776	3	10	3.00	0	3	240	0.41340	0.00136	19.99457	33.0624
3595	3466	45	0.25421	11	3	3.00	0	3	17290	0.37020	0.57656	41.20043	4395.291
3595	3594	45	0.23893	10	3	3.00	8	0	18777	0.35344	0.62613	40.56098	4486.389
3596	244	20	0.21910	3	10	3.00	0	3	0	0.65729	0.00000	20.00000	0
3596	245	20	0.08842	3	10	3.00	0	3	498	0.26540	0.00282	19.98872	44.03316
3596	3033	45	0.22381	11	3	3.00	20	0	21483	0.34326	0.71639	39.12157	4808.11
3596	3466	45	0.06332	11	3	3.00	0	3	22777	0.09928	0.75953	38.26984	1442.24
3616	1131	20	0.17211	3	10	3.00	0	3	8213	0.52114	0.04656	19.81549	1413.539
3616	2978	45	0.28035	9	4	1.00	100	0	9516	0.57241	1.01144	29.38593	2667.811
3616	5515	45	0.39564	10	3	1.00	1	3	10510	0.87615	1.05139	27.09394	4158.176
3629	3593	25	0.20062	11	4	2.00	20	2	10298	0.52162	0.54731	23.07681	2065.985
3653	3304	35	0.08278	11	5	1.00	20	0	1961	0.14527	0.23817	34.18958	162.3316
3664	8972	40	0.28535	9	4	1.00	100	0	6424	0.48509	0.68279	35.29380	1833.088
3678	5892	45	0.10873	10	4	1.00	1	3	10834	0.31475	1.15159	20.72724	1177.981
3683	275	20	0.22959	3	10	3.00	0	0	39	0.68881	0.00022	19.99912	8.95401
3693	8981	30	0.30417	9	4	1.00	100	0	1307	0.61578	1.13897	29.63771	397.5502
3707	940	20	0.08705	2	10	1.00	0	3	185	0.26131	0.00314	19.98745	16.10425
3707	9101	30	0.21349	10	5	1.00	0	3	1894	0.43666	0.23012	29.33465	404.3501
3707	9103	30	0.13989	10	5	1.00	0	3	2108	0.28707	0.25613	29.23822	294.8881
3707	9104	30	0.26902	10	5	1.00	0	3	1659	0.54836	0.20149	29.43540	446.3042
3708	1106	20	0.18200	2	10	1.00	0	3	1846	0.54942	0.03139	19.87523	335.972

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
3708	9100	45	0.07462	9	4	1.00	100	3	1835	0.10133	0.19509	44.18576	136.9277
3712	1517	20	0.04573	2	10	1.00	0	0	1383	0.13782	0.02351	19.90638	63.24459
3712	9521	25	0.05808	10	5	1.00	0	0	397	0.13987	0.04818	24.91224	23.05776
3712	25130	25	0.04902	10	5	1.00	0	0	1124	0.11906	0.13659	24.70414	55.09848
3714	9363	30	0.20043	10	4	1.00	7	3	996	0.40443	0.10590	29.73594	199.6283
3714	25080	25	0.10178	10	5	1.00	0	3	266	0.24478	0.03227	24.94652	27.07348
3714	25087	30	0.10671	10	4	1.00	7	0	753	0.21478	0.08007	29.80888	80.35263
3716	1102	20	0.23538	2	10	1.00	7	3	880	0.70826	0.01496	19.94033	207.1344
3716	9364	30	0.19492	10	4	1.00	7	3	1540	0.39564	0.16370	29.56041	300.1768
3716	9583	30	0.18247	10	4	1.00	7	3	2521	0.37504	0.26797	29.19268	460.0069
3717	913	25	0.08917	2	10	1.00	0	3	905	0.21467	0.01540	24.92326	80.69885
3717	3719	40	0.10708	10	3	2.00	0	3	3604	0.16331	0.18027	39.34223	385.9163
3717	9619	40	0.07714	10	3	2.00	0	3	4436	0.11822	0.22189	39.15223	342.193
3719	3717	40	0.10708	10	3	2.00	0	3	3573	0.16328	0.17871	39.34905	382.5968
3719	3721	40	0.16430	10	3	2.00	0	3	3228	0.25005	0.16148	39.42333	530.3604
3719	3730	35	0.13970	10	5	1.00	0	3	3398	0.25178	0.41274	33.29091	474.7006
3719	9614	35	0.20585	10	3	1.00	0	3	2917	0.36382	0.29178	33.94741	600.4645
3721	3719	40	0.16430	10	3	2.00	0	3	3194	0.25000	0.15976	39.43063	524.7742
3721	3723	40	0.05892	10	3	2.00	0	3	3228	0.08967	0.16148	39.42333	190.1938
3723	3721	40	0.05892	10	3	2.00	0	3	3194	0.08966	0.15976	39.43063	188.1905
3723	3725	45	0.24512	10	3	2.00	0	3	3228	0.33160	0.16148	44.35125	791.2474
3725	1189	25	0.30147	2	10	1.00	0	3	1593	0.72745	0.02709	24.86529	480.2417
3725	3723	45	0.24512	10	3	2.00	0	3	3194	0.33154	0.15976	44.35946	782.9133
3725	3727	35	0.22417	10	5	1.00	0	3	1948	0.39332	0.23670	34.19587	436.6832
3725	9630	0	0.37417	10	3	0.00	0	3	0	0.00000	0.00000	0.00000	0
3727	908	25	0.13674	2	10	1.00	0	3	2015	0.33042	0.03426	24.82984	275.5311
3727	909	25	0.12580	2	10	1.00	0	3	486	0.30241	0.00827	24.95871	61.1388
3727	3725	35	0.22417	10	5	1.00	0	3	1914	0.39312	0.23251	34.21366	429.0614
3727	3729	35	0.21570	10	5	1.00	0	3	878	0.37307	0.10666	34.68937	189.3846
3729	3727	35	0.21570	10	5	1.00	0	3	844	0.37292	0.10248	34.70342	182.0508
3729	3734	35	0.11533	10	5	1.00	0	3	3677	0.20924	0.44661	33.07299	424.0684
3729	3758	35	0.07296	10	5	1.00	0	3	3517	0.13186	0.42727	33.19957	256.6003
3730	913	25	0.09717	2	10	1.00	0	3	235	0.23338	0.00400	24.98001	22.83495
3730	914	25	0.14047	2	10	1.00	0	3	1706	0.33908	0.02902	24.85575	239.6418
3730	3719	35	0.13970	10	5	1.00	0	3	3387	0.25172	0.41141	33.29915	473.1639
3730	3732	35	0.10975	10	5	1.00	0	3	3177	0.19685	0.38592	33.45179	348.6758
3731	3733	35	0.14370	10	5	1.00	0	3	3590	0.26015	0.43611	33.14243	515.883
3731	3758	35	0.06390	10	5	1.00	0	3	3671	0.11591	0.44597	33.07734	234.5769
3732	912	25	0.07955	2	10	1.00	0	3	1685	0.19202	0.02866	24.85754	134.0418
3732	3730	35	0.10975	10	5	1.00	0	3	3164	0.19680	0.38433	33.46103	347.249
3732	3735	35	0.07548	10	5	1.00	0	3	1492	0.13157	0.18123	34.42073	112.6162
3733	911	25	0.11304	2	10	1.00	0	3	90	0.27138	0.00153	24.99235	10.1736
3733	3731	35	0.14370	10	5	1.00	0	3	3671	0.26066	0.44597	33.07734	527.5227
3733	3735	35	0.17648	10	5	1.00	0	3	3500	0.31881	0.42518	33.21288	617.68
3734	910	25	0.07702	2	10	1.00	0	3	11	0.18485	0.00018	24.99910	0.84722
3734	3729	35	0.11533	10	5	1.00	0	3	3561	0.20865	0.43264	33.16503	410.6901
3734	3736	30	0.12028	10	5	1.00	0	3	3688	0.25465	0.44795	28.34058	443.5926
3735	3732	35	0.07548	10	5	1.00	0	3	1479	0.13155	0.17970	34.42662	111.6349
3735	3733	35	0.17648	10	5	1.00	0	3	3570	0.31934	0.43370	33.15813	630.0336
3735	3737	35	0.00683	10	5	1.00	0	3	4085	0.01252	0.49623	32.72009	27.90055
3736	924	20	0.14760	2	10	1.00	0	3	456	0.44348	0.00776	19.96900	67.3056
3736	938	20	0.27206	2	10	1.00	0	3	1070	0.81914	0.01820	19.92746	291.1042
3736	3734	30	0.12028	10	5	1.00	0	3	3572	0.25394	0.43392	28.42004	429.6402
3736	9101	30	0.12245	10	5	1.00	0	3	2180	0.25156	0.26487	29.20473	266.941
3737	911	25	0.15259	2	10	1.00	0	3	731	0.36712	0.01243	24.93800	111.5433
3737	912	25	0.11716	2	10	1.00	0	3	1562	0.28268	0.02657	24.86787	183.0039
3737	3735	35	0.00683	10	5	1.00	0	3	4142	0.01254	0.50321	32.66682	28.28986
3737	8660	35	0.17800	10	5	1.00	0	3	5394	0.34209	0.65525	31.21995	960.132
3739	923	20	0.06950	2	10	1.00	0	3	317	0.20873	0.00539	19.97845	22.0315
3739	924	20	0.24738	2	10	1.00	0	3	228	0.74273	0.00387	19.98452	56.40264
3739	3741	30	0.08864	10	5	1.00	0	3	4855	0.19439	0.58976	27.35929	430.3472
3739	9103	30	0.07538	10	5	1.00	0	3	5136	0.16712	0.62386	27.06155	387.1517
3741	3739	30	0.08864	10	5	1.00	0	3	4983	0.19534	0.60532	27.22703	441.6931
3741	3743	30	0.22143	10	5	1.00	0	3	4855	0.48561	0.58976	27.35929	1075.043
3743	925	20	0.29123	2	10	1.00	0	3	721	0.87583	0.01227	19.95105	209.9768
3743	3741	30	0.22143	10	5	1.00	0	3	4983	0.48797	0.60532	27.22703	1103.386
3743	3745	30	0.18216	10	5	1.00	0	3	5377	0.40810	0.65312	26.78127	979.4743
3745	3743	30	0.18216	10	5	1.00	0	3	5505	0.41055	0.66869	26.62175	1002.791
3745	3747	30	0.13827	10	5	1.00	0	3	5377	0.30977	0.65312	26.78127	743.4778
3747	3745	30	0.13827	10	5	1.00	0	3	5505	0.31162	0.66869	26.62175	761.1764
3747	8657	45	0.34205	10	3	3.00	0	3	27099	0.59947	0.90367	34.23495	9269.213
3747	8660	45	0.40090	10	3	3.00	0	3	31897	0.91303	1.06364	26.34532	12787.51
3749	8603	40	0.08018	10	3	2.00	0	3	7482	0.12559	0.37425	38.30725	599.9068
3749	8611	40	0.05377	10	3	2.00	0	3	7581	0.08430	0.37923	38.27481	407.6304
3751	915	25	0.09622	2	10	1.00	0	3	692	0.23148	0.01177	24.94130	66.58424
3751	8609	45	0.09186	10	3	3.00	0	3	30224	0.18634	1.00788	29.57748	2776.377
3751	8660	45	0.19512	10	3	3.00	0	3	30928	0.41405	1.03136	28.27424	6034.671
3753	915	25	0.12528	2	10	1.00	0	3	24	0.30069	0.00041	24.99796	3.00672
3753	3755	35	0.05654	10	5	1.00	0	3	1920	0.09916	0.23318	34.21082	108.5568
3753	8603	35	0.08130	10	5	1.00	0	3	1735	0.14220	0.21073	34.30405	141.0555
3755	916	25	0.11912	2	10	1.00	0	3	354	0.28624	0.00603	24.96990	42.16848
3755	3753	35	0.05654	10	5	1.00	0	3	1759	0.09892	0.21364	34.29219	99.45386
3755	3757	35	0.09108	10	5	1.00	0	3	1567	0.15892	0.19037	34.38526	142.7224

A	B	SPEED	DISTANCE	SPDCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
3756	918	25	0.14810	2	10	1.00	0	3	142	0.35561	0.00241	24.98795	21.0302
3756	3757	35	0.06065	10	5	1.00	0	3	141	0.10407	0.01710	34.96978	8.55165
3757	3755	35	0.09108	10	5	1.00	0	3	1408	0.15858	0.17105	34.45957	128.2406
3757	3756	35	0.06065	10	5	1.00	0	3	142	0.10407	0.01723	34.96941	8.6123
3757	8613	35	0.10872	10	5	1.00	0	3	1684	0.19003	0.20458	34.32890	183.0845
3758	910	25	0.05580	2	10	1.00	0	3	77	0.13396	0.00131	24.99344	4.2966
3758	3729	35	0.07296	10	5	1.00	0	3	3598	0.13212	0.43706	33.13620	262.5101
3758	3731	35	0.06390	10	5	1.00	0	3	3590	0.11569	0.43611	33.14243	229.401
3759	919	25	0.08274	2	10	1.00	0	3	738	0.19908	0.01256	24.93737	61.06212
3759	8605	40	0.29380	10	3	2.00	0	3	6657	0.45712	0.33297	38.56308	1955.827
3759	8607	40	0.10810	10	3	2.00	0	3	7263	0.16900	0.36327	38.37752	785.1303
3761	920	25	0.10199	2	10	1.00	0	3	1534	0.24604	0.02609	24.87024	156.4527
3761	8605	35	0.15998	10	5	1.00	0	3	1534	0.27902	0.18633	34.40102	245.4093
3763	921	25	0.10373	2	10	1.00	0	3	342	0.24924	0.00581	24.97099	35.47566
3763	8605	35	0.09148	10	5	1.00	0	3	350	0.15730	0.04252	34.89434	32.018
3765	930	25	0.16884	2	10	1.00	0	3	1117	0.40676	0.01899	24.90541	188.5943
3765	8655	40	0.10916	10	5	1.00	0	0	1121	0.16569	0.13617	39.52834	122.3684
3767	930	25	0.09726	2	10	1.00	0	3	853	0.23411	0.01450	24.92770	82.96278
3767	8623	30	0.08380	10	5	1.00	0	3	5347	0.18750	0.64954	26.81695	448.0786
3767	8625	30	0.25172	10	5	1.00	0	3	6588	0.60673	0.80030	24.89236	1658.331
3769	931	20	0.14551	2	10	1.00	0	3	1005	0.43803	0.01709	19.93188	146.2376
3769	935	25	0.09076	2	10	1.00	0	3	1323	0.21880	0.02251	24.88797	120.0755
3769	8625	40	0.18483	10	3	2.00	0	3	6893	0.28811	0.34479	38.49215	1274.033
3769	8989	40	0.14354	10	3	2.00	0	3	6870	0.22370	0.34366	38.49900	986.1198
3771	932	20	0.12038	2	10	1.00	0	3	489	0.36174	0.00831	19.96681	58.86582
3771	3772	45	0.22021	10	3	2.00	0	3	17331	0.37237	0.86687	35.48297	3816.46
3771	8986	45	0.15686	10	3	2.00	8	3	17600	0.26856	0.88037	35.04586	2760.736
3772	3771	45	0.22021	10	3	2.00	0	3	17456	0.37448	0.87313	35.28316	3843.986
3772	8987	45	0.09762	10	3	2.00	0	3	17331	0.16507	0.86687	35.48297	1691.852
5020	5027	25	0.77535	9	5	1.00	100	0	0	1.85983	0.00000	25.01345	0
5020	9545	25	0.17788	9	5	1.00	100	0	0	0.42669	0.00000	25.01345	0
5020	27006	0	0.61697	9	2	0.00	100	0	0	0.00000	0.00000	0.00000	0
5027	5020	25	0.77535	9	5	1.00	100	0	0	1.85983	0.00000	25.01345	0
5027	5050	25	0.54318	9	5	1.00	100	0	0	1.30294	0.00000	25.01345	0
5028	9387	50	0.20216	10	3	3.00	7	0	7748	0.24898	0.25836	48.71621	1566.336
5029	24764	45	0.09674	9	3	3.00	100	0	18699	0.14297	0.62355	40.59660	1808.941
5029	25056	50	0.09277	10	3	3.00	7	0	8893	0.11486	0.29654	48.46377	825.0036
5029	25129	50	0.09675	10	3	3.00	7	0	16350	0.12570	0.54520	46.17947	1581.863
5029	25189	45	0.13340	9	3	3.00	100	0	14972	0.19040	0.49925	42.03920	1997.265
5032	1114	25	0.52035	2	10	1.00	7	3	152	1.24948	0.00259	24.98705	79.0932
5032	1119	25	0.33159	2	10	1.00	7	3	192	0.79634	0.00326	24.98370	63.66528
5032	9596	35	0.20768	9	7	1.00	100	3	474	0.35670	0.03358	34.93352	98.44032
5032	30003	35	0.40063	9	7	1.00	100	3	198	0.68732	0.01402	34.97365	79.32474
5041	5050	30	1.35250	9	7	1.00	100	0	0	2.70487	0.00000	30.00137	0
5049	6983	25	1.02360	9	5	1.00	100	0	0	2.45532	0.00000	25.01345	0
5050	5027	25	0.54318	9	5	1.00	100	0	0	1.30294	0.00000	25.01345	0
5050	5041	30	1.35250	9	7	1.00	100	0	0	2.70487	0.00000	30.00137	0
5050	6983	25	0.40174	9	5	1.00	100	0	0	0.96367	0.00000	25.01345	0
5325	5884	40	0.29909	10	3	2.00	1	0	13316	0.50504	0.66605	35.53244	3982.682
5500	162	25	0.07582	2	10	1.00	5	3	232	0.18212	0.00395	24.98027	17.59024
5500	196	25	0.20681	2	10	1.00	5	3	472	0.49715	0.00803	24.95993	97.61432
5500	197	25	0.20456	2	10	1.00	5	3	129	0.49115	0.00220	24.98900	26.38824
5500	8992	45	0.19017	10	3	2.00	5	3	10436	0.27290	0.52201	41.80971	1984.614
5500	8998	45	0.15013	10	3	2.00	5	3	10535	0.21572	0.52694	41.75822	1581.62
5502	161	25	0.09503	2	10	1.00	5	3	77	0.22814	0.00131	24.99343	7.31731
5502	5504	45	0.19285	10	3	2.00	5	3	12156	0.28357	0.60803	40.80506	2344.285
5502	8992	45	0.12502	10	3	2.00	5	3	12353	0.18443	0.61790	40.67356	1544.372
5504	181	25	0.13954	2	10	1.00	5	3	674	0.33567	0.01147	24.94279	94.04996
5504	182	25	0.33275	2	10	1.00	5	3	118	0.79893	0.00200	24.99001	39.2645
5504	5502	45	0.19285	10	3	2.00	5	3	12400	0.28471	0.62023	40.64201	2391.34
5504	5506	45	0.19635	10	3	2.00	5	3	12699	0.29136	0.63518	40.43402	2493.449
5506	159	25	0.20348	2	10	1.00	5	3	535	0.48924	0.00910	24.95457	108.8618
5506	5504	45	0.19635	10	3	2.00	5	3	12955	0.29270	0.64801	40.24804	2543.714
5506	8632	45	0.06694	10	3	2.00	5	3	13075	0.10002	0.65401	40.15853	875.2405
5509	323	25	0.13876	2	10	1.00	1	3	3285	0.33675	0.05587	24.72374	455.8266
5509	5511	45	0.25754	10	5	2.00	1	3	10607	0.38340	0.64427	40.30306	2731.727
5509	5514	45	0.14168	10	5	2.00	1	3	11446	0.21522	0.69521	39.49705	1621.669
5510	322	25	0.26877	2	10	1.00	1	3	705	0.64660	0.01200	24.94015	189.4829
5510	5511	45	0.35823	10	3	1.00	1	3	4874	0.50991	0.48761	42.15156	1746.013
5510	6004	40	0.32318	10	3	1.00	1	3	4256	0.51092	0.42579	37.95311	1375.454
5511	5509	45	0.25754	10	5	2.00	1	3	10820	0.38524	0.65717	40.11074	2786.583
5511	5510	45	0.35823	10	3	1.00	1	3	4903	0.51024	0.49045	42.12443	1756.402
5511	5512	45	0.44797	10	3	1.00	1	3	8556	0.75036	0.85595	35.82035	3832.831
5511	15064	45	0.10042	10	5	2.00	1	3	16747	0.20725	1.01720	29.07131	1681.734
5512	5511	45	0.44797	10	3	1.00	1	3	8919	0.77588	0.89223	34.64220	3995.444
5512	5513	45	0.04154	10	3	1.00	1	3	8722	0.07060	0.87251	35.30332	362.3119
5512	27043	25	0.19897	10	3	1.00	1	3	664	0.47999	0.06643	24.87178	132.1161
5513	5512	45	0.04154	10	3	1.00	1	3	9018	0.07268	0.90213	34.29096	374.6077
5513	5519	25	0.11739	10	4	1.00	1	3	1413	0.28552	0.15021	24.66916	165.8721
5513	5525	45	0.20076	10	3	1.00	1	3	7361	0.31092	0.73641	38.74173	1477.794
5514	5509	45	0.14168	10	5	2.00	1	3	11278	0.21429	0.68499	39.66924	1597.867
5514	5518	45	0.21235	10	3	3.00	4	3	17133	0.30878	0.57133	41.26290	3638.193
5514	9054	45	0.15115	10	3	2.00	1	3	14399	0.23223	0.72022	39.05085	2176.409

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
5514	24840	45	0.14589	10	3	2.00	4	3	17655	0.25043	0.88312	34.95411	2575.688
5515	1132	20	0.18811	3	10	3.00	0	3	2499	0.56592	0.01417	19.94348	470.0869
5515	3616	45	0.39564	10	3	1.00	1	3	11691	1.20992	1.16955	19.61976	4625.427
5515	5525	45	0.31545	10	3	1.00	1	3	11779	0.99153	1.17842	19.08848	3715.686
5516	210	25	0.32283	2	10	1.00	4	3	12170	0.80685	0.20697	24.00627	3928.841
5516	5517	45	0.14283	10	3	2.00	4	3	22738	0.39625	1.13738	21.62715	3247.669
5516	24840	45	0.25659	10	3	2.00	1	3	20786	0.55402	1.03973	27.78849	5333.48
5516	27043	25	0.20523	10	3	1.00	1	3	883	0.49610	0.08835	24.82154	181.2181
5517	5516	45	0.14283	10	3	2.00	4	3	22886	0.40502	1.14475	21.15842	3268.807
5517	5521	50	0.12236	10	6	2.00	1	0	6	0.14676	0.00025	50.02589	0.73416
5517	5523	45	0.15314	10	3	4.00	1	3	26445	0.22944	0.66140	40.04607	4049.787
5517	9571	45	0.10367	10	3	3.00	1	3	44759	0.74675	1.49257	8.32975	4640.166
5518	214	25	0.17614	2	10	1.00	4	3	259	0.42312	0.00441	24.97797	45.62026
5518	1542	25	0.13532	2	10	1.00	4	3	616	0.32545	0.01047	24.94777	83.35712
5518	5514	45	0.21235	10	3	3.00	4	3	17840	0.31096	0.59491	40.97425	3788.324
5518	5520	45	0.21328	10	3	3.00	4	3	17916	0.31256	0.59745	40.94191	3821.124
5519	5513	25	0.11739	10	4	1.00	1	3	2279	0.28857	0.24226	24.40856	267.5318
5519	9091	45	0.18542	10	2	4.00	1	3	35982	0.29158	0.76493	38.15421	6671.782
5519	9561	25	0.08617	10	4	1.00	1	3	8485	0.27134	0.90191	19.05499	731.1525
5519	27042	45	0.09822	10	3	4.00	1	3	35470	0.16926	0.88710	34.81920	3483.863
5520	213	25	0.15218	2	10	1.00	4	3	246	0.36553	0.00418	24.97914	37.43628
5520	5518	45	0.21328	10	3	3.00	4	3	18323	0.31391	0.61100	40.76596	3907.929
5520	5526	45	0.14547	10	3	3.00	4	3	17671	0.21265	0.58927	41.04503	2570.6
5521	5517	50	0.12236	10	6	1.00	1	0	12274	0.23981	1.04371	30.61471	1501.847
5522	5524	45	0.19169	10	3	3.00	4	3	18519	0.28273	0.61755	40.67838	3549.907
5522	5526	45	0.12397	10	3	3.00	4	3	19203	0.18429	0.64035	40.35993	2380.596
5523	5517	45	0.15314	10	3	4.00	1	3	35453	0.26377	0.88667	34.83370	5429.272
5523	5966	0	0.41388	10	6	0.00	4	0	0	0.00000	0.00000	0.00000	0
5523	27042	45	0.04943	10	3	4.00	1	3	39016	0.09504	0.97579	31.20646	1928.561
5524	212	25	0.06349	2	10	1.00	4	3	297	0.15254	0.00505	24.97477	18.85653
5524	216	25	0.13744	2	10	1.00	4	3	1441	0.33147	0.02451	24.87807	198.051
5524	5522	45	0.19169	10	3	3.00	4	3	19203	0.28496	0.64035	40.35993	3681.023
5524	8748	45	0.09655	10	3	3.00	4	3	19529	0.14410	0.65123	40.20016	1885.525
5525	5513	45	0.20076	10	3	1.00	1	3	6791	0.30295	0.67940	39.76098	1363.361
5525	5515	45	0.31545	10	3	1.00	1	3	12961	1.41889	1.29657	13.33920	4088.547
5525	9561	25	0.11058	10	4	1.00	1	3	4999	0.28631	0.53136	23.17302	552.7894
5526	213	25	0.09035	2	10	1.00	4	3	531	0.21723	0.00902	24.95497	47.97585
5526	5520	45	0.14547	10	3	3.00	4	3	18083	0.21356	0.60300	40.87072	2630.534
5526	5522	45	0.12397	10	3	3.00	4	3	18519	0.18285	0.61755	40.67838	2295.8
5526	5528	30	0.18405	10	5	1.00	4	3	888	0.37144	0.10782	29.73041	163.4364
5528	214	25	0.24093	2	10	1.00	4	3	414	0.57904	0.00704	24.96487	99.74502
5528	5526	30	0.18405	10	5	1.00	4	3	610	0.37026	0.07407	29.82537	112.2705
5528	5530	30	0.18129	10	5	1.00	4	3	544	0.36443	0.06603	29.84723	98.62176
5530	5528	30	0.18129	10	5	1.00	4	3	550	0.36446	0.06684	29.84504	99.7095
5530	5532	30	0.18844	10	5	1.00	4	3	724	0.37958	0.08797	29.78692	136.4306
5530	5534	30	0.05955	10	5	1.00	4	3	834	0.12011	0.10131	29.74914	49.6647
5532	215	25	0.15861	2	10	1.00	4	3	1357	0.38243	0.02308	24.88511	215.2338
5532	5530	30	0.18844	10	5	1.00	4	3	347	0.37801	0.04213	29.91046	65.38868
5532	8744	30	0.20849	10	5	1.00	4	3	1197	0.42236	0.14544	29.61781	249.5625
5534	217	25	0.05053	2	10	1.00	4	3	1043	0.12171	0.01774	24.91160	52.70279
5534	5530	30	0.05955	10	5	1.00	4	3	1218	0.12067	0.14796	29.61000	72.5319
5534	9050	30	0.17078	10	5	1.00	4	3	1022	0.34522	0.12409	29.68260	174.5372
5536	5542	50	0.18583	10	1	2.00	1	0	53467	0.44631	1.13662	24.98278	9935.773
5536	5544	63	0.18581	10	1	3.00	1	0	54998	0.21192	0.77945	52.60748	10219.18
5536	7153	65	0.02973	2	9	1.00	0	0	0	0.02743	0.00000	65.03497	0
5538	5540	63	0.39224	10	1	3.00	1	0	63867	0.49402	0.90514	47.63847	25051.19
5538	5542	50	0.23239	10	1	1.00	1	0	15487	0.31494	0.65846	44.27367	3599.024
5540	8954	63	0.40455	10	1	5.00	1	0	96496	0.47395	0.82054	51.21404	39037.46
5540	10290	65	0.03020	2	9	1.00	0	0	15330	0.03542	0.86902	51.15494	462.966
5542	25162	63	0.01109	10	1	2.00	4	0	68954	0.04962	1.46585	13.40996	764.6999
5546	5540	50	0.25012	10	1	2.00	1	0	47959	0.46350	1.01953	32.37762	11995.51
5546	5544	50	0.26194	10	1	1.00	1	0	21931	0.42829	0.93245	36.69561	5744.606
5548	5549	30	0.13942	10	6	1.00	4	2	13295	0.56858	1.13049	14.71241	1853.589
5548	5550	63	0.31677	10	1	3.00	4	0	55659	0.36337	0.78882	52.30640	17631.1
5549	8840	25	0.07379	10	6	1.00	4	2	2897	0.18148	0.24638	24.39581	213.7696
5549	8845	30	0.11513	10	6	1.00	4	2	10397	0.29673	0.88411	23.28036	1197.007
5550	25165	63	0.02081	10	1	3.00	4	0	66072	0.02713	0.93639	46.02290	1374.958
5552	5654	35	0.17405	10	6	1.00	4	3	12788	0.54039	1.08744	19.32458	2225.751
5552	5657	63	0.11194	10	1	3.00	4	0	53283	0.12591	0.75515	53.34618	5964.499
5553	5555	40	0.06006	10	3	2.00	0	3	12506	0.09993	0.62557	36.06112	751.1104
5553	5556	40	0.04209	10	3	2.00	0	3	12506	0.07003	0.62557	36.06112	526.3775
5554	25168	63	0.01653	10	1	3.00	4	0	69306	0.02289	0.98223	43.31404	1145.628
5555	273	25	0.12084	2	10	1.00	3	3	12506	0.30236	0.21269	23.97992	1511.225
5555	5553	40	0.06006	10	3	2.00	0	3	12506	0.09993	0.62557	36.06112	751.1104
5556	5553	40	0.04209	10	3	2.00	0	3	12506	0.07003	0.62557	36.06112	526.3775
5556	5557	45	0.09004	10	3	3.00	0	3	12256	0.12612	0.40869	42.83467	1103.53
5556	5563	45	0.10911	10	3	3.00	0	3	34092	0.30222	1.13684	21.66142	3719.778
5556	8769	45	0.06686	10	3	3.00	0	3	39046	0.30542	1.30206	13.13373	2610.616
5557	877	20	0.06631	3	10	3.00	0	3	459	0.19903	0.00260	19.98960	30.43629
5557	5556	45	0.09004	10	3	3.00	0	3	8965	0.12390	0.29895	43.60244	807.2086
5557	5614	45	0.18963	10	3	3.00	0	3	12522	0.26606	0.41756	42.76405	2374.547
5558	82	25	0.04314	2	10	1.00	1	3	413	0.10368	0.00703	24.96490	17.81682
5558	135	25	0.05928	2	10	1.00	1	3	1813	0.14315	0.03083	24.84679	107.4746

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
5558	5560	35	0.09193	10		3	3.00	1	3	25024	0.19460	0.83447	28.34564
5558	5584	35	0.05552	10		3	3.00	1	3	25928	0.12048	0.86462	27.65282
5560	5558	35	0.09193	10		3	3.00	1	3	24813	0.19357	0.82743	28.49620
5560	5562	35	0.08977	10		3	3.00	1	3	24015	0.18554	0.80081	29.03135
5560	5646	25	0.06705	10		5	1.00	1	3	999	0.16258	0.12132	24.74236
5560	5844	25	0.14348	10		5	1.00	1	3	2382	0.35492	0.28931	24.25656
5561	885	20	0.09611	3		10	3.00	0	3	3064	0.28934	0.01737	19.93077
5561	5610	45	0.12542	10		3	3.00	3	3	24622	0.20443	0.82107	36.80862
5561	5612	45	0.13195	10		3	3.00	3	3	24294	0.21343	0.81011	37.09322
5562	136	25	0.06705	2		10	1.00	1	3	2010	0.16201	0.03419	24.83021
5562	5560	35	0.08977	10		3	3.00	1	3	25438	0.19211	0.84827	28.03838
5562	5564	35	0.07654	10		3	3.00	1	3	23478	0.15640	0.78291	29.36305
5563	879	20	0.10091	3		10	3.00	0	3	748	0.30300	0.00424	19.98306
5563	880	25	0.08951	3		10	1.00	0	3	1840	0.21618	0.03129	24.84453
5563	5556	45	0.10911	10		3	3.00	0	3	32620	0.26370	1.08776	24.82545
5563	5612	45	0.10312	10		3	3.00	0	3	31850	0.23398	1.06208	26.44203
5564	5562	35	0.07654	10		3	3.00	1	3	24796	0.16109	0.82687	28.50791
5564	5566	35	0.14358	10		3	3.00	1	3	23607	0.29416	0.78721	29.28534
5564	5642	25	0.17600	10		5	1.00	1	3	1074	0.42719	0.13041	24.71973
5564	5852	25	0.17850	10		5	1.00	1	3	1692	0.43683	0.20553	24.51793
5566	84	25	0.05271	2		10	1.00	1	3	2782	0.12770	0.04731	24.76568
5566	250	25	0.07944	2		10	1.00	3	3	1799	0.19182	0.03059	24.84798
5566	5564	35	0.14358	10		3	3.00	1	3	24282	0.29851	0.80972	28.85802
5566	5568	35	0.08228	10		3	3.00	1	3	21761	0.16297	0.72564	30.29383
5568	5566	35	0.08228	10		3	3.00	3	3	22122	0.16395	0.73768	30.11309
5568	5570	35	0.10909	10		3	3.00	2	3	21127	0.21394	0.70451	30.59412
5568	5776	25	0.11147	10		5	1.00	1	3	1217	0.27105	0.14786	24.67527
5570	5568	35	0.10909	10		3	3.00	3	3	22122	0.21736	0.73768	30.11309
5570	5572	45	0.15682	10		3	3.00	2	3	21353	0.24002	0.71206	39.20050
5570	5630	35	0.06885	10		4	3.00	3	3	17341	0.13044	0.61441	31.67149
5570	5774	35	0.15259	10		4	3.00	2	3	17042	0.28809	0.60380	31.78025
5572	256	25	0.10010	2		10	1.00	3	3	6525	0.24557	0.11098	24.45717
5572	282	25	0.12863	2		10	1.00	2	3	656	0.30939	0.01115	24.94438
5572	5570	45	0.15682	10		3	3.00	3	3	21848	0.24192	0.72857	38.89358
5572	5574	45	0.17784	10		3	3.00	2	3	19030	0.26384	0.63458	40.44250
5574	5572	45	0.17784	10		3	3.00	3	3	23332	0.28181	0.77804	37.86372
5574	5576	45	0.17595	10		3	3.00	2	3	21804	0.27123	0.72709	38.92169
5574	5626	40	0.09972	10		3	3.00	3	3	20175	0.16884	0.67278	35.43792
5574	5728	40	0.10341	10		3	3.00	2	3	17958	0.17056	0.59885	36.37694
5576	260	25	0.09825	2		10	1.00	3	3	2629	0.23791	0.04470	24.77846
5576	287	25	0.09753	2		10	1.00	2	3	2729	0.23625	0.04641	24.77008
5576	5574	45	0.17595	10		3	3.00	3	3	22180	0.27294	0.73962	38.67846
5576	5578	45	0.17028	10		3	3.00	2	3	19757	0.25487	0.65882	40.08567
5578	287	25	0.17027	2		10	1.00	2	3	1063	0.41013	0.01809	24.90990
5578	5576	45	0.17028	10		3	3.00	2	3	22331	0.26483	0.74468	38.57732
5578	5580	45	0.24312	10		3	3.00	2	3	18041	0.35675	0.60162	40.88856
5578	5600	35	0.11368	10		5	1.00	3	3	3233	0.20414	0.39276	33.41171
5580	5578	45	0.24312	10		3	3.00	3	3	20696	0.36851	0.69013	39.58336
5580	5582	45	0.15314	10		3	3.00	3	3	27663	0.27407	0.92246	33.52534
5580	5714	40	0.21421	10		3	3.00	2	3	12579	0.33824	0.41946	37.99891
5580	5950	40	0.03830	10		3	3.00	3	3	22536	0.06727	0.75149	34.16729
5582	262	25	0.07184	2		10	1.00	3	3	842	0.17292	0.01432	24.92858
5582	294	25	0.11441	2		10	1.00	2	3	2457	0.27687	0.04179	24.79280
5582	5580	45	0.15314	10		3	3.00	3	3	28163	0.27970	0.93915	32.84970
5582	5584	45	0.24500	10		3	3.00	3	3	27728	0.43961	0.92464	33.43945
5584	140	25	0.07799	2		10	1.00	1	3	3125	0.18916	0.05314	24.73707
5584	296	25	0.15092	2		10	1.00	2	3	1290	0.36380	0.02193	24.89082
5584	5582	45	0.24500	10		3	3.00	3	3	28330	0.45073	0.94472	32.61406
5584	5586	45	0.11863	10		3	3.00	2	0	26713	0.20516	0.89078	34.69275
5586	5584	45	0.11863	10		3	3.00	2	0	26855	0.20615	0.89554	34.52646
5586	6011	45	0.15398	10		3	3.00	2	3	17102	0.22383	0.57029	41.27514
5588	141	25	0.07456	2		10	1.00	1	0	530	0.17926	0.00902	24.95500
5590	268	25	0.13082	2		10	1.00	3	0	319	0.31432	0.00543	24.97290
5592	5594	40	0.33098	10		4	2.00	3	0	4438	0.50809	0.23587	39.08500
5594	142	25	0.12059	2		10	1.00	3	3	1110	0.29051	0.01887	24.90601
5594	268	25	0.22087	2		10	1.00	3	3	380	0.53077	0.00647	24.96769
5594	5592	40	0.33098	10		4	2.00	3	0	3744	0.50585	0.19898	39.25863
5594	5596	40	0.20375	10		4	2.00	3	3	5294	0.31465	0.28135	38.85326
5596	267	25	0.10181	2		10	1.00	3	3	494	0.24474	0.00839	24.95810
5596	5594	40	0.20375	10		4	2.00	3	3	4599	0.31312	0.24445	39.04287
5596	5598	40	0.12584	10		4	2.00	3	3	5644	0.19484	0.29997	38.75208
5598	5596	40	0.12584	10		4	2.00	3	3	4950	0.19385	0.26307	38.94887
5598	5600	35	0.20699	10		5	1.00	3	3	2414	0.36593	0.29328	33.94025
5598	5602	40	0.14226	10		3	3.00	3	3	25430	0.26630	0.84800	32.05087
5598	5950	40	0.11518	10		3	3.00	3	3	23296	0.20519	0.77683	33.68097
5600	261	25	0.11276	2		10	1.00	3	3	1815	0.27230	0.03086	24.84662
5600	5578	35	0.11368	10		5	1.00	3	3	3159	0.20382	0.38370	33.46465
5600	5598	35	0.20699	10		5	1.00	3	3	2489	0.36640	0.30233	33.89661
5601	5607	35	0.17168	10		5	1.00	0	3	1820	0.30065	0.22110	34.26151
5601	5608	45	0.22983	10		3	3.00	3	3	24370	0.37240	0.81264	37.02853
5601	5610	45	0.17120	10		3	3.00	3	3	22730	0.26817	0.75796	38.30320
5602	264	25	0.15844	2		10	1.00	3	3	2603	0.38363	0.04427	24.78060
5602	887	20	0.14331	3		10	3.00	0	3	573	0.43021	0.00325	19.98700

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
5602	5598	40	0.14226	10	3	3.00	3	3	25973	0.27043	0.86612	31.56152	3694.919
5602	5604	40	0.27274	10	3	3.00	3	3	25719	0.51468	0.85765	31.79453	7014.6
5603	3352	45	0.06696	10	4	2.00	0	3	4311	0.09130	0.22910	44.00750	288.6646
5603	5609	45	0.10301	10	4	2.00	0	3	4429	0.14056	0.23541	43.97317	456.2313
5604	5602	40	0.27274	10	3	3.00	3	3	26263	0.52304	0.87577	31.28666	7162.971
5604	5606	40	0.04619	10	3	3.00	3	3	24501	0.08446	0.81704	32.81290	1131.701
5604	5628	40	0.13374	10	4	2.00	3	3	3753	0.20441	0.19948	39.25636	501.9262
5605	890	20	0.14493	3	10	3.00	0	3	67	0.43482	0.00038	19.99849	9.71031
5605	891	20	0.11545	3	10	3.00	0	3	456	0.34652	0.00258	19.98967	52.6452
5605	5611	35	0.23971	10	5	1.00	0	3	796	0.41422	0.09672	34.72262	190.8092
5605	5623	35	0.18396	10	5	1.00	0	3	790	0.31785	0.09599	34.72503	145.3284
5606	263	25	0.15418	2	10	1.00	3	3	240	0.37034	0.00409	24.97959	37.0032
5606	5604	40	0.04619	10	3	3.00	3	3	25385	0.08637	0.84651	32.08975	1172.533
5606	5608	40	0.16718	10	3	3.00	3	3	24263	0.30402	0.80909	32.99474	4056.288
5607	5601	35	0.17168	10	5	1.00	0	3	1832	0.30070	0.22256	34.25543	314.5178
5607	5625	35	0.29920	10	5	1.00	0	3	1820	0.52397	0.22110	34.26151	544.544
5608	5601	45	0.22983	10	3	3.00	3	3	22698	0.35980	0.75691	38.32530	5216.681
5608	5606	40	0.16718	10	3	3.00	3	3	25148	0.31064	0.83860	32.29168	4204.243
5608	25044	35	0.15319	10	4	2.00	3	3	2163	0.26518	0.11498	34.66112	331.35
5609	890	20	0.14109	3	10	3.00	0	3	383	0.42346	0.00217	19.99131	54.03747
5609	5603	45	0.10301	10	4	2.00	0	3	4311	0.14045	0.22910	44.00750	444.0761
5609	5611	45	0.12927	10	4	2.00	0	3	4534	0.17650	0.24095	43.94265	586.1102
5610	884	20	0.08804	3	10	3.00	0	3	603	0.26431	0.00342	19.98634	53.08812
5610	5561	45	0.12542	10	3	3.00	3	3	22963	0.19731	0.76574	38.13665	2880.019
5610	5601	45	0.17120	10	3	3.00	3	3	24389	0.27753	0.81329	37.01191	4175.397
5611	893	20	0.16524	3	10	3.00	0	3	538	0.49601	0.00305	19.98780	88.89912
5611	5605	35	0.23971	10	5	1.00	0	3	816	0.41432	0.09910	34.71469	195.6034
5611	5609	45	0.12927	10	4	2.00	0	3	4413	0.17636	0.23453	43.97796	570.4685
5611	5613	45	0.09620	10	4	2.00	0	3	4054	0.13094	0.21544	44.08048	389.9948
5612	5561	45	0.13195	10	3	3.00	3	3	25943	0.22277	0.86512	35.53813	3423.179
5612	5563	45	0.10312	10	3	3.00	0	3	30375	0.21111	1.01289	29.30734	3132.27
5612	5619	45	0.09999	10	4	2.00	0	3	7424	0.13971	0.39454	42.94430	742.3258
5613	891	20	0.25134	3	10	3.00	0	3	595	0.75454	0.00337	19.98653	149.5473
5613	892	20	0.08241	3	10	3.00	0	3	437	0.24735	0.00248	19.99010	36.01317
5613	3348	45	0.14192	10	4	2.00	0	3	4770	0.19409	0.25350	43.87232	676.9584
5613	5611	45	0.09620	10	4	2.00	0	3	3953	0.13086	0.21007	44.10867	380.2786
5614	270	25	0.10485	2	10	1.00	3	3	1558	0.25296	0.02649	24.86826	163.3563
5614	5557	45	0.18963	10	3	3.00	0	3	9337	0.26141	0.31137	43.52430	1770.575
5614	8906	45	0.21410	10	3	3.00	3	3	8613	0.29413	0.28720	43.67461	1844.043
5614	25041	35	0.13498	10	5	1.00	0	3	5408	0.25957	0.65690	31.20048	729.9718
5615	883	20	0.22655	3	10	3.00	0	3	1515	0.68081	0.00859	19.96571	343.2233
5615	3348	45	0.25857	10	4	2.00	0	3	4996	0.35418	0.26551	43.80335	1291.816
5615	3349	40	0.11030	10	5	1.00	0	3	474	0.16617	0.05760	39.82640	52.2822
5615	5621	45	0.08354	10	4	2.00	0	3	6526	0.11579	0.34682	43.28970	545.182
5616	253	25	0.07651	2	10	1.00	3	3	1622	0.18465	0.02758	24.86285	124.0992
5616	5618	40	0.18035	10	3	3.00	3	3	27064	0.35515	0.90251	30.46856	4880.992
5616	8906	40	0.15428	10	3	4.00	3	3	36777	0.30967	0.91978	29.89289	5673.956
5616	13976	35	0.11304	10	5	1.00	0	3	4703	0.21133	0.57132	32.09345	531.6271
5618	5616	40	0.18035	10	3	3.00	3	3	31328	0.44273	1.04468	24.44082	5650.005
5618	5622	40	0.18271	10	3	3.00	3	3	17672	0.30048	0.58930	36.48412	3228.851
5618	5634	35	0.13129	10	4	2.00	3	3	10853	0.24584	0.57677	32.04280	1424.89
5618	15250	35	0.10915	10	4	2.00	3	3	1708	0.18850	0.09079	34.74217	186.4282
5619	880	20	0.07415	3	10	3.00	0	3	562	0.22260	0.00319	19.98726	41.6723
5619	885	20	0.16635	3	10	3.00	0	3	194	0.49915	0.00110	19.99560	32.2719
5619	5612	45	0.09999	10	4	2.00	0	3	7598	0.13994	0.40382	42.87281	759.724
5619	5621	45	0.47275	10	4	2.00	0	3	7362	0.66013	0.39127	42.96918	3480.386
5620	15250	35	0.12124	10	4	2.00	3	3	1016	0.20868	0.05401	34.85924	123.1798
5620	25043	35	0.11286	10	5	1.00	0	3	2135	0.19861	0.25931	34.09711	240.9561
5620	25044	35	0.11611	10	4	2.00	3	3	1830	0.20065	0.09728	34.72077	212.4813
5621	881	20	0.23051	3	10	3.00	0	3	1678	0.69285	0.00951	19.96202	386.7958
5621	5615	45	0.08354	10	4	2.00	0	3	6338	0.11561	0.33686	43.35743	529.4765
5621	5619	45	0.47275	10	4	2.00	0	3	7550	0.66131	0.40124	42.89286	3569.263
5622	257	25	0.11802	2	10	1.00	3	3	29	0.28329	0.00050	24.99752	3.42258
5622	259	25	0.05814	2	10	1.00	3	3	3690	0.14128	0.06275	24.69015	214.5366
5622	5618	40	0.18271	10	3	3.00	3	3	21203	0.31390	0.70704	34.92487	3874
5622	5624	40	0.13531	10	3	3.00	3	3	17591	0.22235	0.58660	36.51385	2380.238
5623	889	20	0.05952	3	10	3.00	0	3	417	0.17865	0.00236	19.99055	24.81984
5623	5605	35	0.18396	10	5	1.00	0	3	778	0.31781	0.09453	34.72987	143.1209
5623	5625	35	0.20702	10	5	1.00	0	3	915	0.35823	0.11112	34.67429	189.4233
5624	5622	40	0.13531	10	3	3.00	3	3	21122	0.23219	0.70436	34.96714	2858.018
5624	5626	40	0.18376	10	3	3.00	3	3	19019	0.30667	0.63424	35.95329	3494.931
5624	5628	40	0.18370	10	4	2.00	3	3	3827	0.28090	0.20339	39.23851	703.0199
5624	5640	40	0.15133	10	4	2.00	3	3	6072	0.23508	0.32270	38.62328	918.8758
5625	886	20	0.05279	3	10	3.00	0	3	1430	0.15864	0.00811	19.96762	75.4897
5625	5607	35	0.29920	10	5	1.00	0	3	1832	0.52406	0.22256	34.25543	548.1344
5625	5623	35	0.20702	10	5	1.00	0	3	903	0.35818	0.10965	34.67926	186.9391
5626	256	25	0.18182	2	10	1.00	3	3	201	0.43666	0.00341	24.98294	36.54582
5626	260	25	0.14006	2	10	1.00	3	3	3589	0.34025	0.06104	24.69848	502.6753
5626	5574	40	0.09972	10	3	3.00	3	3	21406	0.17185	0.71382	34.81654	2134.606
5626	5624	40	0.18376	10	3	3.00	3	3	21788	0.31861	0.72657	34.60587	4003.763
5628	263	25	0.15865	2	10	1.00	3	3	414	0.38130	0.00704	24.96486	65.6811
5628	5604	40	0.13374	10	4	2.00	3	3	3413	0.20399	0.18140	39.33726	456.4546
5628	5624	40	0.18370	10	4	2.00	3	3	4172	0.28151	0.22170	39.15314	766.3964

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
5630	250	25	0.16269	2	10	1.00	3	3	2279	0.39348	0.03876	24.80771	370.7705
5630	256	25	0.14477	2	10	1.00	3	3	5897	0.35441	0.10029	24.50842	853.7087
5630	5570	35	0.06885	10	4	3.00	3	3	16623	0.12940	0.58896	31.92688	1144.494
5630	5632	35	0.20317	10	4	3.00	3	3	11589	0.36603	0.41061	33.30405	2354.537
5632	5630	35	0.20317	10	4	3.00	3	3	11474	0.36575	0.40653	33.32907	2331.173
5632	5634	35	0.14195	10	4	2.00	3	3	10101	0.26289	0.53682	32.39675	1433.837
5632	5638	40	0.14149	10	4	2.00	3	3	11760	0.23537	0.62498	36.06837	1663.922
5632	5640	40	0.14545	10	4	2.00	3	3	12183	0.24389	0.64746	35.78332	1772.017
5634	257	25	0.11674	2	10	1.00	3	3	1568	0.28168	0.02667	24.86734	183.0483
5634	5618	35	0.13129	10	4	2.00	3	3	11530	0.24859	0.61278	31.68850	1513.774
5634	5632	35	0.14195	10	4	2.00	3	3	9306	0.26020	0.49460	32.73235	1320.987
5636	139	25	0.08716	2	10	1.00	1	3	1352	0.21014	0.02299	24.88560	117.8403
5636	5638	40	0.15272	10	4	2.00	3	3	12064	0.25549	0.64114	35.86543	1842.414
5636	8914	40	0.29518	10	4	2.00	1	3	11933	0.49260	0.63422	35.95355	3522.383
5638	251	25	0.08464	2	10	1.00	3	3	2501	0.20487	0.04253	24.78915	211.6846
5638	5632	40	0.14149	10	4	2.00	3	3	12250	0.23756	0.65103	35.73624	1733.253
5638	5636	40	0.15272	10	4	2.00	3	3	11574	0.25321	0.61509	36.18793	1767.581
5640	256	25	0.17233	2	10	1.00	3	3	7417	0.42402	0.12614	24.38481	1278.172
5640	257	25	0.08739	2	10	1.00	3	3	1575	0.21086	0.02678	24.86682	137.6393
5640	5624	40	0.15133	10	4	2.00	3	3	6490	0.23589	0.34491	38.49143	982.1317
5640	5632	40	0.14545	10	4	2.00	3	3	12372	0.24481	0.65750	35.64953	1799.507
5642	139	25	0.07317	2	10	1.00	1	3	717	0.17605	0.01220	24.93915	52.46289
5642	5564	25	0.17600	10	5	1.00	1	3	1209	0.42791	0.14688	24.67780	212.784
5642	5644	30	0.13375	10	5	1.00	1	3	1581	0.27233	0.19203	29.46750	211.4588
5644	1294	25	0.12133	2	10	1.00	1	3	199	0.29139	0.00339	24.98306	24.14467
5644	5642	30	0.13375	10	5	1.00	1	3	1768	0.27306	0.21480	29.38926	236.47
5644	5646	30	0.15378	10	5	1.00	1	3	1284	0.31187	0.15600	29.58485	197.4535
5644	8916	30	0.17770	10	5	1.00	1	3	1651	0.36219	0.20062	29.43839	293.3827
5646	135	25	0.09258	2	10	1.00	1	3	23	0.22221	0.00039	24.99806	2.12934
5646	136	25	0.08977	2	10	1.00	1	3	552	0.21586	0.00938	24.95317	49.55304
5646	5560	25	0.06705	10	5	1.00	1	3	761	0.16213	0.09243	24.81199	51.02505
5646	5644	30	0.15378	10	5	1.00	1	3	1419	0.31243	0.17241	29.53235	218.2138
5648	212	25	0.07625	2	10	1.00	4	3	164	0.18310	0.00279	24.98607	12.505
5648	221	25	0.07684	2	10	1.00	4	3	1759	0.18553	0.02991	24.85133	135.1616
5648	5650	45	0.27108	10	3	3.00	4	3	31272	0.58920	1.04283	27.60540	8477.214
5648	8748	45	0.07437	10	3	3.00	4	3	28987	0.14104	0.96663	31.63876	2155.763
5650	211	25	0.10824	2	10	1.00	4	3	7707	0.26659	0.13107	24.36140	834.2057
5650	1230	25	0.17834	2	10	1.00	4	3	4041	0.43390	0.06872	24.66108	720.6719
5650	5648	45	0.27108	10	3	3.00	4	3	29211	0.51986	0.97410	31.28733	7918.518
5650	5651	45	0.18906	10	3	3.00	4	3	31924	0.43149	1.06456	26.28870	6035.551
5651	5650	45	0.18906	10	3	3.00	4	3	29863	0.37547	0.99583	30.21061	5645.899
5651	5652	45	0.02496	10	3	3.00	4	3	31924	0.05696	1.06456	26.28870	796.823
5652	5554	35	0.21258	10	6	2.00	4	3	8612	0.38001	0.36614	33.56440	1830.739
5652	5651	45	0.02496	10	3	3.00	4	3	29863	0.04956	0.99583	30.21061	745.3805
5652	5653	45	0.03519	10	3	3.00	4	3	27435	0.06243	0.91487	33.81814	965.4377
5653	5652	45	0.03519	10	3	3.00	4	3	24101	0.05667	0.80367	37.25524	848.1142
5653	5655	45	0.11154	10	3	3.00	4	3	27435	0.19789	0.91487	33.81814	3060.1
5653	5659	25	0.03000	10	6	1.00	4	0	12007	0.11226	1.02104	16.03227	360.21
5654	5655	35	0.04326	10	6	1.00	4	3	12788	0.13433	1.08744	19.32458	553.2089
5654	5657	35	0.07908	10	6	1.00	4	3	4033	0.14083	0.34291	33.69059	318.9296
5655	3459	45	0.14923	10	3	3.00	4	3	30489	0.30771	1.01670	29.09857	4549.873
5655	5653	45	0.11154	10	3	3.00	4	3	36108	0.37978	1.20408	17.62142	4027.486
5655	5654	35	0.04326	10	6	1.00	4	3	4033	0.07705	0.34291	33.69059	174.4676
5655	5656	35	0.13791	10	6	1.00	4	0	2471	0.24119	0.21016	34.30637	340.7756
5656	25169	63	0.02821	10	1	3.00	4	0	59788	0.03372	0.84733	50.19451	1686.619
5657	5656	63	0.21178	10	1	3.00	4	0	57316	0.24669	0.81230	51.50920	12138.38
5658	5652	35	0.13228	10	6	1.00	4	3	9885	0.28133	0.84057	28.21166	1307.588
5658	5659	63	0.10065	10	1	3.00	4	0	48687	0.10966	0.69001	55.06659	4900.347
5659	5554	63	0.23154	10	1	3.00	4	0	60694	0.27969	0.86018	49.67055	14053.09
5660	328	25	0.22084	2	10	1.00	1	3	4122	0.53745	0.07010	24.65436	910.3025
5660	5663	40	0.17742	10	3	2.00	1	3	21098	0.44595	1.05533	23.87122	3743.207
5660	6003	40	0.06367	10	3	2.00	6	3	6268	0.09878	0.31354	38.67596	399.0836
5660	9079	45	0.24798	10	3	2.00	6	3	19152	0.46447	0.95797	32.03380	4749.313
5661	3470	45	0.10761	11	3	3.00	0	0	13781	0.15225	0.45955	42.40940	1482.973
5662	8752	45	0.12310	10	3	3.00	4	3	27402	0.21813	0.91378	33.85970	3373.186
5662	8754	45	0.19593	10	3	3.00	4	3	26625	0.33788	0.88787	34.79279	5216.636
5662	8884	30	0.05046	10	5	1.00	4	3	3239	0.10573	0.39342	28.63522	163.4399
5663	5660	40	0.17742	10	3	2.00	1	3	21031	0.44257	1.05195	24.05362	3731.32
5663	9089	40	0.08447	10	3	2.00	1	3	21098	0.21232	1.05533	23.87122	1782.148
5664	95	25	0.11480	2	10	1.00	1	3	2628	0.27799	0.04469	24.77854	301.6944
5664	96	25	0.03983	2	10	1.00	1	3	1917	0.09621	0.03260	24.83804	76.35411
5664	5666	40	0.13585	10	3	3.00	1	3	23972	0.24544	0.79939	33.20967	3256.596
5664	8934	40	0.22011	10	3	2.00	1	3	21836	0.60547	1.09224	21.81212	4806.322
5666	5664	40	0.13585	10	3	3.00	1	3	23651	0.24376	0.78868	33.43826	3212.988
5666	5668	40	0.11856	10	3	3.00	1	3	32218	0.31168	1.07436	22.82350	3819.766
5666	5764	40	0.07841	10	3	2.00	1	3	17282	0.14884	0.86445	31.60819	1355.082
5666	5864	40	0.14736	10	3	2.00	1	3	20511	0.34803	1.02598	25.40507	3022.501
5668	108	25	0.03900	2	10	1.00	1	3	1309	0.09402	0.02227	24.88916	51.051
5668	5666	40	0.11856	10	3	3.00	1	3	32299	0.31376	1.07706	22.67227	3829.369
5668	5670	40	0.07275	10	3	3.00	1	3	32209	0.19112	1.07407	22.83978	2343.205
5670	105	25	0.23242	2	10	1.00	1	3	419	0.55859	0.00713	24.96440	97.38398
5670	109	25	0.30678	2	10	1.00	1	3	242	0.73688	0.00411	24.97944	74.24076
5670	5668	40	0.07275	10	3	3.00	1	3	32220	0.19129	1.07443	22.81973	2344.005

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
5670	5672	40	0.29643	10	3	3.00	1	3	31966	0.76365	1.06597	23.29009	9475.681
5671	110	25	0.10410	2	10	1.00	1	3	941	0.25064	0.01601	24.92023	97.9581
5671	5672	25	0.16083	10	5	1.00	1	3	1425	0.39213	0.17316	24.60828	229.1828
5671	5673	25	0.08666	10	5	1.00	1	3	1333	0.21103	0.16189	24.63848	115.5178
5672	5670	40	0.29643	10	3	3.00	1	3	31976	0.76423	1.06628	23.27254	9478.646
5672	5671	25	0.16083	10	5	1.00	1	3	1462	0.39232	0.17762	24.59615	235.1335
5672	5951	30	0.11606	10	5	1.00	1	3	3178	0.24287	0.38601	28.67251	368.8387
5672	10903	40	0.25324	10	3	3.00	1	0	34564	0.82722	1.15259	18.36832	8752.987
5673	5671	25	0.08666	10	5	1.00	1	3	1296	0.21093	0.15743	24.65027	112.3114
5673	5677	25	0.15881	10	5	1.00	1	3	670	0.38365	0.08145	24.83757	106.4027
5673	5839	25	0.24280	10	5	1.00	1	3	662	0.58648	0.08045	24.83987	160.7336
5674	5675	63	0.25736	10	1	3.00	1	0	87623	0.65928	1.24183	23.42203	22550.66
5674	5931	30	0.23199	10	6	2.00	1	3	16153	0.52672	0.68679	26.42615	3747.334
5674	7140	65	0.02705	2	9	1.00	0	0	0	0.02496	0.00000	65.03497	0
5675	5676	63	0.25991	10	1	3.00	1	0	90709	0.75268	1.28556	20.71837	23576.18
5676	13887	63	0.08812	23	1	4.00	901	0	104650	0.15782	1.11235	33.50220	9221.758
5677	111	25	0.07187	2	10	1.00	1	3	807	0.17297	0.01372	24.93159	57.99909
5677	5673	25	0.15881	10	5	1.00	1	3	621	0.38343	0.07541	24.85142	98.62101
5677	5678	25	0.15292	10	5	1.00	1	3	975	0.37072	0.11839	24.74958	149.097
5678	5677	25	0.15292	10	5	1.00	1	3	925	0.37050	0.11236	24.76434	141.451
5678	5679	25	0.11185	10	5	1.00	1	3	1375	0.27254	0.16701	24.62483	153.7938
5678	5681	25	0.13108	10	5	1.00	1	3	1128	0.31838	0.13708	24.70290	147.8582
5679	1298	25	0.07411	2	10	1.00	1	3	356	0.17807	0.00606	24.96972	26.38316
5679	5678	25	0.11185	10	5	1.00	1	3	1310	0.27231	0.15918	24.64567	146.5235
5679	5760	25	0.19845	10	5	1.00	1	3	1592	0.48497	0.19342	24.55235	315.9324
5680	5682	45	0.19018	10	3	3.00	2	0	19645	0.28426	0.65510	40.14208	3736.086
5680	6011	45	0.15407	10	3	3.00	2	3	15831	0.22143	0.52793	41.74786	2439.082
5680	9564	35	0.01705	10	5	1.00	3	3	3385	0.03071	0.41114	33.30077	57.71425
5680	9570	35	0.01155	10	5	1.00	3	0	1310	0.02009	0.15919	34.50388	15.1305
5681	5678	25	0.13108	10	5	1.00	1	3	1143	0.31844	0.13888	24.69832	149.8244
5681	5683	25	0.29881	10	5	1.00	1	3	1128	0.72577	0.13708	24.70290	337.0577
5682	5680	45	0.19018	10	3	3.00	2	0	18888	0.28168	0.62985	40.50920	3592.12
5682	5684	45	0.18731	10	3	3.00	2	0	19092	0.27809	0.63665	40.41311	3576.123
5682	5702	40	0.09186	10	3	2.00	2	0	10286	0.14802	0.51450	37.23288	944.872
5682	5740	40	0.20772	10	3	2.00	2	0	11577	0.34057	0.57906	36.59586	2404.774
5683	113	25	0.17314	2	10	1.00	1	3	1386	0.41749	0.02357	24.88270	239.972
5683	5681	25	0.29881	10	5	1.00	1	3	1143	0.72591	0.13888	24.69832	341.5398
5683	5685	25	0.13283	10	5	1.00	1	3	357	0.31977	0.04334	24.92276	47.42031
5684	305	25	0.06728	2	10	1.00	2	3	2505	0.16285	0.04261	24.78876	168.5364
5684	5682	45	0.18731	10	3	3.00	2	0	18863	0.27735	0.62902	40.52085	3533.229
5684	5686	45	0.13024	10	3	3.00	2	3	18924	0.19298	0.63104	40.49259	2464.662
5685	5683	25	0.13283	10	5	1.00	1	3	359	0.31978	0.04355	24.92230	47.68597
5685	5687	25	0.35117	10	5	1.00	1	3	357	0.84541	0.04334	24.92276	125.3677
5685	5759	25	0.17623	10	5	1.00	1	3	0	0.42272	0.00000	25.01345	0
5686	5684	45	0.13024	10	3	3.00	2	3	18686	0.19246	0.62311	40.60262	2433.665
5686	5688	45	0.07275	10	3	3.00	2	3	18924	0.10780	0.63104	40.49259	1376.721
5687	5685	25	0.35117	10	5	1.00	1	3	359	0.84543	0.04355	24.92230	126.07
5687	5689	25	0.21646	10	5	1.00	1	3	641	0.52273	0.07782	24.84591	138.7509
5687	5823	25	0.17284	10	5	1.00	1	3	286	0.41580	0.03479	24.94115	49.43224
5688	5686	45	0.07275	10	3	3.00	2	3	18686	0.10751	0.62311	40.60262	1359.407
5688	5690	45	0.08033	10	3	3.00	2	3	27904	0.14515	0.93051	33.20476	2241.528
5688	5705	40	0.16832	10	4	1.00	2	3	7088	0.29588	0.75339	34.13226	1193.052
5688	5726	40	0.12822	10	3	2.00	2	3	16851	0.23904	0.84288	32.18313	2160.635
5689	115	25	0.11036	2	10	1.00	1	3	186	0.26504	0.00316	24.98422	20.52696
5689	5687	25	0.21646	10	5	1.00	1	3	609	0.52255	0.07404	24.85456	131.8241
5689	5824	20	0.13375	10	5	1.00	1	3	836	0.40464	0.10160	19.83221	111.815
5690	304	25	0.08788	2	10	1.00	2	3	422	0.21121	0.00717	24.96419	37.08536
5690	5688	45	0.08033	10	3	3.00	2	3	27498	0.14285	0.91697	33.73808	2208.914
5690	5692	45	0.22805	9	3	3.00	100	3	27947	0.41280	0.93195	33.14626	6373.313
5692	125	25	0.30468	1	10	1.00	100	0	325	0.73205	0.00554	24.97235	99.021
5692	5690	45	0.22805	9	3	3.00	100	3	27540	0.40621	0.91837	33.68416	6280.497
5692	5694	45	0.16080	9	3	3.00	100	3	27763	0.28891	0.92581	33.39297	4464.29
5694	309	25	0.06432	2	10	1.00	2	3	247	0.15450	0.00420	24.97901	15.88704
5694	5692	45	0.16080	9	3	3.00	100	3	27356	0.28444	0.91223	33.91790	4398.845
5694	5696	45	0.13543	9	3	3.00	100	3	27709	0.24282	0.92400	33.46475	3752.63
5696	5694	45	0.13543	9	3	3.00	100	3	27302	0.23910	0.91042	33.98598	3697.51
5696	5698	45	0.27524	9	3	3.00	100	0	26771	0.47694	0.89272	34.62517	7368.45
5696	5712	40	0.18445	10	5	1.00	2	0	3443	0.29118	0.41824	38.00767	635.0614
5696	5742	40	0.38152	9	4	1.00	100	0	6960	0.66586	0.73976	34.37833	2655.379
5698	5696	45	0.27524	9	3	3.00	100	0	26450	0.47195	0.88200	34.99134	7280.098
5701	306	25	0.14301	2	10	1.00	2	3	521	0.34384	0.00886	24.95580	74.50821
5701	5703	35	0.17604	10	5	1.00	2	3	368	0.30275	0.04470	34.88774	64.78272
5701	5704	35	0.16579	10	5	1.00	2	3	894	0.28681	0.10862	34.68277	148.2163
5702	305	25	0.16686	2	10	1.00	2	0	186	0.40073	0.00317	24.98415	31.03596
5702	5682	40	0.09186	10	3	2.00	2	0	10470	0.14836	0.52373	37.14835	961.7742
5702	5704	40	0.06310	10	3	2.00	2	0	10447	0.10188	0.52254	37.15929	659.2057
5703	306	25	0.08804	2	10	1.00	2	3	266	0.21149	0.00452	24.97742	23.41864
5703	307	25	0.12663	2	10	1.00	2	3	365	0.30429	0.00621	24.96898	46.21995
5703	5701	35	0.17604	10	5	1.00	2	3	372	0.30276	0.04519	34.88624	65.48688
5703	5705	35	0.09082	10	5	1.00	2	3	411	0.15627	0.04997	34.87164	37.32702
5704	616	20	0.03096	1	10	3.00	100	0	2120	0.09311	0.01202	19.95205	65.6352
5704	3364	40	0.38466	10	4	2.00	2	0	8134	0.60888	0.43227	37.90559	3128.824
5704	5701	35	0.16579	10	5	1.00	2	3	889	0.28679	0.10795	34.68502	147.3873

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
5704	5702	40	0.06310	10	3	2.00	2	0	10640	0.10213	0.53222	37.06876	671.384
5705	308	25	0.30354	2	10	1.00	2	3	575	0.72992	0.00978	24.95120	174.5355
5705	5688	40	0.16832	10	4	1.00	2	3	7080	0.29575	0.75258	34.14725	1191.706
5705	5703	35	0.09082	10	5	1.00	2	3	416	0.15628	0.05048	34.87010	37.78112
5705	5706	40	0.13715	10	4	1.00	2	3	6455	0.23347	0.68608	35.24550	885.3033
5706	307	25	0.09852	2	10	1.00	2	3	146	0.23655	0.00248	24.98761	14.38392
5706	5705	40	0.13715	10	4	1.00	2	3	6451	0.23343	0.68570	35.25100	884.7547
5706	5708	40	0.07990	10	4	1.00	2	3	6587	0.13683	0.70010	35.03349	526.3013
5708	5706	40	0.07990	10	4	1.00	2	3	6584	0.13682	0.69987	35.03705	526.0616
5708	5710	40	0.33606	10	5	1.00	2	3	2791	0.52337	0.33908	38.52662	937.9435
5708	9560	40	0.13206	10	4	1.00	2	3	8592	0.26311	0.91325	30.11506	1134.66
5710	310	25	0.14042	2	10	1.00	2	3	413	0.33748	0.00703	24.96490	57.99346
5710	5708	40	0.33606	10	5	1.00	2	3	2677	0.52225	0.32514	38.60910	899.6326
5710	5712	40	0.25884	10	5	1.00	2	0	2687	0.40232	0.32642	38.60163	695.5031
5712	311	25	0.07167	2	10	1.00	2	0	132	0.17209	0.00225	24.98875	9.46044
5712	312	25	0.33594	2	10	1.00	2	0	908	0.80874	0.01545	24.92301	305.0335
5712	5696	40	0.18445	10	5	1.00	2	0	3558	0.29196	0.43218	37.90629	656.2731
5712	5710	40	0.25884	10	5	1.00	2	0	2572	0.40149	0.31248	38.68195	665.7365
5714	5580	40	0.21421	10	3	3.00	2	3	13351	0.33995	0.44522	37.80835	2859.918
5714	5716	40	0.20176	10	3	2.00	2	3	10248	0.32499	0.51259	37.25006	2067.636
5714	9562	35	0.02292	10	5	1.00	3	3	1507	0.03996	0.18312	34.41346	34.54044
5714	9563	35	0.02111	10	5	1.00	3	3	2971	0.03770	0.36086	33.59364	62.71781
5716	290	25	0.09375	2	10	1.00	2	3	128	0.22510	0.00217	24.98914	12
5716	298	25	0.22804	2	10	1.00	2	3	646	0.54849	0.01099	24.94519	147.3138
5716	5714	40	0.20176	10	3	2.00	2	3	10956	0.32793	0.54802	36.91586	2210.483
5716	5718	40	0.09191	10	3	2.00	2	3	9938	0.14750	0.49707	37.38708	913.4016
5718	5716	40	0.09191	10	3	2.00	2	3	10631	0.14875	0.53177	37.07298	977.0952
5718	5720	40	0.13413	10	3	2.00	2	3	18656	0.27355	0.93318	29.41895	2502.329
5718	5736	40	0.13367	10	3	2.00	2	3	17040	0.25113	0.85233	31.93706	2277.737
5718	5738	40	0.12259	10	3	2.00	2	3	10203	0.19735	0.51034	37.27033	1250.786
5720	5718	40	0.13413	10	3	2.00	2	3	19179	0.28317	0.95934	28.41963	2572.479
5720	5722	40	0.17726	10	3	2.00	2	3	16358	0.32440	0.81821	32.78565	2899.619
5720	5816	30	0.14740	10	5	1.00	2	3	3246	0.30889	0.39426	28.63096	478.4604
5722	299	25	0.32974	2	10	1.00	2	3	247	0.79203	0.00421	24.97899	81.44578
5722	300	25	0.05279	2	10	1.00	2	3	514	0.12693	0.00875	24.95634	27.13406
5722	301	25	0.13224	2	10	1.00	2	3	237	0.31762	0.00403	24.97985	31.34088
5722	5720	40	0.17726	10	3	2.00	2	3	16332	0.32410	0.81692	32.81573	2895.01
5722	5724	40	0.14076	10	3	2.00	2	3	15916	0.25377	0.79612	33.28033	2240.336
5724	5722	40	0.14076	10	3	2.00	2	3	15966	0.25418	0.79863	33.22611	2247.374
5724	5726	40	0.17282	10	3	2.00	2	3	17333	0.32879	0.86698	31.53753	2995.489
5724	5812	25	0.16652	10	5	1.00	2	3	2178	0.41051	0.26457	24.33824	362.6806
5726	302	25	0.15229	2	10	1.00	2	3	234	0.36579	0.00398	24.98013	35.63586
5726	303	25	0.08860	2	10	1.00	2	3	82	0.21269	0.00139	24.99303	7.2652
5726	304	25	0.09073	2	10	1.00	2	3	304	0.21798	0.00517	24.97417	27.58192
5726	5688	40	0.12822	10	3	2.00	2	3	17027	0.24076	0.85169	31.95399	2183.202
5726	5724	40	0.17282	10	3	2.00	2	3	17158	0.32630	0.85826	31.77799	2965.246
5728	287	25	0.20307	2	10	1.00	2	3	30	0.48742	0.00052	24.99742	6.0921
5728	5574	40	0.10341	10	3	3.00	2	3	20654	0.17624	0.68875	35.20579	2135.83
5728	5730	40	0.14635	10	3	2.00	2	3	17999	0.28752	0.90030	30.53953	2634.154
5728	5780	30	0.09678	10	5	1.00	2	3	1604	0.19713	0.19485	29.45801	155.2351
5730	283	25	0.08384	2	10	1.00	2	3	980	0.20187	0.01667	24.91694	82.1632
5730	5728	40	0.14635	10	3	2.00	2	3	18609	0.29762	0.93084	29.50364	2723.427
5730	5732	40	0.15968	10	3	2.00	2	3	17282	0.30311	0.86444	31.60825	2759.59
5732	288	25	0.09670	2	10	1.00	2	3	876	0.23277	0.01489	24.92576	84.7092
5732	5730	40	0.15968	10	3	2.00	2	3	17892	0.31200	0.89498	30.70758	2856.995
5732	5734	40	0.19760	10	3	2.00	2	3	16800	0.36764	0.84032	32.24829	3319.68
5734	291	25	0.13343	2	10	1.00	2	3	355	0.32061	0.00604	24.96985	47.36765
5734	5732	40	0.19760	10	3	2.00	2	3	17410	0.37724	0.87086	31.42776	3440.216
5734	5736	40	0.12719	10	3	2.00	2	3	16625	0.23505	0.83157	32.46650	2114.534
5736	290	25	0.07633	2	10	1.00	2	3	99	0.18324	0.00168	24.99158	7.55667
5736	292	25	0.12502	2	10	1.00	2	3	280	0.30034	0.00475	24.97625	35.0056
5736	5718	40	0.13367	10	3	2.00	2	3	16424	0.24521	0.82154	32.70767	2195.396
5736	5734	40	0.12719	10	3	2.00	2	3	17233	0.24092	0.86197	31.67660	2191.865
5738	300	25	0.24729	2	10	1.00	2	3	112	0.59372	0.00191	24.99047	27.69648
5738	5718	40	0.12259	10	3	2.00	2	3	10989	0.19933	0.54966	36.89959	1347.142
5738	5740	40	0.18839	10	3	2.00	2	3	10307	0.30367	0.51554	37.22342	1941.736
5740	298	25	0.12022	2	10	1.00	2	3	563	0.28909	0.00958	24.95219	67.68386
5740	299	25	0.15714	2	10	1.00	2	3	949	0.37836	0.01613	24.91960	149.1259
5740	5682	40	0.20772	10	3	2.00	2	0	10864	0.33720	0.54340	36.96125	2256.67
5740	5738	40	0.18839	10	3	2.00	2	3	11095	0.30677	0.55496	36.84667	2090.187
5742	5696	40	0.38152	9	4	1.00	100	0	6759	0.65891	0.71845	34.74097	2578.694
5742	5744	40	0.40841	10	4	1.00	2	0	6922	0.71134	0.73573	34.44902	2827.014
5744	120	25	0.15757	1	10	1.00	100	3	600	0.37895	0.01020	24.94909	94.542
5744	121	25	0.13327	2	10	1.00	1	3	0	0.31985	0.00000	25.00000	0
5744	5742	40	0.40841	10	4	1.00	2	0	6725	0.70416	0.71483	34.80008	2746.557
5744	5746	40	0.25253	10	4	1.00	1	3	7634	0.45995	0.81144	32.94163	1927.814
5744	6009	40	0.19118	10	4	1.00	2	3	551	0.28805	0.05855	39.82303	105.3402
5746	5744	40	0.25253	10	4	1.00	1	3	7419	0.45310	0.78861	33.43969	1873.52
5746	5748	40	0.12412	10	3	1.00	1	3	10399	0.30191	1.04035	24.66807	1290.724
5746	5824	35	0.12777	10	3	1.00	1	3	13479	0.85095	1.34844	9.00875	1722.212
5748	117	25	0.04633	2	10	1.00	1	3	403	0.11133	0.00685	24.96580	18.67099
5748	5746	40	0.12412	10	3	1.00	1	3	10467	0.30636	1.04716	24.30929	1299.164
5748	5750	40	0.25258	10	3	1.00	1	3	10527	0.63168	1.05311	23.99148	2658.91

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
5750	5748	40	0.25258	10	3	1.00	1	3	10595	0.64155	1.05991	23.62234	2676.085
5750	5752	40	0.26736	10	3	2.00	1	3	12253	0.44297	0.61288	36.21419	3275.962
5750	5820	30	0.03946	10	5	1.00	1	3	3611	0.08338	0.43864	28.39362	142.4901
5750	5822	25	0.14621	10	5	1.00	1	3	799	0.35372	0.09709	24.80100	116.8218
5752	114	25	0.22128	2	10	1.00	1	3	1408	0.53362	0.02395	24.88083	311.5622
5752	5750	40	0.26736	10	3	2.00	1	3	12563	0.44528	0.62839	36.02637	3358.844
5752	5754	40	0.15461	10	3	2.00	1	3	13661	0.26290	0.68333	35.28592	2112.127
5754	5752	40	0.15461	10	3	2.00	1	3	13971	0.26465	0.69882	35.05318	2160.056
5754	5756	40	0.11484	10	3	2.00	1	3	14915	0.20109	0.74603	34.26656	1712.839
5754	5766	35	0.26980	10	4	2.00	1	3	18191	0.65797	0.96678	24.60250	4907.932
5756	5754	40	0.11484	10	3	2.00	1	3	15795	0.20624	0.79006	33.40931	1813.898
5756	5757	25	0.11877	10	5	1.00	1	3	1240	0.28889	0.15061	24.66813	147.2748
5756	22227	40	0.09733	10	3	2.00	1	3	13815	0.16604	0.69104	35.17150	1344.614
5757	5756	25	0.11877	10	5	1.00	1	3	1227	0.28884	0.14902	24.67225	145.7308
5757	5759	25	0.41705	10	5	1.00	1	3	1240	1.01437	0.15061	24.66813	517.142
5758	5760	40	0.17785	10	3	2.00	1	3	13882	0.30384	0.69439	35.12088	2468.914
5758	22227	40	0.09403	10	3	2.00	1	3	14148	0.16159	0.70771	34.91438	1330.336
5758	22228	25	0.01526	10	5	1.00	1	3	1021	0.03702	0.12408	24.73555	15.58046
5759	113	25	0.13622	2	10	1.00	1	3	1240	0.32830	0.02109	24.89502	168.9128
5759	5685	25	0.17623	10	5	1.00	1	3	0	0.42272	0.00000	25.01345	0
5759	5757	25	0.41705	10	5	1.00	1	3	1227	1.01421	0.14902	24.67225	511.7204
5760	5679	25	0.19845	10	5	1.00	1	3	1528	0.48454	0.18559	24.57422	303.2316
5760	5758	40	0.17785	10	3	2.00	1	3	14771	0.31025	0.73883	34.39471	2627.022
5760	5762	40	0.15895	10	3	2.00	1	3	14957	0.27863	0.74813	34.22873	2377.415
5762	5760	40	0.15895	10	3	2.00	1	3	15781	0.28533	0.78934	33.42435	2508.39
5762	5764	40	0.17415	10	3	2.00	1	3	16324	0.31833	0.81653	32.82480	2842.825
5762	5834	30	0.13791	10	5	1.00	1	3	4751	0.30130	0.57716	27.46213	655.2104
5762	5836	30	0.04413	10	5	1.00	1	3	1114	0.08930	0.13538	29.64865	49.16082
5764	97	25	0.10917	2	10	1.00	1	3	713	0.26264	0.01212	24.93955	77.83821
5764	108	25	0.11802	2	10	1.00	1	3	347	0.28359	0.00590	24.97052	40.95294
5764	5666	40	0.07841	10	3	2.00	1	3	16215	0.14278	0.81109	32.94968	1271.418
5764	5762	40	0.17415	10	3	2.00	1	3	17321	0.33115	0.86638	31.55424	3016.452
5766	5754	35	0.26980	10	4	2.00	1	3	17621	0.63143	0.93646	25.63652	4754.146
5766	5768	35	0.08409	10	4	2.00	1	3	16795	0.18733	0.89262	26.93357	1412.292
5766	5798	34	0.22955	10	5	1.00	1	3	3042	0.42266	0.36952	32.58708	698.2911
5768	90	25	0.12064	2	10	1.00	1	3	289	0.28983	0.00491	24.97549	34.86496
5768	131	25	0.15494	2	10	1.00	1	3	127	0.37201	0.00216	24.98921	19.67738
5768	5766	35	0.08409	10	4	2.00	1	3	16868	0.18806	0.89645	26.82887	1418.43
5768	5770	35	0.16652	10	4	2.00	1	3	16795	0.37095	0.89259	26.93424	2796.703
5770	5768	35	0.16652	10	4	2.00	1	3	16844	0.37193	0.89519	26.86346	2804.863
5770	5772	35	0.06521	10	4	2.00	1	3	16997	0.14689	0.90335	26.63634	1108.374
5770	5782	30	0.17788	10	5	1.00	1	3	629	0.35792	0.07644	29.81889	111.8865
5772	5770	35	0.06521	10	4	2.00	1	3	17007	0.14697	0.90384	26.62246	1109.026
5772	5800	35	0.05186	10	4	2.00	1	3	16815	0.11565	0.89367	26.90482	872.0259
5772	5854	23	0.17425	10	5	1.00	1	3	640	0.45739	0.07772	22.85846	111.52
5774	5750	35	0.15259	10	4	3.00	2	3	18259	0.29236	0.64695	31.31622	2786.141
5774	5776	30	0.07754	10	5	1.00	1	3	734	0.15621	0.08914	29.78364	56.91436
5774	5778	30	0.11029	10	5	1.00	2	3	2680	0.22854	0.32552	28.95518	295.5772
5774	5802	35	0.12070	10	4	2.00	1	3	16449	0.26416	0.87419	27.41575	1985.394
5776	85	25	0.21194	2	10	1.00	1	3	734	0.50992	0.01249	24.93772	155.564
5776	5568	25	0.11147	10	5	1.00	1	3	584	0.26902	0.07089	24.86171	65.09848
5776	5774	30	0.07754	10	5	1.00	1	3	1427	0.15755	0.17332	29.52941	110.6496
5778	281	25	0.03272	2	10	1.00	2	3	3009	0.07933	0.05118	24.74670	98.45448
5778	5774	30	0.11029	10	5	1.00	2	3	2405	0.22743	0.29219	29.09613	265.2475
5778	5780	30	0.15710	10	5	1.00	2	3	1019	0.31756	0.12374	29.68366	160.0849
5780	282	25	0.04021	2	10	1.00	2	3	1148	0.09687	0.01952	24.90280	46.16108
5780	5728	30	0.09678	10	5	1.00	2	3	1023	0.19564	0.12432	29.68193	99.00594
5780	5778	30	0.15710	10	5	1.00	2	3	744	0.31653	0.09040	29.78009	116.8824
5782	132	25	0.08811	2	10	1.00	1	3	138	0.21156	0.00235	24.98824	12.15918
5782	5770	30	0.17788	10	5	1.00	1	3	669	0.35808	0.08125	29.80562	119.0017
5782	5784	30	0.11645	10	5	1.00	2	3	570	0.23415	0.06927	29.83844	66.3765
5784	284	25	0.16193	2	10	1.00	2	3	156	0.38884	0.00266	24.98673	25.26108
5784	5782	30	0.11645	10	5	1.00	2	3	610	0.23426	0.07413	29.82522	71.0345
5784	5786	30	0.23615	10	5	1.00	2	3	470	0.47433	0.05703	29.87132	110.9905
5786	285	25	0.15307	2	10	1.00	2	3	496	0.36799	0.00844	24.95789	75.92272
5786	5784	30	0.23615	10	5	1.00	2	3	509	0.47454	0.06189	29.85836	120.2004
5786	5788	34	0.39286	10	5	1.00	2	3	339	0.69531	0.04123	33.90115	133.1795
5788	5786	34	0.39286	10	5	1.00	2	3	379	0.69560	0.04609	33.88685	148.8939
5788	5790	34	0.13769	10	5	1.00	2	3	2822	0.25242	0.34279	32.72861	388.5612
5788	5814	30	0.06186	10	5	1.00	2	3	3608	0.13072	0.43825	28.39579	223.1909
5790	130	25	0.22222	2	10	1.00	1	3	263	0.53380	0.00448	24.97762	58.44386
5790	286	25	0.12132	2	10	1.00	2	3	7	0.29117	0.00012	24.99939	0.84924
5790	5788	34	0.13769	10	5	1.00	2	3	3414	0.25555	0.41474	32.32771	470.0737
5790	5792	34	0.07462	10	5	1.00	2	3	2719	0.13653	0.33025	32.79226	202.8918
5792	5790	34	0.07462	10	5	1.00	2	3	3307	0.13817	0.40170	32.40524	246.7683
5792	5794	34	0.14924	10	5	1.00	2	3	2719	0.27307	0.33025	32.79226	405.7836
5794	129	25	0.04806	2	10	1.00	1	3	328	0.11548	0.00558	24.97215	15.76368
5794	5792	34	0.14924	10	5	1.00	2	3	3307	0.27633	0.40170	32.40524	493.5367
5794	5796	34	0.13627	10	5	1.00	1	3	2813	0.24978	0.34176	32.73392	383.3275
5796	5794	34	0.13627	10	5	1.00	1	3	3400	0.25284	0.41303	32.33803	463.318
5796	5798	34	0.22459	10	5	1.00	1	3	2188	0.40718	0.26582	33.09452	491.4029
5796	5804	30	0.08998	10	5	1.00	1	3	1510	0.18304	0.18339	29.49635	135.8698
5798	128	25	0.22538	2	10	1.00	1	3	389	0.54163	0.00661	24.96698	87.67282

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT	
5798	5766	34	0.22955	10		5	1.00	1	3	2399	0.41764	0.29147	32.97892	550.6905
5798	5796	34	0.22459	10		5	1.00	1	3	2831	0.41180	0.34386	32.72309	635.8143
5800	132	25	0.13613	2		10	1.00	1	3	305	0.32706	0.00519	24.97410	41.51965
5800	5772	35	0.05186	10		4	2.00	1	3	16016	0.11124	0.85121	27.97082	830.5898
5800	5802	35	0.12374	10		4	2.00	1	3	17093	0.28027	0.90842	26.49142	2115.088
5802	133	25	0.10428	2		10	1.00	1	3	267	0.25050	0.00455	24.97728	27.84276
5802	5774	35	0.12070	10		4	2.00	1	3	17248	0.27590	0.91667	26.24960	2081.834
5802	5800	35	0.12374	10		4	2.00	1	3	16294	0.26881	0.86594	27.62066	2016.22
5804	5796	30	0.08998	10		5	1.00	1	3	1454	0.18290	0.17662	29.51866	130.8309
5804	5806	25	0.14337	10		5	1.00	1	3	2171	0.35341	0.26373	24.34092	311.2563
5804	5818	33	0.09594	10		5	1.00	1	3	2801	0.18115	0.34032	31.77834	268.7279
5806	129	25	0.05373	2		10	1.00	1	3	206	0.12905	0.00350	24.98249	11.06838
5806	5804	25	0.14337	10		5	1.00	1	3	1917	0.35201	0.23283	24.43738	274.8403
5806	5808	25	0.19601	10		5	1.00	2	3	2059	0.48231	0.25009	24.38422	403.5846
5808	119	25	0.17042	1		10	1.00	100	3	816	0.41015	0.01387	24.93084	139.0627
5808	5806	25	0.19601	10		5	1.00	2	3	1806	0.48047	0.21936	24.47765	353.9941
5808	6006	25	0.13690	10		5	1.00	2	3	1861	0.33585	0.22604	24.45780	254.7709
5810	130	25	0.13755	2		10	1.00	1	3	159	0.33029	0.00271	24.98648	21.87045
5810	301	25	0.13141	2		10	1.00	2	3	60	0.31546	0.00103	24.99487	7.8846
5810	5812	25	0.09982	10		5	1.00	2	3	2459	0.24723	0.29876	24.22425	245.4574
5810	6006	25	0.10350	10		5	1.00	2	3	2198	0.25523	0.26698	24.33044	227.493
5812	302	25	0.15566	2		10	1.00	2	3	57	0.37366	0.00097	24.99515	8.87262
5812	5724	25	0.16652	10		5	1.00	2	3	2402	0.41203	0.29183	24.24798	399.981
5812	5810	25	0.09982	10		5	1.00	2	3	2232	0.24629	0.27112	24.31700	222.7982
5814	291	25	0.11976	2		10	1.00	2	3	131	0.28755	0.00223	24.98886	15.68856
5814	5788	30	0.06186	10		5	1.00	2	3	3055	0.12913	0.37116	28.74541	188.9823
5814	5816	34	0.09959	10		5	1.00	2	3	3556	0.18546	0.43199	32.22149	354.142
5816	292	25	0.03339	2		10	1.00	2	3	112	0.08017	0.00191	24.99047	3.73968
5816	293	25	0.10616	2		10	1.00	2	3	452	0.25517	0.00769	24.96163	47.98432
5816	5720	30	0.14740	10		5	1.00	2	3	3795	0.31289	0.46095	28.26463	559.383
5816	5814	34	0.09959	10		5	1.00	2	3	3006	0.18324	0.36522	32.61041	299.3675
5818	118	25	0.03845	2		10	1.00	1	3	235	0.09236	0.00399	24.98005	9.03575
5818	5804	33	0.09594	10		5	1.00	1	3	3000	0.18185	0.36445	31.65532	287.82
5818	5820	33	0.18827	10		5	1.00	1	3	2765	0.35523	0.33588	31.80027	520.5666
5820	116	25	0.07337	2		10	1.00	1	3	919	0.17664	0.01562	24.92213	67.42703
5820	5750	30	0.03946	10		5	1.00	1	3	3412	0.08299	0.41450	28.52570	134.6375
5820	5818	33	0.18827	10		5	1.00	1	3	2964	0.35659	0.36001	31.67842	558.0323
5822	114	25	0.14642	2		10	1.00	1	3	458	0.35196	0.00780	24.96107	67.06036
5822	5750	25	0.14621	10		5	1.00	1	3	756	0.35355	0.09182	24.81342	110.5348
5822	5823	25	0.18732	10		5	1.00	1	3	762	0.45298	0.09262	24.81154	142.7378
5823	115	25	0.09224	2		10	1.00	1	3	475	0.22175	0.00808	24.95965	43.814
5823	5687	25	0.17284	10		5	1.00	1	3	319	0.41594	0.03879	24.93258	55.13596
5823	5822	25	0.18732	10		5	1.00	1	3	719	0.45276	0.08739	24.82378	134.6831
5824	5689	20	0.13375	10		5	1.00	1	3	795	0.40444	0.09659	19.84175	106.3313
5824	5746	35	0.12777	10		3	1.00	1	3	13196	0.78908	1.32014	9.71510	1686.053
5824	11066	30	0.22880	23		3	1.00	901	0	14196	2.11784	1.42022	6.48222	3248.045
5826	80	25	0.07332	2		10	1.00	1	3	1105	0.17662	0.01879	24.90639	81.0186
5826	5828	30	0.10553	10		5	1.00	1	3	2774	0.21906	0.33693	28.90463	292.7402
5826	8926	25	0.06262	10		5	1.00	1	3	3757	0.15937	0.45637	23.57640	235.2633
5828	86	25	0.17035	2		10	1.00	1	3	269	0.40921	0.00458	24.97714	45.82415
5828	5826	30	0.10553	10		5	1.00	1	3	3352	0.22167	0.40722	28.56413	353.7366
5828	5830	30	0.28296	10		5	1.00	1	3	4376	0.61057	0.53163	27.80572	1238.233
5828	5840	23	0.11499	10		5	1.00	1	3	1891	0.30677	0.22967	22.49116	217.4461
5830	5828	30	0.28296	10		5	1.00	1	3	4581	0.61460	0.55645	27.62370	1296.24
5830	5832	30	0.18569	10		5	1.00	1	3	4583	0.40336	0.55671	27.62170	851.0173
5830	5838	30	0.18798	10		5	1.00	1	3	342	0.37707	0.04149	29.91213	64.28916
5832	91	25	0.09067	2		10	1.00	1	3	1124	0.21845	0.01912	24.90478	101.9131
5832	5830	30	0.18569	10		5	1.00	1	3	4739	0.40554	0.57573	27.47362	879.9849
5832	5834	30	0.18550	10		5	1.00	1	3	4570	0.40277	0.55518	27.63328	847.735
5834	98	25	0.20522	2		10	1.00	1	3	478	0.49334	0.00814	24.95939	98.09516
5834	5762	30	0.13791	10		5	1.00	1	3	4590	0.29963	0.55758	27.61514	633.0069
5834	5832	30	0.18550	10		5	1.00	1	3	4727	0.40493	0.57420	27.48582	876.8585
5836	5762	30	0.04413	10		5	1.00	1	3	1103	0.08929	0.13400	29.65285	48.67539
5836	5837	25	0.06777	10		5	1.00	1	3	1114	0.16458	0.13538	24.70720	75.49578
5837	109	25	0.18827	2		10	1.00	1	3	440	0.45253	0.00748	24.96267	82.8388
5837	5836	25	0.06777	10		5	1.00	1	3	1103	0.16456	0.13400	24.71071	74.75031
5837	5839	25	0.13475	10		5	1.00	1	3	675	0.32552	0.08202	24.83624	90.95625
5838	5830	30	0.18798	10		5	1.00	1	3	389	0.37726	0.04729	29.89702	73.12422
5838	8932	30	0.05739	10		5	1.00	1	3	342	0.11511	0.04149	29.91213	19.62738
5839	5673	25	0.24280	10		5	1.00	1	3	675	0.58657	0.08202	24.83624	163.89
5839	5837	25	0.13475	10		5	1.00	1	3	662	0.32548	0.08045	24.83987	89.2045
5840	87	25	0.02323	2		10	1.00	1	3	1000	0.05594	0.01701	24.91524	23.23
5840	5828	23	0.11499	10		5	1.00	1	3	2198	0.30824	0.26704	22.38385	252.748
5840	5842	23	0.10943	10		5	1.00	1	3	2123	0.29299	0.25788	22.41086	232.3199
5842	5840	23	0.10943	10		5	1.00	1	3	2430	0.29448	0.29525	22.29741	265.9149
5842	5844	23	0.13402	10		5	1.00	1	3	266	0.35037	0.03226	22.95083	35.64932
5842	5848	25	0.13339	10		5	1.00	1	3	1713	0.32652	0.20812	24.51045	228.4971
5842	5850	23	0.35180	10		5	1.00	1	3	1595	0.93451	0.19370	22.58743	561.121
5844	83	25	0.03178	2		10	1.00	1	3	1122	0.07657	0.01908	24.90498	35.65716
5844	5560	25	0.14348	10		5	1.00	1	3	985	0.34789	0.11967	24.74644	141.3278
5844	5842	23	0.13402	10		5	1.00	1	3	1662	0.35635	0.20189	22.56608	222.7412
5848	5558	35	0.05552	10		3	3.00	1	3	26059	0.12094	0.86898	27.54608	1446.796
58														

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
5848	8922	35	0.06515	10	3	3.00	1	3	25928	0.14136	0.86462	27.65282	1689.209
5850	88	25	0.08666	2	10	1.00	1	3	930	0.20864	0.01581	24.92118	80.5938
5850	5842	23	0.35180	10	5	1.00	1	3	196	0.91906	0.02382	22.96725	68.9528
5850	5852	30	0.20186	10	5	1.00	1	3	1212	0.40900	0.14722	29.61229	244.6543
5850	5854	23	0.16588	10	5	1.00	1	3	1467	0.43986	0.17818	22.62704	243.346
5852	85	25	0.06247	2	10	1.00	1	3	1177	0.15053	0.02003	24.90027	73.52719
5852	5564	25	0.17850	10	5	1.00	1	3	2200	0.44021	0.26721	24.32971	392.7
5852	5850	30	0.20186	10	5	1.00	1	3	645	0.40623	0.07833	29.81368	130.1997
5854	89	25	0.06897	2	10	1.00	1	3	777	0.16595	0.01321	24.93414	53.58969
5854	90	25	0.29282	2	10	1.00	1	3	78	0.70295	0.00133	24.99337	22.83996
5854	5772	23	0.17425	10	5	1.00	1	3	1448	0.46195	0.17589	22.63278	252.314
5854	5850	23	0.16588	10	5	1.00	1	3	635	0.43538	0.07718	22.85958	105.3338
5856	5858	63	0.35683	10	1	3.00	1	0	85709	0.84578	1.21470	25.31341	30583.54
5856	5860	30	0.09988	10	6	2.00	1	3	8737	0.20849	0.37146	28.74393	872.6516
5856	5862	30	0.12045	10	6	1.00	1	3	12932	0.45059	1.09970	16.03875	1557.659
5858	7141	65	0.02705	2	9	1.00	0	0	3202	0.02539	0.18151	63.92222	86.6141
5858	8944	63	1.42343	10	1	4.00	1	0	98694	2.21196	1.04904	38.61089	140484
5860	5861	35	0.03468	10	3	2.00	1	3	28172	0.26820	1.40915	7.75782	977.005
5860	5934	30	0.09813	10	5	1.00	1	3	9105	0.37348	1.10607	15.76426	893.4737
5860	5948	35	0.03013	10	3	2.00	1	3	26530	0.18957	1.32703	9.53501	799.3489
5861	5858	30	0.26508	10	6	2.00	1	3	16187	0.60221	0.68821	26.41035	4290.85
5861	5860	35	0.03468	10	3	2.00	1	3	24174	0.15425	1.20920	13.48848	838.3543
5861	5862	35	0.03683	10	3	2.00	1	3	11985	0.06945	0.59949	31.82345	441.4076
5862	5861	35	0.03683	10	3	2.00	1	3	24174	0.16385	1.20920	13.48848	890.3284
5862	5863	35	0.10530	10	3	2.00	1	3	24918	0.52529	1.24637	12.02808	2623.865
5863	5675	30	0.06675	10	6	1.00	1	3	3086	0.13709	0.26242	29.21419	205.9905
5863	5862	35	0.10530	10	3	2.00	1	3	24174	0.46841	1.20920	13.48848	2545.522
5863	5932	35	0.07462	10	3	2.00	1	3	21831	0.23445	1.09201	19.09687	1629.029
5864	104	25	0.09175	2	10	1.00	1	3	965	0.22093	0.01641	24.91823	88.53875
5864	5666	40	0.14736	10	3	2.00	1	3	21176	0.37370	1.05923	23.65983	3120.495
5864	6002	40	0.14817	10	3	2.00	1	3	20450	0.34783	1.02291	25.55871	3030.077
5866	5953	25	0.32462	10	5	1.00	1	3	5628	0.88332	0.68373	22.05007	1826.961
5866	6001	40	0.09043	10	3	2.00	1	3	21973	0.25331	1.09911	21.41878	1987.018
5866	6002	40	0.08536	10	3	2.00	1	3	20350	0.19846	1.01789	25.80706	1737.076
5868	94	25	0.27293	2	10	1.00	1	3	756	0.65671	0.01286	24.93585	206.3351
5868	5870	40	0.30883	10	3	2.00	1	3	20910	0.76017	1.04591	24.37598	6457.635
5868	5936	30	0.23141	10	5	1.00	1	3	4880	0.50798	0.59283	27.33362	1129.281
5868	6001	40	0.09120	10	3	2.00	1	3	23013	0.29658	1.15111	18.45104	2098.786
5870	66	25	0.09433	2	10	1.00	1	3	1672	0.22767	0.02844	24.85860	157.7198
5870	68	25	0.11633	2	10	1.00	1	3	2923	0.28197	0.04972	24.75387	340.0326
5870	5868	40	0.30883	10	3	2.00	1	3	19111	0.64889	0.95591	28.55657	5902.05
5870	5872	40	0.12747	10	3	2.00	1	3	21953	0.35614	1.09811	21.47599	2798.349
5871	5676	30	0.36613	10	6	1.00	1	3	13940	1.76403	1.18538	12.45313	5103.852
5871	5931	35	0.05170	10	3	2.00	1	3	11484	0.09675	0.57443	32.06467	593.7228
5871	30004	35	0.02538	10	3	2.00	1	3	25294	0.13396	1.26523	11.36537	641.9617
5872	5870	40	0.12747	10	3	2.00	1	3	19069	0.26707	0.95383	28.63852	2430.725
5872	5876	40	0.08620	10	3	2.00	1	3	27561	0.54214	1.37858	9.53944	2375.758
5872	5918	35	0.21440	10	3	2.00	1	3	15510	0.43624	0.77581	29.48881	3325.344
5872	30004	35	0.10461	10	3	3.00	1	3	25424	0.22376	0.84781	28.04899	2659.605
5874	69	25	0.06897	2	10	1.00	1	3	1272	0.16623	0.02162	24.89234	87.72984
5874	71	25	0.14941	2	10	1.00	1	3	641	0.35936	0.01089	24.94564	95.77181
5874	5876	40	0.16062	10	3	2.00	1	3	21766	0.43782	1.08874	22.01143	3496.055
5874	5878	40	0.11856	10	3	2.00	1	3	22023	0.33434	1.10159	21.27658	2611.047
5876	5872	40	0.08620	10	3	2.00	1	3	26362	0.46388	1.31864	11.14885	2272.404
5876	5874	40	0.16062	10	3	2.00	1	3	22368	0.47508	1.11883	20.28515	3592.748
5876	5930	25	0.19995	10	5	1.00	1	3	5447	0.53928	0.66163	22.24586	1089.128
5878	74	25	0.15241	2	10	1.00	1	3	215	0.36605	0.00365	24.98176	32.76815
5878	5874	40	0.11856	10	3	2.00	1	3	21416	0.30931	1.07123	22.99830	2539.081
5878	5880	40	0.13960	10	3	2.00	1	3	21815	0.38293	1.09118	21.87271	3045.374
5880	5878	40	0.13960	10	3	2.00	1	3	21223	0.35592	1.06155	23.53289	2962.731
5880	5882	40	0.21650	10	3	2.00	1	3	26277	1.15151	1.31435	11.28097	5688.971
5880	5908	30	0.17800	10	5	1.00	1	3	4073	0.38069	0.49483	28.05484	724.994
5880	5910	40	0.13207	10	4	2.00	1	3	9978	0.21366	0.53032	37.08671	1317.794
5882	2502	45	0.19759	10	2	3.00	1	3	31562	0.34306	0.89463	34.55847	6236.336
5882	5880	40	0.21650	10	3	2.00	1	3	25999	1.10770	1.30046	11.72722	5628.784
5882	5884	40	0.32255	10	3	2.00	1	3	13935	0.55167	0.69701	35.08095	4494.734
5884	76	25	0.07889	2	10	1.00	1	3	2722	0.19109	0.04630	24.77064	214.7386
5884	5325	40	0.29909	10	3	2.00	1	0	12988	0.50190	0.64967	35.75421	3884.581
5884	5882	40	0.32255	10	3	2.00	1	3	14262	0.55575	0.71339	34.82339	4600.208
5885	2500	45	0.23765	10	2	3.00	1	3	30957	0.40575	0.87747	35.14161	7356.931
5885	5888	45	0.19339	10	3	3.00	1	3	27641	0.34581	0.92173	33.55368	5345.493
5885	5899	20	0.12668	10	6	1.00	1	3	3394	0.39165	0.28860	19.40717	429.9519
5885	25088	20	0.06557	10	6	1.00	1	3	7947	0.22229	0.67573	17.69798	521.0848
5888	5885	45	0.19339	10	3	3.00	1	3	28129	0.35271	0.93800	32.89739	5439.867
5888	9010	45	0.23781	10	3	3.00	1	3	27641	0.42524	0.92173	33.55368	6573.306
5892	49	25	0.10350	2	10	1.00	1	3	5573	0.25310	0.09477	24.53494	576.8055
5892	3678	45	0.10873	10	4	1.00	1	3	10833	0.31459	1.15141	20.73817	1177.872
5892	5894	45	0.29662	10	4	1.00	1	3	10518	0.77797	1.11797	22.87645	3119.849
5894	5892	45	0.29662	10	4	1.00	1	3	10516	0.77759	1.11779	22.88773	3119.256
5894	5896	45	0.13818	10	4	1.00	1	3	10518	0.36242	1.11797	22.87644	1453.377
5896	5894	45	0.13818	10	4	1.00	1	3	10516	0.36224	1.11779	22.88773	1453.101
5896	5898	45	0.44145	10	4	1.00	1	3	10819	1.27185	1.15002	20.82544	4776.048
5897	5898	40	0.04892	10	4	1.00	1	3	11489	0.19763	1.22116	14.85308	562.0419

A	B	SPEED	DISTANCE	SPDCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT	
5897	5899	40	0.15698	10		4	1.00	1	3	4486	0.25078	0.47687	37.55763	704.2123
5897	25088	20	0.06182	10		6	1.00	1	3	7035	0.20391	0.59821	18.19211	434.9037
5898	48	25	0.11382	2		10	1.00	1	3	630	0.27375	0.01072	24.94653	71.7066
5898	50	25	0.70760	2		10	1.00	1	3	391	1.70050	0.00665	24.96677	276.6716
5898	5896	45	0.44145	10		4	1.00	1	3	10818	1.27118	1.14985	20.83640	4775.606
5898	5897	40	0.04892	10		4	1.00	1	3	11490	0.19773	1.22134	14.84506	562.0908
5899	5885	20	0.12668	10		6	1.00	1	3	3177	0.39066	0.27012	19.45620	402.4624
5899	5897	40	0.15698	10		4	1.00	1	3	3609	0.24627	0.38359	38.24607	566.5408
5899	5900	35	0.07852	10		5	1.00	1	3	7880	0.18891	0.95727	24.93959	618.7376
5900	43	25	0.17402	2		10	1.00	1	3	2755	0.42156	0.04686	24.76788	479.4251
5900	5899	35	0.07852	10		5	1.00	1	3	6785	0.16495	0.82428	28.56238	532.7582
5900	5902	35	0.22715	10		5	1.00	1	3	5125	0.43149	0.62256	31.58568	1164.144
5902	5900	35	0.22715	10		5	1.00	1	3	4079	0.41645	0.49547	32.72583	926.5449
5902	9014	33	0.17604	10		5	1.00	1	3	5125	0.35468	0.62256	29.78079	902.205
5905	73	25	0.20040	2		10	1.00	1	0	309	0.48146	0.00525	24.97379	61.9236
5906	75	25	0.30788	2		10	1.00	1	3	2134	0.74428	0.03629	24.81984	657.0159
5906	5908	25	0.31764	10		5	1.00	1	3	4549	0.82703	0.55257	23.04412	1444.944
5906	5924	30	0.16648	10		5	1.00	1	3	3398	0.35005	0.41274	28.53506	565.699
5908	74	25	0.08815	2		10	1.00	1	3	239	0.21174	0.00407	24.97968	21.06785
5908	5880	30	0.17800	10		5	1.00	1	3	4682	0.38796	0.56870	27.52922	833.396
5908	5906	25	0.31764	10		5	1.00	1	3	3955	0.81255	0.48048	23.45487	1256.266
5910	77	25	0.05294	2		10	1.00	1	3	1113	0.12753	0.01892	24.90574	58.92222
5910	5880	40	0.13207	10		4	2.00	1	3	9056	0.21119	0.48128	37.52111	1196.026
5910	5912	40	0.09943	10		4	2.00	1	3	9668	0.16020	0.51379	37.23923	961.2892
5912	35	25	0.08977	2		10	1.00	1	3	1561	0.21660	0.02655	24.86796	140.131
5912	5910	40	0.09943	10		4	2.00	1	3	8745	0.15843	0.46476	37.65587	869.5154
5912	5914	40	0.28338	10		4	1.00	1	3	8950	0.59163	0.95127	28.73870	2536.251
5914	5912	40	0.28338	10		4	1.00	1	3	8027	0.53277	0.85320	31.91405	2274.691
5914	5916	35	0.37204	10		4	1.00	1	3	8179	0.81062	0.86934	27.53711	3042.915
5914	5920	23	0.23223	10		5	1.00	1	3	1603	0.61695	0.19478	22.58466	372.2647
5916	33	25	0.11588	2		10	1.00	1	3	941	0.27900	0.01600	24.92026	109.0431
5916	5914	35	0.37204	10		4	1.00	1	3	7551	0.76981	0.80259	28.99714	2809.274
5916	8804	35	0.32195	10		4	1.00	1	3	8706	0.74341	0.92543	25.98411	2802.897
5918	67	25	0.18380	2		10	1.00	1	3	3966	0.44707	0.06744	24.66728	728.9508
5918	5872	35	0.21440	10		3	2.00	1	3	15039	0.43046	0.75223	29.88446	3224.362
5918	8808	35	0.25626	10		3	2.00	1	3	13358	0.49494	0.66817	31.06508	3423.121
5920	34	25	0.05170	2		10	1.00	1	3	1674	0.12480	0.02847	24.85843	86.5458
5920	5914	23	0.23223	10		5	1.00	1	3	1309	0.61451	0.15897	22.67451	303.9891
5920	5922	23	0.03068	10		5	1.00	1	3	1662	0.08158	0.20187	22.56614	50.99016
5922	33	25	0.20392	2		10	1.00	1	3	446	0.49014	0.00758	24.96217	90.94832
5922	5920	23	0.03068	10		5	1.00	1	3	1367	0.08125	0.16606	22.65718	41.93956
5922	8808	23	0.23257	10		5	1.00	1	3	2089	0.62232	0.25372	22.42300	485.8387
5924	71	25	0.37453	2		10	1.00	1	3	83	0.89912	0.00142	24.99292	31.08599
5924	73	25	0.14287	2		10	1.00	1	3	326	0.34326	0.00554	24.97233	46.57562
5924	5906	30	0.16648	10		5	1.00	1	3	3958	0.35491	0.48075	28.14415	658.9278
5924	5926	30	0.20155	10		5	1.00	1	3	3607	0.42587	0.43815	28.39636	726.9909
5926	72	25	0.06375	2		10	1.00	1	3	1505	0.15378	0.02559	24.87270	95.94375
5926	5924	30	0.20155	10		5	1.00	1	3	4204	0.43266	0.51066	27.95058	847.3162
5926	5928	30	0.12434	10		5	1.00	1	3	4127	0.26632	0.50137	28.01228	513.1512
5928	5926	30	0.12434	10		5	1.00	1	3	4724	0.27140	0.57388	27.48838	587.3822
5928	5930	30	0.13316	10		5	1.00	1	3	4127	0.28521	0.50137	28.01228	549.5513
5930	70	25	0.04643	2		10	1.00	1	3	1412	0.11197	0.02401	24.88052	65.55916
5930	5876	25	0.19995	10		5	1.00	1	3	4850	0.52609	0.58912	22.80381	969.7575
5930	5928	30	0.13316	10		5	1.00	1	3	4724	0.29065	0.57388	27.48838	629.0478
5931	5871	35	0.05170	10		3	2.00	1	3	25294	0.27296	1.26523	11.36537	1307.7
5931	5932	35	0.04720	10		3	2.00	1	3	24174	0.20995	1.20920	13.48848	1141.013
5932	5863	35	0.07462	10		3	2.00	1	3	24174	0.33193	1.20920	13.48848	1803.864
5932	5931	35	0.04720	10		3	2.00	1	3	21831	0.14829	1.09201	19.09687	1030.423
5934	101	25	0.03441	2		10	1.00	1	3	793	0.08280	0.01348	24.93277	27.28713
5934	107	25	0.21166	1		10	1.00	100	0	792	0.50936	0.01347	24.93281	167.6347
5934	5860	30	0.09813	10		5	1.00	1	3	6236	0.23051	0.75753	25.54150	611.9387
5934	5936	35	0.35422	10		5	1.00	1	3	7828	0.84472	0.95087	25.15993	2772.834
5936	102	25	0.08732	2		10	1.00	1	3	3181	0.21184	0.05410	24.73242	277.7649
5936	5868	30	0.23141	10		5	1.00	1	3	7809	0.64186	0.94857	21.63235	1807.081
5936	5934	35	0.35422	10		5	1.00	1	3	4899	0.66694	0.59513	31.86667	1735.324
5938	31	25	0.36472	2		10	1.00	1	3	957	0.87818	0.01628	24.91888	349.037
5938	5940	25	0.24292	10		5	1.00	1	3	2292	0.59998	0.27846	24.29288	556.7726
5938	8808	25	0.03452	10		5	1.00	1	3	2580	0.08569	0.31339	24.17301	89.0616
5940	65	25	0.07850	2		10	1.00	1	3	1592	0.18942	0.02707	24.86539	124.972
5940	5938	25	0.24292	10		5	1.00	1	3	1705	0.59458	0.20711	24.51338	414.1786
5940	5942	25	0.34145	10		5	1.00	1	3	2187	0.84187	0.26561	24.33488	746.7512
5942	64	25	0.14427	2		10	1.00	1	3	1410	0.34790	0.02398	24.88066	203.4207
5942	5940	25	0.34145	10		5	1.00	1	3	1599	0.83449	0.19426	24.54999	545.9786
5942	5944	28	0.32898	10		5	1.00	1	3	2624	0.72965	0.31874	27.05231	863.2435
5944	62	25	0.18024	2		10	1.00	1	3	75	0.43268	0.00128	24.99360	13.518
5944	63	25	0.15474	2		10	1.00	1	3	38	0.37142	0.00064	24.99678	5.88012
5944	5942	28	0.32898	10		5	1.00	1	3	2037	0.72250	0.24740	27.31975	670.1323
5944	5946	28	0.17405	10		5	1.00	1	3	2570	0.38566	0.31223	27.07838	447.3085
5946	5944	28	0.17405	10		5	1.00	1	3	2014	0.38212	0.24463	27.32939	350.5367
5946	8794	35	0.05655	10		3	2.00	1	3	13966	0.11060	0.69856	30.67501	789.7773
5946	8796	35	0.05170	10		3	2.00	1	3	8776	0.09366	0.43895	33.12381	453.7192
5948	100	25	0.06040	2		10	1.00	1	3	79	0.14499	0.00134	24.99331	4.7

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
5948	5955	30	0.26594	9	5	1.00	100	0	4550	0.57705	0.55277	27.65143	1210.027
5948	11328	35	0.25740	23	3	2.00	901	0	22502	0.88704	1.12557	17.41061	5792.015
5949	5951	30	0.32150	10	5	1.00	1	3	4125	0.68857	0.50107	28.01425	1326.188
5949	5953	25	0.15118	10	5	1.00	1	3	4835	0.39757	0.58730	22.81635	730.9553
5949	5957	25	0.06889	10	5	1.00	1	0	4449	0.17878	0.54041	23.11895	306.4916
5950	262	25	0.12601	2	10	1.00	3	3	1594	0.30406	0.02711	24.86517	200.8599
5950	5580	40	0.03830	10	3	3.00	3	3	23917	0.06912	0.79755	33.24955	916.0211
5950	5598	40	0.11518	10	3	3.00	3	3	21984	0.20035	0.73308	34.49494	2532.117
5951	103	25	0.33413	2	10	1.00	1	3	149	0.80232	0.00253	24.98737	49.78537
5951	105	25	0.09036	2	10	1.00	1	3	380	0.21714	0.00646	24.96772	34.3368
5951	5672	30	0.11606	10	5	1.00	1	3	4287	0.24975	0.52078	27.88163	497.5492
5951	5949	30	0.32150	10	5	1.00	1	3	3022	0.67060	0.36715	28.76466	971.573
5952	138	25	0.06293	2	10	1.00	1	3	901	0.15150	0.01532	24.92363	56.69993
5952	1294	25	0.07945	2	10	1.00	1	3	926	0.19128	0.01576	24.92147	73.5707
5952	8914	45	0.10096	10	3	2.00	1	3	14243	0.15456	0.71245	39.19341	1437.973
5952	8916	45	0.09834	10	3	2.00	1	3	13033	0.14682	0.65193	40.18977	1281.665
5953	103	25	0.11922	2	10	1.00	1	3	790	0.28690	0.01344	24.93300	94.1838
5953	105	25	0.30919	2	10	1.00	1	3	142	0.74241	0.00241	24.98795	43.90498
5953	5866	25	0.32462	10	5	1.00	1	3	5164	0.86469	0.62728	22.52502	1676.338
5953	5949	25	0.15118	10	5	1.00	1	3	5289	0.40488	0.64255	22.40449	799.591
5954	228	25	0.09156	2	10	1.00	4	3	2147	0.22136	0.03651	24.81877	196.5793
5954	229	25	0.18856	2	10	1.00	4	3	556	0.45339	0.00946	24.95281	104.8394
5954	8760	30	0.14085	10	5	1.00	4	3	6926	0.34969	0.84134	24.16678	975.5271
5954	8870	30	0.10813	10	5	1.00	4	3	4905	0.23757	0.59579	27.30873	530.3777
5955	5948	30	0.26594	9	5	1.00	100	0	3314	0.55813	0.40257	28.58837	881.3252
5957	5949	25	0.06889	10	5	1.00	1	0	5096	0.18298	0.61908	22.58761	351.0634
5958	221	25	0.07898	2	10	1.00	4	3	874	0.19011	0.01487	24.92587	69.02852
5958	8748	45	0.06795	10	3	3.00	4	3	35020	0.20667	1.16779	19.72661	2379.609
5958	8750	45	0.11561	10	3	3.00	4	3	35015	0.35147	1.16763	19.73650	4048.084
5960	151	25	0.22588	2	10	1.00	5	3	317	0.54271	0.00539	24.97310	71.60396
5960	175	25	0.17793	2	10	1.00	5	3	308	0.42748	0.00524	24.97381	54.80244
5960	8676	45	0.13017	10	3	2.00	5	3	13603	0.19651	0.68041	39.74460	1770.703
5960	9070	45	0.08050	10	3	2.00	5	3	13034	0.12019	0.65197	40.18919	1049.237
5961	5966	63	0.25844	10	1	2.00	4	0	40609	0.31300	0.86329	49.54017	10494.99
5962	175	25	0.09046	2	10	1.00	5	3	1524	0.21823	0.02592	24.87109	137.861
5962	179	25	0.09383	2	10	1.00	5	3	1289	0.22617	0.02192	24.89086	120.9469
5962	9070	45	0.16341	10	3	3.00	5	3	26018	0.27650	0.86761	35.45967	4251.601
5962	9072	45	0.14740	10	3	3.00	5	3	24131	0.23754	0.80469	37.22990	3556.909
5963	5970	63	0.08369	10	1	2.00	4	0	41332	0.10274	0.87866	48.87424	3459.075
5963	5971	50	0.07375	10	6	1.00	4	3	18455	0.55232	1.56933	8.01209	1361.056
5966	25172	63	0.02274	10	1	2.75	4	0	58572	0.05880	1.24515	23.20143	1331.927
5967	9571	45	0.19501	10	3	2.00	1	0	23631	0.61987	1.18202	18.87606	4608.281
5968	5970	50	0.06717	10	6	1.00	4	3	8142	0.09172	0.69231	43.94048	546.8981
5970	25173	63	0.10016	10	1	2.00	4	0	49474	0.15649	1.05174	38.40366	4955.316
5971	9556	40	0.04374	10	6	1.00	4	0	5885	0.07026	0.50040	37.35820	257.4099
5971	9572	50	0.15281	10	6	1.00	4	0	12571	0.31717	1.06893	28.90738	1920.975
6001	5866	40	0.09043	10	3	2.00	1	3	23013	0.29405	1.15111	18.45104	2081.066
6001	5868	40	0.09120	10	3	2.00	1	3	21973	0.25549	1.09911	21.41878	2003.938
6002	94	25	0.17455	2	10	1.00	1	3	739	0.41998	0.01256	24.93735	128.9925
6002	5864	40	0.14817	10	3	2.00	1	3	21115	0.37312	1.05616	23.82664	3128.61
6002	5866	40	0.08536	10	3	2.00	1	3	19775	0.18860	0.98914	27.15631	1687.994
6003	204	25	0.22121	2	10	1.00	6	3	0	0.53089	0.00000	25.00000	0
6003	206	25	0.34060	2	10	1.00	6	3	4671	0.83042	0.07944	24.60900	1590.943
6003	329	25	0.14239	2	10	1.00	6	3	1693	0.34371	0.02879	24.85685	241.0663
6003	5660	40	0.06367	10	3	2.00	6	3	6236	0.09876	0.31194	38.68502	397.0461
6004	321	25	0.15538	2	10	1.00	1	3	643	0.37373	0.01094	24.94543	99.90934
6004	5510	40	0.32318	10	3	1.00	1	3	4179	0.51017	0.41804	38.00908	1350.569
6004	9048	40	0.12875	10	3	1.00	1	3	3615	0.20124	0.36160	38.38811	465.4313
6005	197	25	0.05168	2	10	1.00	5	3	201	0.12411	0.00343	24.98288	10.38768
6005	198	25	0.27027	2	10	1.00	5	3	175	0.64903	0.00297	24.98516	47.29725
6005	8642	30	0.03042	10	5	1.00	5	3	376	0.06105	0.04564	29.90131	11.43792
6006	5808	25	0.13690	10	5	1.00	2	3	1614	0.33466	0.19611	24.54478	220.9566
6006	5810	25	0.10350	10	5	1.00	2	3	2433	0.25623	0.29553	24.23536	251.8155
6006	6007	25	0.19501	10	5	1.00	2	3	732	0.47141	0.08896	24.82012	142.7473
6007	119	25	0.11651	1	10	1.00	100	3	238	0.27986	0.00404	24.97981	27.72938
6007	125	25	0.32064	1	10	1.00	100	0	117	0.76984	0.00199	24.99006	37.51488
6007	6006	25	0.19501	10	5	1.00	2	3	721	0.47135	0.08758	24.82335	140.6022
6007	6008	25	0.18627	10	5	1.00	2	3	953	0.45146	0.11583	24.75587	177.5153
6008	120	25	0.11952	1	10	1.00	100	3	395	0.28723	0.00672	24.96642	47.2104
6008	6007	25	0.18627	10	5	1.00	2	3	935	0.45136	0.11361	24.76128	174.1625
6008	6009	25	0.12281	10	5	1.00	2	3	558	0.29629	0.06779	24.86871	68.52798
6009	5744	40	0.19118	10	4	1.00	2	3	558	0.28807	0.05932	39.82031	106.6784
6009	6008	25	0.12281	10	5	1.00	2	3	551	0.29626	0.06692	24.87069	67.66831
6010	254	25	0.09637	2	10	1.00	3	3	530	0.23171	0.00901	24.95501	51.0761
6010	255	25	0.13359	2	10	1.00	3	3	2097	0.32291	0.03567	24.82294	280.1382
6010	8910	30	0.01474	10	5	1.00	1	3	3678	0.03119	0.44679	28.34728	54.21372
6011	296	25	0.10931	2	10	1.00	2	3	479	0.26277	0.00815	24.95930	52.35949
6011	5586	45	0.15398	10	3	3.00	2	3	15819	0.22127	0.52753	41.75207	2435.81
6011	5680	45	0.15407	10	3	3.00	2	3	16647	0.22302	0.55511	41.45076	2564.803
6983	5049	25	1.02360	9	5	1.00	100	0	0	2.45532	0.00000	25.01345	0
6983	5050	25	0.40174	9	5	1.00	100	0	0	0.96367	0.00000	25.01345	0
7140	5674	65	0.02705	2	9	1.00	0	0	3156	0.02538	0.17889	63.94094	85.3698
7140	17110	65	0.61936	2	8	1.00	0	0	15743	0.64845	0.66934	57.30794	9750.584

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
7141	5858	65	0.02705	2	9	1.00	0	0	0	0.02496	0.00000	65.03497	0
7141	18205	65	1.42394	2	8	1.00	0	0	18548	1.58291	0.78860	53.97427	26411.24
7142	7140	65	1.23639	2	8	1.00	0	0	18898	1.38764	0.80351	53.46022	23365.3
7142	8962	65	0.02705	2	9	1.00	0	0	0	0.02496	0.00000	65.03497	0
7144	7142	65	0.35795	2	8	1.00	0	0	13966	0.36475	0.59377	58.88100	4999.13
7144	8960	65	0.02705	2	9	1.00	0	0	2424	0.02527	0.13739	64.22549	65.5692
7145	7147	65	0.62818	2	8	1.00	0	0	16722	0.66968	0.71098	56.28192	10504.43
7145	8946	65	0.02705	2	9	1.00	0	0	0	0.02496	0.00000	65.03497	0
7146	7144	65	0.62718	2	8	1.00	0	0	16389	0.66432	0.69682	56.64541	10278.85
7146	8958	65	0.02705	2	9	1.00	0	0	0	0.02496	0.00000	65.03497	0
7147	7149	65	0.44751	2	8	1.00	0	0	13631	0.45400	0.57954	59.14237	6100.009
7147	8948	65	0.02526	2	9	1.00	0	0	3091	0.02369	0.17525	63.96674	78.07866
7148	7146	65	0.37920	2	8	1.00	0	0	14410	0.38880	0.61267	58.51823	5464.272
7148	8956	65	0.02705	2	9	1.00	0	0	3063	0.02537	0.17363	63.97816	82.85415
7149	8950	65	0.02705	2	9	1.00	0	0	7	0.02496	0.00042	65.03275	0.18935
7149	13540	65	0.23849	2	8	1.00	0	0	18384	0.26398	0.78165	54.20555	4384.4
7150	7151	45	0.14541	10	2	3.00	4	3	37812	0.33765	1.07177	25.83944	5498.243
7150	8765	45	0.29414	10	3	3.00	4	3	35775	0.96743	1.19297	18.24279	10522.86
7151	7150	45	0.14541	10	2	3.00	4	3	35775	0.29833	1.01403	29.24529	5202.043
7151	8768	45	0.06371	10	3	4.00	4	3	37812	0.11735	0.94568	32.57339	2409.003
7153	5536	65	0.02973	2	9	1.00	0	0	8760	0.02936	0.49659	60.76077	260.4348
7153	25200	65	1.21417	2	8	1.00	0	0	8551	1.17196	0.36357	62.16101	10382.37
7359	927	25	0.04222	2	10	1.00	0	3	405	0.10146	0.00688	24.96563	17.0991
7359	8623	30	0.18179	10	5	1.00	0	3	5748	0.41479	0.69831	26.29583	1044.929
7359	8656	30	0.09945	10	5	1.00	0	3	5347	0.22251	0.64954	26.81695	531.7592
8600	200	25	0.10159	2	10	1.00	5	3	76	0.24388	0.00129	24.99354	7.72084
8600	201	25	0.22994	2	10	1.00	5	3	2862	0.55724	0.04868	24.75895	658.0883
8600	8601	45	0.28104	10	3	2.00	5	3	19432	0.53723	0.97200	31.38715	5461.169
8600	9098	45	0.35794	10	3	2.00	5	3	20044	0.71926	1.00258	29.85910	7174.549
8601	8600	45	0.28104	10	3	2.00	5	3	19683	0.54783	0.98455	30.77990	5531.71
8601	8631	25	0.33343	10	5	1.00	7	3	928	0.80787	0.11274	24.76340	309.423
8601	8641	45	0.25195	10	3	2.00	7	3	19010	0.46732	0.95088	32.34808	4789.57
8602	201	25	0.34444	2	10	1.00	5	3	700	0.82862	0.01190	24.94062	241.108
8602	8604	40	0.26936	10	3	2.00	5	3	7492	0.42193	0.37476	38.30392	2018.045
8602	9098	40	0.32528	10	3	2.00	5	3	6526	0.50559	0.32645	38.60144	2122.777
8603	208	25	0.16392	2	10	1.00	6	3	867	0.39457	0.01474	24.92649	142.1186
8603	3749	40	0.08018	10	3	2.00	0	3	7581	0.12569	0.37923	38.27481	607.8446
8603	3753	35	0.08130	10	5	1.00	0	3	1896	0.14254	0.23027	34.22313	154.1448
8603	8607	40	0.20545	10	3	2.00	0	3	7151	0.32091	0.35769	38.41261	1469.173
8604	190	25	0.25043	2	10	1.00	5	3	1796	0.60471	0.03055	24.84819	449.7723
8604	8602	40	0.26936	10	3	2.00	5	3	7101	0.42056	0.35519	38.42818	1912.725
8604	8606	40	0.18263	10	3	2.00	5	3	7008	0.28493	0.35056	38.45683	1279.871
8605	3759	40	0.29380	10	3	2.00	0	3	7048	0.45853	0.35254	38.44464	2070.702
8605	3761	35	0.15998	10	5	1.00	0	3	1534	0.27902	0.18633	34.40102	245.4093
8605	3763	35	0.09148	10	5	1.00	0	3	342	0.15728	0.04149	34.89747	31.28616
8605	8608	40	0.13723	10	3	2.00	0	3	6146	0.21270	0.30741	38.71063	843.4156
8606	202	25	0.22921	2	10	1.00	5	3	2229	0.55428	0.03791	24.81186	510.9091
8606	8604	40	0.18263	10	3	2.00	5	3	6617	0.28406	0.33099	38.57477	1208.463
8606	8608	40	0.23336	10	3	2.00	5	3	6787	0.36346	0.33950	38.52411	1583.814
8607	918	25	0.12876	2	10	1.00	0	3	750	0.30981	0.01276	24.93639	96.57
8607	3759	40	0.10810	10	3	2.00	0	3	6871	0.16847	0.34371	38.49871	742.7551
8607	8603	40	0.20545	10	3	2.00	0	3	7411	0.32160	0.37068	38.33025	1522.59
8607	9071	45	0.12742	10	3	1.00	6	3	3291	0.17612	0.32928	43.40799	419.3392
8608	921	25	0.23597	2	10	1.00	0	3	282	0.56687	0.00480	24.97601	66.54354
8608	922	25	0.13554	2	10	1.00	0	3	641	0.32601	0.01090	24.94561	86.88114
8608	8605	40	0.13723	10	3	2.00	0	3	6528	0.21330	0.32655	38.60089	895.8374
8608	8606	40	0.23336	10	3	2.00	5	3	6396	0.36237	0.31993	38.63931	1492.571
8609	3751	45	0.09186	10	3	3.00	0	3	30273	0.18688	1.00949	29.49138	2780.878
8609	8611	40	0.08985	10	3	2.00	6	3	8160	0.14158	0.40817	38.07890	733.176
8609	9085	45	0.08414	10	3	4.00	6	3	37365	0.15278	0.93450	33.04242	3143.891
8609	9619	40	0.08205	10	3	2.00	0	3	4677	0.12593	0.23393	39.09447	383.7479
8610	194	25	0.14212	2	10	1.00	5	3	269	0.34140	0.00457	24.97717	38.23028
8610	200	25	0.29169	2	10	1.00	5	3	28	0.70011	0.00047	24.99763	8.16732
8610	8612	40	0.14620	10	3	2.00	5	3	12341	0.24257	0.61730	36.16157	1804.254
8610	9098	40	0.17993	10	3	2.00	5	3	12784	0.30083	0.63946	35.88697	2300.225
8611	203	25	0.08638	2	10	1.00	6	3	0	0.20732	0.00000	25.00000	0
8611	915	25	0.09425	2	10	1.00	0	3	1262	0.22716	0.02147	24.89313	118.9435
8611	3749	40	0.05377	10	3	2.00	0	3	7482	0.08423	0.37425	38.30724	402.3071
8611	8609	40	0.08985	10	3	2.00	6	3	8264	0.14171	0.41336	38.04236	742.5204
8612	8610	40	0.14620	10	3	2.00	5	3	12647	0.24384	0.63262	35.97365	1848.991
8612	8614	30	0.15099	10	5	1.00	5	3	1274	0.30618	0.15471	29.58890	192.3613
8612	8640	40	0.05850	10	3	2.00	5	3	11225	0.09543	0.56147	36.78047	656.6625
8613	916	25	0.12405	2	10	1.00	0	3	111	0.29784	0.00189	24.99055	13.76955
8613	917	25	0.08565	2	10	1.00	0	3	782	0.20610	0.01329	24.93371	66.9783
8613	3757	35	0.10872	10	5	1.00	0	3	1526	0.18961	0.18539	34.40469	165.9067
8613	8660	35	0.20667	10	5	1.00	0	3	1657	0.36108	0.20127	34.34218	342.4522
8614	194	25	0.15634	2	10	1.00	5	3	101	0.37535	0.00172	24.99142	15.79034
8614	198	25	0.09756	2	10	1.00	5	3	980	0.23492	0.01666	24.91698	95.6088
8614	8612	30	0.15099	10	5	1.00	5	3	1149	0.30569	0.13957	29.63588	173.4875
8614	8616	30	0.18211	10	5	1.00	5	3	1988	0.37302	0.24154	29.29293	362.0347
8616	193	25	0.15870	2	10	1.00	5	3	0	0.38088	0.00000	25.00000	0
8616	8614	30	0.18211	10	5	1.00	5	3	1866	0.37233	0.22667	29.34708	339.8173
8616	8618	30	0.09754	10	5	1.00	5	3	1988	0.19978	0.24154	29.29294	193.9095

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
8618	8616	30	0.09754	10	5	1.00	5	3	1866	0.19942	0.22667	29.34708	182.0096
8618	8620	30	0.06715	10	5	1.00	5	3	3615	0.14192	0.43915	28.39071	242.7473
8618	8628	30	0.15686	10	5	1.00	5	3	3443	0.33018	0.41825	28.50567	540.069
8618	8988	30	0.12711	10	5	1.00	5	3	668	0.25588	0.08117	29.80585	84.90948
8620	182	25	0.18270	2	10	1.00	5	3	134	0.43869	0.00228	24.98859	24.4818
8620	8618	30	0.06715	10	5	1.00	5	3	3770	0.14246	0.45801	28.28199	253.1555
8620	8622	30	0.13132	10	5	1.00	5	3	3484	0.27668	0.42322	28.47886	457.5189
8621	936	20	0.11419	2	10	1.00	0	0	747	0.34343	0.01270	19.94932	85.29993
8621	8655	45	0.16929	10	3	3.00	8	0	18646	0.25005	0.62178	40.62093	3156.581
8621	8985	45	0.22955	10	3	3.00	8	0	18582	0.33882	0.61964	40.64997	4265.498
8621	23288	25	0.09748	10	5	1.00	0	0	1828	0.23903	0.22210	24.46953	178.1934
8622	183	25	0.15449	2	10	1.00	5	3	267	0.37112	0.00454	24.97730	41.24883
8622	8620	30	0.13132	10	5	1.00	5	3	3632	0.27765	0.44126	28.37879	476.9542
8622	8624	30	0.07987	10	5	1.00	5	3	3753	0.16938	0.45590	28.29444	299.7521
8623	3767	30	0.08380	10	5	1.00	0	3	5748	0.19121	0.69831	26.29583	481.6824
8623	7359	30	0.18179	10	5	1.00	0	3	5347	0.40673	0.64954	26.81695	972.0311
8624	8622	30	0.07987	10	5	1.00	5	3	3896	0.17000	0.47321	28.19069	311.1735
8624	8626	30	0.25466	10	5	1.00	5	3	4274	0.54780	0.51919	27.89264	1088.417
8624	8630	30	0.11858	10	5	1.00	5	3	746	0.23891	0.09060	29.77955	88.46068
8625	929	25	0.08951	2	10	1.00	0	3	615	0.21528	0.01046	24.94782	55.04865
8625	3767	30	0.25172	10	5	1.00	0	3	6191	0.58955	0.75205	25.61772	1558.399
8625	3769	40	0.18483	10	3	2.00	0	3	6943	0.28822	0.34730	38.47684	1283.275
8625	8627	40	0.19790	10	3	2.00	0	3	12377	0.32856	0.61908	36.14010	2449.408
8626	179	25	0.09488	2	10	1.00	5	3	1425	0.22881	0.02424	24.87941	135.204
8626	184	25	0.16543	2	10	1.00	5	3	26	0.39707	0.00044	24.99779	4.30118
8626	8624	30	0.25466	10	5	1.00	5	3	4374	0.54947	0.53139	27.80746	1113.883
8626	9072	30	0.05691	10	5	1.00	5	3	4769	0.12442	0.57931	27.44487	271.4038
8627	8625	40	0.19790	10	3	2.00	0	3	12030	0.32671	0.60173	36.34413	2380.737
8627	8647	40	0.13511	10	3	2.00	0	3	12458	0.22462	0.62313	36.09100	1683.2
8627	8661	30	0.18361	10	5	1.00	0	3	60	0.36724	0.00734	29.99824	11.0166
8627	8679	30	0.12339	10	5	1.00	0	3	1214	0.25002	0.14745	29.61160	149.7955
8628	183	25	0.18514	2	10	1.00	5	3	487	0.44506	0.00828	24.95868	90.16318
8628	193	25	0.09012	2	10	1.00	5	3	0	0.21629	0.00000	25.00000	0
8628	8618	30	0.15686	10	5	1.00	5	3	3268	0.32889	0.39696	28.61723	512.6185
8628	9094	30	0.15855	10	5	1.00	5	3	3768	0.33634	0.45772	28.28374	597.4164
8629	207	25	0.15246	2	10	1.00	7	3	498	0.36653	0.00846	24.95776	75.92508
8629	8643	35	0.25936	10	4	1.00	7	3	890	0.44808	0.09460	34.72964	230.8304
8629	8645	35	0.21740	10	4	1.00	7	3	569	0.37441	0.06047	34.83918	123.7006
8630	180	25	0.12309	2	10	1.00	5	3	314	0.29572	0.00534	24.97335	38.65026
8630	182	25	0.14384	2	10	1.00	5	3	775	0.34612	0.01318	24.93429	111.476
8630	8624	30	0.11858	10	5	1.00	5	3	788	0.23902	0.09571	29.76510	93.44104
8630	8632	30	0.20393	10	5	1.00	5	3	451	0.40953	0.05481	29.87721	91.97243
8631	318	25	0.21085	2	10	1.00	7	3	786	0.50738	0.01337	24.93331	165.7281
8631	8601	25	0.33343	10	5	1.00	7	3	930	0.80790	0.11301	24.76276	310.0899
8631	8633	25	0.53944	10	5	1.00	7	3	334	1.29836	0.04058	24.92873	180.173
8632	5506	45	0.06694	10	3	2.00	5	3	13334	0.10052	0.66699	39.95929	892.578
8632	8630	30	0.20393	10	5	1.00	5	3	476	0.40964	0.05786	29.86913	97.07068
8632	8634	45	0.11569	10	3	2.00	5	3	13505	0.17431	0.67553	39.82367	1562.393
8633	317	25	0.18745	2	10	1.00	7	3	596	0.45078	0.01013	24.94944	111.7202
8633	8631	25	0.53944	10	5	1.00	7	3	336	1.29839	0.04084	24.92816	181.2518
8633	8635	25	0.63835	10	5	1.00	7	3	364	1.53691	0.04424	24.92081	232.3594
8633	8645	30	0.35531	10	5	1.00	7	3	222	0.71183	0.02694	29.94939	78.87882
8634	180	25	0.18746	2	10	1.00	5	3	475	0.45064	0.00808	24.95967	89.0435
8634	8632	45	0.11569	10	3	2.00	5	3	13790	0.17534	0.68976	39.58956	1595.365
8634	8636	45	0.10140	10	3	2.00	5	3	13782	0.15365	0.68939	39.59585	1397.495
8635	314	25	0.14087	2	10	1.00	7	3	957	0.33919	0.01627	24.91892	134.8126
8635	8633	25	0.63835	10	5	1.00	7	3	362	1.53687	0.04396	24.92142	231.0827
8635	8649	25	0.20792	10	5	1.00	7	3	1163	0.50524	0.14126	24.69224	241.811
8636	8634	45	0.10140	10	3	2.00	5	3	14088	0.15468	0.70468	39.33236	1428.523
8636	8638	45	0.08996	10	3	2.00	5	3	14837	0.13974	0.74216	38.62792	1334.737
8636	8694	30	0.07283	10	5	1.00	5	3	1479	0.14808	0.17970	29.50854	107.7156
8637	319	25	0.07296	2	10	1.00	7	3	1252	0.17586	0.02129	24.89400	91.34592
8637	8639	35	0.21051	10	4	1.00	7	3	1776	0.36726	0.18877	34.39151	373.8658
8637	8643	35	0.28705	10	4	1.00	7	3	1980	0.50206	0.21042	34.30533	568.359
8638	179	25	0.19395	2	10	1.00	5	3	637	0.46649	0.01083	24.94596	123.5462
8638	8636	45	0.08996	10	3	2.00	5	3	15201	0.14111	0.76035	38.25246	1367.482
8638	9070	45	0.09068	10	3	2.00	5	3	14200	0.13868	0.71030	39.23223	1287.656
8639	8637	35	0.21051	10	4	1.00	7	3	1724	0.36703	0.18320	34.41317	362.9192
8639	8641	35	0.44347	10	4	1.00	7	3	1776	0.77369	0.18877	34.39151	787.6027
8640	8612	40	0.05850	10	3	2.00	5	3	11656	0.09603	0.58303	36.55290	681.876
8640	8642	40	0.21376	10	3	2.00	5	3	11225	0.34871	0.56147	36.78047	2399.456
8641	8601	45	0.25195	10	3	2.00	7	3	19259	0.47551	0.96332	31.79125	4852.305
8641	8639	35	0.44347	10	4	1.00	7	3	1724	0.77320	0.18320	34.41317	764.5423
8641	8669	45	0.55896	10	3	2.00	7	3	17339	0.94555	0.86732	35.46895	9691.807
8642	195	25	0.12584	2	10	1.00	5	3	1058	0.30310	0.01800	24.91034	133.1387
8642	6005	30	0.03042	10	5	1.00	5	3	374	0.06104	0.04546	29.90181	11.37708
8642	8640	40	0.21376	10	3	2.00	5	3	11656	0.35088	0.58303	36.55290	2491.587
8642	8644	40	0.18334	10	3	2.00	5	3	11385	0.29976	0.56950	36.69732	2087.326
8643	8629	35	0.25936	10	4	1.00	7	3	891	0.44808	0.09468	34.72937	231.0898
8643	8637	35	0.28705	10	4	1.00	7	3	2032	0.50239	0.21600	34.28255	583.2856
8643	8653	35	0.20573	10	4	1.00	7	3	2989	0.36497	0.31770	33.82065	614.927
8643	8675	25	0.28673	10	5	1.00	7	3	1175	0.69683	0.14271	24.68852	336.9078
8644	8642	40	0.18334	10	3	2.00	5	3	11815	0.30166	0.59098	36.46550	2166.162

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
8644	8646	40	0.18060	10	3	2.00	5	3	11909	0.29759	0.59571	36.41250	2150.765
8644	8968	40	0.10304	10	3	2.00	5	3	6964	0.16071	0.34836	38.47036	717.5706
8644	8998	45	0.09359	10	3	2.00	5	3	9857	0.13339	0.49306	42.09940	922.5166
8645	8629	35	0.21740	10	4	1.00	7	3	568	0.37441	0.06039	34.83944	123.4832
8645	8633	30	0.35531	10	5	1.00	7	3	226	0.71186	0.02748	29.94802	80.30006
8645	8677	35	0.36012	10	4	1.00	7	3	357	0.61897	0.03792	34.90822	128.5628
8646	167	25	0.14670	2	10	1.00	5	3	126	0.35222	0.00214	24.98931	18.4842
8646	8644	40	0.18060	10	3	2.00	5	3	12259	0.29925	0.61319	36.21056	2213.975
8646	8647	40	0.37341	10	3	2.00	5	3	12039	0.61654	0.60219	36.33878	4495.483
8647	168	25	0.36069	2	10	1.00	5	3	189	0.86622	0.00322	24.98392	68.17041
8647	169	25	0.16274	2	10	1.00	5	3	542	0.39130	0.00921	24.95403	88.20508
8647	8627	40	0.13511	10	3	2.00	0	3	12110	0.22334	0.60573	36.29796	1636.182
8647	8646	40	0.37341	10	3	2.00	5	3	12385	0.62001	0.61948	36.13533	4624.683
8648	932	20	0.10354	2	10	1.00	0	3	61	0.31070	0.00104	19.99584	6.31594
8648	8661	30	0.15133	10	5	1.00	0	3	62	0.30268	0.00755	29.99773	9.38246
8649	8635	25	0.20792	10	5	1.00	7	3	1161	0.50522	0.14098	24.69295	241.3951
8649	8657	35	0.20668	10	4	1.00	7	3	2246	0.36272	0.23871	34.18725	464.2033
8649	8671	25	0.47344	10	5	1.00	7	3	1095	1.14944	0.13305	24.71309	518.4168
8649	8677	35	0.45929	10	4	1.00	7	3	353	0.78940	0.03757	34.90930	162.1294
8650	150	25	0.06351	2	10	1.00	5	3	384	0.15263	0.00652	24.96743	24.38784
8650	8652	25	0.16071	10	5	1.00	1	3	4705	0.42067	0.57154	22.92243	756.1406
8650	9062	25	0.18182	10	5	2.00	5	3	5249	0.45166	0.31884	24.15350	954.3732
8651	8656	45	0.30630	10	3	3.00	8	3	30528	0.63314	1.01800	29.02721	9350.726
8651	8667	45	0.12194	10	3	2.00	7	3	14771	0.18908	0.73887	38.69341	1801.176
8651	8669	45	0.12310	10	3	2.00	7	3	19162	0.23073	0.95849	32.01033	2358.842
8651	9340	45	0.19986	10	3	2.00	7	3	16842	0.33109	0.84246	36.21828	3366.042
8652	8650	25	0.16071	10	5	1.00	5	3	5164	0.42810	0.62731	22.52484	829.9064
8652	8654	25	0.12828	10	5	1.00	1	3	5668	0.34976	0.68857	22.00526	727.091
8652	8684	30	0.36931	10	5	1.00	1	3	1661	0.75281	0.20174	29.43455	613.4239
8652	9566	25	0.02562	10	5	1.00	1	3	697	0.06192	0.08467	24.83010	17.85714
8653	8643	35	0.20573	10	4	1.00	7	3	3051	0.36533	0.32429	33.78732	627.6822
8653	8665	45	0.29615	10	3	2.00	7	3	16277	0.48039	0.81420	36.98846	4820.434
8653	8667	45	0.61277	10	3	2.00	7	3	13806	0.92901	0.69057	39.57599	8459.903
8653	24904	35	0.19190	10	4	1.00	7	3	4543	0.35083	0.48288	32.81931	871.8017
8654	9	25	0.12051	2	10	1.00	1	3	434	0.28966	0.00738	24.96317	52.30134
8654	8652	25	0.12828	10	5	1.00	1	3	6035	0.35701	0.73317	21.55832	774.1698
8654	8662	25	0.05175	10	5	1.00	1	3	5656	0.14101	0.68711	22.01883	292.698
8655	3765	40	0.10916	10	5	1.00	0	0	1117	0.16568	0.13564	39.53046	121.9317
8655	8621	45	0.16929	10	3	3.00	8	0	17608	0.24731	0.58716	41.07113	2980.858
8655	8656	45	0.27261	10	3	3.00	8	0	18553	0.40225	0.61867	40.66322	5057.733
8656	7359	30	0.09945	10	5	1.00	0	3	5748	0.22692	0.69831	26.29583	571.6386
8656	8651	45	0.30630	10	3	3.00	8	3	30588	0.63558	1.02001	28.91565	9369.104
8656	8655	45	0.27261	10	3	3.00	8	0	17510	0.39787	0.58391	41.11119	4773.401
8656	9610	35	0.14713	10	4	2.00	7	0	8541	0.26732	0.45390	33.02380	1256.637
8657	3747	45	0.34205	10	3	3.00	0	3	27092	0.59932	0.90342	34.24394	9266.819
8657	8649	35	0.20668	10	4	1.00	7	3	2238	0.36269	0.23792	34.19061	462.5498
8657	8659	45	0.10804	10	3	3.00	0	3	26086	0.18318	0.86987	35.38791	2818.331
8658	8663	45	0.36705	10	3	3.00	7	3	23511	0.58374	0.78402	37.72687	8629.713
8658	9357	45	0.35278	10	3	3.00	7	3	17931	0.51708	0.59793	40.93578	6325.698
8658	9389	45	0.17048	10	3	2.00	7	3	16419	0.27794	0.82130	36.80246	2799.111
8658	9585	45	0.20715	9	3	2.00	100	3	14235	0.31706	0.71203	39.20100	2948.78
8659	8657	45	0.10804	10	3	3.00	0	3	26071	0.18310	0.86938	35.40363	2816.711
8659	8663	45	0.16943	10	3	3.00	7	3	26086	0.28727	0.86987	35.38791	4419.751
8660	3737	35	0.17800	10	5	1.00	0	3	5462	0.34317	0.66351	31.12160	972.236
8660	3747	45	0.40090	10	3	3.00	0	3	32032	0.92286	1.06816	26.06470	12841.63
8660	3751	45	0.19512	10	3	3.00	0	3	30885	0.41283	1.02990	28.35787	6026.281
8660	8613	35	0.20667	10	5	1.00	0	3	1497	0.36029	0.18186	34.41832	309.385
8661	929	25	0.09928	2	10	1.00	0	3	1	0.23827	0.00001	24.99993	0.09928
8661	8627	30	0.18361	10	5	1.00	0	3	61	0.36725	0.00745	29.99797	11.20021
8661	8648	30	0.15133	10	5	1.00	0	3	61	0.30267	0.00744	29.99800	9.23113
8662	8654	25	0.05175	10	5	1.00	1	3	5930	0.14312	0.72040	21.69310	306.8775
8662	8664	25	0.08229	10	5	1.00	1	3	5843	0.22649	0.70982	21.80052	480.8205
8662	8672	30	0.15876	10	5	1.00	1	3	3021	0.33114	0.36694	28.76567	479.614
8663	1107	20	0.24058	2	10	1.00	7	3	2594	0.72811	0.04412	19.82508	624.0645
8663	8658	45	0.36705	10	3	3.00	7	3	23492	0.58351	0.78336	37.74193	8622.739
8663	8659	45	0.16943	10	3	3.00	7	3	26071	0.28714	0.86938	35.40363	4417.21
8664	8662	25	0.08229	10	5	1.00	1	3	6691	0.24004	0.81277	20.56964	550.6024
8664	8666	25	0.10916	10	5	1.00	1	3	5504	0.29521	0.66856	22.18590	600.8166
8664	8692	30	0.20077	10	5	1.00	1	3	358	0.40278	0.04348	29.90696	71.87566
8665	8653	45	0.29615	10	3	2.00	7	3	16263	0.48016	0.81349	37.00667	4816.287
8665	9368	45	0.18912	10	3	2.00	7	3	16277	0.30678	0.81420	36.98846	3078.306
8666	8	25	0.12820	2	10	1.00	1	3	669	0.30838	0.01137	24.94326	85.7658
8666	8664	25	0.10916	10	5	1.00	1	3	6298	0.30901	0.76508	21.19497	687.4897
8666	8668	25	0.06318	10	5	1.00	1	3	5705	0.17260	0.69298	21.96393	360.4419
8667	205	25	0.10817	2	10	1.00	7	3	1377	0.26082	0.02342	24.88343	148.9501
8667	8651	45	0.12194	10	3	2.00	7	3	13806	0.18486	0.69057	39.57599	1683.504
8667	8653	45	0.61277	10	3	2.00	7	3	13964	0.93220	0.69849	39.44051	8556.72
8668	37	25	0.21623	2	10	1.00	1	3	724	0.52023	0.01231	24.93858	156.5505
8668	8666	25	0.06318	10	5	1.00	1	3	6469	0.18107	0.78586	20.93559	408.7114
8668	8670	25	0.21799	10	5	1.00	1	3	5889	0.60151	0.71540	21.74435	1283.743
8669	205	25	0.11747	2	10	1.00	7	3	420	0.28233	0.00715	24.96429	49.3374
8669	926	25	0.07228	2	10	1.00	7	3	3040	0.17527	0.05169	24.74418	219.7312
8669	8641	45	0.55896	10	3	2.00	7	3	17536	0.95405	0.87713	35.15281	9801.923

A	B	SPEED	DISTANCE	SPDCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
8669	8651	45	0.12310	10	3	2.00	7	3	19773	0.24172	0.98905	30.55513	2434.056
8670	7	25	0.15682	2	10	1.00	1	3	653	0.37721	0.01111	24.94459	102.4035
8670	36	25	0.11679	2	10	1.00	1	3	1246	0.28148	0.02118	24.89453	145.5203
8670	8668	25	0.21799	10	5	1.00	1	3	7166	0.66565	0.87046	19.64939	1562.116
8670	9024	25	0.17615	10	5	1.00	1	3	6908	0.52387	0.83911	20.17435	1216.844
8671	313	25	0.07796	2	10	1.00	7	3	901	0.18769	0.01531	24.92366	70.24196
8671	8649	25	0.47344	10	5	1.00	7	3	1104	1.14957	0.13412	24.71040	522.6778
8671	8673	25	0.33787	10	5	1.00	7	3	803	0.81743	0.09749	24.80004	271.3096
8672	37	25	0.20473	2	10	1.00	1	3	1053	0.49312	0.01790	24.91082	215.5807
8672	39	25	0.19352	2	10	1.00	1	3	434	0.46512	0.00739	24.96311	83.98768
8672	8662	30	0.15876	10	5	1.00	1	3	2447	0.32761	0.29727	29.07524	388.4857
8672	8674	30	0.17255	10	5	1.00	1	3	2744	0.35797	0.33328	28.92092	473.4772
8673	315	25	0.06120	2	10	1.00	7	3	1058	0.14742	0.01799	24.91038	64.7496
8673	8671	25	0.33787	10	5	1.00	7	3	811	0.81751	0.09855	24.79751	274.0126
8673	8675	25	0.33703	10	5	1.00	7	3	941	0.81672	0.11436	24.75947	317.1452
8674	38	25	0.13166	2	10	1.00	1	3	1142	0.31722	0.01942	24.90330	150.3557
8674	8672	30	0.17255	10	5	1.00	1	3	2341	0.35543	0.28439	29.12772	403.9396
8674	9014	30	0.21056	10	5	1.00	1	3	2266	0.43319	0.27522	29.16428	477.129
8674	9569	30	0.00189	10	5	1.00	5	3	1245	0.00384	0.15127	29.59969	2.35305
8675	316	25	0.11957	2	10	1.00	7	3	353	0.28731	0.00601	24.97001	42.20821
8675	8643	25	0.28673	10	5	1.00	7	3	1166	0.69675	0.14165	24.69125	334.3272
8675	8673	25	0.33703	10	5	1.00	7	3	950	0.81681	0.11542	24.75686	320.1785
8676	152	25	0.18098	2	10	1.00	5	3	519	0.43513	0.00883	24.95595	93.92862
8676	5960	45	0.13017	10	3	2.00	5	3	13643	0.19667	0.68241	39.71178	1775.909
8676	8678	45	0.17220	10	3	2.00	5	3	13084	0.25732	0.65445	40.15192	2253.065
8677	315	25	0.59157	2	10	1.00	7	3	7	1.41979	0.00012	24.99940	4.14099
8677	8645	35	0.36012	10	4	1.00	7	3	360	0.61899	0.03831	34.90705	129.6432
8677	8649	35	0.45929	10	4	1.00	7	3	350	0.78937	0.03717	34.91048	160.7515
8678	8676	45	0.17220	10	3	2.00	5	3	13113	0.25747	0.65592	40.12973	2258.059
8678	8680	45	0.21231	10	3	2.00	5	3	14390	0.32614	0.71981	39.05845	3055.141
8678	8684	30	0.13591	10	5	1.00	5	3	2285	0.27971	0.27762	29.15479	310.5544
8678	9568	30	0.04972	10	5	1.00	5	3	1274	0.10082	0.15472	29.58888	63.34328
8679	928	25	0.11750	2	10	1.00	0	3	1214	0.28317	0.02064	24.89721	142.645
8679	8627	30	0.12339	10	5	1.00	0	3	1214	0.25002	0.14745	29.61160	149.7955
8680	153	25	0.13249	2	10	1.00	5	3	792	0.31884	0.01348	24.93280	104.9321
8680	172	25	0.16847	2	10	1.00	5	3	495	0.40502	0.00841	24.95800	83.39265
8680	8678	45	0.21231	10	3	2.00	5	3	14575	0.32760	0.72902	38.88498	3094.418
8680	8682	45	0.23021	10	3	2.00	5	3	14183	0.35193	0.70943	39.24780	3265.068
8682	170	25	0.09203	2	10	1.00	5	3	224	0.22103	0.00381	24.98094	20.61472
8682	171	25	0.10106	2	10	1.00	5	3	172	0.24270	0.00293	24.98535	17.38232
8682	8680	45	0.23021	10	3	2.00	5	3	14370	0.35346	0.71878	39.07751	3308.118
8682	9032	45	0.07983	10	3	2.00	5	3	14214	0.12212	0.71098	39.22005	1134.704
8684	152	25	0.11461	2	10	1.00	5	3	559	0.27559	0.00950	24.95258	64.06699
8684	8652	30	0.36931	10	5	1.00	5	3	1786	0.75416	0.21693	29.38176	659.5877
8684	8678	30	0.13591	10	5	1.00	5	3	2150	0.27909	0.26113	29.21913	292.2065
8686	10	25	0.12673	2	10	1.00	1	3	1258	0.30545	0.02139	24.89348	159.4263
8686	8688	30	0.11479	10	5	1.00	1	3	1090	0.23223	0.13247	29.65747	125.1211
8686	9028	30	0.20117	10	5	1.00	1	3	1643	0.40997	0.19964	29.44173	330.5223
8688	7	25	0.09988	2	10	1.00	1	3	579	0.24019	0.00984	24.95090	57.83052
8688	8686	30	0.11479	10	5	1.00	1	3	846	0.23155	0.10282	29.74482	97.11234
8688	8690	30	0.33089	10	5	1.00	1	3	791	0.66703	0.09609	29.76402	261.734
8690	8688	30	0.33089	10	5	1.00	1	3	615	0.66570	0.07471	29.82364	203.4974
8690	8692	30	0.05202	10	5	1.00	1	3	791	0.10486	0.09609	29.76402	41.14782
8692	8	25	0.14814	2	10	1.00	1	3	166	0.35575	0.00282	24.98589	24.59124
8692	9	25	0.15551	2	10	1.00	1	3	224	0.37350	0.00380	24.98100	34.83424
8692	8664	30	0.20077	10	5	1.00	1	3	411	0.40301	0.04991	29.89015	82.51647
8692	8690	30	0.05202	10	5	1.00	1	3	615	0.10465	0.07471	29.82364	31.9923
8694	157	25	0.07804	2	10	1.00	5	3	684	0.18773	0.01163	24.94198	53.37936
8694	158	25	0.11984	2	10	1.00	5	3	339	0.28794	0.00577	24.97120	40.62576
8694	8636	30	0.07283	10	5	1.00	5	3	1421	0.14796	0.17267	29.53152	103.4914
8694	8696	30	0.35838	10	5	1.00	5	3	714	0.72180	0.08679	29.79022	255.8833
8696	156	25	0.14023	2	10	1.00	5	3	462	0.33708	0.00786	24.96074	64.78626
8696	159	25	0.10894	2	10	1.00	5	3	242	0.26168	0.00411	24.97948	26.36348
8696	8694	30	0.35838	10	5	1.00	5	3	660	0.72135	0.08015	29.80867	236.5308
8696	8698	30	0.17931	10	5	1.00	5	3	485	0.36023	0.05891	29.86631	86.96535
8698	8696	30	0.17931	10	5	1.00	5	3	470	0.36017	0.05709	29.87117	84.2757
8698	8700	30	0.11098	9	5	1.00	100	0	257	0.22242	0.03116	29.93866	28.52186
8698	8702	45	0.13585	10	3	2.00	5	3	13200	0.20345	0.66025	40.06374	1793.22
8698	8982	45	0.12634	10	3	2.00	5	3	13196	0.18919	0.66004	40.06692	1667.183
8700	8698	30	0.11098	9	5	1.00	100	0	163	0.22221	0.01984	29.96726	18.08974
8702	54	25	0.12516	1	10	1.00	100	0	1544	0.30195	0.02626	24.86941	193.247
8702	156	25	0.18939	2	10	1.00	5	3	575	0.45543	0.00979	24.95116	108.8993
8702	8698	45	0.13585	10	3	2.00	5	3	13223	0.20354	0.66140	40.04601	1796.345
8702	8704	45	0.12060	10	3	2.00	5	3	13686	0.18237	0.68457	39.67614	1650.532
8704	8702	45	0.12060	10	3	2.00	5	3	13670	0.18231	0.68380	39.68896	1648.602
8704	8706	45	0.06496	10	3	2.00	1	3	13634	0.09813	0.68198	39.71880	885.6646
8704	8714	30	0.15876	10	5	1.00	1	0	647	0.31951	0.07856	29.81305	102.7177
8706	155	25	0.03693	2	10	1.00	5	3	58	0.08865	0.00098	24.99508	2.14194
8706	8704	45	0.06496	10	3	2.00	5	3	13660	0.09818	0.68325	39.69795	887.3536
8706	8708	45	0.10909	10	3	2.00	1	3	13653	0.16486	0.68293	39.70324	1489.406
8708	44	25	0.08224	2	10	1.00	1	3	1760	0.19856	0.02994	24.85122	144.7424
8708	154	25	0.11294	2	10	1.00	5	3	416	0.27145	0.00707	24.96469	46.98304
8708	8706	45	0.10909	10	3	2.00	5	3	13678	0.16495	0.68420	39.68233	1492.133

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
8708	9062	45	0.06496	10	3	2.00	1	3	13524	0.09791	0.67649	39.80819	878.519
8714	45	25	0.12244	2	10	1.00	1	0	140	0.29399	0.00239	24.98807	17.1416
8714	54	25	0.13617	1	10	1.00	100	0	602	0.32747	0.01024	24.94889	81.97434
8714	8704	30	0.15876	10	5	1.00	1	0	606	0.31936	0.07360	29.82666	96.20856
8714	9006	30	0.39205	10	5	1.00	1	0	1178	0.79402	0.14310	29.62503	461.8349
8716	11	25	0.03278	2	10	1.00	1	3	2925	0.07947	0.04975	24.75370	95.8815
8716	8718	25	0.14332	10	5	1.00	1	3	2067	0.35270	0.25111	24.38103	296.2424
8716	9024	25	0.14181	10	5	1.00	1	3	6156	0.39766	0.74784	21.39621	872.9824
8718	8716	25	0.14332	10	5	1.00	1	3	4724	0.37540	0.57391	22.90678	677.0437
8718	8720	25	0.23545	10	5	1.00	1	3	8883	1.00182	1.07902	14.10117	2091.502
8718	9028	25	0.28674	10	5	1.00	1	3	5341	0.76964	0.64880	22.35351	1531.478
8720	15	25	0.17001	2	10	1.00	1	3	1483	0.41008	0.02522	24.87454	252.1248
8720	8718	25	0.23545	10	5	1.00	1	3	10049	1.51957	1.22069	9.29659	2366.037
8720	8822	30	0.07197	10	5	1.00	1	3	9892	0.36479	1.20163	11.83796	711.9272
8720	8864	30	0.35513	10	5	1.00	1	3	2368	0.73186	0.28772	29.11431	840.9478
8720	8878	25	0.37356	10	5	1.00	1	3	1583	0.91278	0.19233	24.55543	591.3455
8722	8724	33	0.17740	10	5	1.00	1	3	1747	0.32915	0.21226	32.33797	309.9178
8722	8864	30	0.15418	10	5	1.00	1	3	1573	0.31390	0.19110	29.47065	242.5251
8723	330	25	0.23545	2	10	1.00	1	3	3529	0.57186	0.06002	24.70348	830.9031
8723	332	25	0.08392	2	10	1.00	1	3	7575	0.20660	0.12883	24.37203	635.694
8723	8725	40	0.26344	10	3	2.00	0	0	14845	0.46045	0.74255	34.32893	3910.767
8723	9087	40	0.18389	10	3	2.00	0	0	20037	0.41544	1.00223	26.55765	3684.604
8724	8722	33	0.17740	10	5	1.00	1	3	1573	0.32834	0.19110	32.41772	279.0502
8724	8726	33	0.08300	10	5	1.00	1	3	1747	0.15401	0.21226	32.33797	145.001
8725	8723	40	0.26344	10	3	2.00	0	0	13115	0.44314	0.65604	35.66932	3455.016
8725	16067	40	0.25427	10	3	2.00	0	0	14845	0.44442	0.74255	34.32893	3774.638
8726	18	25	0.07083	2	10	1.00	1	3	1044	0.17060	0.01776	24.91152	73.94652
8726	8724	33	0.08300	10	5	1.00	1	3	1573	0.15363	0.19110	32.41772	130.559
8726	8728	33	0.16897	10	5	1.00	1	3	1869	0.31407	0.22707	32.28022	315.8049
8728	19	25	0.26141	2	10	1.00	1	3	93	0.62757	0.00158	24.99210	24.31113
8728	8726	33	0.16897	10	5	1.00	1	3	1695	0.31328	0.20591	32.36221	286.4042
8728	8730	30	0.12897	10	5	1.00	1	3	1776	0.26333	0.21579	29.38576	229.0507
8730	8728	30	0.12897	10	5	1.00	1	3	1597	0.26266	0.19394	29.46108	205.9651
8730	8732	32	0.21236	10	5	1.00	1	3	3793	0.42261	0.46076	30.15014	805.4815
8730	8866	32	0.17425	10	5	1.00	1	3	3938	0.34809	0.47842	30.03587	686.1965
8732	21	25	0.12414	2	10	1.00	1	3	778	0.29873	0.01324	24.93398	96.58092
8732	8730	32	0.21236	10	5	1.00	1	3	3562	0.42022	0.43269	30.32196	756.4263
8732	8734	35	0.48343	10	5	1.00	1	3	3615	0.87570	0.43913	33.12266	1747.599
8734	22	25	0.07920	2	10	1.00	1	3	612	0.19047	0.01041	24.94804	48.4704
8734	8732	35	0.48343	10	5	1.00	1	3	3384	0.87101	0.41106	33.30126	1635.927
8734	8736	35	0.41762	10	5	1.00	1	3	3670	0.75752	0.44582	33.07830	1532.665
8736	23	25	0.15839	2	10	1.00	1	3	950	0.38136	0.01615	24.91951	150.4705
8736	8734	35	0.41762	10	5	1.00	1	3	3439	0.75338	0.41776	33.25972	1436.195
8736	9040	30	0.07712	10	5	1.00	1	3	4283	0.16594	0.52028	27.88510	330.305
8738	178	25	0.01345	2	10	1.00	5	3	1785	0.03247	0.03035	24.84915	24.00825
8738	8740	35	0.22741	10	2	3.00	1	3	33012	0.53173	0.93571	25.66078	7507.259
8738	9082	35	0.19697	10	3	3.00	1	3	33160	0.64207	1.10578	18.40627	6531.525
8740	320	25	0.12796	2	10	1.00	1	3	57	0.30717	0.00097	24.99516	7.29372
8740	321	25	0.15277	2	10	1.00	1	3	1351	0.36833	0.02298	24.88563	206.3923
8740	8738	35	0.22741	10	2	3.00	1	3	33109	0.53358	0.93846	25.57200	7529.318
8740	9044	35	0.07174	10	3	3.00	1	3	31786	0.20827	1.05997	20.66706	2280.328
8742	218	25	0.02867	2	10	1.00	4	3	983	0.06905	0.01672	24.91666	28.18261
8742	8744	45	0.30329	10	3	3.00	4	3	28685	0.56694	0.95655	32.09753	8699.874
8742	9044	45	0.27180	10	3	3.00	4	3	27248	0.47891	0.90864	34.05220	7406.006
8744	219	25	0.08025	2	10	1.00	4	3	641	0.19302	0.01090	24.94562	51.44025
8744	5532	30	0.20849	10	5	1.00	4	3	820	0.42042	0.09960	29.75402	170.9618
8744	8742	45	0.30329	10	3	3.00	4	3	27264	0.53470	0.90917	34.03268	8268.899
8744	8746	45	0.18630	10	3	3.00	4	3	28951	0.35267	0.96542	31.69458	5393.571
8744	8890	30	0.27047	10	5	1.00	4	3	1449	0.54973	0.17597	29.52075	391.911
8746	216	25	0.09852	2	10	1.00	4	3	588	0.23691	0.01001	24.95008	57.92976
8746	8744	45	0.18630	10	3	3.00	4	3	27008	0.32545	0.90061	34.34564	5031.59
8746	8748	45	0.19060	10	3	3.00	4	3	28363	0.35115	0.94580	32.56789	5405.988
8748	5524	45	0.09655	10	3	3.00	4	3	20262	0.14547	0.67567	39.82147	1956.296
8748	5648	45	0.07437	10	3	3.00	4	3	30990	0.15849	1.03342	28.15538	2304.726
8748	5958	45	0.06795	10	3	3.00	4	3	34251	0.19120	1.14215	21.32295	2327.355
8748	8746	45	0.19060	10	3	3.00	4	3	26396	0.32627	0.88021	35.05120	5031.078
8750	5958	45	0.11561	10	3	3.00	4	3	35816	0.38189	1.19436	18.16433	4140.688
8750	8752	45	0.21540	10	3	3.00	4	3	26613	0.37131	0.88745	34.80730	5732.44
8750	8892	30	0.17775	10	5	1.00	4	3	10277	1.04098	1.24844	10.24522	1826.737
8752	5662	45	0.12310	10	3	3.00	4	3	26613	0.21219	0.88745	34.80730	3276.06
8752	8750	45	0.21540	10	3	3.00	4	3	27402	0.38170	0.91378	33.85970	5902.391
8754	1297	25	0.09075	2	10	1.00	4	3	579	0.21823	0.00985	24.95082	52.54425
8754	5662	45	0.19593	10	3	3.00	4	3	27538	0.34897	0.91829	33.68711	5395.52
8754	9801	30	0.05704	10	5	1.00	4	3	12733	0.68362	1.54675	5.00614	726.2903
8754	9802	45	0.05652	10	3	4.00	4	3	35498	0.09747	0.88781	34.79499	2006.347
8758	226	25	0.15314	2	10	1.00	4	3	764	0.36848	0.01299	24.93521	116.999
8758	234	25	0.22142	2	10	1.00	4	3	4975	0.54041	0.08461	24.58400	1101.565
8758	8762	45	0.12697	10	3	4.00	4	3	30802	0.20029	0.77037	38.03529	3910.93
8758	9802	45	0.14703	10	3	4.00	4	3	36469	0.26005	0.91208	33.92365	5362.037
8760	234	25	0.19716	2	10	1.00	4	3	8206	0.48639	0.13956	24.32113	1617.895
8760	5954	30	0.14085	10	5	1.00	4	3	5180	0.31286	0.62923	27.01194	729.603
8760	8761	45	0.16240	10	3	4.00	4	3	38820	0.30994	0.97090	31.43910	6304.368
8760	8762	45	0.11945	10	3	4.00	4	3	31460	0.19030	0.78681	37.66180	3757.897

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
8761	229	25	0.10892	2	10	1.00	4	3	884	0.26219	0.01503	24.92508	96.28528
8761	8760	45	0.16240	10	3	4.00	4	3	38683	0.30836	0.96746	31.60003	6282.119
8761	8833	45	0.08590	10	3	4.00	4	3	40056	0.17237	1.00179	29.90056	3440.81
8762	228	25	0.18209	2	10	1.00	4	3	764	0.43816	0.01300	24.93518	139.1168
8762	8758	45	0.12697	10	3	4.00	4	3	31460	0.20228	0.78681	37.66180	3994.476
8762	8760	45	0.11945	10	3	4.00	4	3	30090	0.18656	0.75256	38.41619	3594.251
8765	230	25	0.15563	2	10	1.00	4	3	0	0.37351	0.00000	25.00000	0
8765	1296	25	0.05999	2	10	1.00	4	3	525	0.14424	0.00893	24.95543	31.49475
8765	7150	45	0.29414	10	3	3.00	4	3	37812	1.19229	1.26090	14.80229	11122.02
8765	8833	45	0.22486	10	3	4.00	4	3	35073	0.38381	0.87717	35.15164	7886.515
8765	8898	30	0.29459	10	5	1.00	4	3	3312	0.61825	0.40236	28.58945	975.6821
8767	234	25	0.18775	2	10	1.00	4	3	6666	0.46081	0.11336	24.44575	1251.542
8767	8836	40	0.09761	10	3	3.00	4	3	30905	0.23267	1.03059	25.17183	3016.637
8767	8837	40	0.17409	10	3	3.00	4	3	34786	0.58162	1.15999	17.95944	6055.895
8768	7151	45	0.06371	10	3	3.00	4	3	35775	0.20954	1.19297	18.24279	2279.225
8768	8769	45	0.17027	10	3	4.00	0	3	44385	0.43682	1.11008	23.38720	7557.434
8768	8770	40	0.18941	10	3	2.00	3	3	13031	0.31811	0.65182	35.72567	2468.202
8768	8938	40	0.13236	10	3	2.00	3	3	11725	0.21749	0.58648	36.51522	1551.921
8769	877	20	0.04544	3	10	3.00	0	3	670	0.13643	0.00380	19.98481	30.4448
8769	5556	45	0.06686	10	3	4.00	0	3	43809	0.16495	1.09566	24.31871	2929.07
8769	8768	45	0.17027	10	3	4.00	0	3	39729	0.33690	0.99362	30.32358	6764.657
8770	271	25	0.02758	2	10	1.00	3	3	1148	0.06644	0.01952	24.90280	31.66184
8770	8768	40	0.18941	10	3	2.00	3	3	16687	0.35088	0.83470	32.38914	3160.685
8770	8772	40	0.18732	10	3	2.00	3	3	13364	0.31662	0.66847	35.49871	2503.344
8772	8770	40	0.18732	10	3	2.00	3	3	17020	0.35164	0.85135	31.96304	3188.186
8772	8903	40	0.02781	10	3	4.00	3	3	42732	0.07212	1.06873	23.13709	1188.377
8772	8904	40	0.16683	10	3	3.00	3	3	31366	0.41070	1.04597	24.37278	5232.79
8774	26	25	0.10324	2	10	1.00	1	3	411	0.24812	0.00699	24.96510	42.43164
8774	8776	40	0.17492	10	3	2.00	1	3	19040	0.36574	0.95237	28.69560	3330.477
8774	8900	40	0.08039	10	3	2.00	1	3	18133	0.15907	0.90701	30.32243	1457.712
8776	8774	40	0.17492	10	3	2.00	1	3	17800	0.34019	0.89037	30.85057	3113.576
8776	8778	35	0.10132	10	4	2.00	1	3	9300	0.18571	0.49426	32.73494	942.276
8776	8826	40	0.20326	10	3	2.00	1	3	18163	0.40285	0.90851	30.27311	3691.811
8778	26	25	0.12255	2	10	1.00	1	3	293	0.29442	0.00498	24.97514	35.90715
8778	8776	35	0.10132	10	4	2.00	1	3	8591	0.18419	0.45659	33.00544	870.4401
8778	8780	40	0.20563	10	3	2.00	1	3	21846	0.56637	1.09273	21.78381	4492.193
8778	8828	45	0.19016	10	2	2.00	1	3	26148	0.49010	1.11173	23.28030	4972.304
8780	78	25	0.04981	2	10	1.00	1	3	1673	0.12023	0.02845	24.85857	83.33213
8780	8778	40	0.20563	10	3	2.00	1	3	21085	0.51608	1.05469	23.90621	4335.709
8780	8936	40	0.09515	10	3	2.00	1	3	21980	0.26677	1.09944	21.39988	2091.397
8782	79	25	0.05113	2	10	1.00	1	3	3379	0.12413	0.05746	24.71595	172.7683
8782	8784	35	0.32960	10	3	2.00	1	3	14120	0.64691	0.70629	30.56973	4653.952
8782	8936	35	0.12008	10	3	2.00	1	3	14633	0.23856	0.73194	30.20023	1757.131
8784	55	25	0.06984	2	10	1.00	1	3	2209	0.16887	0.03756	24.81360	154.2766
8784	8782	35	0.32960	10	3	2.00	1	3	13733	0.64147	0.68691	30.82900	4526.397
8784	8786	35	0.14609	10	3	2.00	1	3	9730	0.26731	0.48670	32.79123	1421.456
8784	8862	22	0.17137	10	5	1.00	1	3	4105	0.50024	0.49869	20.55519	703.4739
8786	55	25	0.13143	2	10	1.00	1	3	2146	0.31774	0.03650	24.81883	282.0488
8786	56	25	0.07371	2	10	1.00	1	3	2171	0.17820	0.03693	24.81670	160.0244
8786	8784	35	0.14609	10	3	2.00	1	3	9979	0.26807	0.49917	32.69777	1457.832
8786	8788	35	0.11026	10	3	2.00	1	3	13103	0.21191	0.65542	31.21784	1444.737
8788	60	25	0.09089	2	10	1.00	1	3	1295	0.21909	0.02202	24.89037	117.7026
8788	8786	35	0.11026	10	3	2.00	1	3	13067	0.21177	0.65361	31.23910	1440.767
8788	8790	35	0.06508	10	3	2.00	1	3	17386	0.14185	0.86966	27.52922	1131.481
8788	8966	40	0.05742	10	3	2.00	1	3	27174	0.34404	1.35923	10.01339	1560.331
8790	62	25	0.16846	2	10	1.00	1	3	526	0.40502	0.00895	24.95535	88.60996
8790	8788	35	0.06508	10	3	2.00	1	3	20387	0.17354	1.01974	22.50161	1326.786
8790	8792	35	0.06117	10	3	2.00	1	3	17068	0.13150	0.85372	27.91253	1044.05
8792	8790	35	0.06117	10	3	2.00	1	3	20020	0.15773	1.00142	23.27104	1224.623
8792	8794	35	0.07190	10	3	2.00	1	3	15182	0.14492	0.75938	29.76786	1091.586
8792	8846	30	0.11289	10	4	1.00	1	3	2790	0.23295	0.29652	29.07835	314.9631
8794	61	25	0.06859	2	10	1.00	1	3	463	0.16487	0.00787	24.96073	31.75717
8794	5946	35	0.05655	10	3	2.00	1	3	9979	0.10376	0.49916	32.69785	564.3125
8794	8792	35	0.07190	10	3	2.00	1	3	13936	0.14055	0.69707	30.69513	1001.998
8794	9554	25	0.22404	10	4	1.00	1	3	5232	0.58390	0.55616	23.02157	1172.177
8796	63	25	0.18196	2	10	1.00	1	3	667	0.43769	0.01135	24.94337	121.3673
8796	1188	25	0.04916	2	10	1.00	1	3	678	0.11825	0.01152	24.94251	33.33048
8796	5946	35	0.05170	10	3	2.00	1	3	12206	0.09783	0.61052	31.71175	631.0502
8796	8798	35	0.13206	10	3	2.00	1	3	8131	0.23775	0.40672	33.32786	1073.78
8798	8796	35	0.13206	10	3	2.00	1	3	11578	0.24746	0.57914	32.02064	1528.991
8798	8800	35	0.11858	10	3	2.00	1	3	8519	0.21425	0.42611	33.20697	1010.183
8800	8798	35	0.11858	10	3	2.00	1	3	10594	0.21922	0.52989	32.45442	1256.237
8800	8802	35	0.21045	10	3	1.00	1	3	5526	0.39142	0.55279	32.25982	1162.947
8800	8860	25	0.15018	10	5	1.00	1	3	2995	0.37572	0.36388	23.98356	449.7891
8802	31	25	0.18056	2	10	1.00	1	3	1814	0.43602	0.03084	24.84673	327.5358
8802	8800	35	0.21045	10	3	1.00	1	3	5675	0.39304	0.56769	32.12666	1194.304
8802	8804	35	0.10892	10	3	1.00	1	3	9524	0.26041	0.95277	25.09520	1037.354
8802	8860	25	0.15567	10	5	1.00	1	3	5889	0.42954	0.71539	21.74440	916.7406
8804	5916	35	0.32195	10	4	1.00	1	3	8086	0.69544	0.85949	27.77646	2603.288
8804	8802	35	0.10892	10	3	1.00	1	3	10106	0.28570	1.01102	22.87357	1100.746
8804	8806	30	0.25436	10	3	1.00	1	3	9787	0.73738	0.97912	20.69732	2489.421
8804	8810	30	0.23798	10	3	1.00	1	3	8526	0.59644	0.85297	23.94012	2029.017
8806	31	25	0.14591	2	10	1.00	1	3	100	0.35031	0.00169	24.99154	14.591

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
8806	32	25	0.04623	2	10	1.00	1	3	4881	0.11280	0.08302	24.59169	225.6486
8806	33	25	0.17174	2	10	1.00	1	3	83	0.41229	0.00142	24.99292	14.25442
8806	8804	30	0.25436	10	3	1.00	1	3	9948	0.75692	0.99516	20.16315	2530.373
8806	8808	30	0.27936	10	3	1.00	1	3	10167	0.86475	1.01713	19.38324	2840.253
8808	5918	35	0.25626	10	3	2.00	1	3	12887	0.49055	0.64459	31.34312	3302.423
8808	5922	23	0.23257	10	5	1.00	1	3	1791	0.61952	0.21757	22.52429	416.5329
8808	5938	25	0.03452	10	5	1.00	1	3	3193	0.08672	0.38784	23.88613	110.2224
8808	8806	30	0.27936	10	3	1.00	1	3	10323	0.89173	1.03273	18.79688	2883.833
8810	28	25	0.05791	2	10	1.00	1	3	5144	0.14141	0.08748	24.57011	297.889
8810	8804	30	0.23798	10	3	1.00	1	3	8328	0.58709	0.83311	24.32136	1981.897
8810	8812	30	0.17318	10	3	1.00	1	3	9061	0.45665	0.90650	22.75439	1569.184
8810	8860	20	0.07189	10	5	1.00	1	3	1925	0.22068	0.23380	19.54755	138.3883
8812	8810	30	0.17318	10	3	1.00	1	3	9407	0.47566	0.94110	21.84516	1629.104
8812	8816	30	0.18120	10	3	1.00	1	3	6040	0.39916	0.60425	27.23636	1094.448
8812	8852	25	0.06755	10	3	2.00	1	3	3532	0.16476	0.17665	24.59878	238.5866
8816	27	25	0.04277	2	10	1.00	1	3	2659	0.10358	0.04523	24.77589	113.7254
8816	8812	30	0.18120	10	3	1.00	1	3	5411	0.39197	0.54128	27.73637	980.4732
8816	8818	30	0.12046	10	3	2.00	1	3	10319	0.25893	0.51617	27.91329	1243.027
8816	8856	20	0.07447	10	5	1.00	1	3	4750	0.24406	0.57705	18.30870	353.7325
8818	8816	30	0.12046	10	3	2.00	1	3	8751	0.25450	0.43773	28.39869	1054.145
8818	8820	30	0.05074	10	3	2.00	1	3	11073	0.11013	0.55385	27.64334	561.844
8818	8850	30	0.19350	10	4	1.00	1	3	2821	0.39946	0.29990	29.06435	545.8635
8820	27	25	0.13537	2	10	1.00	1	3	1232	0.32624	0.02095	24.89567	166.7758
8820	8818	30	0.05074	10	3	2.00	1	3	9896	0.10852	0.49501	28.05366	502.123
8820	8822	35	0.15028	10	3	2.00	1	3	12138	0.28403	0.60712	31.74658	1824.099
8822	24	25	0.09345	2	10	1.00	1	3	967	0.22502	0.01645	24.91804	90.36615
8822	8720	30	0.07197	10	5	1.00	1	3	10400	0.44087	1.26339	9.79507	748.488
8822	8820	35	0.15028	10	3	2.00	1	3	11099	0.27969	0.55518	32.23885	1667.958
8822	8824	40	0.38184	10	3	2.00	1	3	18111	0.75469	0.90593	30.35763	6915.504
8824	8822	40	0.38184	10	3	2.00	1	3	17581	0.73479	0.87942	31.17975	6713.129
8824	8826	40	0.12667	10	3	2.00	1	3	16717	0.23492	0.83619	32.35226	2117.542
8824	8878	25	0.09603	10	5	1.00	1	3	4055	0.24633	0.49255	23.39125	389.4017
8826	25	25	0.13801	2	10	1.00	1	3	1749	0.33321	0.02975	24.85214	241.3795
8826	8776	40	0.20326	10	3	2.00	1	3	17632	0.39208	0.88196	31.10486	3583.88
8826	8824	40	0.12667	10	3	2.00	1	3	17248	0.24009	0.86274	31.65552	2184.804
8828	231	25	0.30377	2	10	1.00	4	3	0	0.72904	0.00000	25.00000	0
8828	8778	45	0.19016	10	2	2.00	1	3	26121	0.48857	1.11060	23.35337	4967.169
8828	8830	45	0.25690	10	3	3.00	4	3	25762	0.43145	0.85907	35.72548	6618.258
8828	8874	30	0.19322	10	5	1.00	1	3	2340	0.39800	0.28424	29.12833	452.1348
8830	20	25	0.16477	2	10	1.00	1	3	2199	0.39840	0.03740	24.81440	362.3292
8830	8828	45	0.25690	10	3	3.00	4	3	25929	0.43354	0.86464	35.55320	6661.16
8830	8831	45	0.23334	10	3	3.00	4	3	25896	0.39341	0.86354	35.58741	6042.573
8831	229	25	0.10722	2	10	1.00	4	3	3491	0.26039	0.05938	24.70660	374.305
8831	8830	45	0.23334	10	3	3.00	4	3	26020	0.39485	0.86767	35.45765	6071.507
8831	8833	45	0.14926	10	3	3.00	4	3	23932	0.23949	0.79805	37.39367	3572.09
8833	8761	45	0.08590	10	3	4.00	4	3	38683	0.16310	0.96746	31.60003	3322.87
8833	8765	45	0.22486	10	3	4.00	4	3	33603	0.37190	0.84041	36.27679	7555.971
8833	8831	45	0.14926	10	3	3.00	4	3	26032	0.25266	0.86807	35.44501	3885.536
8833	8834	40	0.07276	10	3	3.00	4	3	30629	0.17030	1.02137	25.63539	2228.566
8834	232	25	0.14436	2	10	1.00	4	3	9407	0.35754	0.15999	24.22487	1357.995
8834	8833	40	0.07276	10	3	3.00	4	3	29887	0.16279	0.99662	26.81754	2174.578
8834	8836	40	0.16649	10	3	3.00	4	3	27893	0.33829	0.93014	29.52873	4643.906
8836	234	25	0.21270	2	10	1.00	4	3	740	0.51177	0.01259	24.93722	157.398
8836	8767	40	0.09761	10	3	3.00	4	3	34786	0.32611	1.15999	17.95944	3395.461
8836	8834	40	0.16649	10	3	3.00	4	3	29887	0.37249	0.99662	26.81754	4975.887
8836	8898	30	0.23258	10	5	2.00	4	3	7482	0.49305	0.45445	28.30290	1740.164
8837	8767	40	0.17409	10	3	3.00	4	3	37571	0.77498	1.25287	13.47855	6540.735
8837	8838	40	0.03470	10	3	3.00	4	3	34786	0.11592	1.15999	17.95944	1207.074
8838	8837	40	0.03470	10	3	3.00	4	3	24678	0.06372	0.82294	32.67440	856.3266
8838	8839	40	0.04640	10	3	3.00	4	3	30292	0.10632	1.01015	26.18289	1405.549
8838	8844	30	0.15111	10	6	1.00	4	0	14086	0.75683	1.19782	11.97944	2128.535
8839	8838	40	0.04640	10	3	3.00	4	3	34271	0.14717	1.14283	18.91524	1590.174
8839	8840	40	0.07254	10	3	3.00	4	0	30902	0.17286	1.03048	25.17738	2241.631
8840	8839	40	0.07254	10	3	3.00	4	0	34271	0.23009	1.14283	18.91524	2486.018
8840	8841	40	0.02500	10	3	3.00	4	2	30902	0.05958	1.03048	25.17738	772.55
8841	5550	30	0.10716	10	6	1.00	4	0	10413	0.27653	0.88542	23.25089	1115.857
8841	8840	40	0.02500	10	3	3.00	4	2	31374	0.06158	1.04622	24.35956	784.35
8841	8845	40	0.02866	10	3	3.00	4	2	21072	0.04914	0.70267	34.99357	603.9235
8842	8843	30	0.13015	10	6	2.00	4	3	13503	0.28411	0.57409	27.48671	1757.415
8842	8844	63	0.31416	10	1	3.00	4	0	55803	0.36083	0.79087	52.23947	17531.07
8843	8837	30	0.07337	10	6	2.00	4	3	12893	0.15901	0.54816	27.68584	945.9594
8843	8839	25	0.01976	10	6	1.00	4	3	610	0.04760	0.05185	24.90419	12.0536
8844	25164	63	0.02774	10	1	3.00	4	0	69890	0.03890	0.99050	42.77984	1938.749
8845	3593	40	0.19129	10	3	3.00	4	2	31469	0.47444	1.04938	24.19124	6019.705
8845	8841	40	0.02866	10	3	3.00	4	2	31956	0.07378	1.06562	23.30891	915.859
8846	56	25	0.07389	2	10	1.00	1	3	1025	0.17795	0.01743	24.91313	75.73725
8846	8792	30	0.11289	10	4	1.00	1	3	6988	0.26312	0.74281	25.74330	788.8753
8846	8848	33	0.12292	10	4	1.00	1	3	2962	0.23118	0.31482	31.90163	364.089
8848	8846	33	0.12292	10	4	1.00	1	3	7342	0.26598	0.78037	27.72795	902.4786
8848	8850	33	0.16366	10	4	1.00	1	3	6351	0.33618	0.67507	29.20944	1039.405
8848	8862	22	0.11262	10	5	1.00	1	3	2868	0.31937	0.34843	21.15845	322.9942
8850	57	25	0.19165	2	10	1.00	1	3	509	0.46077	0.00866	24.95676	97.54985
8850	58	25	0.08978	2	10	1.00	1	3	559	0.21589	0.00951	24.95256	50.18702

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
8850	8818	30	0.19350	10	4	1.00	1	3	2430	0.39719	0.25826	29.23010	470.205
8850	8848	33	0.16366	10	4	1.00	1	3	10128	0.52431	1.07653	18.72886	1657.548
8850	8858	25	0.08142	10	5	1.00	1	3	4756	0.21351	0.57780	22.88082	387.2335
8852	8812	25	0.06755	10	3	2.00	1	3	4507	0.16570	0.22544	24.45960	304.4479
8852	8854	25	0.09237	10	3	2.00	1	3	9383	0.23571	0.46936	23.51182	866.7077
8852	8860	25	0.17999	10	5	1.00	1	3	7274	0.55640	0.88365	19.40898	1309.247
8854	8852	25	0.09237	10	3	2.00	1	3	11281	0.24127	0.56427	22.96981	1042.026
8854	8856	25	0.08518	10	3	2.00	1	3	13778	0.23233	0.68918	21.99962	1173.61
8854	9022	35	0.26516	10	2	2.00	1	3	22161	0.62515	0.94223	25.44894	5876.211
8856	30	25	0.03719	2	10	1.00	1	3	1671	0.08977	0.02841	24.85875	62.14449
8856	8816	20	0.07447	10	5	1.00	1	3	5551	0.25233	0.67432	17.70803	413.383
8856	8854	25	0.08518	10	3	2.00	1	3	13382	0.23045	0.66936	22.17892	1139.879
8856	8858	25	0.10025	10	5	1.00	1	3	8782	0.41400	1.06676	14.52888	880.3955
8858	8850	25	0.08142	10	5	1.00	1	3	8212	0.29196	0.99761	16.73259	668.621
8858	8856	25	0.10025	10	5	1.00	1	3	9186	0.47051	1.11589	12.78372	920.8965
8858	9553	33	0.14892	10	4	1.00	1	3	1151	0.27361	0.12239	32.65642	171.4069
8860	29	25	0.04015	2	10	1.00	1	3	5200	0.09807	0.08844	24.56549	208.78
8860	8800	25	0.15018	10	5	1.00	1	3	4921	0.39621	0.59782	22.74290	739.0358
8860	8802	25	0.15567	10	5	1.00	1	3	5430	0.41953	0.65960	22.26313	845.2881
8860	8810	20	0.07189	10	5	1.00	1	3	1380	0.21898	0.16767	19.69846	99.2082
8860	8852	25	0.17999	10	5	1.00	1	3	6352	0.51144	0.77162	21.11536	1143.296
8862	57	25	0.16739	2	10	1.00	1	3	716	0.40271	0.01218	24.93927	119.8512
8862	8784	22	0.17137	10	5	1.00	1	3	3573	0.49338	0.43403	20.84091	612.305
8862	8848	22	0.11262	10	5	1.00	1	3	3471	0.32346	0.42167	20.89066	390.904
8864	14	25	0.13678	2	10	1.00	1	3	697	0.32904	0.01185	24.94088	95.33566
8864	17	25	0.38585	2	10	1.00	1	3	820	0.92862	0.01395	24.93043	316.397
8864	8720	30	0.35513	10	5	1.00	1	3	2194	0.72976	0.26656	29.19818	779.1552
8864	8722	30	0.15418	10	5	1.00	1	3	1747	0.31468	0.21226	29.39816	269.3525
8866	19	25	0.15154	2	10	1.00	1	3	356	0.36415	0.00605	24.96977	53.94824
8866	8730	32	0.17425	10	5	1.00	1	3	3989	0.34857	0.48463	29.99450	695.0833
8866	8868	32	0.35153	10	5	1.00	4	3	3345	0.69214	0.40639	30.47306	1175.868
8866	8880	30	0.17678	10	5	1.00	4	3	1466	0.35938	0.17810	29.51378	259.1595
8868	8866	32	0.35153	10	5	1.00	4	3	3431	0.69348	0.41681	30.41429	1206.099
8868	8870	30	0.04298	10	5	1.00	4	3	3345	0.09027	0.40639	28.56849	143.7681
8870	5954	30	0.10813	10	5	1.00	4	3	5198	0.24036	0.63138	26.99181	562.0597
8870	8868	30	0.04298	10	5	1.00	4	3	3431	0.09045	0.41681	28.51340	147.4644
8870	8872	30	0.20084	10	5	1.00	1	3	3184	0.42033	0.38683	28.66842	639.4746
8872	19	25	0.28092	2	10	1.00	1	3	627	0.67565	0.01067	24.94676	176.1368
8872	8870	30	0.20084	10	5	1.00	1	3	3563	0.42392	0.43285	28.42598	715.5929
8872	8876	30	0.35356	10	5	1.00	1	3	3290	0.74165	0.39967	28.60332	1163.212
8874	20	25	0.25626	2	10	1.00	1	3	430	0.61592	0.00732	24.96347	110.1918
8874	8828	30	0.19322	10	5	1.00	1	3	2146	0.39674	0.26073	29.22065	414.6501
8874	8876	30	0.05650	10	5	1.00	1	3	2724	0.11718	0.33093	28.93138	153.906
8876	8872	30	0.35356	10	5	1.00	1	3	3669	0.74819	0.44574	28.35332	1297.212
8876	8874	30	0.05650	10	5	1.00	1	3	2574	0.11686	0.31265	29.01077	145.431
8876	8878	30	0.26673	10	5	1.00	1	3	3549	0.56282	0.43112	28.43558	946.6248
8878	16	25	0.13364	2	10	1.00	1	3	1810	0.32271	0.03078	24.84705	241.8884
8878	8720	25	0.37356	10	5	1.00	1	3	2415	0.92456	0.29339	24.24267	902.1474
8878	8824	25	0.09603	10	5	1.00	1	3	2994	0.24024	0.36370	23.98425	287.5138
8878	8876	30	0.26673	10	5	1.00	1	3	3778	0.56598	0.45890	28.27674	1007.706
8880	227	25	0.05549	2	10	1.00	4	3	876	0.13358	0.01490	24.92575	48.60924
8880	8866	30	0.17678	10	5	1.00	4	3	1437	0.35924	0.17454	29.52544	254.0329
8880	8882	30	0.21861	10	5	1.00	4	3	1181	0.44277	0.14352	29.62373	258.1784
8882	8880	30	0.21861	10	5	1.00	4	3	1152	0.44261	0.13996	29.63469	251.8387
8882	8884	30	0.24767	10	5	1.00	4	3	1181	0.50164	0.14352	29.62373	292.4983
8884	1297	25	0.11460	2	10	1.00	4	3	490	0.27551	0.00834	24.95839	56.154
8884	5662	30	0.05046	10	5	1.00	4	3	3116	0.10546	0.37852	28.70959	157.2334
8884	8882	30	0.24767	10	5	1.00	4	3	1152	0.50145	0.13996	29.63469	285.3158
8884	8886	30	0.18452	10	5	1.00	4	3	2154	0.37893	0.26168	29.21700	397.4561
8886	225	25	0.15475	2	10	1.00	4	3	1156	0.37287	0.01966	24.90210	178.891
8886	8884	30	0.18452	10	5	1.00	4	3	2009	0.37806	0.24404	29.28366	370.7007
8886	8888	30	0.21147	10	5	1.00	4	3	1384	0.42943	0.16815	29.54614	292.6745
8888	8886	30	0.21147	10	5	1.00	4	3	1239	0.42862	0.15050	29.60208	262.0113
8888	8890	30	0.18485	10	5	1.00	4	3	1384	0.37539	0.16815	29.54614	255.8324
8890	220	25	0.10804	2	10	1.00	4	3	957	0.26013	0.01628	24.91888	103.3943
8890	8744	30	0.27047	10	5	1.00	4	3	1594	0.55082	0.19362	29.46216	431.1292
8890	8888	30	0.18485	10	5	1.00	4	3	1239	0.37468	0.15050	29.60208	229.0292
8892	222	25	0.12758	2	10	1.00	4	3	1995	0.30827	0.03393	24.83148	254.5221
8892	8750	30	0.17775	10	5	1.00	4	3	10289	1.04560	1.24991	10.19997	1828.87
8892	8894	30	0.33683	10	5	1.00	4	3	8557	1.09045	1.03952	18.53354	2882.254
8894	223	25	0.13701	2	10	1.00	4	3	6184	0.33574	0.10518	24.48496	847.2698
8894	8892	30	0.33683	10	5	1.00	4	3	8569	1.09383	1.04099	18.47626	2886.296
8894	9800	30	0.21270	10	5	1.00	4	3	7528	0.56581	0.91447	22.55551	1601.206
8896	9800	30	0.07153	10	5	1.00	4	3	7975	0.20414	0.96880	21.02492	570.4518
8896	9801	30	0.10864	10	5	1.00	4	3	12783	1.31646	1.55280	4.95137	1388.745
8896	9803	30	0.07193	10	5	1.00	4	3	14290	1.16408	1.73585	3.70742	1027.88
8898	232	25	0.11890	2	10	1.00	4	3	8566	0.29369	0.14569	24.29218	1018.497
8898	233	25	0.32330	2	10	1.00	4	3	2339	0.78208	0.03977	24.80271	756.1987
8898	8765	30	0.29459	10	5	1.00	4	3	6819	0.72414	0.82834	24.40880	2008.809
8898	8836	30	0.23258	10	5	1.00	4	3	6711	0.56633	0.81527	24.64037	1560.844
8900	8774	40	0.08039	10	3	2.00	1	3	10489	0.12987	0.52464	37.13987	843.2107
8900	8901	40	0.06120	10	3	2.00	1	3	12619	0.10203	0.63119	35.99149	772.2828
8900	8958	30	0.23322	10	6	1.00	1	3	13066	0.90001	1.11108	15.54804	3047.253

A	B	SPEED	DISTANCE	SPDCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
8901	8900	40	0.06120	10	3	2.00	1	3	18041	0.12051	0.90240	30.47202	1104.109
8901	8902	40	0.09288	10	3	2.00	1	3	28234	0.63311	1.41226	8.80246	2622.374
8902	8901	40	0.09288	10	3	2.00	1	3	18041	0.18289	0.90240	30.47203	1675.648
8902	8903	40	0.02907	10	3	2.00	3	3	24170	0.11308	1.20899	15.42574	702.6219
8902	8949	30	0.09603	10	6	1.00	1	3	4064	0.19961	0.34556	28.86560	390.2659
8903	8772	40	0.02781	10	3	2.00	3	3	24170	0.10817	1.20899	15.42574	672.1677
8903	8902	40	0.02907	10	3	3.00	3	3	18041	0.04799	0.60160	36.34555	524.4519
8903	8950	30	0.20820	10	6	2.00	1	3	24691	0.68914	1.04980	18.12658	5140.666
8904	255	25	0.17492	2	10	1.00	3	3	2543	0.42345	0.04325	24.78561	444.8216
8904	270	25	0.15018	2	10	1.00	3	3	22	0.36045	0.00037	24.99813	3.30396
8904	8772	40	0.16683	10	3	4.00	3	3	39425	0.36673	0.98602	27.29503	6577.273
8904	8906	40	0.10472	10	3	3.00	3	3	30421	0.24189	1.01445	25.97534	3185.687
8906	5614	45	0.21410	10	3	3.00	3	3	7466	0.29263	0.24895	43.89801	1598.471
8906	5616	40	0.15428	10	3	3.00	3	3	30447	0.35694	1.01530	25.93399	4697.363
8906	8904	40	0.10472	10	3	4.00	3	3	38725	0.22404	0.96852	28.04499	4055.282
8906	8908	40	0.15960	10	3	3.00	3	3	10353	0.24879	0.34524	38.48941	1652.339
8908	8906	40	0.15960	10	3	3.00	3	3	11180	0.24992	0.37282	38.31646	1784.328
8908	8910	40	0.17372	10	3	3.00	3	3	10353	0.27080	0.34524	38.48941	1798.523
8910	252	25	0.18385	2	10	1.00	3	3	8072	0.45334	0.13728	24.33196	1484.037
8910	6010	30	0.01474	10	5	1.00	1	3	2586	0.03048	0.31410	29.00455	38.11764
8910	8908	40	0.17372	10	3	3.00	3	3	11180	0.27202	0.37282	38.31646	1942.19
8910	8912	40	0.14560	10	3	3.00	3	3	10780	0.22749	0.35947	38.40145	1569.568
8912	254	25	0.08953	2	10	1.00	3	3	1941	0.21630	0.03302	24.83601	173.7777
8912	1295	25	0.08418	2	10	1.00	1	3	106	0.20212	0.00181	24.99096	8.92308
8912	8910	40	0.14560	10	3	3.00	3	3	10515	0.22717	0.35064	38.45637	1530.984
8912	8914	45	0.10784	10	3	3.00	3	3	12803	0.15158	0.42693	42.68790	1380.676
8914	5636	40	0.29518	10	4	2.00	1	3	12372	0.49680	0.65751	35.64946	3651.967
8914	5952	45	0.10096	10	3	2.00	1	3	14153	0.15424	0.70792	39.27481	1428.887
8914	8912	45	0.10784	10	3	3.00	3	3	12482	0.15127	0.41623	42.77477	1346.059
8914	8937	30	0.05646	10	4	2.00	3	3	20673	0.21064	1.09868	16.08248	1167.198
8916	138	25	0.10902	2	10	1.00	1	3	1010	0.26255	0.01718	24.91438	110.1102
8916	5644	30	0.17770	10	5	1.00	1	3	1714	0.36251	0.20826	29.41208	304.5778
8916	5952	45	0.09834	10	3	2.00	1	3	14008	0.14975	0.70066	39.40286	1377.547
8916	8918	35	0.13035	10	3	2.00	1	3	12771	0.24900	0.63881	31.40837	1664.7
8918	134	25	0.08306	2	10	1.00	1	3	4526	0.20241	0.07698	24.62094	375.9296
8918	137	25	0.10348	2	10	1.00	1	3	3919	0.25167	0.06664	24.67118	405.5381
8918	8916	35	0.13035	10	3	2.00	1	3	12770	0.24900	0.63877	31.40873	1664.57
8918	8920	30	0.11140	10	3	2.00	1	3	15995	0.26849	0.80008	24.89602	1781.843
8920	135	25	0.12102	2	10	1.00	1	3	425	0.29086	0.00723	24.96391	51.4335
8920	8918	30	0.11140	10	3	2.00	1	3	15994	0.26848	0.80004	24.89655	1781.732
8920	8922	30	0.05170	10	3	2.00	1	3	15607	0.12309	0.78066	25.20275	806.8819
8922	5848	35	0.06515	10	3	3.00	1	3	26369	0.14327	0.87930	27.28544	1717.94
8922	8920	30	0.05170	10	3	2.00	1	3	15689	0.12340	0.78476	25.13977	811.1213
8922	8924	30	0.05624	10	3	2.00	1	3	12281	0.12431	0.61432	27.14783	690.6834
8922	8964	35	0.10518	10	3	3.00	1	3	32922	0.33560	1.09785	18.80465	3462.736
8924	81	25	0.04122	2	10	1.00	1	3	1460	0.09942	0.02484	24.87643	60.1812
8924	8922	30	0.05624	10	3	2.00	1	3	14328	0.12941	0.71670	26.07722	805.8067
8924	8925	30	0.09425	10	3	2.00	1	3	11381	0.20544	0.56926	27.52488	1072.659
8925	8924	30	0.09425	10	3	2.00	1	3	13428	0.21266	0.67164	26.59055	1265.589
8925	8927	30	0.11915	10	3	2.00	1	3	11381	0.25973	0.56926	27.52488	1356.046
8926	5826	25	0.06262	10	5	1.00	1	3	3178	0.15726	0.38607	23.89350	199.0064
8926	8927	30	0.03616	10	3	2.00	1	3	13428	0.08158	0.67164	26.59055	485.5565
8926	8928	35	0.11775	10	3	2.00	1	3	8331	0.21237	0.41674	33.26609	980.9753
8927	8925	30	0.11915	10	3	2.00	1	3	13428	0.26886	0.67164	26.59055	1599.946
8927	8926	30	0.03616	10	3	2.00	1	3	11381	0.07882	0.56926	27.52487	411.537
8928	8926	35	0.11775	10	3	2.00	1	3	9800	0.21562	0.49018	32.76547	1153.95
8928	8930	40	0.18372	10	3	2.00	1	3	22447	0.54962	1.12282	20.05607	4123.963
8928	8946	30	0.43736	10	6	1.00	1	3	12212	1.41264	1.03843	18.57633	5341.04
8930	86	25	0.12044	2	10	1.00	1	3	369	0.28943	0.00628	24.96863	44.44236
8930	8928	40	0.18372	10	3	2.00	1	3	22012	0.51730	1.10102	21.30924	4044.045
8930	8932	40	0.11477	10	3	2.00	1	3	22480	0.34495	1.12443	19.96348	2580.03
8932	93	25	0.18361	2	10	1.00	1	3	3301	0.44561	0.05614	24.72239	606.0966
8932	5838	30	0.05739	10	5	1.00	1	3	389	0.11517	0.04729	29.89703	22.32471
8932	8930	40	0.11477	10	3	2.00	1	3	22111	0.32754	1.10597	21.02466	2537.679
8932	8934	40	0.14527	10	3	2.00	1	3	22101	0.41399	1.10548	21.05322	3210.612
8934	92	25	0.04365	2	10	1.00	1	3	1595	0.10534	0.02713	24.86510	69.62175
8934	5664	40	0.22011	10	3	2.00	1	3	22157	0.63218	1.10831	20.89044	4876.977
8934	8932	40	0.14527	10	3	2.00	1	3	21779	0.39666	1.08941	21.97352	3163.835
8936	8780	40	0.09515	10	3	2.00	1	3	21219	0.24250	1.06139	23.54145	2018.988
8936	8782	35	0.12008	10	3	2.00	1	3	15020	0.24096	0.75131	29.89926	1803.602
8936	8937	30	0.20953	10	4	2.00	1	3	21129	0.83600	1.12292	15.03770	4427.159
8937	138	25	0.10558	2	10	1.00	1	3	1168	0.25440	0.01987	24.90104	123.3174
8937	1295	25	0.05489	2	10	1.00	1	3	562	0.13198	0.00955	24.95233	30.84818
8937	8914	30	0.05646	10	4	2.00	1	3	20699	0.21144	1.10010	16.02158	1168.666
8937	8936	30	0.20953	10	4	2.00	1	3	20756	0.79100	1.10308	15.89320	4349.005
8938	272	25	0.10301	2	10	1.00	3	3	5776	0.25208	0.09822	24.51834	594.9858
8938	8768	40	0.13236	10	3	2.00	3	3	10688	0.21437	0.53462	37.04597	1414.664
8938	8940	40	0.26184	10	3	2.00	1	3	9307	0.41728	0.46551	37.64983	2436.945
8940	8938	40	0.26184	10	3	2.00	1	3	8270	0.41300	0.41365	38.04033	2165.417
8940	8942	40	0.46169	10	3	1.00	1	3	12540	2.06511	1.25446	13.41411	5789.593
8940	8954	45	0.30464	10	6	1.00	1	3	8559	0.46979	0.72784	38.90749	2607.414
8942	144	25	0.12084	2	10	1.00	1	3	2597	0.29258	0.04416	24.78112	313.8215
8942	3138	40	0.40106	11	3	2.00	20	0	11942	0.66120	0.59736	36.39384	4789.459

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
8942	8940	40	0.46169	10	3	1.00	1	3	13229	2.51764	1.32346	11.00301	6107.697
8944	8945	65	0.16691	10	1	4.00	1	0	86000	0.20568	0.91412	48.69080	14354.26
8944	8963	30	0.20540	10	6	1.00	1	3	17271	2.11319	1.46864	5.83193	3547.463
8944	18205	65	0.01332	2	9	1.00	0	0	0	0.01228	0.00000	65.03497	0
8945	8946	65	0.18914	10	1	4.00	1	0	75799	0.21259	0.80568	53.38294	14336.62
8945	8965	30	0.05448	10	6	1.00	1	3	10201	0.13826	0.86746	23.64291	555.7505
8946	7145	65	0.02705	2	9	1.00	0	0	2751	0.02532	0.15597	64.10068	74.41455
8946	8948	63	0.62886	10	1	4.00	1	0	92531	0.87280	0.98354	43.23036	58189.04
8948	7147	65	0.02526	2	9	1.00	0	0	0	0.02330	0.00000	65.03497	0
8948	8772	30	0.26381	10	6	1.00	3	3	14160	1.34729	1.20406	11.74852	3735.55
8948	8949	63	0.15508	10	1	4.00	1	0	81463	0.18824	0.86589	49.43002	12633.28
8949	8950	63	0.29180	10	1	4.00	1	0	85527	0.36902	0.90909	47.44426	24956.78
8950	7149	65	0.02705	2	9	1.00	0	0	4761	0.02567	0.26990	63.23454	128.7851
8950	8952	63	0.23238	10	1	4.00	1	0	105464	0.42535	1.12101	32.77991	24507.72
8952	5536	63	0.61631	10	1	4.00	1	0	99705	0.97884	1.05979	37.77807	61449.19
8952	8940	25	0.30737	10	6	1.00	1	3	6833	0.80678	0.58103	22.85913	2100.259
8952	13540	65	0.03121	2	9	1.00	0	0	0	0.02879	0.00000	65.03497	0
8954	8956	63	0.31940	10	1	5.00	1	0	102912	0.39085	0.87510	49.03173	32870.09
8954	13543	65	0.03792	2	9	1.00	0	0	2143	0.03537	0.12150	64.32898	81.26256
8956	7148	65	0.02705	2	9	1.00	0	0	0	0.02496	0.00000	65.03497	0
8956	8774	30	0.25290	10	6	1.00	1	3	8962	0.59560	0.76209	25.47678	2266.49
8956	8957	63	0.20616	10	1	4.00	1	0	97013	0.30961	1.03117	39.95306	20000.2
8957	8901	30	0.07861	10	6	1.00	1	3	15615	0.57836	1.32781	8.15561	1227.495
8957	8958	63	0.17305	10	1	4.00	1	0	81397	0.20993	0.86519	49.45963	14085.75
8958	7146	65	0.02705	2	9	1.00	0	0	1979	0.02521	0.11220	64.38828	53.53195
8958	8960	63	0.62718	10	1	4.00	1	0	92485	0.86983	0.98304	43.26209	58004.74
8959	8966	40	0.04413	10	3	2.00	1	3	24137	0.17076	1.20734	15.50537	1065.166
8959	8969	40	0.04966	10	3	2.00	1	3	31370	0.46466	1.56912	6.41207	1557.834
8960	7144	65	0.02705	2	9	1.00	0	0	0	0.02496	0.00000	65.03497	0
8960	8959	30	0.26258	10	6	2.00	1	3	18187	0.62237	0.77327	25.31394	4775.542
8960	8961	65	0.18333	10	1	4.00	1	0	76721	0.20744	0.81548	53.02782	14065.26
8961	8962	65	0.17461	10	1	4.00	1	0	94959	0.24462	1.00935	42.82889	16580.79
8962	5674	63	1.23639	10	1	4.00	1	0	100621	2.00452	1.06953	37.00811	124406.8
8962	7142	65	0.02705	2	9	1.00	0	0	4933	0.02570	0.27964	63.15127	133.4377
8963	8964	40	0.02535	10	3	3.00	1	3	34525	0.08248	1.15129	18.44071	875.2088
8963	8965	40	0.03404	10	3	2.00	1	3	28778	0.24674	1.43946	8.27818	979.6031
8964	8922	35	0.10518	10	3	3.00	1	3	31398	0.29659	1.04700	21.27805	3302.442
8964	8946	30	0.19078	10	6	1.00	1	3	7272	0.42220	0.61838	27.11143	1387.352
8964	8963	40	0.02535	10	3	3.00	1	3	28778	0.05354	0.95964	28.40778	729.5223
8965	8963	40	0.03404	10	3	2.00	1	3	17254	0.06454	0.86304	31.64722	587.3262
8965	8969	40	0.12625	10	3	3.00	1	3	38979	0.64479	1.29982	11.74850	4921.099
8966	8788	40	0.05742	10	3	2.00	1	3	24137	0.22218	1.20734	15.50537	1385.947
8966	8959	40	0.04413	10	3	2.00	1	3	16579	0.08141	0.82928	32.52235	731.6313
8966	8962	30	0.13052	10	6	1.00	1	3	10595	0.34214	0.90093	22.88952	1382.859
8968	164	25	0.05256	2	10	1.00	5	3	598	0.12641	0.01017	24.94924	31.43088
8968	167	25	0.15013	2	10	1.00	5	3	337	0.36074	0.00573	24.97138	50.59381
8968	8644	40	0.10304	10	3	2.00	5	3	6793	0.16049	0.33980	38.52228	699.9507
8968	8970	40	0.19427	10	3	2.00	5	3	6496	0.30190	0.32491	38.61046	1261.978
8969	8928	30	0.20413	10	6	1.00	1	3	14116	1.03047	1.20033	11.88573	2881.499
8969	8959	40	0.04966	10	3	2.00	1	3	20741	0.12004	1.03744	24.81962	1029.998
8969	8961	30	0.05042	10	6	1.00	1	3	18238	0.60884	1.55089	4.96854	919.56
8969	8965	40	0.12625	10	3	2.00	1	3	17254	0.23937	0.86304	31.64722	2178.318
8970	165	25	0.09197	2	10	1.00	5	3	232	0.22091	0.00395	24.98028	21.33704
8970	166	25	0.15124	2	10	1.00	5	3	728	0.36388	0.01238	24.93827	110.1027
8970	8968	40	0.19427	10	3	2.00	5	3	6303	0.30146	0.31526	38.66611	1224.484
8970	8972	40	0.19749	10	3	2.00	5	3	6200	0.30622	0.31013	38.69529	1224.438
8972	3664	40	0.28535	9	4	1.00	100	0	6770	0.49309	0.71965	34.72132	1931.82
8972	8970	40	0.19749	10	3	2.00	5	3	6010	0.30580	0.30060	38.74864	1186.915
8972	8974	45	0.12236	10	3	2.00	5	3	16488	0.19999	0.82475	36.71030	2017.472
8972	8984	45	0.15891	10	3	2.00	5	3	18307	0.28221	0.91571	33.78601	2909.165
8974	165	25	0.17739	2	10	1.00	5	3	105	0.42588	0.00179	24.99105	18.62595
8974	8972	45	0.12236	10	3	2.00	5	3	16518	0.20021	0.82624	36.67030	2021.142
8974	8976	45	0.21421	10	3	2.00	5	3	16496	0.35021	0.82514	36.69973	3533.608
8976	163	25	0.17425	2	10	1.00	5	3	354	0.41871	0.00602	24.96996	61.6845
8976	8974	45	0.21421	10	3	2.00	5	3	16524	0.35057	0.82652	36.66273	3539.606
8976	8978	45	0.12634	10	3	2.00	5	3	16433	0.20608	0.82197	36.78456	2076.145
8978	502	20	0.21281	1	10	3.00	100	0	734	0.63897	0.00416	19.98338	156.2025
8978	8976	45	0.12634	10	3	2.00	5	3	16459	0.20627	0.82326	36.75031	2079.43
8978	8980	45	0.20853	10	3	2.00	5	3	13181	0.31219	0.65930	40.07827	2748.634
8978	8996	30	0.15257	10	5	1.00	5	3	5152	0.33850	0.62584	27.04336	786.0406
8980	160	25	0.15503	2	10	1.00	5	3	613	0.37284	0.01042	24.94802	95.03339
8980	8978	45	0.20853	10	3	2.00	5	3	13086	0.31163	0.65455	40.15038	2728.824
8980	8982	45	0.21235	10	3	2.00	5	3	13364	0.31903	0.66847	39.93604	2837.845
8981	933	25	0.05363	2	10	1.00	0	3	0	0.12872	0.00000	25.00000	0
8981	3693	30	0.30417	9	4	1.00	100	0	1376	0.61625	0.14628	29.61522	418.5379
8981	8985	45	0.16652	10	3	2.00	8	0	24009	0.56142	1.20091	17.79643	3997.979
8981	8987	45	0.17415	10	3	2.00	8	3	23240	0.52107	1.16244	20.05333	4047.246
8982	159	25	0.23800	2	10	1.00	5	3	113	0.57142	0.00193	24.99037	26.894
8982	8698	45	0.12634	10	3	2.00	5	3	13251	0.18939	0.66280	40.02446	1674.131
8982	8980	45	0.21235	10	3	2.00	5	3	13309	0.31869	0.66573	39.97894	2826.166
8983	168	25	0.22196	2	10	1.00	5	3	1534	0.53548	0.02609	24.87023	340.4866
8983	8984	45	0.06120	10	3	2.00	5	3	18433	0.10948	0.92204	33.54151	1128.1
8983	8986	45	0.12426	10	3	2.00	8	3	17476	0.21151	0.87416	35.24989	2171.568

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
8984	8972	45	0.15891	10	3	2.00	5	3	18433	0.28427	0.92204	33.54151	2929.188
8984	8983	45	0.06120	10	3	2.00	5	3	18307	0.10869	0.91571	33.78601	1120.388
8985	8621	45	0.22955	10	3	3.00	8	0	17155	0.33386	0.57207	41.25401	3937.93
8985	8981	45	0.16652	10	3	2.00	8	0	24152	0.57414	1.20810	17.40206	4021.791
8985	23122	45	0.28791	9	3	2.00	100	0	19527	0.55436	0.97673	31.16160	5622.019
8985	23339	45	0.14692	9	3	2.00	100	0	18196	0.25931	0.91016	33.99566	2673.356
8986	3771	45	0.15686	10	3	2.00	8	3	17476	0.26700	0.87416	35.24989	2741.285
8986	8983	45	0.12426	10	3	2.00	8	3	17600	0.21274	0.88037	35.04586	2186.976
8987	3772	45	0.09762	10	3	2.00	0	3	17456	0.16600	0.87313	35.28316	1704.055
8987	8981	45	0.17415	10	3	2.00	8	3	23165	0.51513	1.15870	20.28445	4034.185
8987	8989	40	0.12051	10	3	2.00	0	3	6854	0.18779	0.34284	38.50394	825.9755
8988	182	25	0.17129	2	10	1.00	5	3	16	0.41112	0.00026	24.99868	2.74064
8988	198	25	0.24286	2	10	1.00	5	3	80	0.58301	0.00136	24.99322	19.4288
8988	8618	30	0.12711	10	5	1.00	5	3	566	0.25559	0.06874	29.83989	71.94426
8988	8990	30	0.22703	10	5	1.00	5	3	767	0.45752	0.09316	29.77233	174.132
8989	934	25	0.06036	2	10	1.00	0	3	163	0.14494	0.00278	24.98611	9.83868
8989	3769	40	0.14354	10	3	2.00	0	3	6820	0.22361	0.34115	38.51418	978.9428
8989	8987	40	0.12051	10	3	2.00	0	3	6904	0.18787	0.34535	38.48870	832.001
8990	181	25	0.13974	2	10	1.00	5	3	239	0.33564	0.00407	24.97968	33.39786
8990	196	25	0.16287	2	10	1.00	5	3	231	0.39119	0.00393	24.98035	37.62297
8990	8988	30	0.22703	10	5	1.00	5	3	656	0.45694	0.07963	29.81010	148.9317
8990	8992	30	0.21978	10	5	1.00	5	3	660	0.44239	0.08019	29.80854	145.0548
8992	5500	45	0.19017	10	3	2.00	5	3	10722	0.27389	0.53631	41.65848	2039.003
8992	5502	45	0.12502	10	3	2.00	5	3	12110	0.18370	0.60573	40.83518	1513.992
8992	8990	30	0.21978	10	5	1.00	5	3	537	0.44179	0.06526	29.84930	118.0219
8992	8994	30	0.09633	10	5	1.00	5	3	6056	0.22368	0.73563	25.83806	583.3745
8994	161	25	0.08437	2	10	1.00	5	3	43	0.20253	0.00073	24.99636	3.62791
8994	162	25	0.18628	2	10	1.00	5	3	84	0.44720	0.00142	24.99289	15.64752
8994	8992	30	0.09633	10	5	1.00	5	3	5975	0.22260	0.72586	25.96342	575.5718
8994	8996	30	0.06770	10	5	1.00	5	3	6182	0.15847	0.75098	25.63254	418.5214
8996	160	25	0.15115	2	10	1.00	5	3	467	0.36333	0.00793	24.96039	70.58705
8996	163	25	0.16245	2	10	1.00	5	3	448	0.39047	0.00761	24.96200	72.7776
8996	8978	30	0.15257	10	5	1.00	5	3	5272	0.34024	0.64046	26.90556	804.349
8996	8994	30	0.06770	10	5	1.00	5	3	6100	0.15764	0.74103	25.76699	412.97
8998	164	25	0.09004	2	10	1.00	5	3	426	0.21640	0.00725	24.96380	38.35704
8998	5500	45	0.15013	10	3	2.00	5	3	10258	0.21498	0.51310	41.90117	1540.034
8998	8644	45	0.09359	10	3	2.00	5	3	10108	0.13378	0.50561	41.97638	946.0077
9006	8714	30	0.39205	10	5	1.00	1	0	1132	0.79356	0.13756	29.64200	443.8006
9006	9008	35	0.14338	10	4	1.00	1	0	4553	0.26220	0.48398	32.81129	652.8091
9008	46	25	0.13625	2	10	1.00	1	3	402	0.32745	0.00684	24.96587	54.7725
9008	47	25	0.12669	2	10	1.00	1	3	1505	0.30562	0.02560	24.87266	190.6685
9008	9006	35	0.14338	10	4	1.00	1	0	3937	0.25870	0.41847	33.25528	564.4871
9008	9010	35	0.11668	10	4	1.00	1	3	5826	0.22141	0.61930	31.62031	679.7777
9010	5888	45	0.23781	10	3	3.00	1	3	28129	0.43372	0.93800	32.89739	6689.357
9010	9008	35	0.11668	10	4	1.00	1	3	5159	0.21676	0.54834	32.29860	601.9521
9010	9012	35	0.20664	10	3	2.00	1	3	4786	0.36269	0.23940	34.18427	988.979
9010	9056	45	0.25470	10	3	3.00	1	3	27665	0.45588	0.92253	33.52247	7046.276
9012	43	25	0.22983	2	10	1.00	1	3	2919	0.55706	0.04963	24.75427	670.8738
9012	9010	35	0.20664	10	3	2.00	1	3	4061	0.36110	0.20313	34.33475	839.165
9012	9014	35	0.29851	10	3	2.00	1	3	3535	0.52009	0.17681	34.43768	1055.233
9014	5902	33	0.17604	10	5	1.00	1	3	4079	0.34232	0.49547	30.85579	718.0672
9014	8674	30	0.21056	10	5	1.00	1	3	2445	0.43450	0.29705	29.07617	514.8192
9014	9012	35	0.29851	10	3	2.00	1	3	2761	0.51794	0.13810	34.58041	824.1861
9014	9016	30	0.17409	10	5	1.00	1	3	6366	0.41267	0.77337	25.31243	1108.257
9016	38	25	0.15316	2	10	1.00	1	3	292	0.36795	0.00497	24.97520	44.72272
9016	9014	30	0.17409	10	5	1.00	1	3	4726	0.38003	0.57410	27.48659	822.7493
9016	9018	30	0.28271	10	5	1.00	1	3	6825	0.69535	0.82912	24.39460	1929.496
9018	37	25	0.22017	2	10	1.00	1	3	82	0.52855	0.00139	24.99306	18.05394
9018	9016	30	0.28271	10	5	1.00	1	3	4517	0.61277	0.54868	27.68197	1277.001
9018	9020	30	0.28011	10	5	1.00	1	3	7602	0.75289	0.92349	22.32319	2129.396
9020	36	25	0.11438	2	10	1.00	1	3	602	0.27508	0.01024	24.94889	68.85676
9020	9018	30	0.28011	10	5	1.00	1	3	4598	0.60878	0.55860	27.60734	1287.946
9020	9022	30	0.15682	10	5	1.00	1	3	8307	0.47824	1.00910	19.67475	1302.704
9022	8854	35	0.26516	10	2	2.00	1	3	24455	0.73614	1.03976	21.61189	6484.488
9022	9020	30	0.15682	10	5	1.00	1	3	4788	0.34308	0.58160	27.42631	750.8542
9022	9024	35	0.09503	10	3	2.00	1	3	22161	0.31212	1.10851	18.26905	2105.96
9024	8670	25	0.17615	10	5	1.00	1	3	8631	0.69770	1.04853	15.14799	1520.351
9024	8716	25	0.14181	10	5	1.00	1	3	3499	0.35864	0.42504	23.72412	496.1932
9024	9022	35	0.09503	10	3	2.00	1	3	20936	0.26810	1.04721	21.26832	1989.548
9024	9026	35	0.21064	10	3	2.00	1	3	14059	0.41286	0.70323	30.61175	2961.388
9026	12	25	0.06117	2	10	1.00	1	3	630	0.14713	0.01072	24.94653	38.5371
9026	9024	35	0.21064	10	3	2.00	1	3	11900	0.39661	0.59525	31.86551	2506.616
9026	9028	35	0.14491	10	3	2.00	1	3	13446	0.28037	0.67257	31.01088	1948.46
9028	12	25	0.16874	2	10	1.00	1	3	484	0.40564	0.00822	24.95895	81.67016
9028	8686	30	0.20117	10	5	1.00	1	3	1887	0.41142	0.22929	29.33767	379.6078
9028	8718	25	0.28674	10	5	1.00	1	3	6832	0.84681	0.82993	20.31658	1959.008
9028	9026	35	0.14491	10	3	2.00	1	3	11386	0.27078	0.56953	32.10985	1649.945
9028	9030	40	0.19324	10	3	2.00	1	3	19149	0.40711	0.95786	28.47906	3700.353
9030	170	25	0.17487	2	10	1.00	5	3	152	0.41991	0.00258	24.98710	26.58024
9030	9028	40	0.19324	10	3	2.00	1	3	18726	0.39582	0.93667	29.29143	3618.612
9030	9032	40	0.23536	10	3	2.00	1	3	18998	0.49070	0.95027	28.77767	4471.369
9032	8682	45	0.07983	10	3	2.00	5	3	14410	0.12269	0.72077	39.04071	1150.35
9032	9030	40	0.23536	10	3	2.00	5	3	18573	0.47759	0.92904	29.56813	4371.341

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
9032	9034	45	0.16815	10	3	2.00	1	3	13457	0.25310	0.67310	39.86259	2262.795
9034	13	25	0.10232	2	10	1.00	5	3	1196	0.24658	0.02034	24.89871	122.3747
9034	171	25	0.08651	2	10	1.00	5	3	126	0.20770	0.00214	24.98931	10.90026
9034	172	25	0.17408	2	10	1.00	5	3	1437	0.41984	0.02444	24.87839	250.153
9034	9032	45	0.16815	10	3	2.00	5	3	13228	0.25197	0.66166	40.04199	2224.288
9034	9036	45	0.22044	10	3	2.00	1	3	13455	0.33179	0.67302	39.86383	2966.02
9036	173	25	0.13011	2	10	1.00	5	3	996	0.31333	0.01695	24.91556	129.5896
9036	9034	45	0.22044	10	3	2.00	5	3	13216	0.33023	0.66104	40.05159	2913.335
9036	9038	45	0.24673	10	2	2.00	1	3	13599	0.35948	0.57821	41.18060	3355.281
9038	9036	45	0.24673	10	2	2.00	1	3	13360	0.35843	0.56802	41.30184	3296.313
9038	9040	45	0.18970	10	3	2.00	1	3	13599	0.28635	0.68024	39.74728	2579.73
9040	320	25	0.13308	2	10	1.00	1	3	284	0.31969	0.00484	24.97583	37.79472
9040	8736	30	0.07712	10	5	1.00	1	3	4052	0.16484	0.49222	28.07165	312.4902
9040	9038	45	0.18970	10	3	2.00	5	3	13360	0.28498	0.66826	39.93930	2534.392
9040	9042	45	0.11815	10	3	3.00	1	3	14996	0.16867	0.50007	42.03116	1771.777
9042	9040	45	0.11815	10	3	3.00	1	3	14644	0.16821	0.48834	42.14464	1730.189
9042	9044	45	0.08643	10	3	3.00	1	3	14996	0.12338	0.50007	42.03116	1296.104
9044	8740	35	0.07174	10	3	3.00	1	3	31758	0.20782	1.05902	20.71222	2278.319
9044	8742	45	0.27180	10	3	3.00	4	3	28669	0.50770	0.95602	32.12096	7792.234
9044	9042	45	0.08643	10	3	3.00	1	3	14644	0.12305	0.48834	42.14464	1265.681
9044	9046	45	0.12832	10	3	3.00	4	3	17112	0.18655	0.57064	41.27100	2195.812
9046	321	25	0.10715	2	10	1.00	1	3	2572	0.25942	0.04375	24.78315	275.5898
9046	9044	45	0.12832	10	3	3.00	4	3	18153	0.18851	0.60534	40.84029	2329.393
9046	9048	45	0.11080	10	3	2.00	4	3	15868	0.17728	0.79372	37.49822	1758.174
9048	6004	40	0.12875	10	3	1.00	1	3	3545	0.20101	0.35468	38.43139	456.4188
9048	9046	45	0.11080	10	3	2.00	4	3	16907	0.18402	0.84569	36.12467	1873.296
9048	9050	45	0.15443	10	3	2.00	4	3	12730	0.22929	0.63676	40.41151	1965.894
9050	5534	30	0.17078	10	5	1.00	4	3	1406	0.34691	0.17074	29.53777	240.1167
9050	9048	45	0.15443	10	3	2.00	1	3	13700	0.23360	0.68528	39.66447	2115.691
9050	9052	45	0.34642	10	3	2.00	4	3	12099	0.50891	0.60517	40.84247	4191.336
9052	322	25	0.15156	2	10	1.00	1	3	3647	0.36826	0.06202	24.69368	552.7393
9052	9050	45	0.34642	10	3	2.00	1	3	13453	0.52138	0.67289	39.86590	4660.388
9052	9054	45	0.09265	10	3	2.00	4	3	12753	0.13761	0.63790	40.39520	1181.565
9054	214	25	0.15300	2	10	1.00	4	3	918	0.36834	0.01562	24.92215	140.454
9054	5514	45	0.15115	10	3	2.00	4	3	12981	0.22543	0.64933	40.22854	1962.078
9054	9052	45	0.09265	10	3	2.00	1	3	14156	0.14155	0.70808	39.27203	1311.553
9056	46	25	0.20231	2	10	1.00	1	3	407	0.48623	0.00691	24.96548	82.34017
9056	9010	45	0.25470	10	3	3.00	1	3	28210	0.46615	0.94073	32.78352	7185.087
9056	9058	45	0.15876	10	3	3.00	1	3	28020	0.28825	0.93438	33.04727	4448.455
9058	45	25	0.15242	2	10	1.00	1	3	646	0.36660	0.01099	24.94518	98.46332
9058	9056	45	0.15876	10	3	3.00	1	3	28617	0.29584	0.95428	32.19835	4543.235
9058	9060	45	0.04413	10	3	3.00	1	3	28216	0.08078	0.94089	32.77648	1245.172
9060	44	25	0.09049	2	10	1.00	1	3	921	0.21785	0.01567	24.92189	83.34129
9060	9058	45	0.04413	10	3	3.00	1	3	28812	0.08298	0.96079	31.90645	1271.474
9060	9062	45	0.08977	10	3	3.00	1	3	28600	0.16716	0.95372	32.22337	2567.422
9060	9565	35	0.01296	10	5	1.00	3	3	3582	0.02346	0.43510	33.14904	46.42272
9062	8650	25	0.18182	10	5	2.00	5	3	4790	0.44984	0.29096	24.25095	870.9178
9062	8708	45	0.06496	10	3	2.00	5	3	13542	0.09795	0.67739	39.79361	879.6883
9062	9060	45	0.08977	10	3	3.00	1	3	29269	0.17267	0.97604	31.19458	2627.478
9062	9064	45	0.11328	10	3	3.00	5	3	22858	0.17786	0.76225	38.21193	2589.354
9064	154	25	0.05170	2	10	1.00	5	3	1535	0.12474	0.02611	24.87014	79.3595
9064	9062	45	0.11328	10	3	3.00	5	3	23087	0.17864	0.76986	38.04648	2615.295
9064	9066	45	0.17344	10	3	3.00	5	3	23020	0.27316	0.76763	38.09535	3992.589
9066	151	25	0.08409	2	10	1.00	5	3	516	0.20217	0.00878	24.95617	43.39044
9066	157	25	0.17246	2	10	1.00	5	3	268	0.41429	0.00456	24.97724	46.21928
9066	9064	45	0.17344	10	3	3.00	5	3	23248	0.27438	0.77524	37.92689	4032.133
9066	9068	45	0.11098	10	3	3.00	5	3	22658	0.17362	0.75556	38.35355	2514.585
9068	9066	45	0.11098	10	3	3.00	5	3	22863	0.17428	0.76239	38.20887	2537.336
9068	9070	45	0.12051	10	3	3.00	5	3	22658	0.18853	0.75556	38.35355	2730.516
9070	5960	45	0.08050	10	3	2.00	5	3	13052	0.12023	0.65287	40.17567	1050.686
9070	5962	45	0.16341	10	3	3.00	5	3	25423	0.27187	0.84777	36.06407	4154.372
9070	8638	45	0.09068	10	3	2.00	5	3	14573	0.13991	0.72892	38.88685	1321.48
9070	9068	45	0.12051	10	3	3.00	5	3	22863	0.18925	0.76239	38.20887	2755.22
9071	208	25	0.08980	2	10	1.00	6	3	1033	0.21628	0.01757	24.91247	92.7634
9071	209	25	0.28720	2	10	1.00	6	3	2392	0.69489	0.04069	24.79822	686.9824
9071	8607	45	0.12742	10	3	1.00	6	3	3159	0.17577	0.31602	43.49449	402.5198
9072	5962	45	0.14740	10	3	3.00	5	3	24740	0.24095	0.82500	36.70367	3646.676
9072	8626	30	0.05691	10	5	1.00	5	3	4809	0.12459	0.58413	27.40569	273.6802
9072	9074	45	0.14221	10	3	3.00	5	3	22995	0.22387	0.76682	38.11310	3270.119
9072	9567	30	0.06884	10	5	1.00	5	3	1430	0.13987	0.17367	29.52826	98.4412
9074	184	25	0.04333	2	10	1.00	5	3	807	0.10427	0.01373	24.93155	34.96731
9074	9072	45	0.14221	10	3	3.00	5	3	23625	0.22670	0.78782	37.63823	3359.711
9074	9076	45	0.23334	10	3	3.00	5	3	23111	0.36816	0.77069	38.02818	5392.721
9075	209	25	0.61256	2	10	1.00	6	3	1698	1.47863	0.02888	24.85645	1040.127
9075	331	25	0.35885	2	10	1.00	6	3	1971	0.86701	0.03351	24.83354	707.2934
9075	9093	40	0.09494	10	4	1.00	6	3	3751	0.14934	0.39868	38.14454	356.1199
9076	177	25	0.27982	2	10	1.00	5	3	1295	0.67453	0.02203	24.89033	362.3669
9076	185	25	0.22577	2	10	1.00	5	3	924	0.54354	0.01571	24.92168	208.6115
9076	9074	45	0.23334	10	3	3.00	5	3	23741	0.37288	0.79170	37.54649	5539.725
9076	9080	45	0.19130	10	3	3.00	5	3	23585	0.30470	0.78649	37.66924	4511.811
9077	331	25	0.22137	2	10	1.00	6	3	66	0.53140	0.00113	24.99437	14.61042
9077	9088	40	0.04634	10	4	1.00	6	3	66	0.06952	0.00705	39.99858	3.05844
9078	329	25	0.15099	2	10	1.00	6	3	1863	0.36467	0.03169	24.84255	281.2944

A	B	SPEED	DISTANCE	SPDCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
9078	331	25	0.19434	2	10	1.00	6	3	3740	0.47236	0.06361	24.68594	726.8316
9078	9079	40	0.08875	10	3	2.00	6	3	5480	0.13692	0.27409	38.89165	486.35
9079	5660	45	0.24798	10	3	2.00	1	3	19251	0.46777	0.96295	31.80811	4773.863
9079	9078	40	0.08875	10	3	2.00	6	3	5480	0.13692	0.27412	38.89149	486.35
9079	9088	45	0.21051	10	3	2.00	6	3	18698	0.38263	0.93527	33.01041	3936.116
9079	15064	45	0.22671	10	5	2.00	1	3	16625	0.46151	1.00980	29.47445	3769.054
9080	186	25	0.06950	2	10	1.00	5	3	415	0.16704	0.00705	24.96480	28.8425
9080	9076	45	0.19130	10	3	4.00	5	3	24223	0.28109	0.60582	40.83403	4633.86
9080	9082	45	0.07275	10	3	3.00	5	3	23653	0.11604	0.78876	37.61598	1720.756
9082	8738	35	0.19697	10	3	3.00	5	3	33063	0.63644	1.10254	18.56911	6512.419
9082	9080	45	0.07275	10	3	4.00	5	3	24300	0.10696	0.60774	40.80887	1767.825
9082	9084	40	0.12254	10	3	3.00	1	3	23855	0.22083	0.79547	33.29435	2923.192
9082	9090	45	0.10558	10	3	3.00	5	3	27407	0.18711	0.91392	33.85431	2893.631
9084	187	25	0.05710	2	10	1.00	5	3	1728	0.13784	0.02939	24.85392	98.6688
9084	9082	40	0.12254	10	3	4.00	1	3	24098	0.20236	0.60270	36.33292	2952.969
9084	9086	40	0.22293	10	3	3.00	1	3	23276	0.39699	0.77619	33.69382	5188.919
9085	203	25	0.09862	2	10	1.00	6	3	0	0.23668	0.00000	25.00000	0
9085	8609	45	0.08414	10	3	4.00	6	3	37336	0.15264	0.93378	33.07189	3141.451
9085	9095	45	0.09605	10	3	4.00	6	3	37365	0.17441	0.93450	33.04242	3588.908
9086	189	25	0.15304	2	10	1.00	5	3	1699	0.36942	0.02889	24.85638	260.015
9086	326	25	0.15524	2	10	1.00	1	3	5136	0.37908	0.08735	24.57076	797.3126
9086	9084	40	0.22293	10	3	4.00	1	3	23516	0.36650	0.58814	36.49697	5242.422
9086	9093	45	0.27387	10	3	3.00	1	3	17842	0.40104	0.59499	40.97323	4886.389
9087	8723	40	0.18389	10	3	2.00	0	0	21766	0.50126	1.08875	22.01098	4002.55
9087	9089	40	0.15512	10	3	2.00	0	0	20037	0.35045	1.00223	26.55765	3108.139
9088	327	25	0.17376	2	10	1.00	1	3	2416	0.42045	0.04108	24.79626	419.8042
9088	9077	40	0.04634	10	4	1.00	6	3	66	0.06952	0.00704	39.99862	3.05844
9088	9079	45	0.21051	10	3	2.00	1	3	18676	0.38212	0.93419	33.05485	3931.485
9088	9093	45	0.24627	10	3	2.00	6	3	18150	0.43355	0.90786	34.08133	4469.801
9089	5663	40	0.08447	10	3	2.00	1	3	21031	0.21071	1.05195	24.05362	1776.489
9089	9087	40	0.15512	10	3	2.00	0	0	21766	0.42284	1.08875	22.01098	3376.342
9089	9091	45	0.23163	10	3	4.00	1	3	34315	0.38873	0.85822	35.75137	7948.383
9089	9099	45	0.08524	10	3	4.00	6	3	43946	0.21223	1.09909	24.09770	3745.957
9090	186	25	0.05417	2	10	1.00	5	3	198	0.13010	0.00337	24.98315	10.72566
9090	187	25	0.12686	2	10	1.00	5	3	704	0.30518	0.01198	24.94024	89.30944
9090	188	25	0.15604	2	10	1.00	5	3	289	0.37486	0.00492	24.97542	45.09556
9090	189	25	0.33320	2	10	1.00	5	3	298	0.80050	0.00508	24.97465	99.2936
9090	9082	45	0.10558	10	3	3.00	5	3	27712	0.18931	0.92411	33.46049	2925.833
9090	9092	45	0.22702	10	3	3.00	5	3	28325	0.41755	0.94454	32.62176	6430.342
9091	5519	45	0.18542	10	2	4.00	1	3	34315	0.28617	0.72949	38.87597	6362.687
9091	9089	45	0.23163	10	3	4.00	1	3	35982	0.40435	0.89991	34.37082	8334.511
9092	185	25	0.16435	2	10	1.00	5	3	270	0.39481	0.00458	24.97710	44.3745
9092	191	25	0.12473	2	10	1.00	5	3	536	0.29991	0.00911	24.95452	66.85528
9092	9090	45	0.22702	10	3	3.00	5	3	28666	0.42401	0.95593	32.12511	6507.755
9092	9094	45	0.30011	10	3	3.00	5	3	28274	0.55075	0.94283	32.69448	8485.31
9093	326	25	0.26096	2	10	1.00	1	3	2492	0.63162	0.04238	24.78987	650.3123
9093	9075	40	0.09494	10	4	1.00	6	3	3573	0.14885	0.37982	38.27091	339.2206
9093	9086	45	0.27387	10	3	3.00	1	3	17894	0.40126	0.59671	40.95137	4900.63
9093	9088	45	0.24627	10	3	2.00	1	3	18128	0.43304	0.90677	34.12144	4464.383
9094	8628	30	0.15855	10	5	1.00	5	3	3599	0.33494	0.43714	28.40200	570.6215
9094	9092	45	0.30011	10	3	3.00	5	3	28607	0.55900	0.95396	32.21244	8585.247
9094	9096	45	0.21330	10	3	3.00	5	3	29475	0.41470	0.98290	30.86115	6287.018
9095	208	25	0.34594	2	10	1.00	6	3	1580	0.83471	0.02687	24.86638	546.5852
9095	1229	25	0.08470	2	10	1.00	0	3	639	0.20371	0.01086	24.94580	54.1233
9095	9085	45	0.09605	10	3	4.00	6	3	37336	0.17425	0.93378	33.07189	3586.123
9095	9097	45	0.21768	10	3	4.00	6	3	39543	0.42739	0.98897	30.55950	8607.72
9096	192	25	0.10134	2	10	1.00	5	3	1446	0.24442	0.02460	24.87762	146.5376
9096	9094	45	0.21330	10	3	3.00	5	3	29640	0.41839	0.98838	30.58875	6322.212
9096	9098	45	0.17850	10	3	3.00	5	3	28819	0.33579	0.96103	31.89559	5144.192
9097	9095	45	0.21768	10	3	4.00	6	3	39533	0.42722	0.98873	30.57130	8605.543
9097	9099	45	0.32630	10	3	4.00	6	3	43941	0.81217	1.09896	24.10563	14337.95
9097	9615	35	0.12269	10	3	1.00	0	3	4655	0.22347	0.46573	32.94209	571.122
9098	8600	45	0.35794	10	3	2.00	5	3	19787	0.70367	0.98973	30.52080	7082.559
9098	8602	40	0.32528	10	3	2.00	5	3	6925	0.50716	0.34640	38.48232	2252.564
9098	8610	40	0.17993	10	3	2.00	5	3	12478	0.29924	0.62413	36.07880	2245.167
9098	9096	45	0.17850	10	3	3.00	5	3	28984	0.33846	0.96652	31.64395	5173.644
9099	204	25	0.23922	2	10	1.00	6	3	0	0.57414	0.00000	25.00000	0
9099	9089	45	0.08524	10	3	4.00	6	3	43941	0.21216	1.09896	24.10563	3745.531
9099	9097	45	0.32630	10	3	4.00	6	3	43946	0.81244	1.09909	24.09770	14339.58
9100	3708	45	0.07462	9	4	1.00	100	3	1846	0.10134	0.19618	44.18027	137.7485
9100	9102	30	0.05739	10	5	1.00	0	3	7126	0.14540	0.86563	23.68141	408.9611
9100	9584	45	0.31245	9	7	1.00	100	3	6464	0.43493	0.45808	43.10279	2019.677
9101	939	20	0.08703	2	10	1.00	0	3	186	0.26126	0.00317	19.98734	16.18758
9101	3707	30	0.21349	10	5	1.00	0	3	1994	0.43732	0.24225	29.29032	425.6991
9101	3736	30	0.12245	10	5	1.00	0	3	2081	0.25117	0.25275	29.25103	254.8185
9102	940	20	0.06686	2	10	1.00	0	3	142	0.20067	0.00242	19.99034	9.49412
9102	9100	30	0.05739	10	5	1.00	0	3	7370	0.14954	0.89523	23.02485	422.9643
9102	9103	30	0.05223	10	5	1.00	0	3	7004	0.13067	0.85080	23.98307	365.8189
9103	939	20	0.12589	2	10	1.00	0	3	114	0.37782	0.00194	19.99225	14.35146
9103	3707	30	0.13989	10	5	1.00	0	3	1998	0.28658	0.24275	29.28843	279.5002
9103	3739	30	0.07538	10	5	1.00	0	3	5004	0.16624	0.60786	27.20489	377.2015
9103	9102	30	0.05223	10	5	1.00	0	3	7246	0.13411	0.88018	23.36814	378.4586
9104	937	20	0.13919	2	10	1.00	0	3	1155	0.41921	0.01965	19.92172	160.7645

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
9104	938	20	0.17427	2	10	1.00	0	3	524	0.52373	0.00891	19.96441	91.31748
9104	3707	30	0.26902	10	5	1.00	0	3	1671	0.54845	0.20297	29.43032	449.5324
9111	12295	45	0.26647	9	3	2.00	100	0	17055	0.44526	0.85308	35.90675	4544.646
9111	12296	45	0.07159	9	3	3.00	100	0	18352	0.10541	0.61199	40.75284	1313.82
9111	14123	45	0.24243	9	3	2.00	100	0	16730	0.39985	0.83682	36.37834	4055.854
9111	22686	45	0.13797	9	3	3.00	100	0	13413	0.19471	0.44729	42.51657	1850.592
9142	15058	45	0.12877	9	3	2.00	100	0	18193	0.22724	0.91002	34.00098	2342.713
9142	22664	45	0.32678	9	3	2.00	100	0	16108	0.52700	0.80571	37.20427	5263.772
9142	22675	35	0.13473	23	5	1.00	901	0	1570	0.23510	0.19066	34.38412	211.5261
9142	23338	30	0.10455	10	5	1.00	0	0	759	0.21067	0.09218	29.77508	79.35345
9225	9343	35	0.08398	10	4	1.00	7	0	3167	0.14942	0.33663	33.72363	265.9647
9225	12300	35	0.10845	10	4	1.00	7	0	3789	0.19510	0.40279	33.35175	410.9171
9334	1578	20	0.10244	2	10	1.00	0	0	1457	0.30885	0.02478	19.90138	149.2551
9334	2489	45	0.21637	9	3	3.00	100	0	15959	0.31130	0.53220	41.70259	3453.049
9334	12270	30	0.09543	10	5	1.00	0	0	1837	0.19503	0.22319	29.35956	175.3049
9334	24034	45	0.28334	9	3	3.00	100	0	16005	0.40782	0.53370	41.68648	4534.857
9340	1355	20	0.15889	2	10	1.00	0	0	1006	0.47829	0.01711	19.93180	159.8433
9340	8651	45	0.19986	10	3	2.00	7	3	17137	0.33512	0.85718	35.78315	3425.001
9340	9611	45	0.16116	10	3	2.00	7	3	15739	0.25683	0.78727	37.65109	2536.497
9340	24037	35	0.14068	10	4	1.00	7	0	3541	0.25192	0.37635	33.50689	498.1479
9341	1126	25	0.13878	2	10	1.00	7	3	428	0.33356	0.00728	24.96363	59.39784
9341	9590	45	0.05759	10	3	2.00	7	3	13401	0.08659	0.67034	39.90648	771.7636
9341	9591	45	0.11446	10	3	2.00	7	3	13913	0.17393	0.69594	39.48450	1592.482
9342	1123	25	0.06134	2	10	1.00	7	3	917	0.14768	0.01559	24.92227	56.24878
9342	9394	45	0.16834	10	3	2.00	7	3	12086	0.24725	0.60457	40.85036	2034.557
9342	9593	45	0.21373	10	3	2.00	7	3	11432	0.31083	0.57185	41.25665	2443.361
9343	9225	35	0.08398	10	4	1.00	7	0	3789	0.15109	0.40279	33.35175	318.2002
9343	9382	35	0.10818	10	4	2.00	7	0	8357	0.19616	0.44413	33.08960	904.0603
9343	12161	35	0.09396	10	4	2.00	7	0	7575	0.16904	0.40257	33.35305	711.747
9343	23265	35	0.16537	10	4	1.00	7	0	2390	0.29080	0.25409	34.12032	395.2343
9344	1358	20	0.17979	2	10	1.00	0	0	55	0.53948	0.00094	19.99624	9.88845
9344	1359	20	0.09928	2	10	1.00	0	0	1314	0.29918	0.02234	19.91103	130.4539
9344	9345	35	0.11048	10	4	1.00	7	0	995	0.19108	0.10581	34.69223	109.9276
9344	9605	35	0.13838	10	4	1.00	7	0	1696	0.24119	0.18025	34.42452	234.6925
9345	1358	20	0.16514	2	10	1.00	0	0	253	0.49584	0.00431	19.98278	41.78042
9345	9344	35	0.11048	10	4	1.00	7	0	1160	0.19141	0.12335	34.63229	128.1568
9345	24030	35	0.16679	10	4	1.00	7	0	1253	0.28925	0.13317	34.59792	208.9879
9346	2507	35	0.23918	10	4	1.00	7	0	3600	0.42877	0.38269	33.47050	861.048
9346	9347	35	0.07318	10	4	1.00	7	0	2865	0.12958	0.30450	33.88607	209.6607
9346	12294	30	0.18660	10	5	1.00	0	0	763	0.37604	0.09269	29.77364	142.3758
9347	1317	20	0.18601	2	10	1.00	0	0	814	0.55957	0.01384	19.94481	151.4121
9347	1318	20	0.16621	2	10	1.00	0	0	656	0.49975	0.01116	19.95547	109.0338
9347	9346	35	0.07318	10	4	1.00	7	0	2859	0.12957	0.30386	33.88918	209.2216
9347	9605	35	0.19567	10	4	1.00	7	0	1898	0.34187	0.20178	34.34016	371.3817
9349	9609	45	0.28475	9	3	3.00	100	0	18711	0.42091	0.62396	40.59095	5327.957
9349	12292	35	0.10250	10	4	2.00	7	0	7258	0.18385	0.38574	33.45287	743.945
9349	14125	45	0.10358	9	3	3.00	100	0	14213	0.14700	0.47396	42.27916	1472.183
9349	24035	35	0.17960	10	4	2.00	7	0	1957	0.31056	0.10403	34.69823	351.4772
9351	9352	45	0.17532	9	3	3.00	100	0	17427	0.25566	0.58114	41.14507	3055.302
9351	9593	45	0.32928	10	3	2.00	7	3	10751	0.47444	0.53775	41.64296	3540.089
9351	23276	45	0.10340	9	3	3.00	100	0	12046	0.14465	0.40170	42.88931	1245.556
9351	23277	40	0.15114	10	3	2.00	7	0	6763	0.23535	0.33827	38.53151	1022.16
9352	1118	20	0.21011	2	10	1.00	0	0	1558	0.63367	0.02650	19.89454	327.3514
9352	1119	20	0.17364	2	10	1.00	0	0	370	0.52158	0.00629	19.97486	64.2468
9352	9351	45	0.17532	9	3	3.00	100	0	17211	0.25512	0.57394	41.23182	3017.433
9352	9353	45	0.13263	9	3	3.00	100	0	16880	0.19239	0.56289	41.36161	2238.794
9353	9352	45	0.13263	9	3	3.00	100	0	16683	0.19204	0.55632	41.43700	2212.666
9353	9354	45	0.11620	9	3	3.00	100	0	16880	0.16856	0.56289	41.36161	1961.456
9354	1117	20	0.17931	2	10	1.00	0	0	1267	0.54025	0.02154	19.91420	227.1858
9354	9353	45	0.11620	9	3	3.00	100	0	16683	0.16825	0.55632	41.43700	1938.565
9354	9355	45	0.22447	9	3	3.00	100	0	16513	0.32453	0.55066	41.50082	3706.673
9355	1114	20	0.16984	2	10	1.00	0	0	3720	0.51595	0.06327	19.75009	631.8048
9355	9354	45	0.22447	9	3	3.00	100	0	16316	0.32396	0.54409	41.57378	3662.453
9355	9356	45	0.22247	9	3	3.00	100	0	15658	0.31927	0.52214	41.80843	3483.435
9356	1116	20	0.20014	2	10	1.00	0	0	860	0.60217	0.01462	19.94169	172.1204
9356	9355	45	0.22247	9	3	3.00	100	0	15461	0.31876	0.51556	41.87616	3439.609
9356	9386	45	0.28085	9	3	3.00	100	0	15587	0.40282	0.51978	41.83278	4377.609
9357	1112	25	0.18402	2	10	1.00	7	3	307	0.44212	0.00522	24.97391	56.49414
9357	1575	20	0.17667	2	10	1.00	7	3	1442	0.53261	0.02453	19.90236	254.7581
9357	8658	45	0.35278	10	3	3.00	7	3	17886	0.51683	0.59642	40.95504	6309.823
9357	9358	45	0.38420	10	3	3.00	7	3	18197	0.56471	0.60681	40.82104	6991.287
9358	9357	45	0.38420	10	3	3.00	7	3	18162	0.56450	0.60564	40.83636	6977.84
9358	9360	30	0.14805	10	4	1.00	7	3	4941	0.31894	0.52517	27.85117	731.5151
9358	9365	35	0.18019	10	4	1.00	7	3	3072	0.32009	0.32658	33.77565	553.5437
9358	9577	45	0.28572	10	3	3.00	7	3	16389	0.41262	0.54651	41.54711	4682.665
9359	9577	50	0.21514	10	3	3.00	7	0	16555	0.28004	0.55206	46.09469	3561.643
9359	24774	50	0.15153	10	3	3.00	7	0	16666	0.19744	0.55577	46.04813	2525.399
9360	9358	30	0.14805	10	4	1.00	7	3	5016	0.31958	0.53312	27.79513	742.6188
9360	25073	30	0.18881	10	4	1.00	7	3	4941	0.40675	0.52517	27.85117	932.9102
9361	1582	20	0.04508	2	10	1.00	7	3	1618	0.13598	0.02752	19.89054	72.93944
9361	25062	30	0.10610	10	4	1.00	7	3	1869	0.21620	0.19865	29.44509	198.3009
9361	25073	30	0.11173	10	4	1.00	7	3	2547	0.22972	0.27075	29.18186	284.5763
9363	3714	30	0.20043	10	4	1.00	7	3	516	0.40252	0.05490	29.87698	103.4219

A	B	SPEED	DISTANCE	SPDCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
9363	9364	30	0.29191	10	4	1.00	7	3	1108	0.58969	0.11777	29.70133	323.4363
9363	25079	25	0.18452	10	5	1.00	0	3	17	0.44267	0.00204	25.00932	3.13684
9364	1103	20	0.14929	2	10	1.00	7	3	430	0.44853	0.00732	19.97076	64.1947
9364	1576	20	0.14289	2	10	1.00	7	3	1095	0.43026	0.01862	19.92578	156.4646
9364	3716	30	0.19492	10	4	1.00	7	3	1965	0.39767	0.20884	29.41005	383.0178
9364	9363	30	0.29191	10	4	1.00	7	3	533	0.58632	0.05668	29.87225	155.588
9365	1110	25	0.14531	2	10	1.00	7	3	1438	0.35044	0.02446	24.87830	208.9558
9365	9358	35	0.18019	10	4	1.00	7	3	3073	0.32009	0.32664	33.77533	553.7239
9365	9578	35	0.19088	10	4	1.00	7	3	2659	0.33695	0.28268	33.99035	507.5499
9366	9367	35	0.31003	10	4	1.00	7	3	1945	0.54200	0.20679	34.32003	603.0084
9366	9369	35	0.10466	10	4	1.00	7	3	2194	0.18355	0.23326	34.21050	229.624
9366	9578	35	0.19191	10	4	1.00	7	3	2380	0.33742	0.25299	34.12518	456.7458
9367	1121	25	0.10061	2	10	1.00	7	3	773	0.24210	0.01315	24.93445	77.77153
9367	9366	35	0.31003	10	4	1.00	7	3	1962	0.54212	0.20859	34.31276	608.2789
9367	9368	35	0.22735	10	4	1.00	7	3	2336	0.39949	0.24829	34.14579	531.0896
9368	8665	45	0.18912	10	3	2.00	7	3	16263	0.30662	0.81349	37.00667	3075.659
9368	9367	35	0.22735	10	4	1.00	7	3	2353	0.39958	0.25009	34.13792	534.9546
9368	9389	45	0.35754	10	3	2.00	7	3	16081	0.57609	0.80437	37.23795	5749.601
9369	9366	35	0.10466	10	4	1.00	7	3	2178	0.18351	0.23152	34.21785	227.9495
9369	9370	35	0.16801	10	4	1.00	7	3	2194	0.29467	0.23326	34.21050	368.6139
9370	1120	25	0.19777	2	10	1.00	7	3	1148	0.47651	0.01952	24.90278	227.04
9370	9369	35	0.16801	10	4	1.00	7	3	2178	0.29461	0.23152	34.21785	365.9258
9370	9594	35	0.13133	10	4	1.00	7	3	2368	0.23086	0.25171	34.13082	310.9894
9371	1122	25	0.12071	2	10	1.00	7	3	766	0.29047	0.01303	24.93503	92.46386
9371	1573	25	0.23413	2	10	1.00	7	3	131	0.56217	0.00223	24.98886	30.67103
9371	9372	35	0.10570	10	4	1.00	7	3	2553	0.18630	0.27132	34.04287	269.8521
9371	9594	35	0.09531	10	4	1.00	7	3	1900	0.16654	0.20195	34.33947	181.089
9372	9371	35	0.10570	10	4	1.00	7	3	2535	0.18625	0.26944	34.05145	267.9495
9372	9373	35	0.10867	10	4	1.00	7	3	2553	0.19153	0.27132	34.04287	277.4345
9373	9372	35	0.10867	10	4	1.00	7	3	2535	0.19148	0.26944	34.05145	275.4785
9373	9574	35	0.11002	10	4	1.00	7	3	3987	0.19869	0.42374	33.22206	438.6497
9373	9588	35	0.11191	10	4	1.00	7	3	2031	0.19586	0.21583	34.28323	227.2892
9373	24907	35	0.16161	10	4	1.00	7	3	269	0.27755	0.02864	34.93592	43.47309
9374	9587	35	0.10520	10	4	1.00	7	3	97	0.18040	0.01032	34.98940	10.2044
9374	9589	35	0.12481	10	4	1.00	7	3	526	0.21486	0.05593	34.85330	65.65006
9374	24906	35	0.04576	10	4	1.00	7	3	478	0.07874	0.05085	34.86895	21.87328
9375	9376	35	0.08071	10	4	1.00	7	3	3247	0.14378	0.34518	33.67856	262.0654
9375	9575	35	0.12593	10	4	1.00	7	3	2629	0.22220	0.27949	34.00522	331.07
9375	24910	35	0.08466	10	4	1.00	7	3	726	0.14602	0.07718	34.78633	61.46316
9376	9375	35	0.08071	10	4	1.00	7	3	3182	0.14363	0.33827	33.71505	256.8192
9376	24904	35	0.09506	10	4	1.00	7	3	3247	0.16935	0.34518	33.67856	308.6598
9379	9394	35	0.16979	10	4	1.00	7	3	4369	0.30916	0.46437	32.95162	741.8125
9379	9396	35	0.10934	10	4	1.00	7	3	196	0.18767	0.02080	34.95900	21.43064
9379	9606	35	0.16630	10	4	1.00	7	3	4143	0.30132	0.44037	33.11450	688.9809
9380	1129	25	0.14667	2	10	1.00	7	3	92	0.35213	0.00156	24.99221	13.49364
9380	9597	35	0.07899	10	4	1.00	7	3	855	0.13641	0.09089	34.74185	67.53645
9380	9612	35	0.08944	10	4	1.00	7	3	939	0.15459	0.09979	34.71241	83.98416
9381	1124	25	0.12902	2	10	1.00	7	3	912	0.31060	0.01551	24.92271	117.6662
9381	12299	30	0.18894	10	5	1.00	0	0	603	0.38007	0.07320	29.82775	113.9308
9381	24911	35	0.18834	10	4	1.00	7	3	30	0.32277	0.00319	35.00978	5.6502
9381	24912	35	0.04451	10	4	1.00	7	3	947	0.07695	0.10063	34.70961	42.15097
9382	9343	35	0.10818	10	4	2.00	7	0	8308	0.19606	0.44156	33.10660	898.7594
9382	23249	35	0.10589	10	4	2.00	7	0	8357	0.19200	0.44413	33.08960	884.9227
9384	1513	20	0.05767	2	10	1.00	0	0	2	0.17300	0.00003	19.99986	0.11534
9384	24767	25	0.09846	10	5	1.00	0	0	1408	0.24001	0.17104	24.61399	138.6317
9384	25130	25	0.04902	10	5	1.00	0	0	1413	0.11951	0.17161	24.61246	69.26526
9386	1113	20	0.18560	2	10	1.00	0	0	2603	0.56172	0.04427	19.82449	483.1168
9386	9356	45	0.28085	9	3	3.00	100	0	15390	0.40217	0.51321	41.90011	4322.282
9386	25189	45	0.13340	9	3	3.00	100	0	16135	0.19223	0.53805	41.63972	2152.409
9387	1502	20	0.13681	2	10	1.00	0	0	0	0.41042	0.00000	20.00000	0
9387	5028	50	0.20216	10	3	3.00	7	0	7764	0.24900	0.25891	48.71273	1569.57
9387	24781	50	0.26939	10	3	3.00	7	0	7748	0.33178	0.25836	48.71621	2087.234
9389	1112	25	0.22707	2	10	1.00	7	3	938	0.54671	0.01595	24.92052	212.9917
9389	8658	45	0.17048	10	3	2.00	7	3	16427	0.27803	0.82170	36.79176	2800.475
9389	9368	45	0.35754	10	3	2.00	7	3	16084	0.57614	0.80451	37.23442	5750.673
9394	9342	45	0.16834	10	3	2.00	7	3	11722	0.24586	0.58632	41.08157	1973.281
9394	9379	35	0.16979	10	4	1.00	7	3	4295	0.30865	0.45653	33.00583	729.2481
9394	9574	35	0.14933	10	4	1.00	7	3	3980	0.26967	0.42310	33.22611	594.3334
9394	9590	45	0.05790	10	3	2.00	7	3	13803	0.08778	0.69042	39.57836	799.1937
9396	9379	35	0.10934	10	4	1.00	7	3	210	0.18769	0.02230	34.95461	22.9614
9396	24911	35	0.04188	10	4	1.00	7	3	196	0.07188	0.02080	34.95900	8.20848
9519	1419	0	0.12036	2	10	0.00	0	0	0	0.00000	0.00000	0.00000	0
9521	3712	25	0.05808	10	5	1.00	0	0	391	0.13986	0.04748	24.91377	22.70928
9521	24793	25	0.05049	10	5	1.00	0	0	397	0.12161	0.04818	24.91224	20.04453
9545	5020	25	0.17788	9	5	1.00	100	0	0	0.42669	0.00000	25.01345	0
9545	9546	25	0.19302	9	5	1.00	100	0	0	0.46299	0.00000	25.01345	0
9546	9545	25	0.19302	9	5	1.00	100	0	0	0.46299	0.00000	25.01345	0
9553	59	25	0.10502	2	10	1.00	1	3	579	0.25254	0.00984	24.95087	60.80658
9553	8798	25	0.21490	10	4	1.00	1	3	1372	0.52243	0.14584	24.68047	294.8428
9554	59	25	0.11201	2	10	1.00	1	3	821	0.26958	0.01397	24.93036	91.96021
9554	8858	33	0.14348	10	4	1.00	1	3	5012	0.28154	0.53271	30.57787	719.1218
9555	237	20	0.06707	3	10	3.00	0	3	4409	0.20222	0.02500	19.90051	295.7116
9555	249	20	0.11774	3	10	3.00	0	3	1708	0.35390	0.00968	19.96135	201.0999

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
9555	3456	40	0.19389	10	3	2.00	4	3	10411	0.31293	0.52076	37.17574	2018.589
9555	3457	40	0.21960	10	3	2.00	4	3	13352	0.37108	0.66786	35.50719	2932.099
9560	3385	35	0.56802	10	4	1.00	2	0	7488	1.17023	0.79595	29.12354	4253.334
9560	3455	35	0.44058	9	5	1.00	100	0	1377	0.76681	0.16730	34.47368	606.6787
9560	5708	40	0.13206	10	4	1.00	2	3	8704	0.26676	0.92522	29.70348	1149.45
9561	325	25	0.12367	2	10	1.00	1	3	3177	0.30001	0.05402	24.73277	392.8996
9561	5519	25	0.08617	10	4	1.00	1	3	7874	0.25585	0.83694	20.20842	678.5026
9561	5525	25	0.11058	10	4	1.00	1	3	5610	0.29159	0.59633	22.75342	620.3538
9562	289	25	0.08071	2	10	1.00	2	3	1507	0.19469	0.02564	24.87247	121.63
9562	5714	35	0.02292	10	5	1.00	3	3	1507	0.03996	0.18312	34.41346	34.54044
9563	294	25	0.13929	2	10	1.00	2	3	498	0.33485	0.00847	24.95773	69.36642
9563	295	25	0.17538	2	10	1.00	2	3	1320	0.42280	0.02246	24.88822	231.5016
9563	297	25	0.41996	2	10	1.00	2	3	1232	1.01213	0.02095	24.89568	517.3907
9563	5714	35	0.02111	10	5	1.00	3	3	3035	0.03775	0.36867	33.55026	64.06885
9564	295	25	0.32542	2	10	1.00	2	3	522	0.78238	0.00887	24.95572	169.8692
9564	296	25	0.18762	2	10	1.00	2	3	1026	0.45186	0.01745	24.91306	192.4981
9564	297	25	0.10188	2	10	1.00	2	3	1951	0.24613	0.03319	24.83515	198.7679
9564	5680	35	0.01705	10	5	1.00	3	3	3361	0.03070	0.40823	33.31864	57.30505
9565	40	25	0.05041	2	10	1.00	1	3	1477	0.12160	0.02512	24.87503	74.45557
9565	41	25	0.21482	2	10	1.00	1	3	1677	0.51851	0.02851	24.85823	360.2531
9565	42	25	0.41543	2	10	1.00	1	3	482	0.99868	0.00819	24.95910	200.2373
9565	9060	35	0.01296	10	5	1.00	3	3	3517	0.02342	0.42718	33.20010	45.58032
9566	39	25	0.15060	2	10	1.00	1	3	400	0.36194	0.00680	24.96606	60.24
9566	42	25	0.31135	2	10	1.00	1	3	297	0.74799	0.00506	24.97474	92.47095
9566	8652	25	0.02562	10	5	1.00	5	3	664	0.06190	0.08065	24.83939	17.01168
9567	174	25	0.29297	2	10	1.00	5	3	355	0.70397	0.00604	24.96983	104.0044
9567	176	25	0.09403	2	10	1.00	5	3	1074	0.22650	0.01827	24.90897	100.9882
9567	9072	30	0.06884	10	5	1.00	5	3	1449	0.13991	0.17598	29.52074	99.74916
9568	174	25	0.21417	2	10	1.00	5	3	1054	0.51586	0.01792	24.91071	225.7352
9568	176	25	0.49138	2	10	1.00	5	3	220	1.18019	0.00374	24.98132	108.1036
9568	8678	30	0.04972	10	5	1.00	5	3	1255	0.10079	0.15241	29.59612	62.3986
9569	41	25	0.41313	2	10	1.00	1	3	305	0.99254	0.00518	24.97411	126.0047
9569	42	25	0.15871	2	10	1.00	1	3	940	0.38213	0.01599	24.92029	149.1874
9569	8674	30	0.00189	10	5	1.00	5	3	1331	0.00384	0.16172	29.56673	2.51559
9570	5680	35	0.01155	10	5	1.00	3	0	1276	0.02008	0.15506	34.51910	14.7378
9571	5517	45	0.10367	10	3	2.00	1	3	23631	0.32953	1.18202	18.87606	2449.826
9571	5966	45	0.17033	10	6	2.00	1	3	17963	0.26767	0.76373	38.18011	3059.638
9571	5967	45	0.19501	10	3	3.00	1	0	26796	0.33821	0.89357	34.59559	5225.488
9572	5523	45	0.35270	10	6	1.00	4	0	12571	0.81341	1.06893	26.01664	4433.792
9573	1130	25	0.14082	2	10	1.00	7	3	3829	0.34237	0.06512	24.67858	539.1998
9573	9591	45	0.07245	10	3	2.00	7	3	14070	0.11047	0.70380	39.34797	1019.372
9573	9597	45	0.11603	10	3	2.00	7	3	15211	0.18205	0.76084	38.24193	1764.932
9574	1126	25	0.11970	2	10	1.00	7	3	43	0.28732	0.00073	24.99634	5.1471
9574	9373	35	0.11002	10	4	1.00	7	3	4024	0.19884	0.42767	33.19701	442.7205
9574	9394	35	0.14933	10	4	1.00	7	3	3943	0.26947	0.41916	33.25090	588.8082
9575	9375	35	0.12593	10	4	1.00	7	3	2695	0.22241	0.28649	33.97250	339.3814
9575	9587	35	0.10399	10	4	1.00	7	3	1224	0.18029	0.13007	34.60884	127.2838
9575	9588	35	0.09816	10	4	1.00	7	3	2110	0.17196	0.22432	34.24809	207.1176
9577	9358	45	0.28572	10	3	3.00	7	3	16278	0.41221	0.54282	41.58772	4650.95
9577	9359	50	0.21514	10	3	3.00	7	0	16666	0.28033	0.55577	46.04813	3585.523
9577	9595	35	0.32847	9	7	1.00	100	3	312	0.56378	0.02208	34.95729	102.4826
9578	1111	25	0.11709	2	10	1.00	7	3	1035	0.28201	0.01760	24.91230	121.1882
9578	1115	25	0.19451	2	10	1.00	7	3	681	0.46792	0.01158	24.94225	132.4613
9578	9365	35	0.19088	10	4	1.00	7	3	2660	0.33695	0.28275	33.99006	507.7408
9578	9366	35	0.19191	10	4	1.00	7	3	2380	0.33742	0.25292	34.12545	456.7458
9580	1577	20	0.28728	2	10	1.00	0	3	483	0.86327	0.00822	19.96718	138.7562
9580	9581	45	0.14780	9	3	2.00	100	3	10771	0.21301	0.53878	41.63181	1591.954
9580	9585	45	0.20886	9	3	2.00	100	3	13474	0.31448	0.67397	39.84870	2814.18
9580	25078	25	0.14029	10	5	1.00	0	3	3458	0.35447	0.42002	23.74681	485.1228
9581	9580	45	0.14780	9	3	2.00	100	3	10684	0.21277	0.53442	41.67879	1579.095
9581	9582	45	0.08659	9	3	2.00	100	3	10771	0.12480	0.53878	41.63181	932.6609
9582	9581	45	0.08659	9	3	2.00	100	3	10684	0.12466	0.53442	41.67879	925.1276
9582	9583	45	0.17780	9	3	2.00	100	3	10771	0.25625	0.53878	41.63181	1915.084
9582	25068	25	0.11253	10	5	1.00	0	3	1641	0.27518	0.19931	24.53570	184.6617
9583	3716	30	0.18247	10	4	1.00	7	3	2096	0.37289	0.22274	29.36116	382.4571
9583	9582	45	0.17780	9	3	2.00	100	3	11236	0.25786	0.56203	41.37161	1997.761
9583	9584	45	0.42976	9	3	2.00	100	3	8969	0.60664	0.44861	42.50525	3854.517
9583	25049	35	0.10689	10	4	1.00	7	3	1630	0.18616	0.17325	34.45125	174.2307
9584	1102	20	0.29424	2	10	1.00	7	3	1228	0.88640	0.02089	19.91679	361.3267
9584	9100	45	0.31245	9	7	1.00	100	3	6231	0.43383	0.44154	43.21251	1946.876
9584	9583	45	0.42976	9	3	2.00	100	3	8998	0.60682	0.45006	42.49265	3866.98
9584	22813	45	0.25324	9	3	2.00	100	0	11833	0.37048	0.59189	41.01228	2996.589
9585	1107	20	0.26635	2	10	1.00	7	3	2871	0.80686	0.04883	19.80657	764.6909
9585	1575	20	0.25819	2	10	1.00	7	3	363	0.77551	0.00617	19.97535	93.72297
9585	8658	45	0.20715	9	3	2.00	100	3	14292	0.31748	0.71487	39.14935	2960.588
9585	9580	45	0.20886	9	3	2.00	100	3	13451	0.31433	0.67281	39.86725	2809.376
9587	1130	25	0.12221	2	10	1.00	7	3	1179	0.29447	0.02006	24.90010	144.0856
9587	9374	35	0.10520	10	4	1.00	7	3	87	0.18039	0.00925	34.99247	9.1524
9587	9575	35	0.10399	10	4	1.00	7	3	1234	0.18031	0.13116	34.60499	128.3237
9588	1126	25	0.12605	2	10	1.00	7	3	135	0.30266	0.00230	24.98849	17.01675
9588	9373	35	0.11191	10	4	1.00	7	3	1975	0.19572	0.20993	34.30730	221.0223
9588	9575	35	0.09816	10	4	1.00	7	3	2166	0.17209	0.23022	34.22335	212.6146
9589	1128	25	0.07764	2	10	1.00	7	3	204	0.18646	0.00347	24.98264	15.83856

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
9589	1130	25	0.12471	2	10	1.00	7	3	30	0.29933	0.00051	24.99743	3.7413
9589	9374	35	0.12481	10	4	1.00	7	3	533	0.21487	0.05661	34.85117	66.52373
9589	9597	35	0.13953	10	4	1.00	7	3	642	0.24046	0.06828	34.81467	89.57826
9590	9341	45	0.05759	10	3	2.00	7	3	13803	0.08731	0.69042	39.57836	794.9148
9590	9394	45	0.05790	10	3	2.00	7	3	13401	0.08706	0.67034	39.90648	775.9179
9591	1125	25	0.09899	2	10	1.00	7	3	1583	0.23886	0.02692	24.86613	156.7012
9591	9341	45	0.11446	10	3	2.00	7	3	13512	0.17247	0.67586	39.81839	1546.584
9591	9573	45	0.07245	10	3	2.00	7	3	14472	0.11150	0.72388	38.98251	1048.496
9593	1119	20	0.22692	2	10	1.00	0	0	332	0.68152	0.00565	19.97744	75.33744
9593	9342	45	0.21373	10	3	2.00	7	3	11797	0.31251	0.59010	41.03466	2521.373
9593	9351	45	0.32928	10	3	2.00	7	3	10390	0.47227	0.51970	41.83366	3421.219
9593	23316	30	0.11922	10	5	1.00	0	0	882	0.24058	0.10717	29.73227	105.152
9594	9370	35	0.13133	10	4	1.00	7	3	2352	0.23081	0.24997	34.13844	308.8882
9594	9371	35	0.09531	10	4	1.00	7	3	1918	0.16657	0.20382	34.33195	182.8046
9594	9596	35	0.11721	9	7	1.00	100	3	714	0.20152	0.05059	34.89749	83.68794
9595	1109	20	0.41260	2	10	1.00	0	0	54	1.23801	0.00092	19.99633	22.2804
9595	9577	35	0.32847	9	7	1.00	100	3	312	0.56378	0.02213	34.95718	102.4826
9595	30003	35	0.23034	9	7	1.00	100	3	366	0.39544	0.02590	34.94943	84.30444
9596	1122	25	0.09566	2	10	1.00	7	3	544	0.23001	0.00926	24.95380	52.03904
9596	5032	35	0.20768	9	7	1.00	100	3	473	0.35670	0.03349	34.93372	98.23264
9596	9594	35	0.11721	9	7	1.00	100	3	715	0.20152	0.05068	34.89729	83.80515
9597	9380	35	0.07899	10	4	1.00	7	3	853	0.13641	0.09064	34.74265	67.37847
9597	9573	45	0.11603	10	3	2.00	7	3	14810	0.18011	0.74077	38.65558	1718.404
9597	9589	35	0.13953	10	4	1.00	7	3	652	0.24048	0.06928	34.81148	90.97356
9597	9611	45	0.16641	10	3	2.00	7	3	15286	0.26165	0.76461	38.16094	2543.743
9603	9606	35	0.10741	10	4	1.00	7	3	4203	0.19486	0.44670	33.07242	451.4442
9603	9608	35	0.05712	10	4	1.00	7	0	4143	0.10349	0.44037	33.11450	236.6482
9604	17260	35	0.09243	10	4	2.00	7	0	7462	0.16611	0.39658	33.38904	689.7127
9604	23327	35	0.07820	10	4	2.00	7	0	7410	0.14045	0.39381	33.40545	579.462
9605	9344	35	0.13838	10	4	1.00	7	0	1533	0.24073	0.16292	34.49005	212.1365
9605	9347	35	0.19567	10	4	1.00	7	0	2161	0.34302	0.22975	34.22533	422.8429
9605	12297	35	0.11026	10	4	2.00	7	0	7220	0.19768	0.38372	33.46457	796.0772
9605	17260	35	0.17647	10	4	2.00	7	0	8626	0.32092	0.45842	32.99282	1522.23
9606	9379	35	0.16630	10	4	1.00	7	3	4203	0.30171	0.44670	33.07242	698.9589
9606	9603	35	0.10741	10	4	1.00	7	3	4143	0.19461	0.44037	33.11450	444.9996
9607	23264	30	0.15686	10	5	1.00	0	0	2055	0.32162	0.24962	29.26283	322.3473
9607	23276	45	0.20519	9	3	3.00	100	0	11944	0.28687	0.39829	42.91564	2450.789
9607	23282	30	0.09783	10	5	1.00	0	0	1241	0.19830	0.15078	29.60122	121.407
9607	24254	45	0.11453	9	3	3.00	100	0	11197	0.15943	0.37339	43.10189	1282.392
9608	9603	35	0.05712	10	4	1.00	7	0	4203	0.10362	0.44670	33.07242	240.0754
9608	12276	35	0.11611	10	4	1.00	7	0	4431	0.21172	0.47103	32.90469	514.4834
9608	25053	35	0.14793	10	4	1.00	7	0	1359	0.25684	0.14444	34.55771	201.0369
9609	9349	45	0.28475	9	3	3.00	100	0	18622	0.42049	0.62099	40.63171	5302.615
9609	12272	30	0.15264	10	5	1.00	0	0	3048	0.31855	0.37020	28.75001	465.2467
9609	12296	45	0.13838	9	3	3.00	100	0	18015	0.20300	0.60074	40.89988	2492.916
9609	24065	30	0.13437	10	5	1.00	0	0	2149	0.27593	0.26109	29.21929	288.7611
9610	1312	20	0.13291	2	10	1.00	0	0	181	0.39897	0.00308	19.98769	24.05671
9610	1333	20	0.14302	2	10	1.00	0	0	524	0.42983	0.00891	19.96444	74.94248
9610	8656	35	0.14713	10	4	2.00	7	0	7960	0.26569	0.42305	33.22638	1171.155
9610	12161	35	0.08542	10	4	2.00	7	0	8211	0.15465	0.43640	33.14055	701.3836
9611	1129	25	0.08999	2	10	1.00	7	3	650	0.21645	0.01105	24.94488	58.4935
9611	9340	45	0.16116	10	3	2.00	7	3	16286	0.26150	0.81460	36.97800	2624.652
9611	9597	45	0.16641	10	3	2.00	7	3	14892	0.25885	0.74490	38.57275	2478.178
9611	24900	35	0.15107	10	4	1.00	7	3	615	0.26029	0.06540	34.82372	92.90805
9612	9380	35	0.08944	10	4	1.00	7	3	947	0.15461	0.10063	34.70961	84.69968
9612	24912	35	0.11483	10	4	1.00	7	3	939	0.19848	0.09979	34.71241	107.8254
9614	1227	25	0.07340	2	10	1.00	0	3	645	0.17656	0.01096	24.94531	47.343
9614	1228	25	0.12102	2	10	1.00	0	3	464	0.29091	0.00789	24.96061	56.15328
9614	3719	35	0.20585	10	3	1.00	0	3	2931	0.36390	0.29321	33.94058	603.3464
9614	9618	35	0.18205	10	3	1.00	0	3	2730	0.32093	0.27316	34.03447	496.9965
9615	333	25	0.14133	2	10	1.00	0	3	668	0.33997	0.01136	24.94333	94.40844
9615	1228	25	0.18572	2	10	1.00	0	3	1328	0.44774	0.02258	24.88760	246.6362
9615	9097	35	0.12269	10	3	1.00	0	3	4641	0.22340	0.46430	32.95210	569.4043
9615	9618	35	0.14266	10	3	1.00	0	3	2743	0.25154	0.27443	34.02864	391.3164
9618	9614	35	0.18205	10	3	1.00	0	3	2743	0.32099	0.27443	34.02864	499.3632
9618	9615	35	0.14266	10	3	1.00	0	3	2730	0.25149	0.27316	34.03447	389.4618
9619	1229	25	0.13098	2	10	1.00	0	3	465	0.31485	0.00791	24.96050	60.9057
9619	3717	40	0.07714	10	3	2.00	0	3	4469	0.11824	0.22356	39.14433	344.7387
9619	8609	40	0.08205	10	3	2.00	0	3	4650	0.12591	0.23258	39.10102	381.5325
9630	3725	0	0.37417	10	3	0.00	0	3	0	0.00000	0.00000	0.00000	0
9631	22746	45	0.21637	10	3	2.00	7	0	11659	0.31571	0.58318	41.12022	2522.658
9800	1224	25	0.07534	2	10	1.00	4	3	1533	0.18176	0.02607	24.87031	115.4962
9800	8894	30	0.21270	10	5	1.00	4	3	7540	0.56674	0.91593	22.51840	1603.758
9800	8896	30	0.07153	10	5	1.00	4	3	7963	0.20370	0.96734	21.07036	569.5934
9801	1225	25	0.05713	2	10	1.00	4	3	62	0.13713	0.00105	24.99475	3.54206
9801	8754	30	0.05704	10	5	1.00	4	3	12721	0.68179	1.54529	5.01955	725.6058
9801	8896	30	0.10864	10	5	1.00	4	3	12795	1.31994	1.55426	4.93829	1390.049
9802	1225	25	0.05991	2	10	1.00	4	3	1205	0.14438	0.02049	24.89796	72.19155
9802	8754	45	0.05652	10	3	4.00	4	3	36416	0.09983	0.91075	33.97350	2058.232
9802	8758	45	0.14703	10	3	4.00	4	3	35551	0.25387	0.88914	34.74940	5227.064
9803	224	25	0.04186	2	10	1.00	4	3	9918	0.10385	0.16867	24.18415	415.1675
9803	1226	25	0.07131	2	10	1.00	4	3	4633	0.17384	0.07878	24.61219	330.3792
9803	8896	30	0.07193	10	5	1.00	4	3	14290	1.16408	1.73585	3.70742	1027.88

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
10290	5540	65	0.03020	2	9	1.00	0	0	0	0.02786	0.00000	65.03497	0
10290	13543	65	0.42326	2	8	1.00	0	0	15330	0.44010	0.65177	57.70438	6488.576
10903	5672	40	0.25324	10	3	3.00	1	0	33501	0.74549	1.11714	20.38224	8483.793
11066	5824	30	0.22880	23	3	1.00	901	0	13872	1.96245	1.38779	6.99547	3173.914
11328	5948	35	0.25740	23	3	2.00	901	0	21869	0.81268	1.09387	19.00377	5629.081
12160	1331	20	0.12354	2	10	1.00	0	0	2493	0.37376	0.04240	19.83183	307.9852
12160	1332	20	0.11151	2	10	1.00	0	0	216	0.33477	0.00367	19.98532	24.08616
12160	16568	25	0.08511	10	5	1.00	0	0	1347	0.20731	0.16357	24.63401	114.6432
12161	9343	35	0.09396	10	4	2.00	7	0	8211	0.17012	0.43640	33.14055	771.5056
12161	9610	35	0.08542	10	4	2.00	7	0	7575	0.15366	0.40257	33.35305	647.0565
12164	14125	45	0.07450	9	3	3.00	100	0	13758	0.10539	0.45877	42.41627	1024.971
12164	23331	45	0.04024	9	3	3.00	100	0	14041	0.05703	0.46822	42.33162	565.0098
12165	1346	20	0.12453	2	10	1.00	0	0	326	0.37401	0.00555	19.97783	40.59678
12165	1347	20	0.13217	2	10	1.00	0	0	516	0.39721	0.00877	19.96498	68.19972
12165	23323	35	0.14641	10	4	2.00	7	0	1636	0.25276	0.08694	34.75476	239.5268
12165	24034	35	0.07800	10	4	2.00	7	0	1604	0.13464	0.08525	34.76027	125.112
12167	13410	35	0.15118	10	4	2.00	7	0	0	0.25902	0.00000	35.01883	0
12266	1341	20	0.14221	2	10	1.00	0	0	1998	0.42954	0.03398	19.86499	284.1356
12266	22733	30	0.09576	10	5	1.00	0	0	2718	0.19858	0.33013	28.93490	260.2757
12266	23274	30	0.08885	10	5	1.00	0	0	588	0.17870	0.07139	29.83269	52.2438
12270	1314	20	0.17895	2	10	1.00	0	0	1011	0.53870	0.01719	19.93149	180.9185
12270	1347	20	0.14959	2	10	1.00	0	0	828	0.45003	0.01409	19.94382	123.8605
12270	9334	30	0.09543	10	5	1.00	0	0	1897	0.19521	0.23049	29.33332	181.0307
12270	23322	30	0.15111	10	5	1.00	0	0	547	0.30378	0.06645	29.84608	82.65717
12272	1313	20	0.14073	2	10	1.00	0	0	390	0.42274	0.00663	19.97352	54.8847
12272	1314	20	0.13795	2	10	1.00	0	0	2688	0.41763	0.04571	19.81880	370.8096
12272	9609	30	0.15264	10	5	1.00	0	0	2990	0.31818	0.36319	28.78352	456.3936
12272	23322	30	0.09568	10	5	1.00	0	0	275	0.19179	0.03341	29.93292	26.312
12274	1313	20	0.09543	2	10	1.00	0	0	460	0.28675	0.00782	19.96878	43.8978
12274	1347	20	0.16704	2	10	1.00	0	0	4	0.50113	0.00008	19.99969	0.66816
12274	23322	30	0.14647	10	5	1.00	0	0	466	0.29419	0.05667	29.87230	68.25502
12274	23323	30	0.14256	10	5	1.00	0	0	113	0.28528	0.01369	29.98257	16.10928
12276	1208	20	0.09997	2	10	1.00	0	0	462	0.30039	0.00786	19.96860	46.18614
12276	1211	20	0.16066	2	10	1.00	0	0	79	0.48209	0.00134	19.99465	12.69214
12276	9608	35	0.11611	10	4	1.00	7	0	4616	0.21264	0.49063	32.76209	535.9638
12276	24033	35	0.08589	10	4	1.00	7	0	4351	0.15633	0.46243	32.96510	373.7074
12291	1357	20	0.14336	2	10	1.00	0	0	18	0.43011	0.00031	19.99874	2.58048
12291	1358	20	0.16757	2	10	1.00	0	0	84	0.50285	0.00142	19.99431	14.07588
12291	23327	30	0.13838	10	5	1.00	0	0	23	0.27667	0.00278	30.00938	3.18274
12291	23328	30	0.14952	10	5	1.00	0	0	128	0.29926	0.01554	29.97798	19.13856
12292	1315	20	0.13559	2	10	1.00	0	0	118	0.40693	0.00201	19.99196	15.99962
12292	1357	20	0.14028	2	10	1.00	0	0	47	0.42091	0.00080	19.99681	6.59316
12292	9349	35	0.10250	10	4	2.00	7	0	7557	0.18436	0.40164	33.35869	774.5925
12292	23327	35	0.13938	10	4	2.00	7	0	7376	0.25026	0.39199	33.41626	1028.067
12293	1315	20	0.13065	2	10	1.00	0	0	256	0.39229	0.00435	19.98261	33.4464
12293	1317	20	0.16981	2	10	1.00	0	0	11	0.50944	0.00019	19.99925	1.86791
12293	23326	30	0.12547	10	5	1.00	0	0	15	0.25084	0.00186	30.01163	1.88205
12293	23327	30	0.13206	10	5	1.00	0	0	555	0.26549	0.06736	29.84363	73.2933
12294	1316	20	0.13380	2	10	1.00	0	0	599	0.40222	0.01019	19.95934	80.1462
12294	1317	20	0.13025	2	10	1.00	0	0	855	0.39188	0.01454	19.94200	111.3638
12294	9346	30	0.18660	10	5	1.00	0	0	1353	0.37878	0.16436	29.55829	252.4698
12294	23326	30	0.16351	10	5	1.00	0	0	990	0.33039	0.12023	29.69407	161.8749
12295	1349	20	0.13093	2	10	1.00	0	0	1725	0.39509	0.02934	19.88333	225.8543
12295	2507	45	0.30740	9	3	2.00	100	0	17055	0.51367	0.85308	35.90675	5242.707
12295	9111	45	0.26647	9	3	2.00	100	0	17102	0.44615	0.85545	35.83540	4557.17
12296	1349	20	0.16063	2	10	1.00	0	0	1648	0.48460	0.02803	19.88850	264.7182
12296	9111	45	0.07159	9	3	3.00	100	0	18015	0.10503	0.60074	40.89989	1289.694
12296	9609	45	0.13838	9	3	3.00	100	0	18614	0.20432	0.62072	40.63536	2575.805
12297	1359	20	0.11927	2	10	1.00	0	0	444	0.35835	0.00756	19.96982	52.95588
12297	9605	35	0.11026	10	4	2.00	7	0	7631	0.19845	0.40558	33.33485	841.3941
12297	23249	35	0.14441	10	4	2.00	7	0	7716	0.26014	0.41008	33.30733	1114.268
12298	1350	20	0.07997	2	10	1.00	0	0	402	0.24025	0.00684	19.97268	32.14794
12298	23336	30	0.15206	10	5	1.00	0	0	1068	0.30754	0.12969	29.66586	162.4001
12298	24030	30	0.09034	10	5	1.00	0	0	1191	0.18300	0.14465	29.62025	107.5949
12299	1350	20	0.14589	2	10	1.00	0	0	80	0.43778	0.00137	19.99454	11.6712
12299	9381	30	0.18894	10	5	1.00	0	0	625	0.38016	0.07587	29.82043	118.0875
12299	23336	30	0.10187	10	5	1.00	0	0	522	0.20473	0.06344	29.85419	53.17614
12300	1333	20	0.18300	2	10	1.00	0	0	140	0.54927	0.00238	19.99047	25.62
12300	1351	20	0.17139	2	10	1.00	0	0	217	0.51455	0.00368	19.98527	37.19163
12300	9225	35	0.10845	10	4	1.00	7	0	3167	0.19295	0.33663	33.72363	343.4612
12300	16568	35	0.15662	10	4	1.00	7	0	4155	0.28385	0.44164	33.10609	650.7561
13410	1198	20	0.05520	2	10	1.00	0	0	349	0.16580	0.00594	19.97626	19.2648
13410	12167	35	0.15118	10	4	2.00	7	0	0	0.25902	0.00000	35.01883	0
13410	24034	35	0.17985	10	4	2.00	7	0	349	0.30861	0.01857	34.96551	62.76765
13540	7153	65	0.58972	2	8	1.00	0	0	17311	0.63640	0.73602	55.59914	10208.64
13540	8952	65	0.03121	2	9	1.00	0	0	1073	0.02894	0.06084	64.69917	33.48833
13543	7148	65	0.29336	2	8	1.00	0	0	17473	0.31771	0.74289	55.40200	5125.879
13543	8954	65	0.03792	2	9	1.00	0	0	0	0.03498	0.00000	65.03497	0
13885	5856	63	0.08098	23	1	4.00	901	0	107378	0.15630	1.14135	31.08569	8695.47
13976	258	25	0.07499	2	10	1.00	3	3	2666	0.18162	0.04534	24.77535	199.9233
13976	1231	25	0.08749	2	10	1.00	3	3	3487	0.21246	0.05931	24.70695	305.0776
13976	5616	35	0.11304	10	5	1.00	0	3	6770	0.23712	0.82234	28.60261	765.2808
13976	25042	35	0.10961	10	5	1.00	0	3	1283	0.19055	0.15592	34.51596	140.6296

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
14123	1314	20	0.11617	2	10	1.00	0	0	5365	0.35486	0.09124	19.64160	623.2521
14123	2489	45	0.24912	9	3	2.00	100	0	19123	0.46568	0.95655	32.09764	4763.922
14123	9111	45	0.24243	9	3	2.00	100	0	16887	0.40234	0.84469	36.15387	4093.915
14125	1356	20	0.15910	2	10	1.00	0	0	472	0.47807	0.00803	19.96794	75.0952
14125	1357	20	0.11015	2	10	1.00	0	0	513	0.33103	0.00873	19.96516	56.50695
14125	9349	45	0.10358	9	3	3.00	100	0	13947	0.14672	0.46509	42.35986	1444.63
14125	12164	45	0.07450	9	3	3.00	100	0	14041	0.10560	0.46822	42.33162	1046.055
14153	1202	20	0.16068	2	10	1.00	0	0	136	0.48226	0.00230	19.99079	21.85248
14153	1341	20	0.13352	2	10	1.00	0	0	859	0.40173	0.01461	19.94172	114.6937
14153	23272	30	0.19580	10	5	1.00	0	0	90	0.39174	0.01095	29.98936	17.622
14153	23274	30	0.10835	10	5	1.00	0	0	0	0.21658	0.00000	30.01614	0
14157	1204	20	0.16068	2	10	1.00	0	0	681	0.48315	0.01159	19.95375	109.4231
14157	1343	20	0.17215	2	10	1.00	0	0	995	0.51820	0.01693	19.93252	171.2893
14157	1344	20	0.18786	2	10	1.00	0	0	4	0.56357	0.00006	19.99975	0.75144
14157	23259	35	0.16872	10	4	1.00	7	0	3790	0.30353	0.40281	33.35162	639.4488
14157	23279	35	0.10547	10	4	1.00	7	0	4254	0.19156	0.45219	33.03543	448.6694
15058	1100	20	0.10189	2	10	1.00	0	0	2810	0.30860	0.04780	19.81063	286.3109
15058	2489	45	0.23798	9	3	2.00	100	0	17467	0.40489	0.87368	35.26524	4156.797
15058	9142	45	0.12877	9	3	2.00	100	0	17132	0.21587	0.85692	35.79100	2206.088
15064	5511	45	0.10042	10	5	2.00	1	3	16625	0.20441	1.00980	29.47445	1669.483
15064	9079	45	0.22671	10	5	2.00	1	3	16747	0.46791	1.01720	29.07131	3796.712
15250	258	25	0.10660	2	10	1.00	3	3	1353	0.25702	0.02301	24.88549	144.2298
15250	5618	35	0.10915	10	4	2.00	3	3	1763	0.18855	0.09371	34.73255	192.4315
15250	5620	35	0.12124	10	4	2.00	3	3	951	0.20861	0.05052	34.86996	115.2992
16067	8725	40	0.25427	10	3	2.00	0	0	13115	0.42772	0.65604	35.66932	3334.751
16067	23046	40	0.34187	10	3	2.00	0	0	14845	0.59752	0.74255	34.32893	5075.06
16567	1319	20	0.11499	2	10	1.00	0	0	5071	0.35092	0.08623	19.66092	583.1143
16567	2507	45	0.28623	9	3	2.00	100	0	17088	0.47896	0.85476	35.85644	4891.098
16567	2508	45	0.18789	9	3	2.00	100	0	17072	0.31418	0.85392	35.88147	3207.658
16568	1319	20	0.19913	2	10	1.00	0	0	1696	0.60082	0.02884	19.88530	337.7245
16568	2508	35	0.22640	10	4	1.00	7	0	1407	0.39330	0.14952	34.53934	318.5448
16568	12160	25	0.08511	10	5	1.00	0	0	2709	0.21176	0.32909	24.11626	230.563
16568	12300	35	0.15662	10	4	1.00	7	0	3483	0.28016	0.37025	33.54143	545.5075
17109	7141	65	0.45023	2	8	1.00	0	0	15346	0.46827	0.65247	57.68889	6909.23
17260	1317	20	0.13941	2	10	1.00	0	0	1384	0.42019	0.02353	19.90632	192.9434
17260	1358	20	0.12327	2	10	1.00	0	0	2202	0.37258	0.03744	19.85134	271.4405
17260	9604	35	0.09243	10	4	2.00	7	0	7410	0.16602	0.39381	33.40545	684.9063
17260	9605	35	0.17647	10	4	2.00	7	0	8315	0.31984	0.44189	33.10443	1467.348
18205	7145	65	0.35320	2	8	1.00	0	0	13971	0.35994	0.59400	58.87680	4934.557
18205	8944	65	0.01332	2	9	1.00	0	0	4577	0.01262	0.25947	63.32190	60.96564
22227	99	25	0.10990	2	10	1.00	1	3	661	0.26435	0.01124	24.94395	72.6439
22227	112	25	0.08149	2	10	1.00	1	3	1145	0.19635	0.01947	24.90300	93.30605
22227	5756	40	0.09733	10	3	2.00	1	3	14708	0.16952	0.73572	34.44922	1431.53
22227	5758	40	0.09403	10	3	2.00	1	3	13220	0.15848	0.66126	35.59847	1243.077
22228	98	25	0.18645	2	10	1.00	1	3	216	0.44780	0.00368	24.98161	40.2732
22228	99	25	0.10025	2	10	1.00	1	3	813	0.24127	0.01382	24.93110	81.50325
22228	5758	25	0.01526	10	5	1.00	1	3	1062	0.03704	0.12896	24.72337	16.20612
22539	2507	35	0.06359	23	5	1.00	901	0	3059	0.11378	0.37160	33.53380	194.5218
22664	9142	45	0.32678	9	3	2.00	100	0	17055	0.54605	0.85309	35.90640	5573.233
22675	9142	35	0.13473	23	5	1.00	901	0	297	0.23154	0.03607	34.91378	40.01481
22686	9111	45	0.13797	9	3	3.00	100	0	13546	0.19488	0.45172	42.47823	1868.942
22696	23317	45	0.13771	9	3	3.00	100	0	15724	0.19774	0.52436	41.78532	2165.352
22696	24034	45	0.18451	9	3	3.00	100	0	15210	0.26383	0.50720	41.96054	2806.397
22697	23324	30	0.12949	10	5	1.00	0	0	324	0.25970	0.03930	29.91779	41.95476
22697	23325	30	0.11770	10	5	1.00	0	0	260	0.23590	0.03163	29.93746	30.602
22700	22740	45	0.14478	9	3	3.00	100	0	11734	0.20216	0.39129	42.96907	1698.849
22700	23279	45	0.17738	9	3	3.00	100	0	11255	0.24701	0.37531	43.08787	1996.412
22733	12266	30	0.09576	10	5	1.00	0	0	2184	0.19676	0.26528	29.20314	209.1398
22733	22740	45	0.05979	9	3	3.00	100	0	11255	0.08326	0.37531	43.08788	672.9365
22733	25050	30	0.09266	10	5	1.00	0	0	748	0.18670	0.09085	29.77884	69.30968
22733	25054	45	0.17358	9	3	3.00	100	0	10234	0.24037	0.34128	43.32755	1776.418
22735	23266	30	0.07165	10	5	1.00	0	0	1335	0.14540	0.16223	29.56510	95.65275
22735	23278	30	0.07953	10	5	1.00	0	0	1396	0.16153	0.16963	29.54135	111.0239
22740	22700	45	0.14478	9	3	3.00	100	0	11255	0.20160	0.37531	43.08788	1629.499
22740	22733	45	0.05979	9	3	3.00	100	0	11734	0.08349	0.39129	42.96907	701.5759
22746	9631	45	0.21637	10	3	2.00	7	0	11682	0.31582	0.58431	41.10633	2527.634
22746	22749	45	0.44803	9	3	3.00	100	0	3007	0.60236	0.10027	44.62817	1347.226
22746	23273	40	0.12423	10	3	2.00	7	0	5688	0.19192	0.28453	38.83623	706.6202
22746	25054	45	0.19406	9	3	3.00	100	0	9222	0.26736	0.30751	43.54881	1789.621
22749	22746	45	0.44803	9	3	3.00	100	0	3046	0.60243	0.10157	44.62259	1364.699
22798	1415	0	0.19380	2	10	0.00	0	0	0	0.00000	0.00000	0.00000	0
22799	1419	0	0.10499	2	10	0.00	0	0	0	0.00000	0.00000	0.00000	0
22813	9584	45	0.25324	9	3	2.00	100	0	11629	0.36935	0.58171	41.13818	2944.928
23046	16067	40	0.34187	10	3	2.00	0	0	13115	0.57507	0.65604	35.66932	4483.625
23096	1415	0	0.19726	2	10	0.00	0	0	0	0.00000	0.00000	0.00000	0
23099	1418	0	0.09099	2	10	0.00	0	0	0	0.00000	0.00000	0.00000	0
23122	8985	45	0.28791	9	3	2.00	100	0	19432	0.55035	0.97198	31.38826	5594.667
23249	9382	35	0.10589	10	4	2.00	7	0	8308	0.19190	0.44156	33.10660	879.7341
23249	12297	35	0.14441	10	4	2.00	7	0	8076	0.26108	0.42919	33.18724	1166.255
23249	24062	25	0.11139	10	5	1.00	0	0	71	0.26737	0.00868	24.99578	7.90869
23249	24671	25	0.07324	10	5	1.00	0	0	814	0.17720	0.09885	24.79682	59.61736
23253	23260	45	0.17817	9	3	3.00	100	0	13120	0.25095	0.43750	42.59999	2337.59
23253	23280	35	0.14329	10	4	1.00	7	0	3492	0.25637	0.37123	33.53592	500.3687

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT	
23253	23284	35	0.10795	10		4	1.00	7	0	3861	0.19446	0.41039	33.30544	416.795
23253	24254	45	0.19892	9		3	3.00	100	0	11332	0.27712	0.37789	43.06898	2254.161
23259	14157	35	0.16872	10		4	1.00	7	0	3887	0.30410	0.41312	33.28859	655.8146
23259	23278	30	0.16072	10		5	1.00	0	0	1598	0.32732	0.19414	29.46041	256.8306
23259	23280	35	0.10024	10		4	1.00	7	0	2928	0.17766	0.31124	33.85287	293.5027
23259	23325	30	0.17338	10		5	1.00	0	0	457	0.34820	0.05550	29.87539	79.23466
23260	1210	20	0.12280	2		10	1.00	0	0	99	0.36853	0.00168	19.99328	12.1572
23260	23253	45	0.17817	9		3	3.00	100	0	13410	0.25143	0.44717	42.51765	2389.26
23260	23331	45	0.14078	9		3	3.00	100	0	13120	0.19828	0.43750	42.59999	1847.034
23261	1118	20	0.19036	2		10	1.00	0	0	699	0.57243	0.01189	19.95255	133.0616
23261	23272	40	0.33087	10		3	2.00	7	0	5383	0.51012	0.26925	38.91695	1781.073
23261	23275	30	0.19405	10		5	1.00	0	0	2462	0.40055	0.29909	29.06775	477.7511
23261	23277	40	0.09068	10		3	2.00	7	0	6277	0.14068	0.31400	38.67334	569.1984
23262	1202	20	0.10976	2		10	1.00	0	0	498	0.32984	0.00847	19.96616	54.66048
23262	1204	20	0.15754	2		10	1.00	0	0	669	0.47369	0.01138	19.95460	105.3943
23262	23266	30	0.16860	10		5	1.00	0	0	828	0.34002	0.10055	29.75131	139.6008
23262	23274	30	0.16088	10		5	1.00	0	0	688	0.32392	0.08354	29.79928	110.6854
23264	1203	20	0.15815	2		10	1.00	0	0	717	0.47559	0.01220	19.95134	113.3936
23264	1205	20	0.15789	2		10	1.00	0	0	690	0.47477	0.01174	19.95316	108.9441
23264	9607	30	0.15686	10		5	1.00	0	0	1825	0.32050	0.22173	29.36475	286.2695
23264	23266	30	0.08340	10		5	1.00	0	0	730	0.16800	0.08866	29.78497	60.882
23265	1299	20	0.11263	2		10	1.00	0	0	222	0.33814	0.00377	19.98492	25.00386
23265	1312	20	0.11413	2		10	1.00	0	0	472	0.34294	0.00803	19.96795	53.86936
23265	9343	35	0.16537	10		4	1.00	7	0	2425	0.29094	0.25772	34.10419	401.0223
23265	23334	35	0.10761	10		4	1.00	7	0	2553	0.18966	0.27134	34.04278	274.7283
23266	22735	30	0.07165	10		5	1.00	0	0	1396	0.14552	0.16963	29.54135	100.0234
23266	23262	30	0.16860	10		5	1.00	0	0	933	0.34044	0.11329	29.71449	157.3038
23266	23264	30	0.08340	10		5	1.00	0	0	691	0.16792	0.08398	29.79805	57.6294
23266	23275	30	0.11303	10		5	1.00	0	0	1301	0.22929	0.15810	29.57822	147.052
23272	14153	30	0.19580	10		5	1.00	0	0	904	0.39523	0.10980	29.72464	177.0032
23272	23261	40	0.33087	10		3	2.00	7	0	5978	0.51222	0.29903	38.75732	1977.941
23272	23273	40	0.11770	10		3	2.00	7	0	4659	0.18062	0.23305	39.09873	548.3643
23273	1341	20	0.16734	2		10	1.00	0	0	1079	0.50386	0.01836	19.92683	180.5599
23273	22746	40	0.12423	10		3	2.00	7	0	4659	0.19064	0.23305	39.09872	578.7876
23273	23272	40	0.11770	10		3	2.00	7	0	6068	0.18233	0.30353	38.73230	714.2036
23274	12266	30	0.08885	10		5	1.00	0	0	688	0.17890	0.08354	29.79928	61.1288
23274	14153	30	0.10835	10		5	1.00	0	0	0	0.21658	0.00000	30.01614	0
23274	23262	30	0.16088	10		5	1.00	0	0	588	0.32356	0.07139	29.83269	94.59744
23275	1202	20	0.16227	2		10	1.00	0	0	576	0.48776	0.00979	19.96090	93.46752
23275	1203	20	0.10071	2		10	1.00	0	0	2263	0.30445	0.03848	19.84725	227.9067
23275	23261	30	0.19405	10		5	1.00	0	0	1368	0.39398	0.16618	29.55247	265.4604
23275	23266	30	0.11303	10		5	1.00	0	0	1429	0.22967	0.17355	29.52866	161.5199
23276	9351	45	0.10340	9		3	3.00	100	0	11944	0.14456	0.39829	42.91565	1235.01
23276	9607	45	0.20519	9		3	3.00	100	0	12046	0.28705	0.40170	42.88931	2471.719
23277	1203	20	0.14685	2		10	1.00	0	0	415	0.44117	0.00706	19.97181	60.94275
23277	9351	40	0.15114	10		3	2.00	7	0	7442	0.23664	0.37223	38.32028	1124.784
23277	23261	40	0.09068	10		3	2.00	7	0	6763	0.14120	0.33827	38.53151	613.2688
23278	1204	20	0.17031	2		10	1.00	0	0	7	0.51094	0.00011	19.99954	1.19217
23278	1205	20	0.08754	2		10	1.00	0	0	560	0.26312	0.00953	19.96194	49.0224
23278	22735	30	0.07953	10		5	1.00	0	0	1335	0.16140	0.16223	29.56510	106.1726
23278	23259	30	0.16072	10		5	1.00	0	0	2130	0.32992	0.25875	29.22825	342.3336
23279	1342	20	0.14911	2		10	1.00	0	0	1036	0.44890	0.01762	19.92977	154.478
23279	14157	35	0.10547	10		4	1.00	7	0	4299	0.19175	0.45693	33.00312	453.4155
23279	22700	45	0.17738	9		3	3.00	100	0	11734	0.24769	0.39129	42.96907	2081.377
23279	23317	45	0.17117	9		3	3.00	100	0	14976	0.24431	0.49941	42.03762	2563.442
23280	1205	20	0.16148	2		10	1.00	0	0	331	0.48499	0.00563	19.97751	53.44988
23280	1209	20	0.13119	2		10	1.00	0	0	908	0.39479	0.01544	19.93843	119.1205
23280	23253	35	0.14329	10		4	1.00	7	0	3524	0.25652	0.37460	33.51685	504.954
23280	23259	35	0.10024	10		4	1.00	7	0	2565	0.17670	0.27269	34.03662	257.1156
23281	23282	30	0.12335	10		5	1.00	0	0	477	0.24778	0.05789	29.86905	58.83795
23281	23283	30	0.12885	10		5	1.00	0	0	421	0.25867	0.05119	29.88679	54.24585
23281	23319	30	0.09919	10		5	1.00	0	0	0	0.19828	0.00000	30.01614	0
23281	25052	30	0.11480	10		5	1.00	0	0	323	0.23022	0.03921	29.91802	37.0804
23282	1206	20	0.16627	2		10	1.00	0	0	413	0.49952	0.00702	19.97195	68.66951
23282	1207	20	0.13159	2		10	1.00	0	0	366	0.39525	0.00623	19.97511	48.16194
23282	9607	30	0.09783	10		5	1.00	0	0	1233	0.19828	0.14984	29.60415	120.6244
23282	23281	30	0.12335	10		5	1.00	0	0	480	0.24779	0.05834	29.86784	59.208
23283	1207	20	0.13306	2		10	1.00	0	0	768	0.40023	0.01305	19.94792	102.1901
23283	1208	20	0.09788	2		10	1.00	0	0	88	0.29372	0.00150	19.99399	8.61344
23283	23281	30	0.12885	10		5	1.00	0	0	412	0.25864	0.05002	29.88987	53.0862
23283	24033	30	0.09361	10		5	1.00	0	0	1427	0.19021	0.17338	29.52921	133.5815
23284	1207	20	0.18811	2		10	1.00	0	0	473	0.56523	0.00804	19.96791	88.97603
23284	1210	20	0.11797	2		10	1.00	0	0	101	0.35403	0.00172	19.99314	11.91497
23284	23253	35	0.10795	10		4	1.00	7	0	3674	0.19377	0.39055	33.42471	396.6083
23284	24033	35	0.16904	10		4	1.00	7	0	3429	0.30210	0.36443	33.57390	579.6382
23288	1331	20	0.12232	2		10	1.00	0	0	1385	0.36868	0.02355	19.90622	169.4132
23288	1332	20	0.10464	2		10	1.00	0	0	523	0.31447	0.00890	19.96448	54.72672
23288	8621	25	0.09748	10		5	1.00	0	0	4293	0.25178	0.52148	23.23071	418.4816
23316	9593	30	0.11922	10		5	1.00	0	0	883	0.24059	0.10728	29.73195	105.2713
23316	25052	30	0.10357	10		5	1.00	0	0	882	0.20901	0.10717	29.73227	91.34874
23317														

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT	
23317	23279	45	0.17117	9	3	3.00	100	0	0	15500	0.24533	0.51687	41.86274	2653.135
23319	1208	20	0.12330	2	10	1.00	0	0	0	1	0.36990	0.00002	19.99992	0.1233
23319	1348	20	0.13712	2	10	1.00	0	0	0	1	0.41137	0.00002	19.99992	0.13712
23319	23281	30	0.09919	10	5	1.00	0	0	0	0	0.19828	0.00000	30.01614	0
23322	12270	30	0.15111	10	5	1.00	0	0	0	628	0.30406	0.07627	29.81936	94.89708
23322	12272	30	0.09568	10	5	1.00	0	0	0	266	0.19178	0.03233	29.93568	25.45088
23322	12274	30	0.14647	10	5	1.00	0	0	0	395	0.29397	0.04793	29.89535	57.85565
23323	12165	35	0.14641	10	4	2.00	7	0	0	1574	0.25268	0.08365	34.76547	230.4493
23323	12274	30	0.14256	10	5	1.00	0	0	0	174	0.28546	0.02117	29.96393	24.80544
23323	23324	30	0.10541	10	5	1.00	0	0	0	339	0.21143	0.04112	29.91308	35.73399
23323	24035	35	0.10671	10	4	2.00	7	0	0	1856	0.18443	0.09865	34.71619	198.0538
23324	1346	20	0.11843	2	10	1.00	0	0	0	309	0.35568	0.00526	19.97900	36.59487
23324	1356	20	0.13327	2	10	1.00	0	0	0	31	0.39986	0.00052	19.99791	4.13137
23324	22697	30	0.12949	10	5	1.00	0	0	0	260	0.25953	0.03163	29.93746	33.6674
23324	23323	30	0.10541	10	5	1.00	0	0	0	388	0.21154	0.04708	29.89756	40.89908
23325	1344	20	0.08754	2	10	1.00	0	0	0	355	0.26293	0.00604	19.97588	31.0767
23325	22697	30	0.11770	10	5	1.00	0	0	0	324	0.23605	0.03930	29.91779	38.1348
23325	23259	30	0.17338	10	5	1.00	0	0	0	385	0.34794	0.04672	29.89849	66.7513
23326	12293	30	0.12547	10	5	1.00	0	0	0	15	0.25084	0.00186	30.01163	1.88205
23326	12294	30	0.16351	10	5	1.00	0	0	0	1612	0.33308	0.19581	29.45473	263.5781
23326	24065	30	0.11526	10	5	1.00	0	0	0	974	0.23285	0.11837	29.69956	112.2632
23327	9604	35	0.07820	10	4	2.00	7	0	0	7462	0.14052	0.39658	33.38904	583.5284
23327	12291	30	0.13838	10	5	1.00	0	0	0	28	0.27669	0.00343	30.00780	3.87464
23327	12292	35	0.13938	10	4	2.00	7	0	0	7613	0.25082	0.40459	33.34086	1061.1
23327	12293	30	0.13206	10	5	1.00	0	0	0	260	0.26466	0.03159	29.93756	34.3356
23328	12291	30	0.14952	10	5	1.00	0	0	0	88	0.29914	0.01071	29.98995	13.15776
23328	23332	30	0.13720	10	5	1.00	0	0	0	1056	0.27745	0.12831	29.67000	144.8832
23328	24030	30	0.16095	10	5	1.00	0	0	0	1004	0.32528	0.12198	29.68888	161.5938
23329	23330	30	0.03740	10	5	1.00	0	0	0	806	0.07540	0.09792	29.75882	30.1444
23329	23332	30	0.08615	10	5	1.00	0	0	0	808	0.17370	0.09820	29.75803	69.6092
23330	23329	30	0.03740	10	5	1.00	0	0	0	808	0.07540	0.09820	29.75803	30.2192
23330	23331	30	0.04729	10	5	1.00	0	0	0	806	0.09535	0.09792	29.75882	38.11574
23331	12164	45	0.04024	9	3	3.00	100	0	0	13758	0.05692	0.45877	42.41627	553.6219
23331	23260	45	0.14078	9	3	3.00	100	0	0	13401	0.19865	0.44687	42.52021	1886.593
23331	23330	30	0.04729	10	5	1.00	0	0	0	808	0.09535	0.09820	29.75803	38.21032
23332	1357	20	0.14310	2	10	1.00	0	0	0	250	0.42967	0.00425	19.98300	35.775
23332	23328	30	0.13720	10	5	1.00	0	0	0	1041	0.27739	0.12648	29.67548	142.8252
23332	23329	30	0.08615	10	5	1.00	0	0	0	806	0.17370	0.09792	29.75882	69.4369
23333	1334	20	0.05381	2	10	1.00	0	0	0	369	0.16164	0.00627	19.97496	19.85589
23333	23334	30	0.11311	10	5	1.00	0	0	0	1697	0.23068	0.20618	29.41925	191.9477
23333	23337	30	0.09549	10	5	1.00	0	0	0	1519	0.19426	0.18447	29.49277	145.0493
23334	23265	35	0.10761	10	4	1.00	7	0	0	2757	0.19022	0.29310	33.94114	296.6808
23334	23333	30	0.11311	10	5	1.00	0	0	0	1745	0.23084	0.21194	29.39926	197.377
23334	24037	35	0.09275	10	4	1.00	7	0	0	3943	0.16735	0.41913	33.25109	365.7133
23336	12298	30	0.15206	10	5	1.00	0	0	0	1078	0.30758	0.13094	29.66208	163.9207
23336	12299	30	0.10187	10	5	1.00	0	0	0	545	0.20478	0.06622	29.84670	55.51915
23336	23337	30	0.20764	10	5	1.00	0	0	0	642	0.41786	0.07801	29.81457	133.3049
23337	23333	30	0.09549	10	5	1.00	0	0	0	1471	0.19413	0.17872	29.51177	140.4658
23337	23336	30	0.20764	10	5	1.00	0	0	0	675	0.41802	0.08205	29.80342	140.157
23337	24062	30	0.26580	10	5	1.00	0	0	0	884	0.53639	0.10742	29.73155	234.9672
23338	1100	20	0.12735	2	10	1.00	0	0	0	18	0.38207	0.00031	19.99878	2.2923
23338	1340	20	0.12322	2	10	1.00	0	0	0	777	0.37063	0.01321	19.94729	95.74194
23338	9142	30	0.10455	10	5	1.00	0	0	0	2146	0.21467	0.26066	29.22092	224.3643
23339	1331	20	0.11320	2	10	1.00	0	0	0	2613	0.34262	0.04444	19.82382	295.7916
23339	2508	45	0.14302	9	3	2.00	100	0	0	17094	0.23938	0.85504	35.84790	2444.784
23339	8985	45	0.14692	9	3	2.00	100	0	0	17008	0.24504	0.85074	35.97637	2498.815
24030	9345	35	0.16679	10	4	1.00	7	0	0	1414	0.28976	0.15027	34.53662	235.8411
24030	12298	30	0.09034	10	5	1.00	0	0	0	1180	0.18297	0.14329	29.62445	106.6012
24030	23328	30	0.16095	10	5	1.00	0	0	0	979	0.32518	0.11897	29.69778	157.5701
24030	25053	35	0.13515	10	4	1.00	7	0	0	1500	0.23503	0.15948	34.50282	202.725
24033	12276	35	0.08589	10	4	1.00	7	0	0	4847	0.15821	0.51519	32.57323	416.3088
24033	23283	30	0.09361	10	5	1.00	0	0	0	1093	0.18940	0.13275	29.65663	102.3157
24033	23284	35	0.16904	10	4	1.00	7	0	0	3267	0.30125	0.34722	33.66765	552.2537
24034	9334	45	0.28334	9	3	3.00	100	0	0	15455	0.40595	0.51536	41.87819	4379.02
24034	12165	35	0.07800	10	4	2.00	7	0	0	1640	0.13467	0.08715	34.75407	127.92
24034	13410	35	0.17985	10	4	2.00	7	0	0	349	0.30861	0.01857	34.96551	62.76765
24034	22696	45	0.18451	9	3	3.00	100	0	0	15724	0.26493	0.52436	41.78532	2901.235
24035	1313	20	0.14076	2	10	1.00	0	0	0	429	0.42291	0.00729	19.97089	60.38604
24035	1356	20	0.12644	2	10	1.00	0	0	0	273	0.37968	0.00464	19.98144	34.51812
24035	9349	35	0.17960	10	4	2.00	7	0	0	2013	0.31065	0.10701	34.68820	361.5348
24035	23323	35	0.10671	10	4	2.00	7	0	0	1807	0.18438	0.09602	34.72491	192.825
24037	1355	20	0.08326	2	10	1.00	0	0	0	607	0.25030	0.01033	19.95878	50.53882
24037	9340	35	0.14068	10	4	1.00	7	0	0	3336	0.25101	0.35460	33.62790	469.3085
24037	23334	35	0.09275	10	4	1.00	7	0	0	4195	0.16823	0.44592	33.07761	389.0863
24062	1299	20	0.09349	2	10	1.00	0	0	0	85	0.28056	0.00145	19.99419	7.94665
24062	1359	20	0.16082	2	10	1.00	0	0	0	875	0.48390	0.01488	19.94064	140.7175
24062	23249	25	0.11139	10	5	1.00	0	0	0	106	0.26746	0.01285	24.98721	11.80734
24062	23337	30	0.26580	10	5	1.00	0	0	0	870	0.53630	0.10570		

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT	
24254	23253	45	0.19892	9	3	3.00	100	0	0	11197	0.27691	0.37339	43.10189	2227.307
24671	1318	20	0.14142	2	10	1.00	0	0	0	456	0.42493	0.00776	19.96901	64.48752
24671	1351	20	0.09202	2	10	1.00	0	0	0	361	0.27639	0.00614	19.97547	33.21922
24671	23249	25	0.07324	10	5	1.00	0	0	0	1091	0.17780	0.13250	24.71447	79.90484
24764	5029	45	0.09674	9	3	3.00	100	0	0	19146	0.14371	0.63844	40.38745	1852.184
24764	24765	45	0.09209	9	3	3.00	100	0	0	18699	0.13611	0.62355	40.59660	1721.991
24765	24764	45	0.09209	9	3	3.00	100	0	0	19146	0.13681	0.63844	40.38745	1763.155
24765	24766	45	0.05754	9	3	3.00	100	0	0	19534	0.08588	0.65140	40.19772	1123.986
24765	24777	25	0.08979	10	5	1.00	0	0	0	1160	0.21819	0.14090	24.69317	104.1564
24765	25126	25	0.07578	10	5	1.00	0	0	0	1106	0.18402	0.13441	24.70967	83.81268
24766	24765	45	0.05754	9	3	3.00	100	0	0	19242	0.08558	0.64166	40.34107	1107.185
24766	30005	45	0.10452	9	3	3.00	100	0	0	19534	0.15600	0.65140	40.19772	2041.694
24767	1512	20	0.12084	2	10	1.00	0	0	0	268	0.36285	0.00457	19.98175	32.38512
24767	9384	25	0.09846	10	5	1.00	0	0	0	1414	0.24003	0.17174	24.61210	139.2224
24767	24768	45	0.06400	9	3	3.00	100	0	0	17498	0.09339	0.58350	41.11626	1119.872
24767	30005	45	0.04823	9	3	3.00	100	0	0	18671	0.07126	0.62262	40.60937	900.5023
24768	24767	45	0.06400	9	3	3.00	100	0	0	17214	0.09313	0.57404	41.23062	1101.696
24768	24769	45	0.05415	9	3	3.00	100	0	0	17498	0.07901	0.58350	41.11626	947.5167
24769	24768	45	0.05415	9	3	3.00	100	0	0	17214	0.07879	0.57404	41.23062	932.1381
24769	24770	45	0.07927	9	3	3.00	100	0	0	16971	0.11509	0.56593	41.32629	1345.291
24769	24792	35	0.10045	10	5	1.00	0	0	0	2607	0.17817	0.31673	33.82550	261.8732
24769	25125	45	0.07427	10	5	1.00	0	0	0	1401	0.10057	0.17021	44.30923	104.0523
24770	24769	45	0.07927	9	3	3.00	100	0	0	16737	0.11484	0.55812	41.41650	1326.742
24770	24771	45	0.07744	9	3	3.00	100	0	0	16971	0.11244	0.56593	41.32629	1314.234
24771	24770	45	0.07744	9	3	3.00	100	0	0	16737	0.11219	0.55812	41.41650	1296.113
24771	24772	45	0.09379	9	3	3.00	100	0	0	16971	0.13616	0.56593	41.32629	1591.71
24772	24771	45	0.09379	9	3	3.00	100	0	0	16737	0.13587	0.55812	41.41650	1569.763
24772	25110	45	0.12761	9	3	3.00	100	0	0	16971	0.18528	0.56593	41.32629	2165.669
24774	9359	50	0.15153	10	3	3.00	7	0	0	16555	0.19724	0.55206	46.09469	2508.579
24774	25128	25	0.05446	10	5	1.00	0	0	0	3405	0.13744	0.41358	23.77552	185.4363
24774	25129	50	0.09675	10	3	3.00	7	0	0	16711	0.12611	0.55727	46.02916	1616.789
24777	1505	20	0.14990	2	10	1.00	0	0	0	410	0.45034	0.00696	19.97218	61.459
24777	1508	20	0.09754	2	10	1.00	0	0	0	166	0.29277	0.00283	19.98869	16.19164
24777	1509	20	0.08185	2	10	1.00	0	0	0	194	0.24572	0.00330	19.98680	15.8789
24777	1510	20	0.11921	2	10	1.00	0	0	0	244	0.35794	0.00415	19.98340	29.08724
24777	1516	20	0.11134	2	10	1.00	0	0	0	101	0.33414	0.00171	19.99315	11.24534
24777	24765	25	0.08979	10	5	1.00	0	0	0	1892	0.22039	0.22985	24.44638	169.8827
24777	24778	25	0.07935	10	5	1.00	0	0	0	62	0.19045	0.00752	24.99816	4.9197
24778	24777	25	0.07935	10	5	1.00	0	0	0	65	0.19046	0.00789	24.99741	5.15775
24778	24779	25	0.07308	10	5	1.00	0	0	0	62	0.17541	0.00752	24.99816	4.53096
24779	1505	20	0.14282	2	10	1.00	0	0	0	93	0.42861	0.00159	19.99364	13.28226
24779	1506	20	0.09131	2	10	1.00	0	0	0	288	0.27420	0.00490	19.98042	26.29728
24779	1508	20	0.08535	2	10	1.00	0	0	0	39	0.25608	0.00066	19.99737	3.32865
24779	24778	25	0.07308	10	5	1.00	0	0	0	65	0.17542	0.00789	24.99741	4.7502
24779	25055	25	0.09188	10	5	1.00	0	0	0	359	0.22119	0.04355	24.92231	32.98492
24781	9387	50	0.26939	10	3	3.00	7	0	0	7764	0.33180	0.25891	48.71273	2091.544
24781	24782	25	0.05094	10	5	1.00	0	0	0	1058	0.12362	0.12854	24.72443	53.89452
24781	25056	50	0.15676	10	3	3.00	7	0	0	8144	0.19341	0.27158	48.63101	1276.653
24782	1507	20	0.04661	2	10	1.00	0	0	0	707	0.14016	0.01203	19.95199	32.95327
24782	24781	25	0.05094	10	5	1.00	0	0	0	1057	0.12362	0.12842	24.72472	53.84358
24782	25055	25	0.04618	10	5	1.00	0	0	0	359	0.11118	0.04367	24.92206	16.57862
24789	1514	20	0.11457	2	10	1.00	0	0	0	160	0.34390	0.00273	19.98910	18.3312
24789	24790	45	0.10522	10	5	1.00	0	0	0	943	0.14166	0.11460	44.56596	99.22246
24789	24795	45	0.09245	10	5	1.00	0	0	0	1100	0.12470	0.13357	44.48120	101.695
24790	24789	45	0.10522	10	5	1.00	0	0	0	943	0.14166	0.11460	44.56596	99.22246
24790	24791	45	0.03685	10	5	1.00	0	0	0	943	0.04961	0.11460	44.56596	34.74955
24791	1201	20	0.25216	2	10	1.00	0	0	0	0	0.75648	0.00000	20.00000	0
24791	1503	20	0.17141	2	10	1.00	0	0	0	426	0.51496	0.00725	19.97105	73.02066
24791	1504	20	0.13613	2	10	1.00	0	0	0	520	0.40910	0.00884	19.96472	70.7876
24791	24790	45	0.03685	10	5	1.00	0	0	0	943	0.04961	0.11460	44.56596	34.74955
24792	24769	35	0.10045	10	5	1.00	0	0	0	2555	0.17801	0.31040	33.85702	256.6498
24792	24793	35	0.08359	10	5	1.00	0	0	0	2607	0.14827	0.31673	33.82550	217.9191
24793	1518	20	0.11624	2	10	1.00	0	0	0	213	0.34898	0.00362	19.98554	24.75912
24793	9521	25	0.05049	10	5	1.00	0	0	0	391	0.12160	0.04748	24.91377	19.74159
24793	24792	35	0.08359	10	5	1.00	0	0	0	2555	0.14813	0.31040	33.85702	213.5725
24793	24794	35	0.12440	10	5	1.00	0	0	0	2494	0.22022	0.30295	33.89363	310.2536
24794	1520	20	0.09959	2	10	1.00	0	0	0	0	0.29877	0.00000	20.00000	0
24794	1521	20	0.08734	2	10	1.00	0	0	0	328	0.26230	0.00559	19.97768	28.64752
24794	1522	20	0.10915	2	10	1.00	0	0	0	0	0.32744	0.00000	20.00000	0
24794	24793	35	0.12440	10	5	1.00	0	0	0	2436	0.22000	0.29592	33.92764	303.0384
24794	25086	35	0.25531	10	5	1.00	0	0	0	2535	0.45228	0.30797	33.86902	647.2109
24795	1511	20	0.09320	2	10	1.00	0	0	0	230	0.27983	0.00392	19.98434	21.436
24795	1512	20	0.06001	2	10	1.00	0	0	0	82	0.18008	0.00139	19.99443	4.92082
24795	24789	45	0.09245	10	5	1.00	0	0	0	1098	0.12470	0.13333	44.48228	101.5101
24795	25125	45	0.07120	10	5	1.00	0	0	0	1404	0.09642	0.17055	44.30760	99.9648
24840	323	25	0.13749	2	10	1.00	1	3	3	2369	0.33263	0.04029	24.80014	325.7138
24840	1542	25	0.18733	2	10	1.00	4	3	3	329	0.45010	0.00559	24.97206	61.63157
24840	5514	45	0.14589	10	3	2.00	1							

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
24901	24902	35	0.09942	10	4	1.00	7	3	388	0.17093	0.04123	34.89825	38.57496
24902	24901	35	0.09942	10	4	1.00	7	3	532	0.17116	0.05652	34.85148	52.89144
24902	24903	35	0.17118	10	4	1.00	7	3	866	0.29567	0.09208	34.73792	148.2419
24902	24906	35	0.07975	10	4	1.00	7	3	482	0.13724	0.05123	34.86778	38.4395
24903	1127	25	0.07909	2	10	1.00	7	3	558	0.19018	0.00949	24.95264	44.13222
24903	24902	35	0.17118	10	4	1.00	7	3	1014	0.29611	0.10775	34.68571	173.5765
24903	24904	35	0.15226	10	4	1.00	7	3	837	0.26291	0.08900	34.74803	127.4416
24904	1574	25	0.20208	2	10	1.00	7	3	860	0.48641	0.01463	24.92706	173.7888
24904	8653	35	0.19190	10	4	1.00	7	3	4461	0.35016	0.47412	32.88264	856.0659
24904	9376	35	0.09506	10	4	1.00	7	3	3182	0.16916	0.33827	33.71504	302.4809
24904	24903	35	0.15226	10	4	1.00	7	3	985	0.26330	0.10466	34.69609	149.9761
24906	9374	35	0.04576	10	4	1.00	7	3	482	0.07875	0.05123	34.86778	22.05632
24906	24902	35	0.07975	10	4	1.00	7	3	478	0.13723	0.05085	34.86895	38.1205
24907	9373	35	0.16161	10	4	1.00	7	3	270	0.27755	0.02873	34.93567	43.6347
24907	24908	35	0.06960	10	4	1.00	7	3	269	0.11953	0.02864	34.93593	18.7224
24908	1573	25	0.09175	2	10	1.00	7	3	996	0.22094	0.01693	24.91563	91.383
24908	24907	35	0.06960	10	4	1.00	7	3	270	0.11953	0.02873	34.93567	18.792
24908	24910	35	0.10267	10	4	1.00	7	3	725	0.17708	0.07709	34.78662	74.43575
24910	9375	35	0.08466	10	4	1.00	7	3	725	0.14602	0.07709	34.78662	61.3785
24910	24908	35	0.10267	10	4	1.00	7	3	726	0.17708	0.07718	34.78633	74.53842
24911	1124	25	0.11334	2	10	1.00	7	3	179	0.27218	0.00304	24.98479	20.28786
24911	9381	35	0.18834	10	4	1.00	7	3	17	0.32274	0.00177	35.01381	3.20178
24911	9396	35	0.04188	10	4	1.00	7	3	210	0.07189	0.02230	34.95461	8.7948
24912	9381	35	0.04451	10	4	1.00	7	3	939	0.07694	0.09979	34.71241	41.79489
24912	9612	35	0.11483	10	4	1.00	7	3	947	0.19849	0.10063	34.70961	108.744
25041	1231	25	0.13891	2	10	1.00	3	3	1714	0.33532	0.02916	24.85506	238.0917
25041	1232	25	0.11603	2	10	1.00	3	3	1493	0.27989	0.02539	24.87372	173.2328
25041	5614	35	0.13498	10	5	1.00	0	3	4070	0.24741	0.49436	32.73416	549.3686
25041	25042	35	0.11603	10	5	1.00	0	3	3005	0.20739	0.36509	33.57027	348.6702
25042	13976	35	0.10961	10	5	1.00	0	3	2867	0.19538	0.34828	33.66197	314.2519
25042	25041	35	0.11603	10	5	1.00	0	3	2140	0.20420	0.25993	34.09436	248.3042
25042	25043	35	0.09751	10	5	1.00	0	3	2619	0.17300	0.31809	33.81869	255.3787
25043	258	25	0.12902	2	10	1.00	3	3	14	0.30965	0.00023	24.99883	1.80628
25043	1233	25	0.12830	2	10	1.00	3	3	1211	0.30919	0.02060	24.89743	155.3713
25043	5620	35	0.11286	10	5	1.00	0	3	1421	0.19655	0.17263	34.45358	160.3741
25043	25042	35	0.09751	10	5	1.00	0	3	3336	0.17550	0.40530	33.33652	325.2934
25044	263	25	0.16065	2	10	1.00	3	3	789	0.38661	0.01341	24.93311	126.7529
25044	1233	25	0.12322	2	10	1.00	3	3	677	0.29640	0.01151	24.94260	83.41994
25044	5608	35	0.15319	10	4	2.00	3	3	1377	0.26413	0.07318	34.79910	210.9426
25044	5620	35	0.11611	10	4	2.00	3	3	2609	0.20148	0.13868	34.57835	302.931
25049	1106	20	0.12337	2	10	1.00	0	3	1630	0.37217	0.02772	19.88973	201.0931
25049	9583	35	0.10689	10	4	1.00	7	3	1640	0.18618	0.17433	34.44714	175.2996
25050	22733	30	0.09266	10	5	1.00	0	0	748	0.18670	0.09085	29.77884	69.30968
25050	25051	30	0.05835	10	5	1.00	0	0	748	0.11758	0.09085	29.77884	43.6458
25051	25050	30	0.05835	10	5	1.00	0	0	748	0.11758	0.09085	29.77884	43.6458
25052	1206	20	0.13488	2	10	1.00	0	0	517	0.40535	0.00879	19.96492	69.73296
25052	1348	20	0.10479	2	10	1.00	0	0	682	0.31510	0.01159	19.95374	71.46678
25052	23281	30	0.11480	10	5	1.00	0	0	329	0.23024	0.03993	29.91617	37.7692
25052	23316	30	0.10357	10	5	1.00	0	0	883	0.20901	0.10728	29.73195	91.45231
25053	1211	20	0.11997	2	10	1.00	0	0	446	0.36045	0.00758	19.96973	53.50662
25053	9608	35	0.14793	10	4	1.00	7	0	1234	0.25649	0.13117	34.60495	182.5456
25053	24030	35	0.13515	10	4	1.00	7	0	1625	0.23537	0.17276	34.45310	219.6188
25054	22733	45	0.17358	9	3	3.00	100	0	9222	0.23915	0.30751	43.54882	1600.755
25054	22746	45	0.19406	9	3	3.00	100	0	10234	0.26873	0.34128	43.32755	1986.01
25055	24779	25	0.09188	10	5	1.00	0	0	359	0.22119	0.04367	24.92206	32.98492
25055	24782	25	0.04618	10	5	1.00	0	0	359	0.11118	0.04355	24.92231	16.57862
25056	1510	20	0.11507	2	10	1.00	0	0	714	0.34605	0.01214	19.95155	82.15998
25056	1516	20	0.10092	2	10	1.00	0	0	289	0.30305	0.00492	19.98033	29.16588
25056	5029	50	0.09277	10	3	3.00	7	0	8144	0.11446	0.27158	48.63101	755.5189
25056	24781	50	0.15676	10	3	3.00	7	0	8161	0.19342	0.27216	48.62723	1279.318
25062	9361	30	0.10610	10	4	1.00	7	3	1840	0.21612	0.19559	29.45548	195.224
25062	25063	25	0.11493	10	5	1.00	0	3	920	0.27845	0.11170	24.76593	105.7356
25062	25085	35	0.06807	10	5	1.00	0	3	2333	0.12018	0.28335	33.98723	158.8073
25062	25087	30	0.12269	10	4	1.00	7	0	2191	0.25104	0.23289	29.32463	268.8138
25063	1104	20	0.10372	2	10	1.00	7	3	139	0.31129	0.00237	19.99053	14.41708
25063	1588	20	0.08645	2	10	1.00	7	3	826	0.26009	0.01404	19.94398	71.4077
25063	25062	25	0.11493	10	5	1.00	0	3	1217	0.27947	0.14778	24.67547	139.8698
25063	25064	25	0.08676	10	5	1.00	0	3	914	0.21018	0.11104	24.76754	79.29864
25064	25063	25	0.08676	10	5	1.00	0	3	1346	0.21132	0.16348	24.63425	116.779
25064	25065	25	0.09497	10	5	1.00	0	3	398	0.22874	0.04835	24.91187	37.79806
25064	25080	25	0.14166	10	5	1.00	0	3	12	0.33984	0.00151	25.01039	1.69992
25064	25081	25	0.09072	10	5	1.00	0	3	532	0.21881	0.06467	24.87575	48.26304
25065	1586	20	0.09217	2	10	1.00	7	3	67	0.27659	0.00114	19.99543	6.17539
25065	1589	20	0.14091	2	10	1.00	7	3	0	0.42274	0.00000	20.00000	0
25065	25064	25	0.09497	10	5	1.00	0	3	830	0.22985	0.10082	24.79212	78.8251
25065	25066	25	0.10984	10	5	1.00	0	3	404	0.26457	0.04905	24.91033	44.37536
25066	25065	25	0.10984	10	5	1.00	0	3	897	0.26604	0.10899	24.77250	98.52648
25066	25067	25	0.17216	10	5	1.00	0	3	366	0.41451	0.04447	24.92031	63.01056
25066	25069	25	0.09487	10	5	1.00	0	3	477	0.22869	0.05800	24.89063	45.25299
25066	25079	25	0.13000	10	5	1.00	0	3	524	0.31354	0.06363	24.87807	68.12
25067	1103	20	0.13418	2	10	1.00	7	3	1235	0.40422	0.02101	19.91632	165.7123
25067	1105	20	0.14744	2	10	1.00	7	3	114	0.44251	0.00193	19.99227	16.80816
25067	25066	25	0.17216	10	5	1.00	0	3	960	0.41730	0.11661	24.75396	165.2736

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
25067	25068	25	0.08427	10	5	1.00	0	3	1089	0.20458	0.13227	24.71506	91.77003
25068	9582	25	0.11253	10	5	1.00	0	3	1089	0.27319	0.13227	24.71506	122.5452
25068	25067	25	0.08427	10	5	1.00	0	3	1641	0.20608	0.19931	24.53570	138.2871
25069	1105	20	0.16449	2	10	1.00	7	3	48	0.49357	0.00082	19.99673	7.89552
25069	1586	20	0.11254	2	10	1.00	7	3	2	0.33761	0.00004	19.99986	0.22508
25069	25066	25	0.09487	10	5	1.00	0	3	468	0.22866	0.05683	24.89321	44.39916
25069	25070	25	0.10881	10	5	1.00	0	3	431	0.26216	0.05241	24.90297	46.89711
25070	25069	25	0.10881	10	5	1.00	0	3	423	0.26214	0.05136	24.90528	46.02663
25070	25071	25	0.12721	10	5	1.00	0	3	517	0.30677	0.06275	24.88003	65.76757
25070	25076	25	0.11461	10	5	1.00	0	3	1575	0.28001	0.19130	24.55831	180.5108
25070	25078	25	0.14258	10	5	1.00	0	3	2246	0.35189	0.27281	24.31149	320.2347
25071	1585	20	0.10792	2	10	1.00	7	3	387	0.32418	0.00658	19.97372	41.76504
25071	1587	20	0.13096	2	10	1.00	7	3	130	0.39306	0.00221	19.99118	17.0248
25071	25070	25	0.12721	10	5	1.00	0	3	519	0.30678	0.06303	24.87940	66.02199
25073	9360	30	0.18881	10	4	1.00	7	3	5016	0.40757	0.53312	27.79513	947.071
25073	9361	30	0.11173	10	4	1.00	7	3	2576	0.22981	0.27380	29.16985	287.8165
25073	25074	25	0.11550	10	5	1.00	0	3	1620	0.28236	0.19685	24.54269	187.11
25073	25083	25	0.06261	10	5	1.00	0	3	1776	0.15339	0.21577	24.48820	111.1954
25074	1104	20	0.08253	2	10	1.00	7	3	168	0.24772	0.00285	19.98860	13.86504
25074	1584	20	0.09717	2	10	1.00	7	3	1519	0.29303	0.02583	19.89721	147.6012
25074	25073	25	0.11550	10	5	1.00	0	3	1725	0.28278	0.20954	24.50634	199.2375
25074	25075	25	0.10162	10	5	1.00	0	3	1017	0.24648	0.12350	24.73698	103.3475
25075	25074	25	0.10162	10	5	1.00	0	3	1086	0.24669	0.13188	24.71603	110.3593
25075	25076	25	0.09269	10	5	1.00	0	3	1308	0.22566	0.15889	24.64643	121.2385
25075	25081	25	0.08410	10	5	1.00	0	3	487	0.20276	0.05915	24.88806	40.9567
25075	25082	25	0.12424	10	5	1.00	0	3	162	0.29850	0.01964	24.97314	20.12688
25076	1586	20	0.08200	2	10	1.00	7	3	413	0.24634	0.00703	19.97194	33.866
25076	25070	25	0.11461	10	5	1.00	0	3	1564	0.27997	0.19004	24.56184	179.25
25076	25075	25	0.09269	10	5	1.00	0	3	1381	0.22587	0.16777	24.62281	128.0049
25078	1105	20	0.09665	2	10	1.00	7	3	735	0.29068	0.01250	19.95012	71.03775
25078	1587	20	0.13772	2	10	1.00	7	3	530	0.41390	0.00902	19.96399	72.9916
25078	9580	25	0.14029	10	5	1.00	0	3	3568	0.35538	0.43342	23.68569	500.5547
25078	25070	25	0.14258	10	5	1.00	0	3	2245	0.35189	0.27273	24.31172	320.0921
25079	1103	20	0.23913	2	10	1.00	7	3	7	0.71740	0.00013	19.99949	1.67391
25079	1589	20	0.08312	2	10	1.00	7	3	541	0.24982	0.00920	19.96327	44.96792
25079	9363	25	0.18452	10	5	1.00	0	3	112	0.44309	0.01357	24.98573	20.66624
25079	25066	25	0.13000	10	5	1.00	0	3	433	0.31323	0.05259	24.90257	56.29
25080	1588	20	0.08978	2	10	1.00	7	3	19	0.26937	0.00033	19.99869	1.70582
25080	1589	20	0.08779	2	10	1.00	7	3	259	0.26359	0.00440	19.98241	22.73761
25080	3714	25	0.10178	10	5	1.00	0	3	361	0.24503	0.04384	24.92168	36.74258
25080	25064	25	0.14166	10	5	1.00	0	3	12	0.33984	0.00151	25.01039	1.69992
25081	1104	20	0.11049	2	10	1.00	7	3	5	0.33146	0.00008	19.99968	0.55245
25081	1586	20	0.09493	2	10	1.00	7	3	51	0.28485	0.00087	19.99653	4.84143
25081	25064	25	0.09072	10	5	1.00	0	3	532	0.21881	0.06463	24.87582	48.26304
25081	25075	25	0.08410	10	5	1.00	0	3	486	0.20275	0.05903	24.88833	40.8726
25082	1584	20	0.10589	2	10	1.00	7	3	0	0.31768	0.00000	20.00000	0
25082	1585	20	0.10418	2	10	1.00	7	3	162	0.31272	0.00275	19.98901	16.87716
25082	25075	25	0.12424	10	5	1.00	0	3	159	0.29850	0.01927	24.97390	19.75416
25083	25073	25	0.06261	10	5	1.00	0	3	1775	0.15339	0.21565	24.48854	111.1328
25083	25084	25	0.12904	10	5	1.00	0	3	1776	0.31617	0.21577	24.48820	229.175
25084	1581	20	0.12259	2	10	1.00	7	3	382	0.36824	0.00650	19.97404	46.82938
25084	1583	20	0.09121	2	10	1.00	7	3	1394	0.27491	0.02371	19.90562	127.1467
25084	25083	25	0.12904	10	5	1.00	0	3	1775	0.31616	0.21565	24.48854	229.046
25085	25062	35	0.06807	10	5	1.00	0	3	2391	0.12030	0.29050	33.95353	162.7554
25085	25086	35	0.11868	10	5	1.00	0	3	2333	0.20951	0.28335	33.98723	276.8804
25086	1581	20	0.12491	2	10	1.00	7	3	337	0.37515	0.00574	19.97708	42.09467
25086	24794	35	0.25531	10	5	1.00	0	0	2477	0.45182	0.30094	33.90338	632.4029
25086	25085	35	0.11868	10	5	1.00	0	3	2391	0.20972	0.29050	33.95353	283.7639
25087	1101	20	0.13718	2	10	1.00	7	0	1443	0.41356	0.02454	19.90231	197.9507
25087	3714	30	0.10671	10	4	1.00	7	0	1138	0.21563	0.12095	29.69193	121.436
25087	25062	30	0.12269	10	4	1.00	7	0	1806	0.24982	0.19201	29.46760	221.5781
25088	52	25	0.40681	1	10	1.00	100	0	85	0.97664	0.00145	24.99275	34.57885
25088	5885	20	0.06557	10	6	1.00	1	3	7071	0.21646	0.60125	18.17481	463.6455
25088	5897	20	0.06182	10	6	1.00	1	3	7911	0.20934	0.67270	17.71959	489.058
25090	25110	45	0.24535	9	3	3.00	100	0	16737	0.35544	0.55812	41.41650	4106.423
25110	24772	45	0.12761	9	3	3.00	100	0	16737	0.18487	0.55812	41.41650	2135.809
25110	25090	45	0.24535	9	3	3.00	100	0	16971	0.35621	0.56593	41.32629	4163.835
25125	24769	45	0.07427	10	5	1.00	0	0	1404	0.10057	0.17055	44.30760	104.2751
25125	24795	45	0.07120	10	5	1.00	0	0	1401	0.09641	0.17021	44.30923	99.7512
25126	24765	25	0.07578	10	5	1.00	0	0	1113	0.18403	0.13519	24.70768	84.34314
25126	25127	25	0.10839	10	5	1.00	0	0	1106	0.26320	0.13441	24.70967	119.8793
25127	1515	20	0.08742	2	10	1.00	0	0	4511	0.26628	0.07672	19.69777	394.3516
25127	25126	25	0.10839	10	5	1.00	0	0	1113	0.26322	0.13519	24.70768	120.6381
25127	25128	25	0.08551	10	5	1.00	0	0	3398	0.21576	0.41279	23.77899	290.563
25128	24774	25	0.05446	10	5	1.00	0	0	3398	0.13742	0.41279	23.77899	185.0551
25128	25127	25	0.08551	10	5	1.00	0	0	3405	0.21580	0.41358	23.77552	291.1616
25129	1109	20	0.19365	2	10	1.00	0	0	1511	0.58392	0.02570	19.89772	292.6052
25129	5029	50	0.09675	10	3	3.00	7	0	16445	0.12581	0.54838	46.14035	1591.054
25129	24774	50	0.09675	10	3	3.00	7	0	16606	0.12599	0.55377	46.07321	1606.631
25130	1519	20	0.05500	2	10	1.00	0	0	442	0.16523	0.00752	19.96995	24.31
25130	3712	25	0.04902	10	5	1.00	0	0	1130	0.11907	0.13729	24.70237	55.3926
25130	9384	25	0.04902	10	5	1.00	0	0	1407	0.11950	0.17091	24.61436	68.97114
25131	25132	0	0.66754	2	8	0.00	0	0	0	0.00000	0.00000	0.00000	0

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
25131	25162	0	0.00843	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25132	25133	0	0.37880	2	8	0.00	0	0	0	0.00000	0.00000	0.00000	0
25132	25163	0	0.00960	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25133	25135	0	0.78264	2	8	0.00	0	0	0	0.00000	0.00000	0.00000	0
25133	25165	0	0.00591	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25135	25137	0	0.38393	2	8	0.00	0	0	0	0.00000	0.00000	0.00000	0
25135	25167	0	0.00997	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25137	25138	0	0.64397	2	8	0.00	0	0	0	0.00000	0.00000	0.00000	0
25137	25169	0	0.00976	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25138	25160	0	0.21909	2	8	0.00	0	0	0	0.00000	0.00000	0.00000	0
25138	25171	0	0.01562	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25153	25154	0	0.65139	2	8	0.00	0	0	0	0.00000	0.00000	0.00000	0
25153	25172	0	0.00943	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25154	25155	0	0.37362	2	8	0.00	0	0	0	0.00000	0.00000	0.00000	0
25154	25170	0	0.01338	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25155	25156	0	0.79054	2	8	0.00	0	0	0	0.00000	0.00000	0.00000	0
25155	25168	0	0.00890	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25156	25157	0	0.37414	2	8	0.00	0	0	0	0.00000	0.00000	0.00000	0
25156	25166	0	0.01039	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25157	25158	0	0.65021	2	8	0.00	0	0	0	0.00000	0.00000	0.00000	0
25157	25164	0	0.01219	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25158	25161	0	0.00908	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25159	25153	0	0.22269	2	8	0.00	0	0	0	0.00000	0.00000	0.00000	0
25161	5546	63	0.03834	10	1	3.00	4	0	69890	0.05377	0.99050	42.77984	2679.583
25161	25158	0	0.00908	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25162	25131	0	0.00843	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25162	25163	63	0.66113	10	1	3.00	4	0	68954	0.90920	0.97724	43.62955	45587.56
25163	5548	63	0.04293	10	1	3.00	4	0	68954	0.05903	0.97724	43.62956	2960.195
25163	25132	0	0.00960	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25164	25157	0	0.01219	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25164	25161	63	0.65186	10	1	3.00	4	0	69890	0.91425	0.99050	42.77984	45558.5
25165	25133	0	0.00591	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25165	25167	63	0.78159	10	1	3.00	4	0	66072	1.01896	0.93639	46.02290	51641.21
25166	8842	63	0.02569	10	1	3.00	4	0	69306	0.03558	0.98223	43.31404	1780.471
25166	25156	0	0.01039	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25167	5552	63	0.02776	10	1	3.00	4	0	66072	0.03619	0.93639	46.02290	1834.159
25167	25135	0	0.00997	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25168	25155	0	0.00890	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25168	25166	63	0.79287	10	1	3.00	4	0	69306	1.09831	0.98223	43.31404	54950.65
25169	25137	0	0.00976	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25169	25171	63	0.63853	10	1	3.00	4	0	59788	0.76326	0.84733	50.19451	38176.43
25170	5658	63	0.03014	10	1	3.00	4	0	58572	0.03555	0.83010	50.86098	1765.36
25170	25154	0	0.01338	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25171	5963	63	0.02824	10	1	2.75	4	0	59788	0.07855	1.27099	21.57135	1688.413
25171	25138	0	0.01562	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25172	25153	0	0.00943	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25172	25170	63	0.64319	10	1	3.00	4	0	58572	0.75876	0.83010	50.86099	37672.92
25189	1109	20	0.21562	2	10	1.00	0	0	957	0.64895	0.01627	19.93514	206.3483
25189	5029	45	0.13340	9	3	3.00	100	0	15178	0.19071	0.50615	41.97106	2024.745
25189	9386	45	0.13340	9	3	3.00	100	0	15938	0.19190	0.53147	41.71033	2126.129
27005	27006	0	0.32300	9	2	0.00	100	0	0	0.00000	0.00000	0.00000	0
27006	5020	0	0.61697	9	2	0.00	100	0	0	0.00000	0.00000	0.00000	0
27006	27005	0	0.32300	9	2	0.00	100	0	0	0.00000	0.00000	0.00000	0
27042	5519	45	0.09822	10	3	4.00	1	3	38614	0.18603	0.96573	31.68019	3792.667
27042	5523	45	0.04943	10	3	4.00	1	3	35453	0.08514	0.88667	34.83370	1752.442
27042	27043	25	0.10454	10	3	1.00	1	3	1734	0.25489	0.17343	24.60753	181.2724
27043	324	25	0.09062	2	10	1.00	1	3	1866	0.21888	0.03174	24.84230	169.0969
27043	5512	25	0.19897	10	3	1.00	1	3	731	0.48028	0.07309	24.85672	145.4471
27043	5516	25	0.20523	10	3	1.00	1	3	1236	0.49780	0.12363	24.73665	253.6643
27043	27042	25	0.10454	10	3	1.00	1	3	1314	0.25376	0.13150	24.71701	137.3656
30003	1115	25	0.18983	2	10	1.00	7	3	221	0.45594	0.00376	24.98122	41.95243
30003	5032	35	0.40063	9	7	1.00	100	3	197	0.68731	0.01397	34.97375	78.92411
30003	9595	35	0.23034	9	7	1.00	100	3	366	0.39544	0.02596	34.94932	84.30444
30004	68	25	0.06963	2	10	1.00	1	3	2841	0.16874	0.04831	24.76076	197.8188
30004	5871	35	0.02538	10	3	3.00	1	3	25424	0.05428	0.84781	28.04899	645.2611
30004	5872	35	0.10461	10	3	2.00	1	3	24209	0.46784	1.21094	13.41557	2532.503
30005	1514	20	0.14954	2	10	1.00	0	0	590	0.44952	0.01004	19.95994	88.2286
30005	24766	45	0.10452	9	3	3.00	100	0	19242	0.15545	0.64166	40.34108	2011.174
30005	24767	45	0.04823	9	3	3.00	100	0	18961	0.07150	0.63230	40.47485	914.489

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
7	8	25	0.22596	2	10	1.00	1	3	3	0.54230	0.00005	24.99976	0.67788
7	8670	25	0.15682	2	10	1.00	1	3	723	0.37730	0.01230	24.93866	113.3809
7	8688	25	0.09988	2	10	1.00	1	3	509	0.24013	0.00865	24.95683	50.83892
8	7	25	0.22596	2	10	1.00	1	3	3	0.54230	0.00005	24.99976	0.67788
8	8666	25	0.12820	2	10	1.00	1	3	695	0.30841	0.01182	24.94104	89.099
8	8692	25	0.14814	2	10	1.00	1	3	140	0.35572	0.00238	24.98812	20.7396
9	8654	25	0.12051	2	10	1.00	1	3	526	0.28975	0.00895	24.95534	63.38826
9	8692	25	0.15551	2	10	1.00	1	3	131	0.37338	0.00223	24.98885	20.37181
10	8686	25	0.12673	2	10	1.00	1	3	1258	0.30545	0.02140	24.89346	159.4263
11	8716	25	0.03278	2	10	1.00	1	3	2926	0.07947	0.04976	24.75366	95.91428
12	9026	25	0.06117	2	10	1.00	1	3	533	0.14708	0.00906	24.95478	32.60361
12	9028	25	0.16874	2	10	1.00	1	3	581	0.40577	0.00988	24.95068	98.03794
13	9034	25	0.10232	2	10	1.00	5	3	1196	0.24658	0.02035	24.89868	122.3747
14	8864	25	0.13678	2	10	1.00	1	3	697	0.32904	0.01185	24.94087	95.33566
15	8720	25	0.17001	2	10	1.00	1	3	1483	0.41008	0.02522	24.87453	252.1248
16	8878	25	0.13364	2	10	1.00	1	3	1810	0.32271	0.03078	24.84704	241.8884
17	8864	25	0.38585	2	10	1.00	1	3	821	0.92862	0.01396	24.93042	316.7829
18	8726	25	0.07083	2	10	1.00	1	3	1044	0.17060	0.01776	24.91151	73.94652
19	8728	25	0.26141	2	10	1.00	1	3	103	0.62759	0.00175	24.99124	26.92523
19	8866	25	0.15154	2	10	1.00	1	3	351	0.36414	0.00596	24.97023	53.19054
19	8872	25	0.28092	2	10	1.00	1	3	623	0.67564	0.01059	24.94715	175.0132
20	8830	25	0.16477	2	10	1.00	1	3	2241	0.39845	0.03811	24.81088	369.2496
20	8874	25	0.25626	2	10	1.00	1	3	389	0.61583	0.00661	24.96697	99.68514
21	8732	25	0.12414	2	10	1.00	1	3	779	0.29873	0.01324	24.93398	96.70506
22	8734	25	0.07920	2	10	1.00	1	3	612	0.19047	0.01041	24.94804	48.4704
23	8736	25	0.15839	2	10	1.00	1	3	950	0.38136	0.01615	24.91951	150.4705
24	8822	25	0.09345	2	10	1.00	1	3	967	0.22502	0.01644	24.91805	90.36615
25	8826	25	0.13801	2	10	1.00	1	3	1749	0.33321	0.02975	24.85213	241.3795
26	8774	25	0.10324	2	10	1.00	1	3	330	0.24805	0.00561	24.97196	34.0692
26	8778	25	0.12255	2	10	1.00	1	3	374	0.29450	0.00635	24.96827	45.8337
27	8816	25	0.04277	2	10	1.00	1	3	2782	0.10363	0.04732	24.76563	118.9861
27	8820	25	0.13537	2	10	1.00	1	3	1110	0.32611	0.01888	24.90598	150.2607
28	8810	25	0.05791	2	10	1.00	1	3	5145	0.14141	0.08750	24.57001	297.947
29	8860	25	0.04015	2	10	1.00	1	3	5201	0.09807	0.08846	24.56539	208.8202
30	8856	25	0.03719	2	10	1.00	1	3	1671	0.08977	0.02842	24.85873	62.14449
31	5938	25	0.36472	2	10	1.00	1	3	935	0.87812	0.01590	24.92078	341.0132
31	8802	25	0.18056	2	10	1.00	1	3	1837	0.43605	0.03123	24.84480	331.6887
31	8806	25	0.14591	2	10	1.00	1	3	99	0.35031	0.00169	24.99157	14.44509
32	8806	25	0.04623	2	10	1.00	1	3	4882	0.11280	0.08303	24.59163	225.6949
33	5916	25	0.11588	2	10	1.00	1	3	933	0.27899	0.01586	24.92093	108.116
33	5922	25	0.20392	2	10	1.00	1	3	449	0.49015	0.00764	24.96185	91.56008
33	8806	25	0.17174	2	10	1.00	1	3	87	0.41230	0.00149	24.99257	14.94138
34	5920	25	0.05170	2	10	1.00	1	3	1675	0.12480	0.02848	24.85841	86.5975
35	5912	25	0.08977	2	10	1.00	1	3	1562	0.21660	0.02656	24.86791	140.2207
36	37	25	0.32001	2	10	1.00	1	3	15	0.76806	0.00026	24.99870	4.80015
36	8670	25	0.11679	2	10	1.00	1	3	724	0.28099	0.01231	24.93861	84.55596
36	9020	25	0.11438	2	10	1.00	1	3	1124	0.27557	0.01912	24.90478	128.5631
37	36	25	0.32001	2	10	1.00	1	3	15	0.76806	0.00026	24.99870	4.80015
37	38	25	0.22674	2	10	1.00	1	3	11	0.54420	0.00019	24.99904	2.49414
37	8668	25	0.21623	2	10	1.00	1	3	219	0.51934	0.00373	24.98136	47.35437
37	8672	25	0.20473	2	10	1.00	1	3	872	0.49282	0.01483	24.92607	178.5246
37	9018	25	0.22017	2	10	1.00	1	3	767	0.52978	0.01304	24.93495	168.8704
38	37	25	0.22674	2	10	1.00	1	3	11	0.54420	0.00019	24.99904	2.49414
38	8674	25	0.13166	2	10	1.00	1	3	473	0.31650	0.00805	24.95984	62.27518
38	9016	25	0.15316	2	10	1.00	1	3	960	0.36878	0.01633	24.91859	147.0336
39	41	25	0.26100	2	10	1.00	1	3	10	0.62641	0.00017	24.99915	2.61
39	42	25	0.16216	2	10	1.00	1	3	9	0.38921	0.00016	24.99920	1.45944
39	8672	25	0.19352	2	10	1.00	1	3	447	0.46514	0.00761	24.96201	86.50344
39	9566	25	0.15060	2	10	1.00	1	3	387	0.36192	0.00658	24.96716	58.2822
40	9565	25	0.05041	2	10	1.00	1	3	1477	0.12160	0.02512	24.87502	74.45557
41	39	25	0.26100	2	10	1.00	1	3	10	0.62641	0.00017	24.99915	2.61
41	42	25	0.25564	2	10	1.00	1	3	22	0.61357	0.00037	24.99813	5.62408
41	9565	25	0.21482	2	10	1.00	1	3	1606	0.51838	0.02731	24.86418	345.0009
41	9569	25	0.41313	2	10	1.00	1	3	376	0.99278	0.00639	24.96810	155.3369
42	39	25	0.16216	2	10	1.00	1	3	9	0.38921	0.00016	24.99920	1.45944
42	41	25	0.25564	2	10	1.00	1	3	22	0.61357	0.00037	24.99813	5.62408
42	9565	25	0.41543	2	10	1.00	1	3	485	0.99869	0.00826	24.95879	201.4836
42	9566	25	0.31135	2	10	1.00	1	3	277	0.74794	0.00471	24.97648	86.24395
42	9569	25	0.15871	2	10	1.00	1	3	957	0.38215	0.01628	24.91885	151.8855
43	5900	25	0.17402	2	10	1.00	1	3	2698	0.42148	0.04589	24.77266	469.506
43	9012	25	0.22983	2	10	1.00	1	3	2977	0.55717	0.05063	24.74939	684.2039
44	8708	25	0.08224	2	10	1.00	1	3	1765	0.19856	0.03001	24.85082	145.1536
44	9060	25	0.09049	2	10	1.00	1	3	917	0.21785	0.01560	24.92225	82.97933
45	8714	25	0.12244	2	10	1.00	1	0	140	0.29399	0.00238	24.98811	17.1416
45	9058	25	0.15242	2	10	1.00	1	3	647	0.36660	0.01100	24.94514	98.61574
46	9008	25	0.13625	2	10	1.00	1	3	454	0.32751	0.00771	24.96149	61.8575
46	9056	25	0.20231	2	10	1.00	1	3	355	0.48614	0.00603	24.96987	71.82005
47	9008	25	0.12669	2	10	1.00	1	3	1505	0.30562	0.02560	24.87266	190.6685
48	5898	25	0.11382	2	10	1.00	1	3	630	0.27375	0.01072	24.94653	71.7066
49	5892	25	0.10350	2	10	1.00	1	3	5574	0.25310	0.09480	24.53484	576.909
50	5898	25	0.70760	2	10	1.00	1	3	391	1.70050	0.00665	24.96677	276.6716
52	25088	25	0.40681	1	10	1.00	100	0	85	0.97664	0.00145	24.99275	34.57885
54	8702	25	0.12516	1	10	1.00	100	0	1534	0.30194	0.02609	24.87020	191.9954

A	B	SPEED	DISTANCE	SPDCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
54	8714	25	0.13617	1	10	1.00	100	0	614	0.32749	0.01043	24.94793	83.60838
55	8784	25	0.06984	2	10	1.00	1	3	2102	0.16881	0.03574	24.82257	146.8037
55	8786	25	0.13143	2	10	1.00	1	3	2254	0.31785	0.03833	24.80982	296.2432
56	8786	25	0.07371	2	10	1.00	1	3	2343	0.17830	0.03985	24.80235	172.7025
56	8846	25	0.07389	2	10	1.00	1	3	854	0.17784	0.01453	24.92758	63.10206
57	8850	25	0.19165	2	10	1.00	1	3	443	0.46066	0.00753	24.96241	84.90095
57	8862	25	0.16739	2	10	1.00	1	3	783	0.40280	0.01331	24.93362	131.0664
58	8850	25	0.08978	2	10	1.00	1	3	559	0.21589	0.00951	24.95256	50.18702
59	9553	25	0.10502	2	10	1.00	1	3	796	0.25272	0.01353	24.93253	83.59592
59	9554	25	0.11201	2	10	1.00	1	3	605	0.26938	0.01028	24.94870	67.76605
60	8788	25	0.09089	2	10	1.00	1	3	1295	0.21909	0.02203	24.89034	117.7026
61	8794	25	0.06859	2	10	1.00	1	3	463	0.16487	0.00787	24.96073	31.75717
62	5944	25	0.18024	2	10	1.00	1	3	28	0.43261	0.00048	24.99762	5.04672
62	8790	25	0.16846	2	10	1.00	1	3	573	0.40509	0.00975	24.95134	96.52758
63	5944	25	0.15474	2	10	1.00	1	3	54	0.37144	0.00091	24.99544	8.35596
63	8796	25	0.18196	2	10	1.00	1	3	652	0.43767	0.01108	24.94471	118.6379
64	5942	25	0.14427	2	10	1.00	1	3	1410	0.34790	0.02398	24.88066	203.4207
65	5940	25	0.07850	2	10	1.00	1	3	1592	0.18942	0.02707	24.86539	124.972
66	5870	25	0.09433	2	10	1.00	1	3	1673	0.22767	0.02844	24.85858	157.8141
67	5918	25	0.18380	2	10	1.00	1	3	3966	0.44707	0.06745	24.66722	728.9508
68	5870	25	0.11633	2	10	1.00	1	3	4097	0.28308	0.06968	24.65641	476.604
68	30004	25	0.06963	2	10	1.00	1	3	1669	0.16807	0.02838	24.85891	116.2125
69	5874	25	0.06897	2	10	1.00	1	3	1271	0.16623	0.02162	24.89235	87.66087
70	5930	25	0.04643	2	10	1.00	1	3	1412	0.11197	0.02401	24.88050	65.55916
71	5874	25	0.14941	2	10	1.00	1	3	646	0.35937	0.01099	24.94518	96.51886
71	5924	25	0.37453	2	10	1.00	1	3	78	0.89910	0.00132	24.99338	29.21334
72	5926	25	0.06375	2	10	1.00	1	3	1505	0.15378	0.02559	24.87269	95.94375
73	5905	25	0.20040	2	10	1.00	1	0	340	0.48151	0.00577	24.97116	68.136
73	5924	25	0.14287	2	10	1.00	1	3	295	0.34322	0.00501	24.97495	42.14665
74	5878	25	0.15241	2	10	1.00	1	3	201	0.36603	0.00342	24.98293	30.63441
74	5908	25	0.08815	2	10	1.00	1	3	253	0.21175	0.00430	24.97850	22.30195
75	5906	25	0.30788	2	10	1.00	1	3	2134	0.74428	0.03630	24.81981	657.0159
76	5884	25	0.07889	2	10	1.00	1	3	2723	0.19109	0.04631	24.77057	214.8175
77	5910	25	0.05294	2	10	1.00	1	3	1113	0.12753	0.01892	24.90574	58.92222
78	8780	25	0.04981	2	10	1.00	1	3	1673	0.12023	0.02845	24.85855	83.33213
79	8782	25	0.05113	2	10	1.00	1	3	3379	0.12413	0.05747	24.71591	172.7683
80	5826	25	0.07332	2	10	1.00	1	3	1105	0.17662	0.01880	24.90636	81.0186
81	8924	25	0.04122	2	10	1.00	1	3	1461	0.09942	0.02484	24.87639	60.22242
82	5558	25	0.04314	2	10	1.00	1	3	413	0.10368	0.00703	24.96490	17.81682
83	5844	25	0.03178	2	10	1.00	1	3	1122	0.07657	0.01908	24.90496	35.65716
84	5566	25	0.05271	2	10	1.00	1	3	2782	0.12770	0.04732	24.76564	146.6392
85	5776	25	0.21194	2	10	1.00	1	3	795	0.51003	0.01351	24.93262	168.4923
85	5852	25	0.06247	2	10	1.00	1	3	1117	0.15050	0.01900	24.90537	69.77899
86	5828	25	0.17035	2	10	1.00	1	3	333	0.40930	0.00566	24.97172	56.72655
86	8930	25	0.12044	2	10	1.00	1	3	306	0.28936	0.00520	24.97404	36.85464
87	5840	25	0.02323	2	10	1.00	1	3	1000	0.05594	0.01701	24.91523	23.23
88	5850	25	0.08666	2	10	1.00	1	3	930	0.20864	0.01581	24.92118	80.5938
89	5854	25	0.06897	2	10	1.00	1	3	776	0.16595	0.01320	24.93415	53.52072
90	5768	25	0.12064	2	10	1.00	1	3	312	0.28985	0.00531	24.97350	37.63968
90	5854	25	0.29282	2	10	1.00	1	3	54	0.70289	0.00093	24.99537	15.81228
91	5832	25	0.09067	2	10	1.00	1	3	1124	0.21845	0.01912	24.90477	101.9131
92	8934	25	0.04365	2	10	1.00	1	3	1595	0.10534	0.02713	24.86507	69.62175
93	8932	25	0.18361	2	10	1.00	1	3	3302	0.44561	0.05616	24.72234	606.2802
94	5868	25	0.27293	2	10	1.00	1	3	667	0.65651	0.01135	24.94340	182.0443
94	6002	25	0.17455	2	10	1.00	1	3	828	0.42011	0.01408	24.92980	144.5274
95	5664	25	0.11480	2	10	1.00	1	3	2628	0.27799	0.04469	24.77851	301.6944
96	5664	25	0.03983	2	10	1.00	1	3	1917	0.09621	0.03261	24.83801	76.35411
97	5764	25	0.10917	2	10	1.00	1	3	713	0.26264	0.01212	24.93954	77.83821
98	5834	25	0.20522	2	10	1.00	1	3	474	0.49333	0.00806	24.95977	97.27428
98	22228	25	0.18645	2	10	1.00	1	3	221	0.44781	0.00376	24.98122	41.20545
99	22227	25	0.10990	2	10	1.00	1	3	625	0.26432	0.01063	24.94697	68.6875
99	22228	25	0.10025	2	10	1.00	1	3	848	0.24130	0.01443	24.92808	85.012
100	5948	25	0.06040	2	10	1.00	1	3	79	0.14499	0.00134	24.99331	4.7716
101	5934	25	0.03441	2	10	1.00	1	3	793	0.08280	0.01348	24.93277	27.28713
102	5936	25	0.08732	2	10	1.00	1	3	3181	0.21184	0.05411	24.73236	277.7649
103	105	25	0.26317	2	10	1.00	1	3	2	0.63160	0.00004	24.99981	0.52634
103	5951	25	0.33413	2	10	1.00	1	3	160	0.80235	0.00272	24.98639	53.4608
103	5953	25	0.11922	2	10	1.00	1	3	778	0.28689	0.01324	24.93398	92.75316
104	5864	25	0.09175	2	10	1.00	1	3	965	0.22093	0.01641	24.91821	88.53875
105	103	25	0.26317	2	10	1.00	1	3	2	0.63160	0.00004	24.99981	0.52634
105	5670	25	0.23242	2	10	1.00	1	3	423	0.55860	0.00719	24.96410	98.31366
105	5951	25	0.09036	2	10	1.00	1	3	382	0.21714	0.00650	24.96755	34.51752
105	5953	25	0.30919	2	10	1.00	1	3	136	0.74239	0.00232	24.98840	42.04984
107	5934	25	0.21166	1	10	1.00	100	0	851	0.50946	0.01447	24.92788	180.1227
108	5668	25	0.03900	2	10	1.00	1	3	1381	0.09404	0.02349	24.88309	53.859
108	5764	25	0.11802	2	10	1.00	1	3	275	0.28352	0.00468	24.97663	32.4555
109	110	25	0.26388	2	10	1.00	1	3	1	0.63331	0.00002	24.99988	0.26388
109	111	25	0.16129	2	10	1.00	1	3	1	0.38711	0.00003	24.99987	0.16129
109	5670	25	0.30678	2	10	1.00	1	3	239	0.73687	0.00406	24.97972	73.32042
109	5837	25	0.18827	2	10	1.00	1	3	443	0.45253	0.00753	24.96239	83.40361
110	109	25	0.26388	2	10	1.00	1	3	1	0.63331	0.00002	24.99988	0.26388
110	5671	25	0.10410	2	10	1.00	1	3	941	0.25064	0.01601	24.92023	97.9581
111	109	25	0.16129	2	10	1.00	1	3	1	0.38711	0.00003	24.99987	0.16129

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
111	5677	25	0.07187	2	10	1.00	1	3	807	0.17297	0.01372	24.93159	57.99909
112	22227	25	0.08149	2	10	1.00	1	3	1145	0.19635	0.01948	24.90300	93.30605
113	5683	25	0.17314	2	10	1.00	1	3	1400	0.41751	0.02381	24.88151	242.396
113	5759	25	0.13622	2	10	1.00	1	3	1225	0.32828	0.02084	24.89623	166.8695
114	5752	25	0.22128	2	10	1.00	1	3	1408	0.53362	0.02394	24.88085	311.5622
114	5822	25	0.14642	2	10	1.00	1	3	459	0.35196	0.00780	24.96105	67.20678
115	5689	25	0.11036	2	10	1.00	1	3	196	0.26505	0.00334	24.98332	21.63056
115	5823	25	0.09224	2	10	1.00	1	3	465	0.22174	0.00790	24.96055	42.8916
116	5820	25	0.07337	2	10	1.00	1	3	919	0.17664	0.01562	24.92213	67.42703
117	5748	25	0.04633	2	10	1.00	1	3	403	0.11133	0.00685	24.96580	18.67099
118	5818	25	0.03845	2	10	1.00	1	3	235	0.09236	0.00399	24.98005	9.03575
119	5808	25	0.17042	1	10	1.00	100	3	807	0.41014	0.01372	24.93156	137.5289
119	6007	25	0.11651	1	10	1.00	100	3	246	0.27986	0.00419	24.97909	28.66146
120	5744	25	0.15757	1	10	1.00	100	3	613	0.37897	0.01042	24.94801	96.59041
120	6008	25	0.11952	1	10	1.00	100	3	383	0.28722	0.00651	24.96751	45.77616
121	5744	25	0.13327	2	10	1.00	1	3	0	0.31985	0.00000	25.00000	0
125	5692	25	0.30468	1	10	1.00	100	0	325	0.73205	0.00553	24.97236	99.021
125	6007	25	0.32064	1	10	1.00	100	0	117	0.76985	0.00199	24.99005	37.51488
128	5798	25	0.22538	2	10	1.00	1	3	389	0.54163	0.00661	24.96698	87.67282
129	5794	25	0.04806	2	10	1.00	1	3	329	0.11548	0.00559	24.97206	15.81174
129	5806	25	0.05373	2	10	1.00	1	3	205	0.12905	0.00348	24.98259	11.01465
130	5790	25	0.22222	2	10	1.00	1	3	268	0.53381	0.00455	24.97727	59.55496
130	5810	25	0.13755	2	10	1.00	1	3	155	0.33029	0.00263	24.98684	21.32025
131	5768	25	0.15494	2	10	1.00	1	3	127	0.37201	0.00216	24.98920	19.67738
132	5782	25	0.08811	2	10	1.00	1	3	138	0.21156	0.00235	24.98823	12.15918
132	5800	25	0.13613	2	10	1.00	1	3	305	0.32706	0.00518	24.97411	41.51965
133	5802	25	0.10428	2	10	1.00	1	3	267	0.25050	0.00455	24.97728	27.84276
134	8918	25	0.08306	2	10	1.00	1	3	4527	0.20241	0.07699	24.62088	376.0126
135	5558	25	0.05928	2	10	1.00	1	3	1898	0.14319	0.03229	24.83961	112.5134
135	5646	25	0.09258	2	10	1.00	1	3	25	0.22221	0.00042	24.99788	2.3145
135	8920	25	0.12102	2	10	1.00	1	3	338	0.29077	0.00575	24.97130	40.90476
136	5562	25	0.06705	2	10	1.00	1	3	2116	0.16207	0.03598	24.82139	141.8778
136	5646	25	0.08977	2	10	1.00	1	3	447	0.21578	0.00760	24.96204	40.12719
137	8918	25	0.10348	2	10	1.00	1	3	3919	0.25167	0.06665	24.67114	405.5381
138	5952	25	0.06293	2	10	1.00	1	3	6	0.15104	0.00011	24.99945	0.37758
138	8916	25	0.10902	2	10	1.00	1	3	2048	0.26347	0.03483	24.82708	223.273
138	8937	25	0.10558	2	10	1.00	1	3	1026	0.25428	0.01744	24.91308	108.3251
139	5636	25	0.08716	2	10	1.00	1	3	1413	0.21018	0.02403	24.88041	123.1571
139	5642	25	0.07317	2	10	1.00	1	3	656	0.17601	0.01116	24.94431	47.99952
140	5584	25	0.07799	2	10	1.00	1	3	3126	0.18916	0.05316	24.73701	243.7967
141	5588	25	0.07456	2	10	1.00	1	0	530	0.17926	0.00902	24.95497	39.5168
142	5594	25	0.12059	2	10	1.00	3	3	1110	0.29051	0.01887	24.90600	133.8549
144	8942	25	0.12084	2	10	1.00	1	3	2597	0.29258	0.04417	24.78109	313.8215
150	8650	25	0.06351	2	10	1.00	5	3	384	0.15263	0.00652	24.96743	24.38784
151	5960	25	0.22588	2	10	1.00	5	3	298	0.54267	0.00507	24.97469	67.31224
151	9066	25	0.08409	2	10	1.00	5	3	535	0.20219	0.00910	24.95458	44.98815
152	8676	25	0.18098	2	10	1.00	5	3	530	0.43514	0.00902	24.95500	95.9194
152	8684	25	0.11461	2	10	1.00	5	3	548	0.27558	0.00931	24.95352	62.80628
153	8680	25	0.13249	2	10	1.00	5	3	792	0.31884	0.01348	24.93279	104.9321
154	8708	25	0.11294	2	10	1.00	5	3	416	0.27145	0.00708	24.96466	46.98304
154	9064	25	0.05170	2	10	1.00	5	3	1535	0.12474	0.02611	24.87013	79.3595
155	8706	25	0.03693	2	10	1.00	5	3	58	0.08865	0.00098	24.99508	2.14194
156	8696	25	0.14023	2	10	1.00	5	3	421	0.33703	0.00715	24.96429	59.03683
156	8702	25	0.18939	2	10	1.00	5	3	617	0.45550	0.01050	24.94762	116.8536
157	8694	25	0.07804	2	10	1.00	5	3	681	0.18772	0.01157	24.94227	53.14524
157	9066	25	0.17246	2	10	1.00	5	3	271	0.41429	0.00461	24.97696	46.73666
158	8694	25	0.11984	2	10	1.00	5	3	339	0.28794	0.00577	24.97120	40.62576
159	5506	25	0.20348	2	10	1.00	5	3	533	0.48923	0.00906	24.95479	108.4548
159	8696	25	0.10894	2	10	1.00	5	3	244	0.26168	0.00415	24.97928	26.58136
159	8982	25	0.23800	2	10	1.00	5	3	114	0.57142	0.00193	24.99033	27.132
160	8980	25	0.15503	2	10	1.00	5	3	573	0.37279	0.00974	24.95141	88.83219
160	8996	25	0.15115	2	10	1.00	5	3	506	0.36338	0.00861	24.95701	76.4819
161	5502	25	0.09503	2	10	1.00	5	3	77	0.22814	0.00131	24.99348	7.31731
161	8994	25	0.08437	2	10	1.00	5	3	43	0.20253	0.00074	24.99631	3.62791
162	5500	25	0.07582	2	10	1.00	5	3	231	0.18212	0.00393	24.98037	17.51442
162	8994	25	0.18628	2	10	1.00	5	3	85	0.44720	0.00144	24.99279	15.8338
163	8976	25	0.17425	2	10	1.00	5	3	355	0.41871	0.00604	24.96984	61.85875
163	8996	25	0.16245	2	10	1.00	5	3	446	0.39046	0.00759	24.96212	72.4527
164	8968	25	0.05256	2	10	1.00	5	3	624	0.12642	0.01061	24.94707	32.79744
164	8998	25	0.09004	2	10	1.00	5	3	401	0.21638	0.00681	24.96597	36.10604
165	8970	25	0.09197	2	10	1.00	5	3	228	0.22091	0.00387	24.98065	20.96916
165	8974	25	0.17739	2	10	1.00	5	3	110	0.42589	0.00186	24.99068	19.5129
166	8970	25	0.15124	2	10	1.00	5	3	728	0.36388	0.01238	24.93827	110.1027
167	8646	25	0.14670	2	10	1.00	5	3	129	0.35223	0.00220	24.98900	18.9243
167	8968	25	0.15013	2	10	1.00	5	3	333	0.36073	0.00567	24.97169	49.99329
168	8647	25	0.36069	2	10	1.00	5	3	187	0.86621	0.00317	24.98415	67.44903
168	8983	25	0.22196	2	10	1.00	5	3	1537	0.53549	0.02613	24.87002	341.1525
169	8647	25	0.16274	2	10	1.00	5	3	542	0.39130	0.00921	24.95402	88.20508
170	8682	25	0.09203	2	10	1.00	5	3	224	0.22103	0.00380	24.98099	20.61472
170	9030	25	0.17487	2	10	1.00	5	3	153	0.41991	0.00259	24.98704	26.75511
171	8682	25	0.10106	2	10	1.00	5	3	165	0.24269	0.00280	24.98601	16.6749
171	9034	25	0.08651	2	10	1.00	5	3	133	0.20771	0.00227	24.98866	11.50583
172	8680	25	0.16847	2	10	1.00	5	3	492	0.40501	0.00837	24.95822	82.88724

A	B	SPEED	DISTANCE	SPDCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
172	9034	25	0.17408	2	10	1.00	5	3	1440	0.41984	0.02449	24.87816	250.6752
173	9036	25	0.13011	2	10	1.00	5	3	996	0.31333	0.01694	24.91557	129.5896
174	176	25	0.27881	2	10	1.00	5	3	4	0.66916	0.00007	24.99964	1.11524
174	9567	25	0.29297	2	10	1.00	5	3	364	0.70399	0.00619	24.96910	106.6411
174	9568	25	0.21417	2	10	1.00	5	3	1045	0.51585	0.01777	24.91144	223.8077
175	5960	25	0.17793	2	10	1.00	5	3	269	0.42743	0.00458	24.97711	47.86317
175	5962	25	0.09046	2	10	1.00	5	3	1563	0.21826	0.02658	24.86780	141.389
176	174	25	0.27881	2	10	1.00	5	3	4	0.66916	0.00007	24.99964	1.11524
176	9567	25	0.09403	2	10	1.00	5	3	1084	0.22651	0.01843	24.90817	101.9285
176	9568	25	0.49138	2	10	1.00	5	3	210	1.18015	0.00358	24.98212	103.1898
177	9076	25	0.27982	2	10	1.00	5	3	1295	0.67453	0.02203	24.89033	362.3669
178	8738	25	0.01345	2	10	1.00	5	3	1785	0.03247	0.03036	24.84912	24.00825
179	5962	25	0.09383	2	10	1.00	5	3	1237	0.22613	0.02103	24.89527	116.0677
179	8626	25	0.09488	2	10	1.00	5	3	1487	0.22886	0.02528	24.87422	141.0866
179	8638	25	0.19395	2	10	1.00	5	3	628	0.46647	0.01068	24.94673	121.8006
180	8630	25	0.12309	2	10	1.00	5	3	335	0.29575	0.00569	24.97156	41.23515
180	8634	25	0.18746	2	10	1.00	5	3	454	0.45061	0.00772	24.96147	85.10684
181	5504	25	0.13954	2	10	1.00	5	3	666	0.33566	0.01133	24.94347	92.93364
181	8990	25	0.13974	2	10	1.00	5	3	247	0.33565	0.00420	24.97900	34.51578
182	5504	25	0.33275	2	10	1.00	5	3	115	0.79892	0.00195	24.99026	38.26625
182	8620	25	0.18270	2	10	1.00	5	3	140	0.43870	0.00239	24.98807	25.578
182	8630	25	0.14384	2	10	1.00	5	3	771	0.34611	0.01311	24.93460	110.9006
182	8988	25	0.17129	2	10	1.00	5	3	16	0.41112	0.00027	24.99866	2.74064
183	8622	25	0.15449	2	10	1.00	5	3	276	0.37113	0.00469	24.97657	42.63924
183	8628	25	0.18514	2	10	1.00	5	3	478	0.44505	0.00813	24.95941	88.49692
184	8626	25	0.16543	2	10	1.00	5	3	26	0.39707	0.00044	24.99778	4.30118
184	9074	25	0.04333	2	10	1.00	5	3	807	0.10427	0.01373	24.93156	34.96731
185	9076	25	0.22577	2	10	1.00	5	3	917	0.54353	0.01559	24.92230	207.0311
185	9092	25	0.16435	2	10	1.00	5	3	277	0.39482	0.00471	24.97647	45.52495
186	9080	25	0.06950	2	10	1.00	5	3	406	0.16703	0.00691	24.96549	28.217
186	9090	25	0.05417	2	10	1.00	5	3	207	0.13010	0.00352	24.98244	11.21319
187	9084	25	0.05710	2	10	1.00	5	3	1732	0.13784	0.02946	24.85357	98.8972
187	9090	25	0.12686	2	10	1.00	5	3	701	0.30518	0.01192	24.94055	88.92886
188	9090	25	0.15604	2	10	1.00	5	3	289	0.37486	0.00492	24.97542	45.09556
189	9086	25	0.15304	2	10	1.00	5	3	1739	0.36947	0.02958	24.85299	266.1366
189	9090	25	0.33320	2	10	1.00	5	3	258	0.80039	0.00439	24.97808	85.9656
190	8604	25	0.25043	2	10	1.00	5	3	1796	0.60471	0.03055	24.84818	449.7723
191	9092	25	0.12473	2	10	1.00	5	3	536	0.29991	0.00911	24.95452	66.85528
192	9096	25	0.10134	2	10	1.00	5	3	1446	0.24442	0.02460	24.87762	146.5376
193	8616	25	0.15870	2	10	1.00	5	3	0	0.38088	0.00000	25.00000	0
193	8628	25	0.09012	2	10	1.00	5	3	0	0.21629	0.00000	25.00000	0
194	8610	25	0.14212	2	10	1.00	5	3	267	0.34140	0.00454	24.97733	37.94604
194	8614	25	0.15634	2	10	1.00	5	3	103	0.37536	0.00174	24.99128	16.10302
195	8642	25	0.12584	2	10	1.00	5	3	1058	0.30310	0.01800	24.91032	133.1387
196	5500	25	0.20681	2	10	1.00	5	3	470	0.49715	0.00800	24.96008	97.2007
196	8990	25	0.16287	2	10	1.00	5	3	233	0.39119	0.00397	24.98019	37.94871
197	5500	25	0.20456	2	10	1.00	5	3	123	0.49114	0.00209	24.98956	25.16088
197	6005	25	0.05168	2	10	1.00	5	3	208	0.12411	0.00354	24.98232	10.74944
198	6005	25	0.27027	2	10	1.00	5	3	170	0.64902	0.00289	24.98557	45.9459
198	8614	25	0.09756	2	10	1.00	5	3	978	0.23491	0.01664	24.91709	95.41368
198	8988	25	0.24286	2	10	1.00	5	3	86	0.58302	0.00146	24.99269	20.88596
200	8600	25	0.10159	2	10	1.00	5	3	75	0.24388	0.00128	24.99360	7.61925
200	8610	25	0.29169	2	10	1.00	5	3	29	0.70011	0.00049	24.99756	8.45901
201	8600	25	0.22994	2	10	1.00	5	3	2872	0.55725	0.04884	24.75819	660.3877
201	8602	25	0.34444	2	10	1.00	5	3	691	0.82859	0.01175	24.94140	238.008
202	8606	25	0.22921	2	10	1.00	5	3	2229	0.55428	0.03791	24.81187	510.9091
203	8611	25	0.08638	2	10	1.00	6	3	0	0.20732	0.00000	25.00000	0
203	9085	25	0.09862	2	10	1.00	6	3	0	0.23668	0.00000	25.00000	0
204	6003	25	0.22121	2	10	1.00	6	3	0	0.53089	0.00000	25.00000	0
204	9099	25	0.23922	2	10	1.00	6	3	0	0.57414	0.00000	25.00000	0
205	8667	25	0.10817	2	10	1.00	7	3	569	0.26011	0.00968	24.95168	61.54873
205	8669	25	0.11747	2	10	1.00	7	3	1228	0.28310	0.02089	24.89597	144.2532
206	6003	25	0.34060	2	10	1.00	6	3	4673	0.83042	0.07947	24.60888	1591.624
207	8629	25	0.15246	2	10	1.00	7	3	498	0.36653	0.00846	24.95776	75.92508
208	8603	25	0.16392	2	10	1.00	6	3	868	0.39457	0.01477	24.92638	142.2826
208	9071	25	0.08980	2	10	1.00	6	3	1044	0.21629	0.01776	24.91153	93.7512
208	9095	25	0.34594	2	10	1.00	6	3	1569	0.83468	0.02668	24.86732	542.7799
209	9071	25	0.28720	2	10	1.00	6	3	2248	0.69455	0.03822	24.81033	645.6256
209	9075	25	0.61256	2	10	1.00	6	3	1844	1.47936	0.03136	24.84419	1129.561
210	5516	25	0.32283	2	10	1.00	4	3	12172	0.80686	0.20701	24.00608	3929.487
211	5650	25	0.10824	2	10	1.00	4	3	7708	0.26659	0.13109	24.36132	834.3139
212	5524	25	0.06349	2	10	1.00	4	3	272	0.15252	0.00463	24.97687	17.26928
212	5648	25	0.07625	2	10	1.00	4	3	189	0.18311	0.00321	24.98396	14.41125
213	5520	25	0.15218	2	10	1.00	4	3	241	0.36552	0.00409	24.97956	36.67538
213	5526	25	0.09035	2	10	1.00	4	3	535	0.21723	0.00911	24.95455	48.33725
214	5518	25	0.17614	2	10	1.00	4	3	559	0.42355	0.00950	24.95259	98.46226
214	5528	25	0.24093	2	10	1.00	4	3	127	0.57848	0.00215	24.98924	30.59811
214	9054	25	0.15300	2	10	1.00	4	3	906	0.36832	0.01541	24.92320	138.618
215	5532	25	0.15861	2	10	1.00	4	3	1357	0.38243	0.02308	24.88511	215.2338
216	5524	25	0.13744	2	10	1.00	4	3	1419	0.33145	0.02413	24.87995	195.0274
216	8746	25	0.09852	2	10	1.00	4	3	611	0.23693	0.01039	24.94816	60.19572
217	5534	25	0.05053	2	10	1.00	4	3	1043	0.12171	0.01774	24.91160	52.70279
218	8742	25	0.02867	2	10	1.00	4	3	983	0.06905	0.01672	24.91667	28.18261

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
219	8744	25	0.08025	2	10	1.00	4	3	641	0.19302	0.01090	24.94562	51.44025
220	8890	25	0.10804	2	10	1.00	4	3	957	0.26013	0.01627	24.91889	103.3943
221	5648	25	0.07684	2	10	1.00	4	3	1793	0.18555	0.03049	24.84848	137.7741
221	5958	25	0.07898	2	10	1.00	4	3	841	0.19009	0.01430	24.92871	66.42218
222	8892	25	0.12758	2	10	1.00	4	3	1995	0.30827	0.03393	24.83149	254.5221
223	8894	25	0.13701	2	10	1.00	4	3	6186	0.33574	0.10520	24.48484	847.5439
224	9803	25	0.04186	2	10	1.00	4	3	9920	0.10385	0.16871	24.18398	415.2512
225	8886	25	0.15475	2	10	1.00	4	3	1156	0.37287	0.01966	24.90211	178.891
226	8758	25	0.15314	2	10	1.00	4	3	764	0.36848	0.01299	24.93521	116.999
227	8880	25	0.05549	2	10	1.00	4	3	876	0.13358	0.01490	24.92574	48.60924
228	5954	25	0.09156	2	10	1.00	4	3	2860	0.22189	0.04865	24.75912	261.8616
228	8762	25	0.18209	2	10	1.00	4	3	52	0.43710	0.00088	24.99562	9.46868
229	5954	25	0.18856	2	10	1.00	4	3	1297	0.45454	0.02206	24.89019	244.5623
229	8761	25	0.10892	2	10	1.00	4	3	2122	0.26329	0.03608	24.82088	231.1282
229	8831	25	0.10722	2	10	1.00	4	3	1513	0.25866	0.02573	24.87201	162.2239
230	8765	25	0.15563	2	10	1.00	4	3	0	0.37351	0.00000	25.00000	0
231	8828	25	0.30377	2	10	1.00	4	3	0	0.72904	0.00000	25.00000	0
232	8834	25	0.14436	2	10	1.00	4	3	6678	0.35433	0.11357	24.44477	964.0361
232	8898	25	0.11890	2	10	1.00	4	3	11300	0.29634	0.19217	24.07471	1343.57
233	8898	25	0.32330	2	10	1.00	4	3	2339	0.78208	0.03978	24.80269	756.1987
234	8758	25	0.22142	2	10	1.00	4	3	5244	0.54089	0.08919	24.56188	1161.126
234	8760	25	0.19716	2	10	1.00	4	3	7960	0.48599	0.13538	24.34094	1569.394
234	8767	25	0.18775	2	10	1.00	4	3	0	0.45060	0.00000	25.00000	0
234	8836	25	0.21270	2	10	1.00	4	3	7386	0.52330	0.12561	24.38735	1571.002
237	3587	20	0.19558	3	10	3.00	0	3	55	0.58677	0.00031	19.99875	10.7569
237	9555	20	0.06707	3	10	3.00	0	3	4410	0.20222	0.02500	19.90050	295.7787
238	3457	20	0.06510	3	10	3.00	0	3	5724	0.19655	0.03245	19.87103	372.6324
238	3458	20	0.12401	3	10	3.00	0	3	69	0.37206	0.00039	19.99843	8.55669
239	3460	20	0.05142	3	10	3.00	0	3	2418	0.15468	0.01370	19.94533	124.3336
240	3468	20	0.08040	3	10	3.00	0	3	638	0.24137	0.00362	19.98555	51.2952
241	3467	20	0.05389	3	10	3.00	0	3	809	0.16182	0.00459	19.98166	43.59701
242	3465	20	0.10373	3	10	3.00	0	3	179	0.31125	0.00102	19.99593	18.56767
242	3467	20	0.11858	3	10	3.00	0	3	135	0.35578	0.00077	19.99693	16.0083
243	3465	20	0.13141	3	10	3.00	0	3	115	0.39429	0.00065	19.99740	15.11215
243	3595	20	0.13692	3	10	3.00	0	3	401	0.41096	0.00227	19.99091	54.90492
244	3466	20	0.17525	3	10	3.00	0	3	295	0.52591	0.00168	19.99330	51.69875
244	3595	20	0.13776	3	10	3.00	0	3	252	0.41341	0.00143	19.99430	34.71552
244	3596	20	0.21910	3	10	3.00	0	3	0	0.65729	0.00000	20.00000	0
245	3469	20	0.14929	3	10	3.00	0	3	193	0.44797	0.00109	19.99563	28.81297
245	3596	20	0.08842	3	10	3.00	0	3	493	0.26540	0.00279	19.98884	43.59106
246	3469	20	0.04369	3	10	3.00	0	3	336	0.13113	0.00191	19.99237	14.67984
247	3470	20	0.05124	3	10	3.00	0	3	521	0.15382	0.00295	19.98819	26.69604
248	3588	25	0.14634	2	10	1.00	4	3	6379	0.35884	0.10848	24.46910	933.5029
249	3456	20	0.12739	3	10	3.00	0	3	1530	0.38284	0.00868	19.96536	194.9067
249	9555	20	0.11774	3	10	3.00	0	3	1698	0.35390	0.00963	19.96157	199.9225
250	5566	25	0.07944	2	10	1.00	3	3	2111	0.19202	0.03590	24.82176	167.6978
250	5630	25	0.16269	2	10	1.00	3	3	1967	0.39307	0.03345	24.83385	320.0112
251	5638	25	0.08464	2	10	1.00	3	3	2501	0.20487	0.04254	24.78912	211.6846
252	8910	25	0.18385	2	10	1.00	3	3	8073	0.45334	0.13729	24.33189	1484.221
253	5616	25	0.07651	2	10	1.00	3	3	1622	0.18465	0.02759	24.86283	124.0992
254	6010	25	0.09637	2	10	1.00	3	3	677	0.23183	0.01151	24.94260	65.24249
254	8912	25	0.08953	2	10	1.00	3	3	1795	0.21620	0.03053	24.84827	160.7064
255	6010	25	0.13359	2	10	1.00	3	3	3050	0.32394	0.05187	24.74333	407.4495
255	8904	25	0.17492	2	10	1.00	3	3	1591	0.42209	0.02706	24.86544	278.2977
256	5572	25	0.10010	2	10	1.00	3	3	1897	0.24179	0.03226	24.83972	189.8897
256	5626	25	0.18182	2	10	1.00	3	3	4679	0.44331	0.07957	24.60839	850.7358
256	5630	25	0.14477	2	10	1.00	3	3	5558	0.35401	0.09453	24.53611	804.6317
256	5640	25	0.17233	2	10	1.00	3	3	7911	0.42471	0.13454	24.34493	1363.303
257	5622	25	0.11802	2	10	1.00	3	3	29	0.28329	0.00049	24.99755	3.42258
257	5634	25	0.11674	2	10	1.00	3	3	1438	0.28155	0.02445	24.87836	167.8721
257	5640	25	0.08739	2	10	1.00	3	3	1707	0.21095	0.02903	24.85571	149.1747
258	13976	25	0.07499	2	10	1.00	3	3	2684	0.18163	0.04565	24.77379	201.2732
258	15250	25	0.10660	2	10	1.00	3	3	1335	0.25700	0.02271	24.88699	142.311
258	25043	25	0.12902	2	10	1.00	3	3	14	0.30965	0.00023	24.99883	1.80628
259	5622	25	0.05814	2	10	1.00	3	3	3690	0.14128	0.06275	24.69012	214.5366
260	5576	25	0.09825	2	10	1.00	3	3	3110	0.23830	0.05289	24.73834	305.5575
260	5626	25	0.14006	2	10	1.00	3	3	3110	0.33970	0.05289	24.73831	435.5866
261	5600	25	0.11276	2	10	1.00	3	3	1815	0.27230	0.03087	24.84658	204.6594
262	5582	25	0.07184	2	10	1.00	3	3	772	0.17288	0.01313	24.93450	55.46048
262	5950	25	0.12601	2	10	1.00	3	3	1665	0.30413	0.02831	24.85923	209.8067
263	5606	25	0.15418	2	10	1.00	3	3	240	0.37034	0.00408	24.97964	37.0032
263	5628	25	0.15865	2	10	1.00	3	3	418	0.38130	0.00712	24.96447	66.3157
263	25044	25	0.16065	2	10	1.00	3	3	785	0.38660	0.01335	24.93344	126.1103
264	5602	25	0.15844	2	10	1.00	3	3	2604	0.38364	0.04428	24.78053	412.5778
267	5596	25	0.10181	2	10	1.00	3	3	494	0.24474	0.00839	24.95810	50.29414
268	5590	25	0.13082	2	10	1.00	3	0	319	0.31432	0.00543	24.97289	41.73158
268	5594	25	0.22087	2	10	1.00	3	3	380	0.53077	0.00647	24.96771	83.9306
270	5614	25	0.10485	2	10	1.00	3	3	853	0.25236	0.01451	24.92765	89.43705
270	8904	25	0.15018	2	10	1.00	3	3	727	0.36131	0.01236	24.93837	109.1809
271	8770	25	0.02758	2	10	1.00	3	3	1148	0.06644	0.01952	24.90278	31.66184
272	8938	25	0.10301	2	10	1.00	3	3	5776	0.25209	0.09824	24.51828	594.9858
273	5555	25	0.12084	2	10	1.00	3	3	12509	0.30236	0.21274	23.97969	1511.588
275	3352	20	0.30548	3	10	3.00	0	3	261	0.91670	0.00148	19.99409	79.73028

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
275	3683	20	0.22959	3	10	3.00	0	0	39	0.68881	0.00022	19.99912	8.95401
281	5778	25	0.03272	2	10	1.00	2	3	3010	0.07933	0.05119	24.74666	98.4872
282	5572	25	0.12863	2	10	1.00	2	3	1510	0.31029	0.02569	24.87222	194.2313
282	5780	25	0.04021	2	10	1.00	2	3	293	0.09659	0.00499	24.97509	11.78153
283	5730	25	0.08384	2	10	1.00	2	3	980	0.20187	0.01667	24.91694	82.1632
284	5784	25	0.16193	2	10	1.00	2	3	156	0.38884	0.00266	24.98673	25.26108
285	5786	25	0.15307	2	10	1.00	2	3	496	0.36799	0.00844	24.95789	75.92272
286	5790	25	0.12132	2	10	1.00	2	3	7	0.29117	0.00012	24.99939	0.84924
287	5576	25	0.09753	2	10	1.00	2	3	68	0.23413	0.00116	24.99422	6.63204
287	5578	25	0.17027	2	10	1.00	2	3	1055	0.41012	0.01795	24.91059	179.6349
287	5728	25	0.20307	2	10	1.00	2	3	2701	0.49185	0.04593	24.77244	548.4921
288	5732	25	0.09670	2	10	1.00	2	3	876	0.23277	0.01489	24.92575	84.7092
289	9562	25	0.08071	2	10	1.00	2	3	1508	0.19469	0.02564	24.87244	121.7107
290	5716	25	0.09375	2	10	1.00	2	3	136	0.22510	0.00232	24.98841	12.75
290	5736	25	0.07633	2	10	1.00	2	3	90	0.18324	0.00154	24.99232	6.8697
291	5734	25	0.13343	2	10	1.00	2	3	357	0.32061	0.00608	24.96965	47.63451
291	5814	25	0.11976	2	10	1.00	2	3	129	0.28755	0.00219	24.98907	15.44904
292	5736	25	0.12502	2	10	1.00	2	3	280	0.30034	0.00477	24.97620	35.0056
292	5816	25	0.03339	2	10	1.00	2	3	112	0.08017	0.00190	24.99052	3.73968
293	5816	25	0.10616	2	10	1.00	2	3	452	0.25517	0.00769	24.96163	47.98432
294	5582	25	0.11441	2	10	1.00	2	3	2439	0.27685	0.04148	24.79432	279.046
294	9563	25	0.13929	2	10	1.00	2	3	517	0.33487	0.00879	24.95611	72.01293
295	297	25	0.24676	2	10	1.00	2	3	46	0.59232	0.00078	24.99611	11.35096
295	9563	25	0.17538	2	10	1.00	2	3	1355	0.42285	0.02305	24.88527	237.6399
295	9564	25	0.32542	2	10	1.00	2	3	487	0.78229	0.00828	24.95868	158.4795
296	5584	25	0.15092	2	10	1.00	2	3	1749	0.36437	0.02975	24.85214	263.9591
296	6011	25	0.10931	2	10	1.00	2	3	12	0.26235	0.00020	24.99898	1.31172
296	9564	25	0.18762	2	10	1.00	2	3	1034	0.45188	0.01759	24.91236	193.9991
297	295	25	0.24676	2	10	1.00	2	3	46	0.59232	0.00078	24.99611	11.35096
297	9563	25	0.41996	2	10	1.00	2	3	1227	1.01212	0.02087	24.89606	515.2909
297	9564	25	0.10188	2	10	1.00	2	3	1956	0.24614	0.03327	24.83474	199.2773
298	5716	25	0.22804	2	10	1.00	2	3	653	0.54850	0.01110	24.94463	148.9101
298	5740	25	0.12022	2	10	1.00	2	3	557	0.28908	0.00947	24.95275	66.96254
299	5722	25	0.32974	2	10	1.00	2	3	167	0.79182	0.00283	24.98585	55.06658
299	5740	25	0.15714	2	10	1.00	2	3	1029	0.37847	0.01751	24.91277	161.6971
300	5722	25	0.05279	2	10	1.00	2	3	516	0.12693	0.00878	24.95618	27.23964
300	5738	25	0.24729	2	10	1.00	2	3	110	0.59371	0.00188	24.99062	27.2019
301	5722	25	0.13224	2	10	1.00	2	3	241	0.31763	0.00409	24.97956	31.86984
301	5810	25	0.13141	2	10	1.00	2	3	57	0.31545	0.00097	24.99516	7.49037
302	5726	25	0.15229	2	10	1.00	2	3	237	0.36580	0.00403	24.97986	36.09273
302	5812	25	0.15566	2	10	1.00	2	3	54	0.37366	0.00092	24.99541	8.40564
303	5726	25	0.08860	2	10	1.00	2	3	82	0.21269	0.00140	24.99302	7.2652
304	5690	25	0.08788	2	10	1.00	2	3	424	0.21121	0.00720	24.96404	37.26112
304	5726	25	0.09073	2	10	1.00	2	3	302	0.21798	0.00514	24.97432	27.40046
305	5684	25	0.06728	2	10	1.00	2	3	2514	0.16285	0.04275	24.78806	169.1419
305	5702	25	0.16686	2	10	1.00	2	0	178	0.40071	0.00304	24.98483	29.70108
306	5701	25	0.14301	2	10	1.00	2	3	523	0.34385	0.00889	24.95564	74.79423
306	5703	25	0.08804	2	10	1.00	2	3	264	0.21149	0.00449	24.97758	23.24256
307	5703	25	0.12663	2	10	1.00	2	3	367	0.30429	0.00623	24.96887	46.47321
307	5706	25	0.09852	2	10	1.00	2	3	145	0.23655	0.00246	24.98772	14.2854
308	5705	25	0.30354	2	10	1.00	2	3	575	0.72992	0.00978	24.95119	174.5355
309	5694	25	0.06432	2	10	1.00	2	3	247	0.15450	0.00420	24.97901	15.88704
310	5710	25	0.14042	2	10	1.00	2	3	413	0.33748	0.00703	24.96490	57.99346
311	5712	25	0.07167	2	10	1.00	2	0	132	0.17209	0.00225	24.98875	9.46044
312	5712	25	0.33594	2	10	1.00	2	0	908	0.80874	0.01545	24.92300	305.0335
313	8671	25	0.07796	2	10	1.00	7	3	901	0.18769	0.01532	24.92366	70.24196
314	8635	25	0.14087	2	10	1.00	7	3	957	0.33919	0.01627	24.91892	134.8126
315	8673	25	0.06120	2	10	1.00	7	3	1058	0.14742	0.01799	24.91036	64.7496
315	8677	25	0.59157	2	10	1.00	7	3	7	1.41979	0.00012	24.99940	4.14099
316	8675	25	0.11957	2	10	1.00	7	3	353	0.28731	0.00601	24.97001	42.20821
317	8633	25	0.18745	2	10	1.00	7	3	596	0.45078	0.01013	24.94944	111.7202
318	8631	25	0.21085	2	10	1.00	7	3	787	0.50738	0.01338	24.93328	165.939
319	8637	25	0.07296	2	10	1.00	7	3	1252	0.17586	0.02129	24.89401	91.34592
320	8740	25	0.12796	2	10	1.00	1	3	175	0.30730	0.00298	24.98509	22.393
320	9040	25	0.13308	2	10	1.00	1	3	166	0.31956	0.00282	24.98590	22.09128
321	6004	25	0.15538	2	10	1.00	1	3	636	0.37372	0.01081	24.94607	98.82168
321	8740	25	0.15277	2	10	1.00	1	3	1360	0.36834	0.02312	24.88492	207.7672
321	9046	25	0.10715	2	10	1.00	1	3	2572	0.25942	0.04375	24.78315	275.5898
322	5510	25	0.26877	2	10	1.00	1	3	757	0.64671	0.01288	24.93578	203.4589
322	9052	25	0.15156	2	10	1.00	1	3	3597	0.36820	0.06117	24.69783	545.1613
323	5509	25	0.13876	2	10	1.00	1	3	3231	0.33669	0.05495	24.72824	448.3336
323	24840	25	0.13749	2	10	1.00	1	3	2425	0.33269	0.04124	24.79549	333.4133
324	27043	25	0.09062	2	10	1.00	1	3	1867	0.21888	0.03175	24.84224	169.1875
325	9561	25	0.12367	2	10	1.00	1	3	3178	0.30001	0.05404	24.73269	393.0233
326	9086	25	0.15524	2	10	1.00	1	3	5288	0.37928	0.08993	24.55829	820.9091
326	9093	25	0.26096	2	10	1.00	1	3	2342	0.63130	0.03984	24.80239	611.1683
327	9088	25	0.17376	2	10	1.00	1	3	2416	0.42045	0.04109	24.79621	419.8042
328	5660	25	0.22084	2	10	1.00	1	3	4123	0.53745	0.07012	24.65423	910.5233
329	6003	25	0.14239	2	10	1.00	6	3	1662	0.34367	0.02827	24.85944	236.6522
329	9078	25	0.15099	2	10	1.00	6	3	1896	0.36471	0.03224	24.83985	286.277
330	8723	25	0.23545	2	10	1.00	1	3	3530	0.57186	0.06004	24.70338	831.1385
331	9075	25	0.35885	2	10	1.00	6	3	2003	0.86711	0.03406	24.83084	718.7766
331	9077	25	0.22137	2	10	1.00	6	3	66	0.53140	0.00113	24.99437	14.61042

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
331	9078	25	0.19434	2	10	1.00	6	3	3710	0.47231	0.06310	24.68844	721.0014
332	8723	25	0.08392	2	10	1.00	1	3	7577	0.20660	0.12886	24.37187	635.8618
333	9615	25	0.14133	2	10	1.00	0	3	668	0.33997	0.01136	24.94333	94.40844
502	8978	20	0.21281	1	10	3.00	100	0	733	0.63897	0.00415	19.98340	155.9897
616	5704	20	0.03096	1	10	3.00	100	0	2121	0.09311	0.01202	19.95203	65.66616
877	5557	20	0.06631	3	10	3.00	0	3	351	0.19900	0.00199	19.99204	23.27481
877	8769	20	0.04544	3	10	3.00	0	3	778	0.13644	0.00441	19.98237	35.35232
879	5563	20	0.10091	3	10	3.00	0	3	748	0.30300	0.00424	19.98306	75.48068
880	5563	25	0.08951	3	10	1.00	0	3	1842	0.21618	0.03133	24.84433	164.8774
880	5619	20	0.07415	3	10	3.00	0	3	560	0.22260	0.00318	19.98731	41.524
881	5621	20	0.23051	3	10	3.00	0	3	1678	0.69285	0.00951	19.96202	386.7958
882	3348	20	0.17992	3	10	3.00	0	3	702	0.54020	0.00398	19.98410	126.3038
882	3350	20	0.14923	3	10	3.00	0	3	9	0.44769	0.00005	19.99981	1.34307
883	5615	20	0.22655	3	10	3.00	0	3	1515	0.68081	0.00859	19.96571	343.2233
884	5610	20	0.08804	3	10	3.00	0	3	603	0.26431	0.00342	19.98634	53.08812
885	5561	20	0.09611	3	10	3.00	0	3	3074	0.28934	0.01743	19.93054	295.4421
885	5619	20	0.16635	3	10	3.00	0	3	184	0.49915	0.00104	19.99582	30.6084
886	5625	20	0.05279	3	10	3.00	0	3	1430	0.15864	0.00811	19.96762	75.4897
887	5602	20	0.14331	3	10	3.00	0	3	574	0.43021	0.00325	19.98700	82.25994
888	3108	20	0.25834	3	10	3.00	0	0	1503	0.77634	0.00852	19.96597	388.285
889	5623	20	0.05952	3	10	3.00	0	3	417	0.17865	0.00236	19.99055	24.81984
890	5605	20	0.14493	3	10	3.00	0	3	64	0.43482	0.00036	19.99854	9.27552
890	5609	20	0.14109	3	10	3.00	0	3	386	0.42346	0.00219	19.99126	54.46074
891	5605	20	0.11545	3	10	3.00	0	3	450	0.34651	0.00255	19.98981	51.9525
891	5613	20	0.25134	3	10	3.00	0	3	601	0.75454	0.00340	19.98639	151.0553
892	5613	20	0.08241	3	10	3.00	0	3	437	0.24735	0.00248	19.99010	36.01317
893	5611	20	0.16524	3	10	3.00	0	3	538	0.49601	0.00305	19.98780	88.89912
894	3352	20	0.13004	3	10	3.00	0	3	346	0.39026	0.00196	19.99215	44.99384
900	3447	20	0.09160	3	10	3.00	0	3	1062	0.27513	0.00602	19.97595	97.2792
900	3449	20	0.23521	3	10	3.00	0	3	2	0.70563	0.00001	19.99995	0.47042
901	3449	20	0.13853	3	10	3.00	0	3	246	0.41570	0.00139	19.99443	34.07838
901	3450	20	0.14754	3	10	3.00	0	3	394	0.44283	0.00223	19.99107	58.13076
901	3451	20	0.16592	3	10	3.00	0	3	105	0.49782	0.00059	19.99762	17.4216
902	3451	20	0.22403	3	10	3.00	0	3	1	0.67210	0.00000	19.99998	0.22403
902	3470	20	0.08858	3	10	3.00	0	3	642	0.26592	0.00364	19.98545	56.86836
903	3445	20	0.07309	3	10	3.00	0	3	812	0.21947	0.00460	19.98161	59.34908
903	3449	20	0.09036	3	10	3.00	0	3	2	0.27107	0.00001	19.99995	0.18072
903	3450	20	0.13035	3	10	3.00	0	3	0	0.39104	0.00000	19.99999	0
904	3450	20	0.16178	3	10	3.00	0	3	9	0.48536	0.00005	19.99979	1.45602
904	3451	20	0.11557	3	10	3.00	0	3	1	0.34672	0.00000	19.99998	0.11557
904	3460	20	0.09608	3	10	3.00	0	3	412	0.28837	0.00234	19.99066	39.58496
905	3444	20	0.10449	3	10	3.00	0	3	2131	0.31423	0.01208	19.95181	222.6682
906	3447	20	0.08040	3	10	3.00	0	3	3137	0.24206	0.01778	19.92912	252.2148
907	3445	20	0.07719	3	10	3.00	0	3	4547	0.23277	0.02577	19.89743	350.9829
908	3727	25	0.13674	2	10	1.00	0	3	2015	0.33042	0.03426	24.82984	275.5311
909	3727	25	0.12580	2	10	1.00	0	3	486	0.30241	0.00827	24.95870	61.1388
910	3734	25	0.07702	2	10	1.00	0	3	11	0.18485	0.00019	24.99906	0.84722
910	3758	25	0.05580	2	10	1.00	0	3	77	0.13396	0.00130	24.99349	4.2966
911	3733	25	0.11304	2	10	1.00	0	3	101	0.27139	0.00172	24.99141	11.41704
911	3737	25	0.15259	2	10	1.00	0	3	720	0.36711	0.01224	24.93894	109.8648
912	3732	25	0.07955	2	10	1.00	0	3	1686	0.19202	0.02867	24.85746	134.1213
912	3737	25	0.11716	2	10	1.00	0	3	1562	0.28268	0.02656	24.86792	183.0039
913	3717	25	0.08917	2	10	1.00	0	3	905	0.21467	0.01539	24.92328	80.69885
913	3730	25	0.09717	2	10	1.00	0	3	236	0.23338	0.00401	24.97998	22.93212
914	3730	25	0.14047	2	10	1.00	0	3	1706	0.33908	0.02902	24.85574	239.6418
915	3751	25	0.09622	2	10	1.00	0	3	687	0.23147	0.01168	24.94172	66.10314
915	3753	25	0.12528	2	10	1.00	0	3	24	0.30069	0.00041	24.99796	3.00672
915	8611	25	0.09425	2	10	1.00	0	3	1267	0.22716	0.02156	24.89269	119.4148
916	3755	25	0.11912	2	10	1.00	0	3	353	0.28624	0.00600	24.97003	42.04936
916	8613	25	0.12405	2	10	1.00	0	3	113	0.29784	0.00192	24.99042	14.01765
917	8613	25	0.08565	2	10	1.00	0	3	782	0.20610	0.01329	24.93371	66.9783
918	3756	25	0.14810	2	10	1.00	0	3	140	0.35561	0.00237	24.98814	20.734
918	8607	25	0.12876	2	10	1.00	0	3	752	0.30982	0.01279	24.93620	96.82752
919	3759	25	0.08274	2	10	1.00	0	3	739	0.19908	0.01256	24.93736	61.14486
920	3761	25	0.10199	2	10	1.00	0	3	1534	0.24604	0.02609	24.87023	156.4527
921	3763	25	0.10373	2	10	1.00	0	3	350	0.24925	0.00595	24.97029	36.3055
921	8608	25	0.23597	2	10	1.00	0	3	274	0.56686	0.00466	24.97670	64.65578
922	8608	25	0.13554	2	10	1.00	0	3	641	0.32601	0.01090	24.94560	86.88114
923	3739	20	0.06950	2	10	1.00	0	3	317	0.20873	0.00539	19.97845	22.0315
924	3736	20	0.14760	2	10	1.00	0	3	454	0.44348	0.00771	19.96919	67.0104
924	3739	20	0.24738	2	10	1.00	0	3	230	0.74273	0.00392	19.98434	56.8974
925	3743	20	0.29123	2	10	1.00	0	3	721	0.87583	0.01227	19.95104	209.9768
926	8669	25	0.07228	2	10	1.00	7	3	3040	0.17527	0.05170	24.74414	219.7312
927	7359	25	0.04222	2	10	1.00	0	3	405	0.10146	0.00688	24.96563	17.0991
928	8679	25	0.11750	2	10	1.00	0	3	1214	0.28317	0.02064	24.89721	142.645
929	8625	25	0.08951	2	10	1.00	0	3	615	0.21528	0.01046	24.94781	55.04865
929	8661	25	0.09928	2	10	1.00	0	3	1	0.23827	0.00001	24.99993	0.09928
930	3765	25	0.16884	2	10	1.00	0	3	1119	0.40676	0.01904	24.90517	188.932
930	3767	25	0.09726	2	10	1.00	0	3	850	0.23411	0.01445	24.92795	82.671
931	3769	20	0.14551	2	10	1.00	0	3	1005	0.43803	0.01709	19.93188	146.2376
932	3771	20	0.12038	2	10	1.00	0	3	488	0.36174	0.00830	19.96684	58.74544
932	8648	20	0.10354	2	10	1.00	0	3	62	0.31070	0.00105	19.99579	6.41948
933	8981	25	0.05363	2	10	1.00	0	3	0	0.12872	0.00000	25.00000	0

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
934	8989	25	0.06036	2	10	1.00	0	3	163	0.14494	0.00278	24.98612	9.83868
935	3769	25	0.09076	2	10	1.00	0	3	1324	0.21880	0.02251	24.88795	120.1662
936	8621	20	0.11419	2	10	1.00	0	0	747	0.34343	0.01270	19.94931	85.29993
937	9104	20	0.13919	2	10	1.00	0	3	1155	0.41921	0.01965	19.92171	160.7645
938	3736	20	0.27206	2	10	1.00	0	3	1060	0.81911	0.01802	19.92816	288.3836
938	9104	20	0.17427	2	10	1.00	0	3	535	0.52375	0.00910	19.96367	93.23445
939	9101	20	0.08703	2	10	1.00	0	3	187	0.26126	0.00318	19.98731	16.27461
939	9103	20	0.12589	2	10	1.00	0	3	114	0.37782	0.00193	19.99228	14.35146
940	3707	20	0.08705	2	10	1.00	0	3	183	0.26131	0.00312	19.98754	15.93015
940	9102	20	0.06686	2	10	1.00	0	3	144	0.20067	0.00244	19.99024	9.62784
1100	15058	20	0.10189	2	10	1.00	0	0	1424	0.30716	0.02422	19.90358	145.0914
1100	23338	20	0.12735	2	10	1.00	0	0	1405	0.38387	0.02389	19.90490	178.9268
1101	25087	20	0.13718	2	10	1.00	7	0	1443	0.41356	0.02454	19.90232	197.9507
1102	3716	20	0.23538	2	10	1.00	7	3	878	0.70825	0.01493	19.94046	206.6636
1102	9584	20	0.29424	2	10	1.00	7	3	1231	0.88641	0.02093	19.91664	362.2094
1103	9364	20	0.14929	2	10	1.00	7	3	281	0.44830	0.00479	19.98088	41.95049
1103	25067	20	0.13418	2	10	1.00	7	3	1385	0.40442	0.02355	19.90625	185.8393
1103	25079	20	0.23913	2	10	1.00	7	3	7	0.71740	0.00013	19.99949	1.67391
1104	25063	20	0.10372	2	10	1.00	7	3	105	0.31126	0.00179	19.99284	10.8906
1104	25074	20	0.08253	2	10	1.00	7	3	202	0.24775	0.00343	19.98628	16.67106
1104	25081	20	0.11049	2	10	1.00	7	3	5	0.33146	0.00008	19.99968	0.55245
1105	25067	20	0.14744	2	10	1.00	7	3	6	0.44234	0.00010	19.99962	0.88464
1105	25069	20	0.16449	2	10	1.00	7	3	48	0.49356	0.00081	19.99676	7.89552
1105	25078	20	0.09665	2	10	1.00	7	3	844	0.29079	0.01435	19.94277	81.5726
1106	3708	20	0.18200	2	10	1.00	0	3	1842	0.54942	0.03132	19.87550	335.244
1106	25049	20	0.12337	2	10	1.00	0	3	1634	0.37218	0.02779	19.88945	201.5866
1107	8663	20	0.24058	2	10	1.00	7	3	2564	0.72803	0.04360	19.82712	616.8471
1107	9585	20	0.26635	2	10	1.00	7	3	2902	0.80694	0.04935	19.80451	772.9477
1109	9595	20	0.41260	2	10	1.00	0	0	54	1.23801	0.00093	19.99630	22.2804
1109	25129	20	0.19365	2	10	1.00	0	0	1496	0.58389	0.02545	19.89873	289.7004
1109	25189	20	0.21562	2	10	1.00	0	0	972	0.64899	0.01653	19.93408	209.5826
1110	9365	25	0.14531	2	10	1.00	7	3	1439	0.35044	0.02446	24.87827	209.1011
1111	9578	25	0.11709	2	10	1.00	7	3	1035	0.28201	0.01760	24.91229	121.1882
1112	9357	25	0.18402	2	10	1.00	7	3	291	0.44209	0.00495	24.97529	53.54982
1112	9389	25	0.22707	2	10	1.00	7	3	954	0.54674	0.01623	24.91912	216.6248
1113	9386	20	0.18560	2	10	1.00	0	0	2604	0.56172	0.04428	19.82444	483.3024
1114	5032	25	0.52035	2	10	1.00	7	3	153	1.24949	0.00260	24.98699	79.61355
1114	9355	20	0.16984	2	10	1.00	0	0	3718	0.51595	0.06322	19.75026	631.4651
1115	9578	25	0.19451	2	10	1.00	7	3	682	0.46792	0.01160	24.94214	132.6558
1115	30003	25	0.18983	2	10	1.00	7	3	220	0.45594	0.00374	24.98133	41.7626
1116	9356	20	0.20014	2	10	1.00	0	0	860	0.60217	0.01462	19.94169	172.1204
1117	9354	20	0.17931	2	10	1.00	0	0	1267	0.54025	0.02155	19.91418	227.1858
1118	9352	20	0.21011	2	10	1.00	0	0	1541	0.63364	0.02621	19.89569	323.7795
1118	23261	20	0.19036	2	10	1.00	0	0	716	0.57246	0.01218	19.95139	136.2978
1119	5032	25	0.33159	2	10	1.00	7	3	195	0.79635	0.00331	24.98344	64.66005
1119	9352	20	0.17364	2	10	1.00	0	0	362	0.52157	0.00616	19.97538	62.85768
1119	9593	20	0.22692	2	10	1.00	0	0	337	0.68154	0.00573	19.97713	76.47204
1120	9370	25	0.19777	2	10	1.00	7	3	1148	0.47651	0.01952	24.90277	227.04
1121	9367	25	0.10061	2	10	1.00	7	3	773	0.24210	0.01314	24.93446	77.77153
1122	9371	25	0.12071	2	10	1.00	7	3	768	0.29047	0.01307	24.93482	92.70528
1122	9596	25	0.09566	2	10	1.00	7	3	542	0.23001	0.00922	24.95399	51.84772
1123	9342	25	0.06134	2	10	1.00	7	3	917	0.14768	0.01559	24.92227	56.24878
1124	9381	25	0.12902	2	10	1.00	7	3	914	0.31060	0.01554	24.92254	117.9243
1124	24911	25	0.11334	2	10	1.00	7	3	177	0.27218	0.00301	24.98494	20.06118
1125	9591	25	0.09899	2	10	1.00	7	3	1583	0.23886	0.02692	24.86613	156.7012
1126	9341	25	0.13878	2	10	1.00	7	3	430	0.33356	0.00731	24.96351	59.6754
1126	9574	25	0.11970	2	10	1.00	7	3	42	0.28731	0.00071	24.99647	5.0274
1126	9588	25	0.12605	2	10	1.00	7	3	136	0.30267	0.00230	24.98848	17.1428
1127	24903	25	0.07909	2	10	1.00	7	3	558	0.19018	0.00949	24.95265	44.13222
1128	9589	25	0.07764	2	10	1.00	7	3	201	0.18646	0.00341	24.98294	15.60564
1128	24900	25	0.08455	2	10	1.00	7	3	432	0.20321	0.00735	24.96333	36.5256
1129	9380	25	0.14667	2	10	1.00	7	3	86	0.35212	0.00147	24.99267	12.61362
1129	9611	25	0.08999	2	10	1.00	7	3	655	0.21646	0.01114	24.94441	58.94345
1130	9573	25	0.14082	2	10	1.00	7	3	3833	0.34237	0.06518	24.67827	539.7631
1130	9587	25	0.12221	2	10	1.00	7	3	1176	0.29447	0.02000	24.90041	143.719
1130	9589	25	0.12471	2	10	1.00	7	3	30	0.29933	0.00051	24.99743	3.7413
1131	3616	20	0.17211	3	10	3.00	0	3	8214	0.52114	0.04656	19.81546	1413.712
1132	5515	20	0.18811	3	10	3.00	0	3	2500	0.56592	0.01417	19.94347	470.275
1188	8796	25	0.04916	2	10	1.00	1	3	678	0.11825	0.01153	24.94251	33.33048
1189	3725	25	0.30147	2	10	1.00	0	3	1593	0.72745	0.02709	24.86530	480.2417
1198	13410	20	0.05520	2	10	1.00	0	0	349	0.16580	0.00594	19.97626	19.2648
1201	24791	20	0.25216	2	10	1.00	0	0	0	0.75648	0.00000	20.00000	0
1202	14153	20	0.16068	2	10	1.00	0	0	136	0.48226	0.00231	19.99076	21.85248
1202	23262	20	0.10976	2	10	1.00	0	0	501	0.32984	0.00852	19.96598	54.98976
1202	23275	20	0.16227	2	10	1.00	0	0	573	0.48776	0.00975	19.96108	92.98071
1203	23264	20	0.15815	2	10	1.00	0	0	520	0.47528	0.00885	19.96467	82.238
1203	23275	20	0.10071	2	10	1.00	0	0	1299	0.30346	0.02210	19.91200	130.8223
1203	23277	20	0.14685	2	10	1.00	0	0	1576	0.44291	0.02679	19.89339	231.4356
1204	14157	20	0.16068	2	10	1.00	0	0	544	0.48293	0.00925	19.96308	87.40992
1204	23262	20	0.15754	2	10	1.00	0	0	661	0.47368	0.01124	19.95514	104.1339
1204	23278	20	0.17031	2	10	1.00	0	0	152	0.51119	0.00259	19.98964	25.88712
1205	23264	20	0.15789	2	10	1.00	0	0	694	0.47477	0.01180	19.95292	109.5757
1205	23278	20	0.08754	2	10	1.00	0	0	888	0.26341	0.01510	19.93977	77.73552

A	B	SPEED	DISTANCE	SPDCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
1205	23280	20	0.16148	2	10	1.00	0	0	0	0.48444	0.00000	20.00000	0
1206	23282	20	0.16627	2	10	1.00	0	0	405	0.49951	0.00689	19.97250	67.33935
1206	25052	20	0.13488	2	10	1.00	0	0	525	0.40536	0.00892	19.96436	70.812
1207	23282	20	0.13159	2	10	1.00	0	0	370	0.39526	0.00629	19.97487	48.6883
1207	23283	20	0.13306	2	10	1.00	0	0	778	0.40024	0.01323	19.94724	103.5207
1207	23284	20	0.18811	2	10	1.00	0	0	459	0.56521	0.00781	19.96882	86.34249
1208	12276	20	0.09997	2	10	1.00	0	0	151	0.30007	0.00256	19.98976	15.09547
1208	23283	20	0.09788	2	10	1.00	0	0	400	0.29403	0.00680	19.97283	39.152
1208	23319	20	0.12330	2	10	1.00	0	0	1	0.36990	0.00002	19.99992	0.1233
1209	23280	20	0.13119	2	10	1.00	0	0	908	0.39479	0.01544	19.93844	119.1205
1210	23260	20	0.12280	2	10	1.00	0	0	107	0.36854	0.00183	19.99269	13.1396
1210	23284	20	0.11797	2	10	1.00	0	0	92	0.35402	0.00157	19.99374	10.85324
1211	12276	20	0.16066	2	10	1.00	0	0	77	0.48209	0.00131	19.99475	12.37082
1211	25053	20	0.11997	2	10	1.00	0	0	447	0.36046	0.00760	19.96963	53.62659
1224	9800	25	0.07534	2	10	1.00	4	3	1533	0.18176	0.02607	24.87032	115.4962
1225	9801	25	0.05713	2	10	1.00	4	3	62	0.13713	0.00105	24.99475	3.54206
1225	9802	25	0.05991	2	10	1.00	4	3	1205	0.14438	0.02049	24.89795	72.19155
1226	9803	25	0.07131	2	10	1.00	4	3	4634	0.17384	0.07880	24.61210	330.4505
1227	9614	25	0.07340	2	10	1.00	0	3	645	0.17656	0.01097	24.94529	47.343
1228	9614	25	0.12102	2	10	1.00	0	3	465	0.29091	0.00790	24.96056	56.2743
1228	9615	25	0.18572	2	10	1.00	0	3	1327	0.44774	0.02257	24.88764	246.4504
1229	9095	25	0.08470	2	10	1.00	0	3	632	0.20371	0.01076	24.94633	53.5304
1229	9619	25	0.13098	2	10	1.00	0	3	472	0.31486	0.00803	24.95993	61.82256
1230	5650	25	0.17834	2	10	1.00	4	3	4042	0.43390	0.06873	24.66099	720.8503
1231	13976	25	0.08749	2	10	1.00	3	3	3964	0.21280	0.06741	24.66744	346.8104
1231	25041	25	0.13891	2	10	1.00	3	3	1239	0.33479	0.02108	24.89506	172.1095
1232	25041	25	0.11603	2	10	1.00	3	3	1493	0.27989	0.02539	24.87371	173.2328
1233	25043	25	0.12830	2	10	1.00	3	3	1219	0.30920	0.02073	24.89677	156.3977
1233	25044	25	0.12322	2	10	1.00	3	3	669	0.29639	0.01138	24.94323	82.43418
1294	5644	25	0.12133	2	10	1.00	1	3	187	0.29138	0.00319	24.98408	22.68871
1294	5952	25	0.07945	2	10	1.00	1	3	939	0.19128	0.01597	24.92041	74.60355
1295	8912	25	0.08418	2	10	1.00	1	3	309	0.20226	0.00525	24.97378	26.01162
1295	8937	25	0.05489	2	10	1.00	1	3	359	0.13189	0.00611	24.96948	19.70551
1296	8765	25	0.05999	2	10	1.00	4	3	525	0.14424	0.00893	24.95543	31.49475
1297	8754	25	0.09075	2	10	1.00	4	3	585	0.21823	0.00994	24.95039	53.08875
1297	8884	25	0.11460	2	10	1.00	4	3	485	0.27550	0.00825	24.95881	55.581
1298	5679	25	0.07411	2	10	1.00	1	3	356	0.17807	0.00606	24.96972	26.38316
1299	23265	20	0.11263	2	10	1.00	0	0	152	0.33806	0.00259	19.98965	17.11976
1299	24062	20	0.09349	2	10	1.00	0	0	155	0.28063	0.00264	19.98945	14.49095
1312	9610	20	0.13291	2	10	1.00	0	0	282	0.39911	0.00480	19.98082	37.48062
1312	23265	20	0.11413	2	10	1.00	0	0	371	0.34283	0.00631	19.97479	42.34223
1313	12272	20	0.14073	2	10	1.00	0	0	379	0.42273	0.00645	19.97423	53.33667
1313	12274	20	0.09543	2	10	1.00	0	0	471	0.28676	0.00801	19.96801	44.94753
1313	24035	20	0.14076	2	10	1.00	0	0	428	0.42291	0.00727	19.97095	60.24528
1314	12270	20	0.17895	2	10	1.00	0	0	1013	0.53871	0.01723	19.93133	181.2764
1314	12272	20	0.13795	2	10	1.00	0	0	2645	0.41757	0.04499	19.82164	364.8778
1314	14123	20	0.11617	2	10	1.00	0	0	5406	0.35491	0.09194	19.63889	628.015
1315	12292	20	0.13559	2	10	1.00	0	0	173	0.40700	0.00295	19.98822	23.45707
1315	12293	20	0.13065	2	10	1.00	0	0	193	0.39220	0.00328	19.98689	25.21545
1315	24065	20	0.13322	2	10	1.00	0	0	498	0.40035	0.00847	19.96616	66.34356
1316	12294	20	0.13380	2	10	1.00	0	0	618	0.40225	0.01051	19.95806	82.6884
1316	24065	20	0.20010	2	10	1.00	0	0	422	0.60115	0.00718	19.97133	84.4422
1317	9347	20	0.18601	2	10	1.00	0	0	828	0.55959	0.01408	19.94383	154.0163
1317	12293	20	0.16981	2	10	1.00	0	0	367	0.51006	0.00625	19.97504	62.32027
1317	12294	20	0.13025	2	10	1.00	0	0	808	0.39182	0.01373	19.94521	105.242
1317	17260	20	0.13941	2	10	1.00	0	0	1060	0.41973	0.01803	19.92814	147.7746
1318	9347	20	0.16621	2	10	1.00	0	0	374	0.49927	0.00635	19.97462	62.16254
1318	24671	20	0.14142	2	10	1.00	0	0	739	0.42533	0.01256	19.94987	104.5094
1319	16567	20	0.11499	2	10	1.00	0	0	5040	0.35089	0.08571	19.66292	579.5496
1319	16568	20	0.19913	2	10	1.00	0	0	1727	0.60089	0.02937	19.88320	343.8975
1331	12160	20	0.12354	2	10	1.00	0	0	1130	0.37205	0.01922	19.92343	139.6002
1331	23288	20	0.12232	2	10	1.00	0	0	3848	0.37176	0.06544	19.74162	470.6874
1331	23339	20	0.11320	2	10	1.00	0	0	1514	0.34135	0.02575	19.89753	171.3848
1332	12160	20	0.11151	2	10	1.00	0	0	215	0.33477	0.00365	19.98540	23.97465
1332	23288	20	0.10464	2	10	1.00	0	0	524	0.31447	0.00892	19.96439	54.83136
1333	9610	20	0.14302	2	10	1.00	0	0	479	0.42977	0.00815	19.96747	68.50658
1333	12300	20	0.18300	2	10	1.00	0	0	185	0.54935	0.00314	19.98744	33.855
1334	23333	20	0.05381	2	10	1.00	0	0	369	0.16164	0.00627	19.97495	19.85589
1340	23338	20	0.12322	2	10	1.00	0	0	777	0.37063	0.01321	19.94730	95.74194
1341	12266	20	0.14221	2	10	1.00	0	0	2439	0.43018	0.04148	19.83546	346.8502
1341	14153	20	0.13352	2	10	1.00	0	0	46	0.40063	0.00077	19.99690	6.14192
1341	23273	20	0.16734	2	10	1.00	0	0	1452	0.50450	0.02470	19.90168	242.9777
1342	23279	20	0.14911	2	10	1.00	0	0	1036	0.44890	0.01762	19.92977	154.478
1343	14157	20	0.17215	2	10	1.00	0	0	995	0.51820	0.01693	19.93251	171.2893
1344	14157	20	0.18786	2	10	1.00	0	0	4	0.56357	0.00006	19.99975	0.75144
1344	23317	20	0.08394	2	10	1.00	0	0	394	0.25216	0.00670	19.97322	33.07236
1344	23325	20	0.08754	2	10	1.00	0	0	344	0.26292	0.00585	19.97662	30.11376
1345	23317	20	0.12663	2	10	1.00	0	0	0	0.37988	0.00000	20.00000	0
1346	12165	20	0.12453	2	10	1.00	0	0	333	0.37402	0.00566	19.97738	41.46849
1346	23324	20	0.11843	2	10	1.00	0	0	302	0.35567	0.00514	19.97946	35.76586
1347	12165	20	0.13217	2	10	1.00	0	0	534	0.39723	0.00908	19.96373	70.57878
1347	12270	20	0.14959	2	10	1.00	0	0	810	0.45000	0.01377	19.94508	121.1679
1347	12274	20	0.16704	2	10	1.00	0	0	4	0.50113	0.00008	19.99969	0.66816

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
1348	23319	20	0.13712	2	10	1.00	0	0	0	1 0.41137	0.00002	19.99992	0.13712
1348	25052	20	0.10479	2	10	1.00	0	0	0	682 0.31510	0.01159	19.95373	71.46678
1349	12295	20	0.13093	2	10	1.00	0	0	0	1464 0.39474	0.02490	19.90091	191.6815
1349	12296	20	0.16063	2	10	1.00	0	0	0	1910 0.48503	0.03249	19.87090	306.8033
1350	12298	20	0.07997	2	10	1.00	0	0	0	403 0.24025	0.00685	19.97263	32.22791
1350	12299	20	0.14589	2	10	1.00	0	0	0	80 0.43778	0.00135	19.99459	11.6712
1351	12300	20	0.17139	2	10	1.00	0	0	0	221 0.51455	0.00376	19.98498	37.87719
1351	24671	20	0.09202	2	10	1.00	0	0	0	357 0.27639	0.00606	19.97577	32.85114
1355	9340	20	0.15889	2	10	1.00	0	0	0	962 0.47822	0.01636	19.93478	152.8522
1355	24037	20	0.08326	2	10	1.00	0	0	0	652 0.25034	0.01108	19.95577	54.28552
1356	14125	20	0.15910	2	10	1.00	0	0	0	476 0.47808	0.00809	19.96770	75.7316
1356	23324	20	0.13327	2	10	1.00	0	0	0	22 0.39985	0.00038	19.99849	2.93194
1356	24035	20	0.12644	2	10	1.00	0	0	0	278 0.37969	0.00473	19.98109	35.15032
1357	12291	20	0.14336	2	10	1.00	0	0	0	18 0.43011	0.00031	19.99874	2.58048
1357	12292	20	0.14028	2	10	1.00	0	0	0	47 0.42091	0.00080	19.99680	6.59316
1357	14125	20	0.11015	2	10	1.00	0	0	0	529 0.33105	0.00899	19.96409	58.26935
1357	23332	20	0.14310	2	10	1.00	0	0	0	234 0.42964	0.00399	19.98407	33.4854
1358	9344	20	0.17979	2	10	1.00	0	0	0	55 0.53948	0.00094	19.99624	9.88845
1358	9345	20	0.16514	2	10	1.00	0	0	0	261 0.49585	0.00443	19.98228	43.10154
1358	12291	20	0.16757	2	10	1.00	0	0	0	109 0.50289	0.00186	19.99256	18.26513
1358	17260	20	0.12327	2	10	1.00	0	0	0	2169 0.37254	0.03688	19.85355	267.3726
1359	9344	20	0.09928	2	10	1.00	0	0	0	1310 0.29918	0.02227	19.91131	130.0568
1359	12297	20	0.11927	2	10	1.00	0	0	0	498 0.35842	0.00847	19.96619	59.39646
1359	24062	20	0.16082	2	10	1.00	0	0	0	826 0.48381	0.01405	19.94395	132.8373
1415	22798	0	0.19380	2	10	0.00	0	0	0	0 0.00000	0.00000	0.00000	0
1415	23096	0	0.19726	2	10	0.00	0	0	0	0 0.00000	0.00000	0.00000	0
1418	23099	0	0.09099	2	10	0.00	0	0	0	0 0.00000	0.00000	0.00000	0
1419	9519	0	0.12036	2	10	0.00	0	0	0	0 0.00000	0.00000	0.00000	0
1419	22799	0	0.10499	2	10	0.00	0	0	0	0 0.00000	0.00000	0.00000	0
1502	9387	20	0.13681	2	10	1.00	0	0	0	0 0.41042	0.00000	20.00000	0
1503	24791	20	0.17141	2	10	1.00	0	0	0	426 0.51496	0.00725	19.97103	73.02066
1504	24791	20	0.13613	2	10	1.00	0	0	0	520 0.40910	0.00884	19.96471	70.7876
1505	24777	20	0.14990	2	10	1.00	0	0	0	506 0.45049	0.00860	19.96565	75.8494
1505	24779	20	0.14282	2	10	1.00	0	0	0	68 0.42857	0.00116	19.99536	9.71176
1506	24779	20	0.09131	2	10	1.00	0	0	0	221 0.27414	0.00376	19.98497	20.17951
1507	30007	20	0.04573	2	10	1.00	0	0	0	270 0.13731	0.00459	19.98164	12.3471
1508	24777	20	0.09754	2	10	1.00	0	0	0	156 0.29276	0.00265	19.98939	15.21624
1508	24779	20	0.08535	2	10	1.00	0	0	0	22 0.25606	0.00038	19.99849	1.8777
1509	24777	20	0.08185	2	10	1.00	0	0	0	159 0.24569	0.00270	19.98922	13.01415
1510	24777	20	0.07222	2	10	1.00	0	0	0	214 0.21681	0.00363	19.98548	15.45508
1510	30007	20	0.12566	2	10	1.00	0	0	0	48 0.37705	0.00081	19.99677	6.03168
1511	24795	20	0.09320	2	10	1.00	0	0	0	231 0.27983	0.00392	19.98433	21.5292
1512	24767	20	0.12084	2	10	1.00	0	0	0	308 0.36290	0.00524	19.97907	37.21872
1512	24795	20	0.06001	2	10	1.00	0	0	0	96 0.18008	0.00163	19.99347	5.76096
1513	9384	20	0.05767	2	10	1.00	0	0	0	2 0.17300	0.00003	19.99987	0.11534
1514	24789	20	0.11457	2	10	1.00	0	0	0	164 0.34390	0.00278	19.98887	18.78948
1514	30005	20	0.14954	2	10	1.00	0	0	0	587 0.44951	0.00998	19.96016	87.77998
1515	25127	20	0.08742	2	10	1.00	0	0	0	3424 0.26531	0.05822	19.76979	299.3261
1516	25059	20	0.05149	2	10	1.00	0	0	0	1052 0.15503	0.01790	19.92866	54.16748
1517	3712	20	0.04573	2	10	1.00	0	0	0	1555 0.13790	0.02644	19.89480	71.11015
1518	24793	20	0.11624	2	10	1.00	0	0	0	213 0.34898	0.00361	19.98555	24.75912
1519	25130	20	0.05500	2	10	1.00	0	0	0	442 0.16523	0.00752	19.96995	24.31
1520	24794	20	0.09959	2	10	1.00	0	0	0	0 0.29877	0.00000	20.00000	0
1521	24794	20	0.08734	2	10	1.00	0	0	0	329 0.26230	0.00559	19.97766	28.73486
1522	24794	20	0.10915	2	10	1.00	0	0	0	0 0.32744	0.00000	20.00000	0
1542	5518	25	0.13532	2	10	1.00	4	3	618 0.32545	0.01051	24.94755	83.62776	
1542	24840	25	0.18733	2	10	1.00	4	3	326 0.45010	0.00555	24.97227	61.06958	
1573	9371	25	0.23413	2	10	1.00	7	3	127 0.56216	0.00217	24.98917	29.73451	
1573	24908	25	0.09175	2	10	1.00	7	3	999 0.22094	0.01700	24.91530	91.65825	
1574	24904	25	0.20208	2	10	1.00	7	3	860 0.48641	0.01463	24.92706	173.7888	
1575	9357	20	0.17667	2	10	1.00	7	3	1443 0.53261	0.02453	19.90235	254.9348	
1575	9585	20	0.25819	2	10	1.00	7	3	363 0.77551	0.00617	19.97534	93.72297	
1576	9364	20	0.14289	2	10	1.00	7	3	1095 0.43026	0.01863	19.92577	156.4646	
1577	9580	20	0.28728	2	10	1.00	0	3	483 0.86327	0.00822	19.96717	138.7562	
1578	9334	20	0.10244	2	10	1.00	0	0	1457 0.30885	0.02478	19.90137	149.2551	
1581	25084	20	0.12259	2	10	1.00	7	3	385 0.36825	0.00654	19.97387	47.19715	
1581	25086	20	0.12491	2	10	1.00	7	3	335 0.37514	0.00570	19.97723	41.84485	
1582	9361	20	0.04508	2	10	1.00	7	3	1618 0.13598	0.02752	19.89053	72.93944	
1583	25084	20	0.09121	2	10	1.00	7	3	1394 0.27491	0.02371	19.90561	127.1467	
1584	25074	20	0.09717	2	10	1.00	7	3	1519 0.29303	0.02583	19.89720	147.6012	
1584	25082	20	0.10589	2	10	1.00	7	3	0 0.31768	0.00000	20.00000	0	
1585	25071	20	0.10792	2	10	1.00	7	3	392 0.32418	0.00667	19.97335	42.30464	
1585	25082	20	0.10418	2	10	1.00	7	3	156 0.31271	0.00266	19.98938	16.25208	
1586	25065	20	0.09217	2	10	1.00	7	3	6 0.27653	0.00010	19.99960	0.55302	
1586	25069	20	0.11254	2	10	1.00	7	3	2 0.33761	0.00004	19.99986	0.22508	
1586	25076	20	0.08200	2	10	1.00	7	3	475 0.24639	0.00808	19.96775	38.95	
1586	25081	20	0.09493	2	10	1.00	7	3	51 0.28485	0.00086	19.99655	4.84143	
1587	25071	20	0.13096	2	10	1.00	7	3	127 0.39305	0.00216	19.99138	16.63192	
1587	25078	20	0.13772	2	10	1.00	7	3	533 0.41391	0.00907	19.96379	73.40476	
1588	25063	20	0.08645	2	10	1.00	7	3	726 0.26000	0.01234	19.95076	62.7627	
1588	25080	20	0.08978	2	10	1.00	7	3	119 0.26946	0.00203	19.99188	10.68382	
1589	25065	20	0.14091	2	10	1.00	7	3	0 0.42274	0.00000	20.00000	0	
1589	25079	20	0.08312	2	10	1.00	7	3	549 0.24982	0.00933	19.96276	45.63288	

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
1589	25080	20	0.08779	2	10	1.00	7	3	251	0.26358	0.00427	19.98294	22.03529
2489	9334	45	0.21637	9	3	3.00	100	0	16519	0.31283	0.55087	41.49855	3574.216
2489	14123	45	0.24912	9	3	2.00	100	0	19189	0.46781	0.95981	31.95104	4780.364
2489	15058	45	0.23798	9	3	2.00	100	0	17771	0.41082	0.88893	34.75655	4229.143
2500	2501	45	0.15822	10	2	3.00	1	3	30982	0.27032	0.87817	35.11855	4901.972
2500	5885	45	0.23765	10	2	3.00	1	3	31555	0.41251	0.89441	34.56594	7499.046
2501	2500	45	0.15822	10	2	3.00	1	3	31555	0.27464	0.89441	34.56594	4992.632
2501	2502	45	0.16153	10	2	3.00	1	3	30982	0.27597	0.87817	35.11855	5004.522
2502	2501	45	0.16153	10	2	3.00	1	3	31555	0.28038	0.89441	34.56594	5097.079
2502	5882	45	0.19759	10	2	3.00	1	3	30982	0.33758	0.87817	35.11855	6121.733
2507	9346	35	0.23918	10	4	1.00	7	0	3028	0.42459	0.32190	33.79948	724.237
2507	12295	45	0.30740	9	3	2.00	100	0	17413	0.52174	0.87101	35.35143	5352.756
2507	16567	45	0.28623	9	3	2.00	100	0	17626	0.49063	0.88164	35.00358	5045.09
2507	22539	35	0.06359	23	5	1.00	901	0	2704	0.11300	0.32845	33.76601	171.9474
2508	16567	45	0.18789	9	3	2.00	100	0	16594	0.30829	0.83003	36.56707	3117.847
2508	16568	35	0.22640	10	4	1.00	7	0	2059	0.39638	0.21889	34.27064	466.1576
2508	23339	45	0.14302	9	3	2.00	100	0	16944	0.23791	0.84755	36.07056	2423.331
2978	3616	45	0.28035	9	4	1.00	100	0	8320	0.48181	0.88438	34.91164	2332.512
3033	3596	45	0.22381	11	3	3.00	20	0	22700	0.35041	0.75698	38.32386	5080.487
3108	888	20	0.25834	3	10	3.00	0	0	1503	0.77634	0.00852	19.96597	388.285
3108	3305	50	0.29376	9	3	2.00	100	0	9466	0.37515	0.47349	46.98169	2780.732
3138	8942	40	0.40106	11	3	2.00	20	0	12631	0.66874	0.63182	35.98358	5065.789
3303	3304	50	0.90616	11	3	3.00	20	0	9644	1.12596	0.32161	48.28704	8739.007
3304	3303	50	0.90616	11	3	3.00	20	0	8511	1.11986	0.28380	48.55014	7712.328
3304	3342	50	0.45089	9	3	3.00	100	3	11308	0.56526	0.37708	47.86103	5098.664
3304	3653	35	0.08278	11	5	1.00	20	0	2051	0.14547	0.24911	34.14220	169.7818
3305	3108	50	0.29376	9	3	2.00	100	0	10399	0.37923	0.52016	46.47657	3054.81
3305	3342	50	0.46149	9	3	2.00	100	3	9466	0.58937	0.47349	46.98169	4368.464
3342	3304	50	0.45089	9	3	3.00	100	3	10264	0.56205	0.34229	48.13414	4627.935
3342	3305	50	0.46149	9	3	2.00	100	3	10399	0.59577	0.52016	46.47657	4799.035
3342	3352	45	0.07276	10	4	2.00	0	3	4302	0.09919	0.22866	44.00990	313.0135
3348	882	20	0.17992	3	10	3.00	0	3	653	0.54017	0.00370	19.98520	117.4878
3348	5613	45	0.14192	10	4	2.00	0	3	4672	0.19396	0.24828	43.90180	663.0502
3348	5615	45	0.25857	10	4	2.00	0	3	5154	0.35458	0.27390	43.75419	1332.67
3349	3350	40	0.25757	10	5	1.00	0	3	474	0.38805	0.05759	39.82643	122.0882
3349	5615	40	0.11030	10	5	1.00	0	3	508	0.16623	0.06166	39.81197	56.0324
3350	882	20	0.14923	3	10	3.00	0	3	57	0.44771	0.00032	19.99871	8.50611
3350	3349	40	0.25757	10	5	1.00	0	3	508	0.38819	0.06166	39.81197	130.8456
3350	3351	40	0.16147	10	5	1.00	0	0	483	0.24328	0.05864	39.82271	77.99001
3351	3350	40	0.16147	10	5	1.00	0	0	565	0.24350	0.06859	39.78707	91.23055
3352	275	20	0.30548	3	10	3.00	0	3	261	0.91670	0.00148	19.99408	79.73028
3352	894	20	0.13004	3	10	3.00	0	3	346	0.39026	0.00196	19.99215	44.99384
3352	3342	45	0.07276	10	4	2.00	0	3	4192	0.09912	0.22279	44.04145	305.0099
3352	5603	45	0.06696	10	4	2.00	0	3	4429	0.09137	0.23540	43.97325	296.5658
3364	5704	40	0.38466	10	4	2.00	2	0	8269	0.60974	0.43947	37.85187	3180.754
3385	9560	35	0.56802	10	4	1.00	2	0	7565	1.17655	0.80415	28.96706	4297.071
3444	905	20	0.10449	3	10	3.00	0	3	2131	0.31423	0.01208	19.95181	222.6682
3444	3445	40	0.15123	10	3	2.00	4	3	12091	0.24990	0.60480	36.30875	1828.522
3444	3450	30	0.16061	10	5	1.00	0	3	402	0.32236	0.04888	29.89286	64.56522
3444	3459	40	0.16590	10	3	2.00	4	3	14791	0.28956	0.73986	34.37664	2453.827
3445	903	20	0.07309	3	10	3.00	0	3	812	0.21947	0.00460	19.98161	59.34908
3445	907	20	0.07719	3	10	3.00	0	3	4547	0.23277	0.02577	19.89743	350.9829
3445	3444	40	0.15123	10	3	2.00	4	3	13633	0.25700	0.68191	35.30666	2061.719
3445	3446	40	0.21064	10	3	2.00	4	3	10940	0.34228	0.54719	36.92398	2304.402
3446	3445	40	0.21064	10	3	2.00	4	3	12481	0.35032	0.62431	36.07661	2628.998
3446	3447	40	0.14365	10	3	2.00	4	3	11183	0.23421	0.55939	36.80174	1606.438
3446	3449	30	0.23863	10	5	1.00	0	3	244	0.47817	0.02963	29.94256	58.22572
3447	900	20	0.09160	3	10	3.00	0	3	1062	0.27513	0.00602	19.97595	97.2792
3447	906	20	0.08040	3	10	3.00	0	3	3137	0.24206	0.01778	19.92912	252.2148
3447	3446	40	0.14365	10	3	2.00	4	3	12725	0.23993	0.63651	35.92453	1827.946
3447	3448	40	0.10935	10	3	2.00	4	0	12147	0.18087	0.60759	36.27630	1328.274
3448	3447	40	0.10935	10	3	2.00	4	0	13689	0.18605	0.68471	35.26562	1496.892
3449	900	20	0.23521	3	10	3.00	0	3	2	0.70563	0.00001	19.99995	0.47042
3449	901	20	0.13853	3	10	3.00	0	3	246	0.41570	0.00139	19.99442	34.07838
3449	903	20	0.09036	3	10	3.00	0	3	2	0.27107	0.00001	19.99995	0.18072
3449	3446	30	0.23863	10	5	1.00	0	3	244	0.47817	0.02962	29.94259	58.22572
3450	901	20	0.14754	3	10	3.00	0	3	390	0.44283	0.00221	19.99115	57.5406
3450	903	20	0.13035	3	10	3.00	0	3	0	0.39104	0.00000	19.99999	0
3450	904	20	0.16178	3	10	3.00	0	3	12	0.48536	0.00007	19.99972	1.94136
3450	3444	30	0.16061	10	5	1.00	0	3	403	0.32237	0.04896	29.89264	64.72583
3451	901	20	0.16592	3	10	3.00	0	3	108	0.49782	0.00061	19.99755	17.91936
3451	902	20	0.22403	3	10	3.00	0	3	1	0.67210	0.00000	19.99998	0.22403
3451	904	20	0.11557	3	10	3.00	0	3	0	0.34672	0.00000	19.99999	0
3451	3461	30	0.19348	10	5	1.00	0	3	104	0.38715	0.01264	29.98517	20.12192
3455	9560	35	0.44058	9	5	1.00	100	0	1456	0.76762	0.17683	34.43761	641.4845
3456	249	20	0.12739	3	10	3.00	0	3	1517	0.38283	0.00860	19.96566	193.2506
3456	3587	25	0.06686	10	4	2.00	4	3	2712	0.16250	0.14413	24.68488	181.3243
3456	3592	40	0.12828	10	3	2.00	4	3	9226	0.20425	0.46147	37.68203	1183.511
3456	9555	40	0.19389	10	3	2.00	4	3	11075	0.31564	0.55396	36.85665	2147.332
3457	238	20	0.06510	3	10	3.00	0	3	5743	0.19656	0.03256	19.87062	373.8693
3457	3458	40	0.08970	10	3	2.00	4	3	14963	0.15726	0.74847	34.22253	1342.181
3457	3468	30	0.15000	10	5	1.00	0	3	1500	0.30508	0.18227	29.50007	225
3457	9555	40	0.21960	10	3	2.00	4	3	12684	0.36650	0.63445	35.95061	2785.406

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
3458	238	20	0.12401	3	10	3.00	0	3	51	0.37206	0.00029	19.99885	6.32451
3458	3457	40	0.08970	10	3	2.00	4	3	14282	0.15462	0.71439	34.80721	1281.095
3458	3459	40	0.19618	10	3	2.00	4	3	15033	0.34458	0.75193	34.15930	2949.174
3459	3444	40	0.16590	10	3	2.00	4	3	13249	0.27978	0.66271	35.57851	2198.009
3459	3458	40	0.19618	10	3	2.00	4	3	14333	0.33857	0.71693	34.76598	2811.848
3459	3460	45	0.14740	11	4	3.00	0	3	19612	0.22388	0.69488	39.50276	2890.809
3459	5655	45	0.14923	10	3	3.00	4	3	32876	0.36882	1.09630	24.27726	4906.085
3460	239	20	0.05142	3	10	3.00	0	3	2418	0.15468	0.01370	19.94533	124.3336
3460	904	20	0.09608	3	10	3.00	0	3	410	0.28837	0.00232	19.99072	39.3928
3460	3459	45	0.14740	11	4	3.00	0	3	19734	0.22430	0.69919	39.42845	2908.792
3460	3461	45	0.11036	11	4	3.00	0	3	18233	0.16440	0.64602	40.27733	2012.194
3461	3451	30	0.19348	10	5	1.00	0	3	107	0.38716	0.01302	29.98423	20.70236
3461	3460	45	0.11036	11	4	3.00	0	3	18353	0.16465	0.65025	40.21489	2025.437
3461	3462	30	0.13835	10	5	1.00	0	3	4689	0.30162	0.56963	27.52196	648.7232
3461	3470	45	0.17095	11	4	3.00	0	3	14384	0.24459	0.50964	41.93616	2458.945
3462	3461	30	0.13835	10	5	1.00	0	3	4847	0.30333	0.58881	27.36713	670.5825
3462	3463	30	0.14331	10	5	1.00	0	3	4689	0.31242	0.56963	27.52196	671.9806
3463	3462	30	0.14331	10	5	1.00	0	3	4847	0.31419	0.58881	27.36713	694.6236
3463	3464	30	0.18963	10	5	1.00	0	3	4800	0.41504	0.58312	27.41393	910.224
3463	3468	30	0.14207	10	5	1.00	0	3	680	0.28602	0.08261	29.80186	96.6076
3463	3469	30	0.11820	10	5	1.00	0	3	523	0.23756	0.06349	29.85405	61.8186
3464	3463	30	0.18963	10	5	1.00	0	3	4979	0.41783	0.60488	27.23089	944.1678
3464	3465	30	0.14746	10	5	1.00	0	3	309	0.29568	0.03756	29.92228	45.56514
3464	3466	30	0.09905	10	5	1.00	0	3	4868	0.21732	0.59133	27.34619	482.1754
3465	242	20	0.10373	3	10	3.00	0	3	198	0.31126	0.00112	19.99551	20.53854
3465	243	20	0.13141	3	10	3.00	0	3	112	0.39429	0.00063	19.99747	14.71792
3465	3464	30	0.14746	10	5	1.00	0	3	293	0.29563	0.03565	29.92719	43.20578
3466	244	20	0.17525	3	10	3.00	0	3	307	0.52592	0.00174	19.99303	53.80175
3466	3464	30	0.09905	10	5	1.00	0	3	5063	0.21896	0.61499	27.14182	501.4902
3466	3595	45	0.25421	11	3	3.00	0	3	18330	0.37418	0.61125	40.76258	4659.669
3466	3596	45	0.06332	11	3	3.00	0	3	21554	0.09723	0.71874	39.07829	1364.799
3467	241	20	0.05389	3	10	3.00	0	3	809	0.16182	0.00459	19.98166	43.59701
3467	242	20	0.11858	3	10	3.00	0	3	117	0.35577	0.00066	19.99736	13.87386
3467	3468	30	0.18518	10	5	1.00	0	3	943	0.37397	0.11460	29.71066	174.6247
3468	240	20	0.08040	3	10	3.00	0	3	638	0.24137	0.00362	19.98555	51.2952
3468	3457	30	0.15000	10	5	1.00	0	3	1546	0.30527	0.18781	29.48167	231.9
3468	3463	30	0.14207	10	5	1.00	0	3	653	0.28593	0.07933	29.81092	92.77171
3468	3467	30	0.18518	10	5	1.00	0	3	925	0.37389	0.11233	29.71728	171.2915
3469	245	20	0.14929	3	10	3.00	0	3	187	0.44797	0.00106	19.99576	27.91723
3469	246	20	0.04369	3	10	3.00	0	3	336	0.13113	0.00191	19.99237	14.67984
3469	3463	30	0.11820	10	5	1.00	0	3	528	0.23758	0.06419	29.85217	62.4096
3470	247	20	0.05124	3	10	3.00	0	3	521	0.15382	0.00295	19.98819	26.69604
3470	902	20	0.08858	3	10	3.00	0	3	642	0.26592	0.00364	19.98545	56.86836
3470	3461	45	0.17095	11	4	3.00	0	3	14348	0.24452	0.50838	41.94881	2452.791
3470	5661	45	0.10761	11	3	3.00	0	0	13814	0.15229	0.46064	42.39972	1486.525
3587	237	20	0.19558	3	10	3.00	0	3	55	0.58677	0.00031	19.99875	10.7569
3587	3456	25	0.06686	10	4	2.00	4	3	2740	0.16253	0.14562	24.68104	183.1964
3587	3588	30	0.09148	10	4	2.00	4	3	2767	0.18535	0.14705	29.61282	253.1252
3588	248	25	0.14634	2	10	1.00	4	3	6379	0.35884	0.10848	24.46910	933.5029
3588	3587	30	0.09148	10	4	2.00	4	3	2795	0.18538	0.14854	29.60818	255.6866
3588	3593	25	0.21442	10	4	1.00	4	0	3584	0.53797	0.38093	23.91475	768.4813
3592	3456	40	0.12828	10	3	2.00	4	3	9852	0.20566	0.49278	37.42402	1263.815
3592	3594	40	0.16061	10	3	2.00	4	0	9226	0.25573	0.46147	37.68204	1481.788
3593	3588	25	0.21442	10	4	1.00	4	0	3612	0.53824	0.38392	23.90245	774.485
3593	3594	40	0.12823	10	3	3.00	8	2	25795	0.24252	0.86019	31.72552	3307.693
3593	3629	25	0.20062	11	4	2.00	20	2	10272	0.52143	0.54591	23.08542	2060.769
3593	8845	40	0.19129	10	3	3.00	4	2	31955	0.49236	1.06559	23.31075	6112.672
3594	3592	40	0.16061	10	3	2.00	4	0	9852	0.25749	0.49278	37.42402	1582.33
3594	3593	40	0.12823	10	3	3.00	8	2	26255	0.24586	0.87550	31.29439	3366.679
3594	3595	45	0.23893	10	3	3.00	8	0	17773	0.34963	0.59268	41.00236	4246.503
3595	243	20	0.13692	3	10	3.00	0	3	404	0.41096	0.00229	19.99084	55.31568
3595	244	20	0.13776	3	10	3.00	0	3	240	0.41340	0.00136	19.99457	33.0624
3595	3466	45	0.25421	11	3	3.00	0	3	17324	0.37032	0.57768	41.18694	4403.934
3595	3594	45	0.23893	10	3	3.00	8	0	18789	0.35349	0.62655	40.55523	4489.256
3596	244	20	0.21910	3	10	3.00	0	3	0	0.65729	0.00000	20.00000	0
3596	245	20	0.08842	3	10	3.00	0	3	498	0.26540	0.00282	19.98871	44.03316
3596	3033	45	0.22381	11	3	3.00	20	0	21481	0.34325	0.71632	39.12290	4807.663
3596	3466	45	0.06332	11	3	3.00	0	3	22767	0.09926	0.75921	38.27673	1441.606
3616	1131	20	0.17211	3	10	3.00	0	3	8214	0.52114	0.04656	19.81546	1413.712
3616	2978	45	0.28035	9	4	1.00	100	0	9512	0.57204	1.01109	29.40511	2666.689
3616	5515	45	0.39564	10	3	1.00	1	3	10497	0.87369	1.05013	27.17029	4153.033
3629	3593	25	0.20062	11	4	2.00	20	2	10301	0.52164	0.54746	23.07586	2066.587
3653	3304	35	0.08278	11	5	1.00	20	0	1960	0.14527	0.23815	34.18964	162.2488
3664	8972	40	0.28535	9	4	1.00	100	0	6429	0.48522	0.68340	35.28490	1834.515
3678	5892	45	0.10873	10	4	1.00	1	3	10836	0.31490	1.15174	20.71753	1178.198
3683	275	20	0.22959	3	10	3.00	0	0	39	0.68881	0.00022	19.99912	8.95401
3693	8981	30	0.30417	9	4	1.00	100	0	1293	0.61569	0.13746	29.64232	393.2918
3707	940	20	0.08705	2	10	1.00	0	3	185	0.26131	0.00315	19.98742	16.10425
3707	9101	30	0.21349	10	5	1.00	0	3	1897	0.43668	0.23039	29.33370	404.9905
3707	9103	30	0.13989	10	5	1.00	0	3	2106	0.28706	0.25587	29.23922	294.6083
3707	9104	30	0.26902	10	5	1.00	0	3	1657	0.54835	0.20129	29.43609	445.7661
3708	1106	20	0.18200	2	10	1.00	0	3	1850	0.54943	0.03146	19.87494	336.7
3708	9100	45	0.07462	9	4	1.00	100	3	1842	0.10134	0.19575	44.18243	137.45

A	B	SPEED	DISTANCE	SPDCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT	
3712	1517	20	0.04573	2	10	1.00	0	0	0	1555	0.13790	0.02644	19.89480	71.11015
3712	9521	25	0.05808	10	5	1.00	0	0	0	440	0.13994	0.05349	24.90060	25.5552
3712	25130	25	0.04902	10	5	1.00	0	0	0	1253	0.11926	0.15217	24.66406	61.42206
3714	9363	30	0.20043	10	4	1.00	7	3	3	1000	0.40444	0.10627	29.73488	200.43
3714	25080	25	0.10178	10	5	1.00	0	3	3	262	0.24478	0.03186	24.94740	26.66636
3714	25087	30	0.10671	10	4	1.00	7	0	7	747	0.21477	0.07937	29.81083	79.71237
3716	1102	20	0.23538	2	10	1.00	7	3	3	877	0.70825	0.01491	19.94054	206.4283
3716	9364	30	0.19492	10	4	1.00	7	3	3	1543	0.39566	0.16402	29.55939	300.7616
3716	9583	30	0.18247	10	4	1.00	7	3	3	2530	0.37509	0.26894	29.18891	461.6491
3717	913	25	0.08917	2	10	1.00	0	3	3	905	0.21467	0.01540	24.92324	80.69885
3717	3719	40	0.10708	10	3	2.00	0	3	3	3523	0.16323	0.17624	39.35984	377.2428
3717	9619	40	0.07714	10	3	2.00	0	3	3	4414	0.11820	0.22079	39.15744	340.496
3719	3717	40	0.10708	10	3	2.00	0	3	3	3549	0.16326	0.17752	39.35427	380.0269
3719	3721	40	0.16430	10	3	2.00	0	3	3	3230	0.25005	0.16156	39.42296	530.689
3719	3730	35	0.13970	10	5	1.00	0	3	3	3394	0.25176	0.41234	33.29336	474.1418
3719	9614	35	0.20585	10	3	1.00	0	3	3	2949	0.36399	0.29499	33.93207	607.0517
3721	3719	40	0.16430	10	3	2.00	0	3	3	3198	0.25001	0.15999	39.42964	525.4314
3721	3723	40	0.05892	10	3	2.00	0	3	3	3230	0.08968	0.16156	39.42296	190.3116
3723	3721	40	0.05892	10	3	2.00	0	3	3	3198	0.08966	0.15999	39.42964	188.4262
3723	3725	45	0.24512	10	3	2.00	0	3	3	3230	0.33161	0.16156	44.35083	791.7376
3725	1189	25	0.30147	2	10	1.00	0	3	3	1593	0.72745	0.02709	24.86530	480.2417
3725	3723	45	0.24512	10	3	2.00	0	3	3	3198	0.33155	0.15999	44.35835	783.8938
3725	3727	35	0.22417	10	5	1.00	0	3	3	1951	0.39334	0.23696	34.19474	437.3557
3725	9630	0	0.37417	10	3	0.00	0	3	3	0	0.00000	0.00000	0.00000	0
3727	908	25	0.13674	2	10	1.00	0	3	3	2015	0.33042	0.03426	24.82984	275.5311
3727	909	25	0.12580	2	10	1.00	0	3	3	486	0.30241	0.00827	24.95870	61.1388
3727	3725	35	0.22417	10	5	1.00	0	3	3	1919	0.39315	0.23313	34.21104	430.1822
3727	3729	35	0.21570	10	5	1.00	0	3	3	873	0.37305	0.10608	34.69133	188.3061
3729	3727	35	0.21570	10	5	1.00	0	3	3	842	0.37291	0.10225	34.70419	181.6194
3729	3734	35	0.11533	10	5	1.00	0	3	3	3683	0.20927	0.44738	33.06786	424.7604
3729	3758	35	0.07296	10	5	1.00	0	3	3	3518	0.13187	0.42731	33.19929	256.6733
3730	913	25	0.09717	2	10	1.00	0	3	3	235	0.23338	0.00400	24.98003	22.83495
3730	914	25	0.14047	2	10	1.00	0	3	3	1706	0.33908	0.02902	24.85574	239.6418
3730	3719	35	0.13970	10	5	1.00	0	3	3	3384	0.25170	0.41113	33.30088	472.7448
3730	3732	35	0.10975	10	5	1.00	0	3	3	3170	0.19683	0.38509	33.45663	347.9075
3731	3733	35	0.14370	10	5	1.00	0	3	3	3590	0.26015	0.43615	33.14218	515.883
3731	3758	35	0.06390	10	5	1.00	0	3	3	3675	0.11593	0.44649	33.07383	234.8325
3732	912	25	0.07955	2	10	1.00	0	3	3	1685	0.19202	0.02866	24.85751	134.0418
3732	3730	35	0.10975	10	5	1.00	0	3	3	3159	0.19678	0.38381	33.46407	346.7003
3732	3735	35	0.07548	10	5	1.00	0	3	3	1485	0.13156	0.18036	34.42410	112.0878
3733	911	25	0.11304	2	10	1.00	0	3	3	90	0.27138	0.00153	24.99234	10.1736
3733	3731	35	0.14370	10	5	1.00	0	3	3	3675	0.26069	0.44649	33.07383	528.0975
3733	3735	35	0.17648	10	5	1.00	0	3	3	3500	0.31881	0.42520	33.21276	617.68
3734	910	25	0.07702	2	10	1.00	0	3	3	11	0.18485	0.00018	24.99910	0.84722
3734	3729	35	0.11533	10	5	1.00	0	3	3	3567	0.20868	0.43327	33.16092	411.3821
3734	3736	30	0.12028	10	5	1.00	0	3	3	3694	0.25469	0.44873	28.33614	444.3143
3735	3732	35	0.07548	10	5	1.00	0	3	3	1474	0.13154	0.17900	34.42929	111.2575
3735	3733	35	0.17648	10	5	1.00	0	3	3	3574	0.31937	0.43422	33.15475	630.7395
3735	3737	35	0.00683	10	5	1.00	0	3	3	4078	0.01252	0.49537	32.72656	27.85274
3736	924	20	0.14760	2	10	1.00	0	3	3	457	0.44348	0.00777	19.96895	67.4532
3736	938	20	0.27206	2	10	1.00	0	3	3	1073	0.81915	0.01824	19.92731	291.9204
3736	3734	30	0.12028	10	5	1.00	0	3	3	3577	0.25397	0.43456	28.41648	430.2416
3736	9101	30	0.12245	10	5	1.00	0	3	3	2184	0.25158	0.26527	29.20318	267.4308
3737	911	25	0.15259	2	10	1.00	0	3	3	731	0.36712	0.01243	24.93802	111.5433
3737	912	25	0.11716	2	10	1.00	0	3	3	1562	0.28268	0.02657	24.86787	183.0039
3737	3735	35	0.00683	10	5	1.00	0	3	3	4141	0.01254	0.50304	32.66817	28.28303
3737	8660	35	0.17800	10	5	1.00	0	3	3	5385	0.34196	0.65419	31.23229	958.53
3739	923	20	0.06950	2	10	1.00	0	3	3	317	0.20873	0.00539	19.97845	22.0315
3739	924	20	0.24738	2	10	1.00	0	3	3	227	0.74273	0.00386	19.98458	56.15526
3739	3741	30	0.08864	10	5	1.00	0	3	3	4845	0.19432	0.58859	27.36900	429.4608
3739	9103	30	0.07538	10	5	1.00	0	3	3	5129	0.16708	0.62305	27.06903	386.624
3741	3739	30	0.08864	10	5	1.00	0	3	3	4978	0.19529	0.60466	27.23277	441.2499
3741	3743	30	0.22143	10	5	1.00	0	3	3	4845	0.48544	0.58859	27.36900	1072.828
3743	925	20	0.29123	2	10	1.00	0	3	3	721	0.87583	0.01227	19.95104	209.9768
3743	3741	30	0.22143	10	5	1.00	0	3	3	4978	0.48787	0.60466	27.23277	1102.279
3743	3745	30	0.18216	10	5	1.00	0	3	3	5367	0.40792	0.65191	26.79333	977.6527
3745	3743	30	0.18216	10	5	1.00	0	3	3	5499	0.41043	0.66799	26.62907	1001.698
3745	3747	30	0.13827	10	5	1.00	0	3	3	5367	0.30963	0.65191	26.79333	742.0951
3747	3745	30	0.13827	10	5	1.00	0	3	3	5499	0.31154	0.66799	26.62907	760.3467
3747	8657	45	0.34205	10	3	3.00	0	3	3	27081	0.59909	0.90307	34.25694	9263.056
3747	8660	45	0.40090	10	3	3.00	0	3	3	31874	0.91144	1.06290	26.39131	12778.29
3749	8603	40	0.08018	10	3	2.00	0	3	3	7472	0.12558	0.37374	38.31055	599.105
3749	8611	40	0.05377	10	3	2.00	0	3	3	7534	0.08426	0.37687	38.29020	405.1032
3751	915	25	0.09622	2	10	1.00	0	3	3	693	0.23148	0.01178	24.94123	66.68046
3751	8609	45	0.09186	10	3	3.00	0	3	3	30216	0.18625	1.00762	29.59176	2775.642
3751	8660	45	0.19512	10	3	3.00	0	3	3	30885	0.41285	1.02992	28.35661	6026.281
3753	915	25	0.12528	2	10	1.00	0	3	3	24	0.30069	0.00041	24.99796	3.00672
3753	3755	35	0.05654	10	5	1.00	0	3	3	1964	0.09922	0.23854	34.18797	111.0446
3753	8603	35	0.08130	10	5	1.00	0	3	3	1736	0.14220	0.21084	34.30361	141.1368
3755	916	25	0.11912	2	10	1.00	0	3						

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
3756	3757	35	0.06065	10	5	1.00	0	3	140	0.10407	0.01696	34.97021	8.491
3757	3755	35	0.09108	10	5	1.00	0	3	1409	0.15858	0.17113	34.45928	128.3317
3757	3756	35	0.06065	10	5	1.00	0	3	141	0.10407	0.01709	34.96982	8.55165
3757	8613	35	0.10872	10	5	1.00	0	3	1727	0.19014	0.20979	34.30790	187.7594
3758	910	25	0.05580	2	10	1.00	0	3	77	0.13396	0.00131	24.99344	4.2966
3758	3729	35	0.07296	10	5	1.00	0	3	3602	0.13213	0.43759	33.13273	262.8019
3758	3731	35	0.06390	10	5	1.00	0	3	3590	0.11569	0.43615	33.14218	229.401
3759	919	25	0.08274	2	10	1.00	0	3	739	0.19908	0.01256	24.93736	61.14486
3759	8605	40	0.29380	10	3	2.00	0	3	6641	0.45707	0.33220	38.56766	1951.126
3759	8607	40	0.10810	10	3	2.00	0	3	7258	0.16899	0.36306	38.37884	784.5898
3761	920	25	0.10199	2	10	1.00	0	3	1534	0.24604	0.02609	24.87023	156.4527
3761	8605	35	0.15998	10	5	1.00	0	3	1534	0.27902	0.18635	34.40094	245.4093
3763	921	25	0.10373	2	10	1.00	0	3	341	0.24924	0.00580	24.97103	35.37193
3763	8605	35	0.09148	10	5	1.00	0	3	350	0.15730	0.04249	34.89445	32.018
3765	930	25	0.16884	2	10	1.00	0	3	1115	0.40675	0.01897	24.90551	188.2566
3765	8655	40	0.10916	10	5	1.00	0	0	1119	0.16568	0.13598	39.52909	122.15
3767	930	25	0.09726	2	10	1.00	0	3	854	0.23411	0.01452	24.92761	83.06004
3767	8623	30	0.08380	10	5	1.00	0	3	5256	0.18675	0.63852	26.92422	440.4528
3767	8625	30	0.25172	10	5	1.00	0	3	6644	0.60948	0.80706	24.78033	1672.428
3769	931	20	0.14551	2	10	1.00	0	3	1005	0.43803	0.01709	19.93188	146.2376
3769	935	25	0.09076	2	10	1.00	0	3	1324	0.21880	0.02251	24.88795	120.1662
3769	8625	40	0.18483	10	3	2.00	0	3	7014	0.28839	0.35084	38.45510	1296.398
3769	8989	40	0.14354	10	3	2.00	0	3	6908	0.22377	0.34554	38.48754	991.5743
3771	932	20	0.12038	2	10	1.00	0	3	489	0.36174	0.00832	19.96676	58.86582
3771	3772	45	0.22021	10	3	2.00	0	3	17346	0.37263	0.86767	35.45790	3819.763
3771	8986	45	0.15686	10	3	2.00	8	3	17512	0.26744	0.87593	35.19213	2746.932
3772	3771	45	0.22021	10	3	2.00	0	3	17367	0.37298	0.86871	35.42480	3824.387
3772	8987	45	0.09762	10	3	2.00	0	3	17346	0.16519	0.86767	35.45789	1693.317
5020	5027	25	0.77535	9	5	1.00	100	0	0	1.85983	0.00000	25.01345	0
5020	9545	25	0.17788	9	5	1.00	100	0	0	0.42669	0.00000	25.01345	0
5020	27006	0	0.61697	9	2	0.00	100	0	0	0.00000	0.00000	0.00000	0
5027	5020	25	0.77535	9	5	1.00	100	0	0	1.85983	0.00000	25.01345	0
5027	5050	25	0.54318	9	5	1.00	100	0	0	1.30294	0.00000	25.01345	0
5028	9387	50	0.20216	10	3	3.00	7	0	7622	0.24884	0.25418	48.74273	1540.864
5029	24764	45	0.09674	9	3	3.00	100	0	19188	0.14379	0.63984	40.36728	1856.247
5029	25056	50	0.09277	10	3	3.00	7	0	8289	0.11454	0.27640	48.59933	768.9705
5029	25129	50	0.09675	10	3	3.00	7	0	16068	0.12539	0.53583	46.29295	1554.579
5029	25189	45	0.13340	9	3	3.00	100	0	14806	0.19016	0.49373	42.09286	1975.12
5032	1114	25	0.52035	2	10	1.00	7	3	153	1.24949	0.00261	24.98697	79.61355
5032	1119	25	0.33159	2	10	1.00	7	3	193	0.79634	0.00328	24.98362	63.99687
5032	9596	35	0.20768	9	7	1.00	100	3	472	0.35669	0.03344	34.93380	98.02496
5032	30003	35	0.40063	9	7	1.00	100	3	195	0.68731	0.01379	34.97412	78.12285
5041	5050	30	1.35250	9	7	1.00	100	0	0	2.70487	0.00000	30.00137	0
5049	6983	25	1.02360	9	5	1.00	100	0	0	2.45532	0.00000	25.01345	0
5050	5027	25	0.54318	9	5	1.00	100	0	0	1.30294	0.00000	25.01345	0
5050	5041	30	1.35250	9	7	1.00	100	0	0	2.70487	0.00000	30.00137	0
5050	6983	25	0.40174	9	5	1.00	100	0	0	0.96367	0.00000	25.01345	0
5325	5884	40	0.29909	10	3	2.00	1	0	13292	0.50480	0.66484	35.54911	3975.504
5500	162	25	0.07582	2	10	1.00	5	3	232	0.18212	0.00394	24.98033	17.59024
5500	196	25	0.20681	2	10	1.00	5	3	473	0.49715	0.00804	24.95988	97.82113
5500	197	25	0.20456	2	10	1.00	5	3	129	0.49115	0.00220	24.98900	26.38824
5500	8992	45	0.19017	10	3	2.00	5	3	10466	0.27300	0.52350	41.79427	1990.319
5500	8998	45	0.15013	10	3	2.00	5	3	10466	0.21553	0.52352	41.79401	1571.261
5502	161	25	0.09503	2	10	1.00	5	3	78	0.22814	0.00132	24.99338	7.41234
5502	5504	45	0.19285	10	3	2.00	5	3	12234	0.28393	0.61194	40.75341	2359.327
5502	8992	45	0.12502	10	3	2.00	5	3	12273	0.18419	0.61391	40.72719	1534.37
5504	181	25	0.13954	2	10	1.00	5	3	674	0.33567	0.01146	24.94283	94.04996
5504	182	25	0.33275	2	10	1.00	5	3	118	0.79893	0.00200	24.99000	39.2645
5504	5502	45	0.19285	10	3	2.00	5	3	12320	0.28433	0.61624	40.69599	2375.912
5504	5506	45	0.19635	10	3	2.00	5	3	12779	0.29177	0.63918	40.37682	2509.157
5506	159	25	0.20348	2	10	1.00	5	3	535	0.48924	0.00910	24.95459	108.8618
5506	5504	45	0.19635	10	3	2.00	5	3	12875	0.29228	0.64401	40.30686	2528.006
5506	8632	45	0.06694	10	3	2.00	5	3	13156	0.10017	0.65807	40.09705	880.6626
5509	323	25	0.13876	2	10	1.00	1	3	3344	0.33682	0.05687	24.71885	464.0134
5509	5511	45	0.25754	10	5	2.00	1	3	10501	0.38251	0.63781	40.39653	2704.428
5509	5514	45	0.14168	10	5	2.00	1	3	11439	0.21518	0.69480	39.50403	1620.678
5510	322	25	0.26877	2	10	1.00	1	3	705	0.64659	0.01199	24.94021	189.4829
5510	5511	45	0.35823	10	3	1.00	1	3	4873	0.50990	0.48750	42.15255	1745.655
5510	6004	40	0.32318	10	3	1.00	1	3	4251	0.51087	0.42527	37.95690	1373.838
5511	5509	45	0.25754	10	5	2.00	1	3	10866	0.38565	0.65998	40.06786	2798.43
5511	5510	45	0.35823	10	3	1.00	1	3	4897	0.51017	0.48986	42.13005	1754.252
5511	5512	45	0.44797	10	3	1.00	1	3	8552	0.75012	0.85558	35.83157	3831.039
5511	15064	45	0.10042	10	5	2.00	1	3	16670	0.20543	1.01251	29.32810	1674.001
5512	5511	45	0.44797	10	3	1.00	1	3	8933	0.77697	0.89363	34.59329	4001.716
5512	5513	45	0.04154	10	3	1.00	1	3	8718	0.07058	0.87219	35.31339	362.1457
5512	27043	25	0.19897	10	3	1.00	1	3	664	0.47999	0.06645	24.87175	132.1161
5513	5512	45	0.04154	10	3	1.00	1	3	9033	0.07280	0.90364	34.23599	375.2308
5513	5519	25	0.11739	10	4	1.00	1	3	1422	0.28555	0.15116	24.66669	166.9286
5513	5525	45	0.20076	10	3	1.00	1	3	7349	0.31072	0.73519	38.76569	1475.385
5514	5509	45	0.14168	10	5	2.00	1	3	11187	0.21380	0.67949	39.75953	1584.974
5514	5518	45	0.21235	10	3	3.00	4	3	17090	0.30865	0.56989	41.27984	3629.062
5514	9054	45	0.15115	10	3	2.00	1	3	14365	0.23205	0.71856	39.08168	2171.27
5514	24840	45	0.14589	10	3	2.00	4	3	17686	0.25080	0.88464	34.90266	2580.211

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
5515	1132	20	0.18811	3	10	3.00	0	3	2500	0.56592	0.01417	19.94347	470.275
5515	3616	45	0.39564	10	3	1.00	1	3	11689	0.20930	1.16938	19.62984	4624.636
5515	5525	45	0.31545	10	3	1.00	1	3	11767	0.98765	1.17715	19.16349	3711.9
5516	210	25	0.32283	2	10	1.00	4	3	12172	0.80686	0.20701	24.00608	3929.487
5516	5517	45	0.14283	10	3	2.00	4	3	22818	0.40098	1.14138	21.37200	3259.095
5516	24840	45	0.25659	10	3	2.00	1	3	20652	0.54633	1.03301	28.17946	5299.097
5516	27043	25	0.20523	10	3	1.00	1	3	883	0.49610	0.08830	24.82166	181.2181
5517	5516	45	0.14283	10	3	2.00	4	3	22780	0.39867	1.13944	21.49559	3253.667
5517	5521	50	0.12236	10	6	2.00	1	0	6	0.14676	0.00024	50.02592	0.73416
5517	5523	45	0.15314	10	3	4.00	1	3	26621	0.22983	0.66579	39.97794	4076.74
5517	9571	45	0.10367	10	3	3.00	1	3	44763	0.74692	1.49268	8.32784	4640.58
5518	214	25	0.17614	2	10	1.00	4	3	250	0.42311	0.00425	24.97877	44.035
5518	1542	25	0.13532	2	10	1.00	4	3	616	0.32545	0.01047	24.94776	83.35712
5518	5514	45	0.21235	10	3	3.00	4	3	17856	0.31101	0.59545	40.96742	3791.722
5518	5520	45	0.21328	10	3	3.00	4	3	17875	0.31243	0.59608	40.95940	3812.38
5519	5513	25	0.11739	10	4	1.00	1	3	2293	0.28863	0.24378	24.40386	269.1753
5519	9091	45	0.18542	10	2	4.00	1	3	36110	0.29203	0.76764	38.09512	6695.516
5519	9561	25	0.08617	10	4	1.00	1	3	8496	0.27166	0.90301	19.03273	732.1003
5519	27042	45	0.09822	10	3	4.00	1	3	35429	0.16909	0.88608	34.85390	3479.836
5520	213	25	0.15218	2	10	1.00	4	3	245	0.36553	0.00417	24.97916	37.2841
5520	5518	45	0.21328	10	3	3.00	4	3	18330	0.31394	0.61125	40.76257	3909.422
5520	5526	45	0.14547	10	3	3.00	4	3	17630	0.21256	0.58790	41.06200	2564.636
5521	5517	50	0.12236	10	6	1.00	1	0	12316	0.24165	1.04724	30.38130	1506.986
5522	5524	45	0.19169	10	3	3.00	4	3	18475	0.28259	0.61607	40.69827	3541.473
5522	5526	45	0.12397	10	3	3.00	4	3	19221	0.18433	0.64094	40.35136	2382.827
5523	5517	45	0.15314	10	3	4.00	1	3	35403	0.26345	0.88542	34.87626	5421.615
5523	5966	0	0.41388	10	6	0.00	4	0	0	0.00000	0.00000	0.00000	0
5523	27042	45	0.04943	10	3	4.00	1	3	39166	0.09559	0.97953	31.02586	1935.975
5524	212	25	0.06349	2	10	1.00	4	3	297	0.15254	0.00506	24.97475	18.85653
5524	216	25	0.13744	2	10	1.00	4	3	1442	0.33147	0.02452	24.87801	198.1885
5524	5522	45	0.19169	10	3	3.00	4	3	19221	0.28502	0.64094	40.35136	3684.473
5524	8748	45	0.09655	10	3	3.00	4	3	19486	0.14402	0.64980	40.22155	1881.373
5525	5513	45	0.20076	10	3	1.00	1	3	6792	0.30295	0.67947	39.75996	1363.562
5525	5515	45	0.31545	10	3	1.00	1	3	12959	1.41824	1.29641	13.34538	4087.917
5525	9561	25	0.11058	10	4	1.00	1	3	4986	0.28620	0.52995	23.18139	551.3519
5526	213	25	0.09035	2	10	1.00	4	3	531	0.21723	0.00903	24.95495	47.97585
5526	5520	45	0.14547	10	3	3.00	4	3	18090	0.21358	0.60323	40.86768	2631.552
5526	5522	45	0.12397	10	3	3.00	4	3	18475	0.18276	0.61607	40.69827	2290.346
5526	5528	30	0.18405	10	5	1.00	4	3	898	0.37149	0.10906	29.72681	165.2769
5528	214	25	0.24093	2	10	1.00	4	3	424	0.57906	0.00721	24.96402	102.1543
5528	5526	30	0.18405	10	5	1.00	4	3	607	0.37025	0.07372	29.82633	111.7184
5528	5530	30	0.18129	10	5	1.00	4	3	544	0.36443	0.06606	29.84714	98.62176
5530	5528	30	0.18129	10	5	1.00	4	3	550	0.36446	0.06682	29.84510	99.7095
5530	5532	30	0.18844	10	5	1.00	4	3	722	0.37957	0.08773	29.78757	136.0537
5530	5534	30	0.05955	10	5	1.00	4	3	834	0.12011	0.10134	29.74906	49.6647
5532	215	25	0.15861	2	10	1.00	4	3	1357	0.38243	0.02308	24.88511	215.2338
5532	5530	30	0.18844	10	5	1.00	4	3	347	0.37801	0.04212	29.91048	65.38868
5532	8744	30	0.20849	10	5	1.00	4	3	1198	0.42236	0.14554	29.61750	249.771
5534	217	25	0.05053	2	10	1.00	4	3	1043	0.12171	0.01774	24.91160	52.70279
5534	5530	30	0.05955	10	5	1.00	4	3	1216	0.12067	0.14771	29.61078	72.4128
5534	9050	30	0.17078	10	5	1.00	4	3	1020	0.34521	0.12393	29.68307	174.1956
5536	5542	50	0.18583	10	1	2.00	1	0	53456	0.44604	1.13639	24.99801	9933.728
5536	5544	63	0.18581	10	1	3.00	1	0	55011	0.21194	0.77963	52.60163	10221.59
5536	7153	65	0.02973	2	9	1.00	0	0	0	0.02743	0.00000	65.03497	0
5538	5540	63	0.39224	10	1	3.00	1	0	63888	0.49417	0.90544	47.62391	25059.43
5538	5542	50	0.23239	10	1	1.00	1	0	15467	0.31484	0.65761	44.28835	3594.376
5540	8954	63	0.40455	10	1	5.00	1	0	96560	0.47414	0.82109	51.19415	39063.35
5540	10290	65	0.03020	2	9	1.00	0	0	15321	0.03541	0.86852	51.17792	462.6942
5542	25162	63	0.01109	10	1	2.00	4	0	68923	0.04955	1.46520	13.42825	764.3561
5546	5540	50	0.25012	10	1	2.00	1	0	47993	0.46410	1.02026	32.33609	12004.01
5546	5544	50	0.26194	10	1	1.00	1	0	21915	0.42794	0.93175	36.72552	5740.415
5548	5549	30	0.13942	10	6	1.00	4	2	13300	0.56928	1.13091	14.69428	1854.286
5548	5550	63	0.31677	10	1	3.00	4	0	55623	0.36325	0.78831	52.32298	17619.7
5549	8840	25	0.07379	10	6	1.00	4	2	2893	0.18147	0.24601	24.39693	213.4745
5549	8845	30	0.11513	10	6	1.00	4	2	10406	0.29696	0.88490	23.26268	1198.043
5550	25165	63	0.02081	10	1	3.00	4	0	66045	0.02712	0.93601	46.04350	1374.396
5552	5654	35	0.17405	10	6	1.00	4	3	12759	0.53691	1.08492	19.44990	2220.704
5552	5657	63	0.11194	10	1	3.00	4	0	53286	0.12591	0.75519	53.34493	5964.835
5553	5555	40	0.06006	10	3	2.00	0	3	12509	0.09994	0.62572	36.05933	751.2905
5553	5556	40	0.04209	10	3	2.00	0	3	12509	0.07003	0.62572	36.05933	526.5038
5554	25168	63	0.01653	10	1	3.00	4	0	69323	0.02290	0.98248	43.29822	1145.909
5555	273	25	0.12084	2	10	1.00	3	3	12509	0.30236	0.21274	23.97969	1511.588
5555	5553	40	0.06006	10	3	2.00	0	3	12509	0.09994	0.62572	36.05933	751.2905
5556	5553	40	0.04209	10	3	2.00	0	3	12509	0.07003	0.62572	36.05933	526.5038
5556	5557	45	0.09004	10	3	3.00	0	3	12254	0.12612	0.40862	42.83518	1103.35
5556	5563	45	0.10911	10	3	3.00	0	3	34033	0.30048	1.13488	21.78697	3713.341
5556	8769	45	0.06686	10	3	3.00	0	3	39012	0.30443	1.30090	13.17662	2608.342
5557	877	20	0.06631	3	10	3.00	0	3	459	0.19903	0.00260	19.98960	30.43629
5557	5556	45	0.09004	10	3	3.00	0	3	8924	0.12388	0.29760	43.61083	803.517
5557	5614	45	0.18963	10	3	3.00	0	3	12520	0.26605	0.41751	42.76450	2374.168
5558	82	25	0.04314	2	10	1.00	1	3	413	0.10368	0.00703	24.96490	17.81682
5558	135	25	0.05928	2	10	1.00	1	3	1813	0.14315	0.03083	24.84678	107.4746
5558	5560	35	0.09193	10	3	3.00	1	3	25004	0.19450	0.83379	28.36016	2298.618

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
5558	5848	35	0.05552	10	3	3.00	1	3	25837	0.12016	0.86159	27.72629	1434.47
5560	5558	35	0.09193	10	3	3.00	1	3	24716	0.19311	0.82420	28.56402	2272.142
5560	5562	35	0.08977	10	3	3.00	1	3	23997	0.18546	0.80022	29.04272	2154.211
5560	5646	25	0.06705	10	5	1.00	1	3	993	0.16257	0.12068	24.74394	66.58065
5560	5844	25	0.14348	10	5	1.00	1	3	2424	0.35517	0.29451	24.23884	347.7955
5561	885	20	0.09611	3	10	3.00	0	3	3065	0.28934	0.01738	19.93074	294.5772
5561	5610	45	0.12542	10	3	3.00	3	3	24565	0.20415	0.81915	36.85930	3080.942
5561	5612	45	0.13195	10	3	3.00	3	3	24275	0.21335	0.80951	37.10865	3203.086
5562	136	25	0.06705	2	10	1.00	1	3	2008	0.16201	0.03416	24.83038	134.6364
5562	5560	35	0.08977	10	3	3.00	1	3	25385	0.19183	0.84651	28.07847	2278.811
5562	5564	35	0.07654	10	3	3.00	1	3	23460	0.15634	0.78230	29.37385	1795.628
5563	879	20	0.10091	3	10	3.00	0	3	748	0.30300	0.00424	19.98306	75.48068
5563	880	25	0.08951	3	10	1.00	0	3	1841	0.21618	0.03131	24.84445	164.7879
5563	5556	45	0.10911	10	3	3.00	0	3	32598	0.26320	1.08703	24.87247	3556.768
5563	5612	45	0.10312	10	3	3.00	0	3	31791	0.23292	1.06013	26.56210	3278.288
5564	5562	35	0.07654	10	3	3.00	1	3	24741	0.16087	0.82502	28.54675	1893.676
5564	5566	35	0.14358	10	3	3.00	1	3	23578	0.29398	0.78623	29.30301	3385.329
5564	5642	25	0.17600	10	5	1.00	1	3	1069	0.42717	0.12986	24.72111	188.144
5564	5852	25	0.17850	10	5	1.00	1	3	1691	0.43682	0.20538	24.51835	301.8435
5566	84	25	0.05271	2	10	1.00	1	3	2782	0.12770	0.04732	24.76564	146.6392
5566	250	25	0.07944	2	10	1.00	3	3	1799	0.19182	0.03060	24.84792	142.9126
5566	5564	35	0.14358	10	3	3.00	1	3	24226	0.29813	0.80785	28.89490	3478.369
5566	5568	35	0.08228	10	3	3.00	1	3	21765	0.16298	0.72580	30.29150	1790.824
5568	5566	35	0.08228	10	3	3.00	3	3	22102	0.16390	0.73702	30.12318	1818.553
5568	5570	35	0.10909	10	3	3.00	2	3	21109	0.21389	0.70391	30.60238	2302.781
5568	5776	25	0.11147	10	5	1.00	1	3	1240	0.27113	0.15062	24.66810	138.2228
5570	5568	35	0.10909	10	3	3.00	3	3	22102	0.21729	0.73702	30.12318	2411.107
5570	5572	45	0.15682	10	3	3.00	2	3	21199	0.23946	0.70691	39.29288	3324.427
5570	5630	35	0.06885	10	4	3.00	3	3	17456	0.13062	0.61849	31.62879	1201.846
5570	5774	35	0.15259	10	4	3.00	2	3	17027	0.28804	0.60329	31.78539	2598.15
5572	256	25	0.10010	2	10	1.00	3	3	6389	0.24546	0.10865	24.46830	639.5389
5572	282	25	0.12863	2	10	1.00	2	3	653	0.30939	0.01110	24.94463	83.99539
5572	5570	45	0.15682	10	3	3.00	3	3	21842	0.24189	0.72834	38.89789	3425.262
5572	5574	45	0.17784	10	3	3.00	2	3	19011	0.26378	0.63396	40.45140	3380.916
5574	5572	45	0.17784	10	3	3.00	3	3	23288	0.28156	0.77656	37.89713	4141.538
5574	5576	45	0.17595	10	3	3.00	2	3	21784	0.27114	0.72641	38.93470	3832.895
5574	5626	40	0.09972	10	3	3.00	3	3	20220	0.16894	0.67427	35.41676	2016.338
5574	5728	40	0.10341	10	3	3.00	2	3	17953	0.17055	0.59866	36.37914	1856.52
5576	260	25	0.09825	2	10	1.00	3	3	2568	0.23786	0.04367	24.78354	252.306
5576	287	25	0.09753	2	10	1.00	2	3	2730	0.23625	0.04643	24.76998	266.2569
5576	5574	45	0.17595	10	3	3.00	3	3	22190	0.27298	0.73995	38.67186	3904.331
5576	5578	45	0.17028	10	3	3.00	2	3	19802	0.25502	0.66034	40.06236	3371.885
5578	287	25	0.17027	2	10	1.00	2	3	1063	0.41013	0.01808	24.90991	180.997
5578	5576	45	0.17028	10	3	3.00	2	3	22329	0.26482	0.74459	38.57913	3802.182
5578	5580	45	0.24312	10	3	3.00	2	3	18088	0.35692	0.60316	40.86856	4397.555
5578	5600	35	0.11368	10	5	1.00	3	3	3230	0.20413	0.39242	33.41371	367.1864
5580	5578	45	0.24312	10	3	3.00	3	3	20689	0.36848	0.68990	39.58727	5029.91
5580	5582	45	0.15314	10	3	3.00	3	3	27557	0.27295	0.91893	33.66269	4220.079
5580	5714	40	0.21421	10	3	3.00	2	3	12644	0.33838	0.42164	37.98319	2708.471
5580	5950	40	0.03830	10	3	3.00	3	3	22521	0.06725	0.75099	34.17657	862.5543
5582	262	25	0.07184	2	10	1.00	3	3	843	0.17292	0.01433	24.92856	60.56112
5582	294	25	0.11441	2	10	1.00	2	3	2446	0.27686	0.04160	24.79369	279.8469
5582	5580	45	0.15314	10	3	3.00	3	3	28201	0.28016	0.94042	32.79653	4318.701
5582	5584	45	0.24500	10	3	3.00	3	3	27634	0.43800	0.92151	33.56249	6770.33
5584	140	25	0.07799	2	10	1.00	1	3	3126	0.18916	0.05316	24.73701	243.7967
5584	296	25	0.15092	2	10	1.00	2	3	1291	0.36380	0.02195	24.89073	194.8377
5584	5582	45	0.24500	10	3	3.00	3	3	28356	0.45125	0.94559	32.57695	6947.22
5584	5586	45	0.11863	10	3	3.00	2	0	26621	0.20454	0.88773	34.79762	3158.049
5586	5584	45	0.11863	10	3	3.00	2	0	26885	0.20636	0.89652	34.49155	3189.368
5586	6011	45	0.15398	10	3	3.00	2	3	17092	0.22381	0.56995	41.27921	2631.826
5588	141	25	0.07456	2	10	1.00	1	0	530	0.17926	0.00902	24.95497	39.5168
5590	268	25	0.13082	2	10	1.00	3	0	319	0.31432	0.00542	24.97291	41.73158
5592	5594	40	0.33098	10	4	2.00	3	0	4418	0.50803	0.23479	39.09026	1462.27
5594	142	25	0.12059	2	10	1.00	3	3	1110	0.29051	0.01887	24.90600	133.8549
5594	268	25	0.22087	2	10	1.00	3	3	381	0.53077	0.00647	24.96769	84.15147
5594	5592	40	0.33098	10	4	2.00	3	0	3758	0.50589	0.19973	39.25523	1243.823
5594	5596	40	0.20375	10	4	2.00	3	3	5273	0.31460	0.28024	38.85914	1074.374
5596	267	25	0.10181	2	10	1.00	3	3	494	0.24474	0.00839	24.95810	50.29414
5596	5594	40	0.20375	10	4	2.00	3	3	4613	0.31315	0.24519	39.03919	939.8988
5596	5598	40	0.12584	10	4	2.00	3	3	5623	0.19480	0.29887	38.75821	707.5983
5598	5596	40	0.12584	10	4	2.00	3	3	4964	0.19387	0.26382	38.94506	624.6698
5598	5600	35	0.20699	10	5	1.00	3	3	2418	0.36595	0.29378	33.93790	500.5018
5598	5602	40	0.14226	10	3	3.00	3	3	25420	0.26624	0.84768	32.05923	3616.249
5598	5950	40	0.11518	10	3	3.00	3	3	23214	0.20485	0.77410	33.73555	2673.789
5600	261	25	0.11276	2	10	1.00	3	3	1815	0.27230	0.03087	24.84658	204.6594
5600	5578	35	0.11368	10	5	1.00	3	3	3164	0.20384	0.38435	33.46094	359.6835
5600	5598	35	0.20699	10	5	1.00	3	3	2485	0.36637	0.30185	33.89898	514.3702
5601	5607	35	0.17168	10	5	1.00	0	3	1823	0.30066	0.22145	34.26004	312.9726
5601	5608	45	0.22983	10	3	3.00	3	3	24309	0.37188	0.81062	37.08036	5586.937
5601	5610	45	0.17120	10	3	3.00	3	3	22713	0.26809	0.75739	38.31507	3888.466
5602	264	25	0.15844	2	10	1.00	3	3	2604	0.38364	0.04428	24.78053	412.5778
5602	887	20	0.14331	3	10	3.00	0	3	574	0.43021	0.00325	19.98700	82.25994
5602	5598	40	0.14226	10	3	3.00	3	3	25916	0.26998	0.86421	31.61486	3686.81

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
5602	5604	40	0.27274	10	3	3.00	3	3	25709	0.51454	0.85731	31.80365	7011.873
5603	3352	45	0.06696	10	4	2.00	0	3	4319	0.09130	0.22953	44.00520	289.2002
5603	5609	45	0.10301	10	4	2.00	0	3	4429	0.14056	0.23540	43.97324	456.2313
5604	5602	40	0.27274	10	3	3.00	3	3	26205	0.52211	0.87384	31.34250	7147.152
5604	5606	40	0.04619	10	3	3.00	3	3	24487	0.08444	0.81654	32.82449	1131.055
5604	5628	40	0.13374	10	4	2.00	3	3	3762	0.20442	0.19993	39.25431	503.1299
5605	890	20	0.14493	3	10	3.00	0	3	67	0.43482	0.00038	19.99849	9.71031
5605	891	20	0.11545	3	10	3.00	0	3	456	0.34652	0.00258	19.98967	52.6452
5605	5611	35	0.23971	10	5	1.00	0	3	796	0.41422	0.09665	34.72285	190.8092
5605	5623	35	0.18396	10	5	1.00	0	3	786	0.31784	0.09554	34.72653	144.5926
5606	263	25	0.15418	2	10	1.00	3	3	241	0.37034	0.00411	24.97949	37.15738
5606	5604	40	0.04619	10	3	3.00	3	3	25332	0.08625	0.84475	32.13514	1170.085
5606	5608	40	0.16718	10	3	3.00	3	3	24248	0.30391	0.80858	33.00641	4053.781
5607	5601	35	0.17168	10	5	1.00	0	3	1832	0.30070	0.22253	34.25555	314.5178
5607	5625	35	0.29920	10	5	1.00	0	3	1823	0.52399	0.22145	34.26004	545.4416
5608	5601	45	0.22983	10	3	3.00	3	3	22682	0.35969	0.75635	38.33694	5213.004
5608	5606	40	0.16718	10	3	3.00	3	3	25095	0.31021	0.83684	32.33589	4195.382
5608	25044	35	0.15319	10	4	2.00	3	3	2171	0.26519	0.11539	34.65973	332.5755
5609	890	20	0.14109	3	10	3.00	0	3	383	0.42346	0.00217	19.99131	54.03747
5609	5603	45	0.10301	10	4	2.00	0	3	4319	0.14045	0.22953	44.00520	444.9002
5609	5611	45	0.12927	10	4	2.00	0	3	4534	0.17650	0.24096	43.94260	586.1102
5610	884	20	0.08804	3	10	3.00	0	3	603	0.26431	0.00342	19.98634	53.08812
5610	5561	45	0.12542	10	3	3.00	3	3	22946	0.19725	0.76518	38.14863	2877.887
5610	5601	45	0.17120	10	3	3.00	3	3	24331	0.27716	0.81136	37.06141	4165.467
5611	893	20	0.16524	3	10	3.00	0	3	538	0.49601	0.00305	19.98780	88.89912
5611	5605	35	0.23971	10	5	1.00	0	3	813	0.41430	0.09878	34.71576	194.8842
5611	5609	45	0.12927	10	4	2.00	0	3	4421	0.17637	0.23496	43.97561	571.5027
5611	5613	45	0.09620	10	4	2.00	0	3	4057	0.13094	0.21559	44.07969	390.2834
5612	5561	45	0.13195	10	3	3.00	3	3	25885	0.22239	0.86317	35.59900	3415.526
5612	5563	45	0.10312	10	3	3.00	0	3	30355	0.21085	1.01223	29.34328	3130.208
5612	5619	45	0.09999	10	4	2.00	0	3	7428	0.13971	0.39478	42.94247	742.7257
5613	891	20	0.25134	3	10	3.00	0	3	594	0.75454	0.00337	19.98653	149.296
5613	892	20	0.08241	3	10	3.00	0	3	437	0.24735	0.00248	19.99010	36.01317
5613	3348	45	0.14192	10	4	2.00	0	3	4773	0.19409	0.25367	43.87135	677.3842
5613	5611	45	0.09620	10	4	2.00	0	3	3961	0.13086	0.21053	44.10627	381.0482
5614	270	25	0.10485	2	10	1.00	3	3	1558	0.25296	0.02650	24.86821	163.3563
5614	5557	45	0.18963	10	3	3.00	0	3	9298	0.26136	0.31007	43.53257	1763.18
5614	8906	45	0.21410	10	3	3.00	3	3	8614	0.29413	0.28725	43.67432	1844.257
5614	25041	35	0.13498	10	5	1.00	0	3	5406	0.25954	0.65667	31.20319	729.7019
5615	883	20	0.22655	3	10	3.00	0	3	1515	0.68081	0.00859	19.96571	343.2233
5615	3348	45	0.25857	10	4	2.00	0	3	5004	0.35420	0.26594	43.80088	1293.884
5615	3349	40	0.11030	10	5	1.00	0	3	474	0.16617	0.05759	39.82643	52.2822
5615	5621	45	0.08354	10	4	2.00	0	3	6529	0.11580	0.34697	43.28867	545.4327
5616	253	25	0.07651	2	10	1.00	3	3	1622	0.18465	0.02759	24.86283	124.0992
5616	5618	40	0.18035	10	3	3.00	3	3	27130	0.35597	0.90470	30.39767	4892.896
5616	8906	40	0.15428	10	3	4.00	3	3	36772	0.30962	0.91966	29.89726	5673.184
5616	13976	35	0.11304	10	5	1.00	0	3	4709	0.21137	0.57198	32.08735	532.3054
5618	5616	40	0.18035	10	3	3.00	3	3	31324	0.44262	1.04456	24.44691	5649.283
5618	5622	40	0.18271	10	3	3.00	3	3	17684	0.30052	0.58971	36.47958	3231.044
5618	5634	35	0.13129	10	4	2.00	3	3	10911	0.24606	0.57987	32.01374	1432.505
5618	15250	35	0.10915	10	4	2.00	3	3	1695	0.18849	0.09009	34.74446	185.0093
5619	880	20	0.07415	3	10	3.00	0	3	562	0.22260	0.00318	19.98727	41.6723
5619	885	20	0.16635	3	10	3.00	0	3	193	0.49915	0.00110	19.99562	32.10555
5619	5612	45	0.09999	10	4	2.00	0	3	7601	0.13994	0.40397	42.87161	760.024
5619	5621	45	0.47275	10	4	2.00	0	3	7367	0.66016	0.39153	42.96721	3482.749
5620	15250	35	0.12124	10	4	2.00	3	3	1021	0.20868	0.05424	34.85851	123.786
5620	25043	35	0.11286	10	5	1.00	0	3	2133	0.19860	0.25911	34.09803	240.7304
5620	25044	35	0.11611	10	4	2.00	3	3	1841	0.20066	0.09786	34.71884	213.7585
5621	881	20	0.23051	3	10	3.00	0	3	1678	0.69285	0.00951	19.96202	386.7958
5621	5615	45	0.08354	10	4	2.00	0	3	6345	0.11562	0.33723	43.35494	530.0613
5621	5619	45	0.47275	10	4	2.00	0	3	7550	0.66131	0.40128	42.89256	3569.263
5622	257	25	0.11802	2	10	1.00	3	3	29	0.28329	0.00050	24.99752	3.42258
5622	259	25	0.05814	2	10	1.00	3	3	3690	0.14128	0.06275	24.69012	214.5366
5622	5618	40	0.18271	10	3	3.00	3	3	21176	0.31377	0.70615	34.93897	3869.067
5622	5624	40	0.13531	10	3	3.00	3	3	17605	0.22238	0.58707	36.50866	2382.133
5623	889	20	0.05952	3	10	3.00	0	3	417	0.17865	0.00236	19.99055	24.81984
5623	5605	35	0.18396	10	5	1.00	0	3	778	0.31780	0.09446	34.73011	143.1209
5623	5625	35	0.20702	10	5	1.00	0	3	912	0.35822	0.11073	34.67561	188.8022
5624	5622	40	0.13531	10	3	3.00	3	3	21097	0.23210	0.70353	34.98015	2854.635
5624	5626	40	0.18376	10	3	3.00	3	3	19040	0.30674	0.63493	35.94450	3498.79
5624	5628	40	0.18370	10	4	2.00	3	3	3826	0.28089	0.20334	39.23874	702.8362
5624	5640	40	0.15133	10	4	2.00	3	3	6059	0.23506	0.32201	38.62729	916.9085
5625	886	20	0.05279	3	10	3.00	0	3	1430	0.15864	0.00811	19.96762	75.4897
5625	5607	35	0.29920	10	5	1.00	0	3	1832	0.52406	0.22253	34.25555	548.1344
5625	5623	35	0.20702	10	5	1.00	0	3	903	0.35818	0.10965	34.67928	186.9391
5626	256	25	0.18182	2	10	1.00	3	3	201	0.43666	0.00342	24.98294	36.54582
5626	260	25	0.14006	2	10	1.00	3	3	3652	0.34032	0.06211	24.69327	511.4991
5626	5574	40	0.09972	10	3	3.00	3	3	21418	0.17188	0.71420	34.81028	2135.803
5626	5624	40	0.18376	10	3	3.00	3	3	21779	0.31856	0.72625	34.61130	4002.109
5628	263	25	0.15865	2	10	1.00	3	3	414	0.38130	0.00705	24.96480	65.6811
5628	5604	40	0.13374	10	4	2.00	3	3	3412	0.20399	0.18131	39.33764	456.3209
5628	5624	40	0.18370	10	4	2.00	3	3	4180	0.28153	0.22217	39.15092	767.866
5630	250	25	0.16269	2	10	1.00	3	3	2279	0.39348	0.03875	24.80772	370.7705

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
5630	256	25	0.14477	2	10	1.00	3	3	6018	0.35455	0.10235	24.49853	871.2259
5630	5570	35	0.06885	10	4	3.00	3	3	16586	0.12935	0.58767	31.93936	1141.946
5630	5632	35	0.20317	10	4	3.00	3	3	11583	0.36601	0.41040	33.30535	2353.318
5632	5630	35	0.20317	10	4	3.00	3	3	11484	0.36578	0.40690	33.32677	2333.204
5632	5634	35	0.14195	10	4	2.00	3	3	10134	0.26302	0.53861	32.38176	1438.521
5632	5638	40	0.14149	10	4	2.00	3	3	11755	0.23535	0.62473	36.07143	1663.215
5632	5640	40	0.14545	10	4	2.00	3	3	12214	0.24404	0.64915	35.76105	1776.526
5634	257	25	0.11674	2	10	1.00	3	3	1570	0.28168	0.02670	24.86720	183.2818
5634	5618	35	0.13129	10	4	2.00	3	3	11550	0.24867	0.61384	31.67747	1516.4
5634	5632	35	0.14195	10	4	2.00	3	3	9363	0.26038	0.49759	32.70976	1329.078
5636	139	25	0.08716	2	10	1.00	1	3	1353	0.21014	0.02300	24.88551	117.9275
5636	5638	40	0.15272	10	4	2.00	3	3	12048	0.25541	0.64031	35.87607	1839.971
5636	8914	40	0.29518	10	4	2.00	1	3	11951	0.49276	0.63514	35.94192	3527.696
5638	251	25	0.08464	2	10	1.00	3	3	2501	0.20487	0.04254	24.78912	211.6846
5638	5632	40	0.14149	10	4	2.00	3	3	12221	0.23742	0.64951	35.75623	1729.149
5638	5636	40	0.15272	10	4	2.00	3	3	11582	0.25325	0.61552	36.18276	1768.803
5640	256	25	0.17233	2	10	1.00	3	3	7438	0.42404	0.12649	24.38316	1281.791
5640	257	25	0.08739	2	10	1.00	3	3	1574	0.21085	0.02677	24.86688	137.5519
5640	5624	40	0.15133	10	4	2.00	3	3	6458	0.23582	0.34324	38.50152	977.2891
5640	5632	40	0.14545	10	4	2.00	3	3	12421	0.24505	0.66013	35.61382	1806.634
5642	139	25	0.07317	2	10	1.00	1	3	717	0.17605	0.01219	24.93919	52.46289
5642	5564	25	0.17600	10	5	1.00	1	3	1196	0.42784	0.14523	24.68204	210.496
5642	5644	30	0.13375	10	5	1.00	1	3	1577	0.27232	0.19162	29.46889	210.9238
5644	1294	25	0.12133	2	10	1.00	1	3	198	0.29139	0.00337	24.98315	24.02334
5644	5642	30	0.13375	10	5	1.00	1	3	1764	0.27304	0.21434	29.39085	235.935
5644	5646	30	0.15378	10	5	1.00	1	3	1287	0.31188	0.15629	29.58393	197.9149
5644	8916	30	0.17770	10	5	1.00	1	3	1644	0.36215	0.19969	29.44155	292.1388
5646	135	25	0.09258	2	10	1.00	1	3	23	0.22221	0.00039	24.99806	2.12934
5646	136	25	0.08977	2	10	1.00	1	3	554	0.21586	0.00943	24.95296	49.73258
5646	5560	25	0.06705	10	5	1.00	1	3	761	0.16213	0.09239	24.81207	51.02505
5646	5644	30	0.15378	10	5	1.00	1	3	1414	0.31241	0.17181	29.53431	217.4449
5648	212	25	0.07625	2	10	1.00	4	3	164	0.18310	0.00279	24.98607	12.505
5648	221	25	0.07684	2	10	1.00	4	3	1760	0.18553	0.02993	24.85126	135.2384
5648	5650	45	0.27108	10	3	3.00	4	3	31264	0.58882	1.04254	27.62300	8475.045
5648	8748	45	0.07437	10	3	3.00	4	3	28993	0.14108	0.96683	31.62950	2156.209
5650	211	25	0.10824	2	10	1.00	4	3	7708	0.26659	0.13109	24.36132	834.3139
5650	1230	25	0.17834	2	10	1.00	4	3	4042	0.43390	0.06873	24.66099	720.8503
5650	5648	45	0.27108	10	3	3.00	4	3	29218	0.52003	0.97431	31.27720	7920.415
5650	5651	45	0.18906	10	3	3.00	4	3	31921	0.43138	1.06445	26.29560	6034.984
5651	5650	45	0.18906	10	3	3.00	4	3	29875	0.37573	0.99622	30.19007	5648.168
5651	5652	45	0.02496	10	3	3.00	4	3	31921	0.05694	1.06445	26.29560	796.7482
5652	5554	35	0.21258	10	6	2.00	4	3	8597	0.37997	0.36553	33.56780	1827.55
5652	5651	45	0.02496	10	3	3.00	4	3	29875	0.04960	0.99622	30.19007	745.68
5652	5653	45	0.03519	10	3	3.00	4	3	27493	0.06257	0.91680	33.74442	967.4787
5653	5652	45	0.03519	10	3	3.00	4	3	24105	0.05668	0.80383	37.25122	848.255
5653	5655	45	0.11154	10	3	3.00	4	3	27493	0.19832	0.91680	33.74442	3066.569
5653	5659	25	0.03000	10	6	1.00	4	0	12012	0.11234	1.02142	16.02075	360.36
5654	5655	35	0.04326	10	6	1.00	4	3	12759	0.13346	1.08492	19.44990	551.9543
5654	5657	35	0.07908	10	6	1.00	4	3	4031	0.14083	0.34280	33.69116	318.7715
5655	3459	45	0.14923	10	3	3.00	4	3	30512	0.30816	1.01748	29.05605	4553.306
5655	5653	45	0.11154	10	3	3.00	4	3	36117	0.38015	1.20439	17.60453	4028.49
5655	5654	35	0.04326	10	6	1.00	4	3	4031	0.07705	0.34280	33.69116	174.3811
5655	5656	35	0.13791	10	6	1.00	4	0	2467	0.24118	0.20977	34.30795	340.224
5656	25169	63	0.02821	10	1	3.00	4	0	59785	0.03372	0.84729	50.19609	1686.535
5657	5656	63	0.21178	10	1	3.00	4	0	57318	0.24669	0.81233	51.50831	12138.81
5658	5652	35	0.13228	10	6	1.00	4	3	9939	0.28235	0.84516	28.10894	1314.731
5658	5659	63	0.10065	10	1	3.00	4	0	48714	0.10968	0.69040	55.05728	4903.064
5659	5554	63	0.23154	10	1	3.00	4	0	60726	0.27980	0.86063	49.65169	14060.5
5660	328	25	0.22084	2	10	1.00	1	3	4123	0.53745	0.07012	24.65423	910.5233
5660	5663	40	0.17742	10	3	2.00	1	3	21013	0.44169	1.05105	24.10166	3728.126
5660	6003	40	0.06367	10	3	2.00	6	3	6264	0.09878	0.31333	38.67716	398.8289
5660	9079	45	0.24798	10	3	2.00	6	3	19203	0.46614	0.96051	31.91926	4761.96
5661	3470	45	0.10761	11	3	3.00	0	0	13778	0.15225	0.45945	42.41026	1482.651
5662	8752	45	0.12310	10	3	3.00	4	3	27371	0.21788	0.91273	33.89917	3369.37
5662	8754	45	0.19593	10	3	3.00	4	3	26596	0.33755	0.88689	34.82626	5210.954
5662	8884	30	0.05046	10	5	1.00	4	3	3270	0.10580	0.39728	28.61561	165.0042
5663	5660	40	0.17742	10	3	2.00	1	3	21073	0.44469	1.05408	23.93914	3738.772
5663	9089	40	0.08447	10	3	2.00	1	3	21013	0.21029	1.05105	24.10166	1774.968
5664	95	25	0.11480	2	10	1.00	1	3	2628	0.27799	0.04469	24.77851	301.6944
5664	96	25	0.03983	2	10	1.00	1	3	1917	0.09621	0.03261	24.83801	76.35411
5664	5666	40	0.13585	10	3	3.00	1	3	23970	0.24543	0.79933	33.21100	3256.325
5664	8934	40	0.22011	10	3	2.00	1	3	21858	0.60720	1.09333	21.74978	4811.164
5666	5664	40	0.13585	10	3	3.00	1	3	23669	0.24385	0.78928	33.42561	3215.434
5666	5668	40	0.11856	10	3	3.00	1	3	32246	0.31241	1.07531	22.77012	3823.086
5666	5764	40	0.07841	10	3	2.00	1	3	17272	0.14877	0.86394	31.62233	1354.298
5666	5864	40	0.14736	10	3	2.00	1	3	20539	0.34900	1.02739	25.33445	3026.627
5668	108	25	0.03900	2	10	1.00	1	3	1310	0.09402	0.02228	24.88908	51.09
5668	5666	40	0.11856	10	3	3.00	1	3	32304	0.31389	1.07723	22.66254	3829.962
5668	5670	40	0.07275	10	3	3.00	1	3	32239	0.19159	1.07508	22.78327	2345.387
5670	105	25	0.23242	2	10	1.00	1	3	422	0.55860	0.00717	24.96420	98.08124
5670	109	25	0.30678	2	10	1.00	1	3	239	0.73687	0.00406	24.97971	73.32042
5670	5668	40	0.07275	10	3	3.00	1	3	32226	0.19138	1.07463	22.80864	2344.442
5670	5672	40	0.29643	10	3	3.00	1	3	31997	0.76554	1.06700	23.23271	9484.871

A	B	SPEED	DISTANCE	SPDCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
5671	110	25	0.10410	2	10	1.00	1	3	941	0.25064	0.01601	24.92023	97.9581
5671	5672	25	0.16083	10	5	1.00	1	3	1288	0.39142	0.15640	24.65298	207.149
5671	5673	25	0.08666	10	5	1.00	1	3	1297	0.21093	0.15754	24.64999	112.398
5672	5670	40	0.29643	10	3	3.00	1	3	31983	0.76465	1.06651	23.25985	9480.721
5672	5671	25	0.16083	10	5	1.00	1	3	1422	0.39211	0.17273	24.60942	228.7003
5672	5951	30	0.11606	10	5	1.00	1	3	3137	0.24266	0.38103	28.69721	364.0802
5672	10903	40	0.25324	10	3	3.00	1	0	34480	0.82021	1.14978	18.52527	8731.715
5673	5671	25	0.08666	10	5	1.00	1	3	1162	0.21057	0.14121	24.69237	100.6989
5673	5677	25	0.15881	10	5	1.00	1	3	670	0.38364	0.08133	24.83783	106.4027
5673	5839	25	0.24280	10	5	1.00	1	3	627	0.58625	0.07620	24.84961	152.2356
5674	5675	63	0.25736	10	1	3.00	1	0	87644	0.65984	1.24213	23.40216	22556.06
5674	5931	30	0.23199	10	6	2.00	1	3	16154	0.52672	0.68681	26.42598	3747.566
5674	7140	65	0.02705	2	9	1.00	0	0	0	0.02496	0.00000	65.03497	0
5675	5676	63	0.25991	10	1	3.00	1	0	90662	0.75128	1.28489	20.75708	23563.96
5676	13887	63	0.08812	23	1	4.00	901	0	104590	0.15757	1.11171	33.55524	9216.471
5677	111	25	0.07187	2	10	1.00	1	3	807	0.17297	0.01372	24.93159	57.99909
5677	5673	25	0.15881	10	5	1.00	1	3	627	0.38346	0.07612	24.84980	99.57387
5677	5678	25	0.15292	10	5	1.00	1	3	971	0.37070	0.11795	24.75067	148.4853
5678	5677	25	0.15292	10	5	1.00	1	3	928	0.37051	0.11274	24.76341	141.9098
5678	5679	25	0.11185	10	5	1.00	1	3	1371	0.27252	0.16657	24.62602	153.3464
5678	5681	25	0.13108	10	5	1.00	1	3	1131	0.31839	0.13735	24.70220	148.2515
5679	1298	25	0.07411	2	10	1.00	1	3	356	0.17807	0.00606	24.96972	26.38316
5679	5678	25	0.11185	10	5	1.00	1	3	1314	0.27232	0.15967	24.64438	146.9709
5679	5760	25	0.19845	10	5	1.00	1	3	1588	0.48494	0.19288	24.55389	315.1386
5680	5682	45	0.19018	10	3	3.00	2	0	19636	0.28422	0.65478	40.14692	3734.374
5680	6011	45	0.15407	10	3	3.00	2	3	15884	0.22153	0.52967	41.72938	2447.248
5680	9564	35	0.01705	10	5	1.00	3	3	3378	0.03071	0.41041	33.30529	57.5949
5680	9570	35	0.01155	10	5	1.00	3	0	1305	0.02009	0.15848	34.50652	15.07275
5681	5678	25	0.13108	10	5	1.00	1	3	1145	0.31845	0.13904	24.69791	150.0866
5681	5683	25	0.29881	10	5	1.00	1	3	1131	0.72579	0.13735	24.70220	337.9541
5682	5680	45	0.19018	10	3	3.00	2	0	18930	0.28181	0.63124	40.48978	3600.107
5682	5684	45	0.18731	10	3	3.00	2	0	19117	0.27818	0.63749	40.40106	3580.805
5682	5702	40	0.09186	10	3	2.00	2	0	10341	0.14812	0.51727	37.20768	949.9243
5682	5740	40	0.20772	10	3	2.00	2	0	11485	0.34011	0.57446	36.64494	2385.664
5683	113	25	0.17314	2	10	1.00	1	3	1388	0.41749	0.02361	24.88251	240.3183
5683	5681	25	0.29881	10	5	1.00	1	3	1145	0.72592	0.13904	24.69791	342.1375
5683	5685	25	0.13283	10	5	1.00	1	3	356	0.31977	0.04325	24.92296	47.28748
5684	305	25	0.06728	2	10	1.00	2	3	2506	0.16285	0.04262	24.78869	168.6037
5684	5682	45	0.18731	10	3	3.00	2	0	18879	0.27740	0.62954	40.51361	3536.225
5684	5686	45	0.13024	10	3	3.00	2	3	18955	0.19305	0.63209	40.47779	2468.699
5685	5683	25	0.13283	10	5	1.00	1	3	358	0.31977	0.04350	24.92242	47.55314
5685	5687	25	0.35117	10	5	1.00	1	3	356	0.84540	0.04325	24.92296	125.0165
5685	5759	25	0.17623	10	5	1.00	1	3	0	0.42272	0.00000	25.01345	0
5686	5684	45	0.13024	10	3	3.00	2	3	18709	0.19251	0.62389	40.59199	2436.66
5686	5688	45	0.07275	10	3	3.00	2	3	18955	0.10784	0.63209	40.47778	1378.976
5687	5685	25	0.35117	10	5	1.00	1	3	358	0.84542	0.04350	24.92241	125.7189
5687	5689	25	0.21646	10	5	1.00	1	3	644	0.52275	0.07821	24.84501	139.4002
5687	5823	25	0.17284	10	5	1.00	1	3	292	0.41582	0.03549	24.93966	50.46928
5688	5686	45	0.07275	10	3	3.00	2	3	18709	0.10754	0.62389	40.59200	1361.08
5688	5690	45	0.08033	10	3	3.00	2	3	27870	0.14494	0.92937	33.25083	2238.797
5688	5705	40	0.16832	10	4	1.00	2	3	7131	0.29661	0.75795	34.04742	1200.29
5688	5726	40	0.12822	10	3	2.00	2	3	16883	0.23935	0.84447	32.14227	2164.738
5689	115	25	0.11036	2	10	1.00	1	3	186	0.26504	0.00316	24.98421	20.52696
5689	5687	25	0.21646	10	5	1.00	1	3	615	0.52258	0.07470	24.85304	133.1229
5689	5824	20	0.13375	10	5	1.00	1	3	840	0.40465	0.10206	19.83134	112.35
5690	304	25	0.08788	2	10	1.00	2	3	422	0.21121	0.00718	24.96417	37.08536
5690	5688	45	0.08033	10	3	3.00	2	3	27486	0.14278	0.91655	33.75401	2207.95
5690	5692	45	0.22805	9	3	3.00	100	3	27915	0.41226	0.93088	33.18969	6366.016
5692	125	25	0.30468	1	10	1.00	100	0	325	0.73205	0.00554	24.97235	99.021
5692	5690	45	0.22805	9	3	3.00	100	3	27529	0.40605	0.91801	33.69796	6277.988
5692	5694	45	0.16080	9	3	3.00	100	3	27732	0.28855	0.92476	33.43478	4459.306
5694	309	25	0.06432	2	10	1.00	2	3	247	0.15450	0.00420	24.97901	15.88704
5694	5692	45	0.16080	9	3	3.00	100	3	27346	0.28433	0.91189	33.93090	4397.237
5694	5696	45	0.13543	9	3	3.00	100	3	27678	0.24253	0.92296	33.50565	3748.432
5696	5694	45	0.13543	9	3	3.00	100	3	27292	0.23901	0.91009	33.99830	3696.156
5696	5698	45	0.27524	9	3	3.00	100	0	26732	0.47631	0.89141	34.67094	7357.716
5696	5712	40	0.18445	10	5	1.00	2	0	3439	0.29116	0.41781	38.01073	634.3236
5696	5742	40	0.38152	9	4	1.00	100	0	6943	0.66525	0.73798	34.40968	2648.893
5698	5696	45	0.27524	9	3	3.00	100	0	26441	0.47182	0.88172	35.00098	7277.621
5701	306	25	0.14301	2	10	1.00	2	3	521	0.34384	0.00886	24.95576	74.50821
5701	5703	35	0.17604	10	5	1.00	2	3	368	0.30275	0.04468	34.88781	64.78272
5701	5704	35	0.16579	10	5	1.00	2	3	894	0.28681	0.10859	34.68285	148.2163
5702	305	25	0.16686	2	10	1.00	2	0	186	0.40072	0.00316	24.98420	31.03596
5702	5682	40	0.09186	10	3	2.00	2	0	10422	0.14827	0.52133	37.17049	957.3649
5702	5704	40	0.06310	10	3	2.00	2	0	10503	0.10195	0.52537	37.13306	662.7393
5703	306	25	0.08804	2	10	1.00	2	3	265	0.21149	0.00451	24.97747	23.3306
5703	307	25	0.12663	2	10	1.00	2	3	365	0.30429	0.00621	24.96899	46.21995
5703	5701	35	0.17604	10	5	1.00	2	3	371	0.30276	0.04511	34.88648	65.31084
5703	5705	35	0.09082	10	5	1.00	2	3	411	0.15627	0.04989	34.87189	37.32702
5704	616	20	0.03096	1	10	3.00	100	0	2121	0.09311	0.01202	19.95203	65.66616
5704	3364	40	0.38466	10	4	2.00	2	0	8185	0.60921	0.43503	37.88515	3148.442
5704	5701	35	0.16579	10	5	1.00	2	3	889	0.28679	0.10799	34.68489	147.3873
5704	5702	40	0.06310	10	3	2.00	2	0	10592	0.10207	0.52981	37.09154	668.3552

A	B	SPEED	DISTANCE	SPDCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
5705	308	25	0.30354	2	10	1.00	2	3	575	0.72992	0.00978	24.95119	174.5355
5705	5688	40	0.16832	10	4	1.00	2	3	7142	0.29682	0.75918	34.02433	1202.141
5705	5703	35	0.09082	10	5	1.00	2	3	414	0.15627	0.05033	34.87056	37.59948
5705	5706	40	0.13715	10	4	1.00	2	3	6498	0.23392	0.69066	35.17730	891.2007
5706	307	25	0.09852	2	10	1.00	2	3	146	0.23655	0.00248	24.98760	14.38392
5706	5705	40	0.13715	10	4	1.00	2	3	6513	0.23408	0.69226	35.15311	893.258
5706	5708	40	0.07990	10	4	1.00	2	3	6630	0.13711	0.70469	34.96197	529.737
5708	5706	40	0.07990	10	4	1.00	2	3	6646	0.13722	0.70644	34.93435	531.0154
5708	5710	40	0.33606	10	5	1.00	2	3	2772	0.52318	0.33668	38.54103	931.5583
5708	9560	40	0.13206	10	4	1.00	2	3	8631	0.26435	0.91741	29.97414	1139.81
5710	310	25	0.14042	2	10	1.00	2	3	413	0.33748	0.00703	24.96490	57.99346
5710	5708	40	0.33606	10	5	1.00	2	3	2671	0.52220	0.32451	38.61279	897.6163
5710	5712	40	0.25884	10	5	1.00	2	0	2668	0.40218	0.32414	38.61496	690.5851
5712	311	25	0.07167	2	10	1.00	2	0	132	0.17209	0.00225	24.98875	9.46044
5712	312	25	0.33594	2	10	1.00	2	0	908	0.80874	0.01545	24.92300	305.0335
5712	5696	40	0.18445	10	5	1.00	2	0	3540	0.29183	0.42998	37.92251	652.953
5712	5710	40	0.25884	10	5	1.00	2	0	2568	0.40146	0.31197	38.68485	664.7011
5714	5580	40	0.21421	10	3	3.00	2	3	13309	0.33985	0.44381	37.81910	2850.921
5714	5716	40	0.20176	10	3	2.00	2	3	10294	0.32517	0.51490	37.22920	2076.917
5714	9562	35	0.02292	10	5	1.00	3	3	1508	0.03996	0.18316	34.41331	34.56336
5714	9563	35	0.02111	10	5	1.00	3	3	2987	0.03771	0.36286	33.58261	63.05557
5716	290	25	0.09375	2	10	1.00	2	3	127	0.22510	0.00216	24.98919	11.90625
5716	298	25	0.22804	2	10	1.00	2	3	645	0.54849	0.01097	24.94525	147.0858
5716	5714	40	0.20176	10	3	2.00	2	3	10926	0.32780	0.54650	36.93083	2204.43
5716	5718	40	0.09191	10	3	2.00	2	3	9985	0.14758	0.49947	37.36631	917.7214
5718	5716	40	0.09191	10	3	2.00	2	3	10600	0.14869	0.53024	37.08750	974.246
5718	5720	40	0.13413	10	3	2.00	2	3	18608	0.27275	0.93079	29.50540	2495.891
5718	5736	40	0.13367	10	3	2.00	2	3	17003	0.25075	0.85050	31.98539	2272.791
5718	5738	40	0.12259	10	3	2.00	2	3	10276	0.19752	0.51400	37.23736	1259.735
5720	5718	40	0.13413	10	3	2.00	2	3	19188	0.28334	0.95977	28.40253	2573.686
5720	5722	40	0.17726	10	3	2.00	2	3	16330	0.32408	0.81681	32.81823	2894.656
5720	5816	30	0.14740	10	5	1.00	2	3	3220	0.30872	0.39118	28.64657	474.628
5722	299	25	0.32974	2	10	1.00	2	3	248	0.79203	0.00421	24.97896	81.77552
5722	300	25	0.05279	2	10	1.00	2	3	514	0.12693	0.00875	24.95633	27.13406
5722	301	25	0.13224	2	10	1.00	2	3	237	0.31762	0.00403	24.97985	31.34088
5722	5720	40	0.17726	10	3	2.00	2	3	16348	0.32429	0.81774	32.79675	2897.846
5722	5724	40	0.14076	10	3	2.00	2	3	15887	0.25353	0.79467	33.31153	2236.254
5724	5722	40	0.14076	10	3	2.00	2	3	15981	0.25431	0.79939	33.20965	2249.486
5724	5726	40	0.17282	10	3	2.00	2	3	17315	0.32853	0.86609	31.56243	2992.378
5724	5812	25	0.16652	10	5	1.00	2	3	2188	0.41057	0.26574	24.33446	364.3458
5726	302	25	0.15229	2	10	1.00	2	3	234	0.36579	0.00398	24.98012	35.63586
5726	303	25	0.08860	2	10	1.00	2	3	82	0.21269	0.00140	24.99302	7.2652
5726	304	25	0.09073	2	10	1.00	2	3	304	0.21798	0.00517	24.97418	27.58192
5726	5688	40	0.12822	10	3	2.00	2	3	17010	0.24058	0.85082	31.97709	2181.022
5726	5724	40	0.17282	10	3	2.00	2	3	17189	0.32674	0.85982	31.73564	2970.603
5728	287	25	0.20307	2	10	1.00	2	3	30	0.48742	0.00052	24.99741	6.0921
5728	5574	40	0.10341	10	3	3.00	2	3	20625	0.17616	0.68779	35.22010	2132.831
5728	5730	40	0.14635	10	3	2.00	2	3	17994	0.28745	0.90006	30.54709	2633.422
5728	5780	30	0.09678	10	5	1.00	2	3	1605	0.19713	0.19494	29.45770	155.3319
5730	283	25	0.08384	2	10	1.00	2	3	980	0.20187	0.01667	24.91694	82.1632
5730	5728	40	0.14635	10	3	2.00	2	3	18573	0.29696	0.92901	29.56924	2718.159
5730	5732	40	0.15968	10	3	2.00	2	3	17277	0.30304	0.86419	31.61527	2758.791
5732	288	25	0.09670	2	10	1.00	2	3	876	0.23277	0.01489	24.92575	84.7092
5732	5730	40	0.15968	10	3	2.00	2	3	17856	0.31142	0.89314	30.76513	2851.246
5732	5734	40	0.19760	10	3	2.00	2	3	16794	0.36757	0.84005	32.25526	3318.494
5734	291	25	0.13343	2	10	1.00	2	3	355	0.32061	0.00604	24.96985	47.36765
5734	5732	40	0.19760	10	3	2.00	2	3	17373	0.37661	0.86899	31.48077	3432.905
5734	5736	40	0.12719	10	3	2.00	2	3	16619	0.23501	0.83129	32.47321	2113.771
5736	290	25	0.07633	2	10	1.00	2	3	100	0.18324	0.00169	24.99153	7.633
5736	292	25	0.12502	2	10	1.00	2	3	280	0.30034	0.00476	24.97625	35.0056
5736	5718	40	0.13367	10	3	2.00	2	3	16418	0.24516	0.82124	32.71463	2194.594
5736	5734	40	0.12719	10	3	2.00	2	3	17195	0.24053	0.86012	31.72746	2187.032
5738	300	25	0.24729	2	10	1.00	2	3	112	0.59372	0.00191	24.99047	27.69648
5738	5718	40	0.12259	10	3	2.00	2	3	10897	0.19908	0.54504	36.94513	1335.863
5738	5740	40	0.18839	10	3	2.00	2	3	10380	0.30394	0.51921	37.18999	1955.488
5740	298	25	0.12022	2	10	1.00	2	3	564	0.28909	0.00959	24.95213	67.80408
5740	299	25	0.15714	2	10	1.00	2	3	948	0.37836	0.01613	24.91962	148.9687
5740	5682	40	0.20772	10	3	2.00	2	0	10936	0.33753	0.54702	36.92572	2271.626
5740	5738	40	0.18839	10	3	2.00	2	3	11002	0.30639	0.55034	36.89286	2072.667
5742	5696	40	0.38152	9	4	1.00	100	0	6748	0.65852	0.71721	34.76133	2574.497
5742	5744	40	0.40841	10	4	1.00	2	0	6907	0.71078	0.73416	34.47627	2820.888
5744	120	25	0.15757	1	10	1.00	100	3	599	0.37895	0.01019	24.94913	94.38443
5744	121	25	0.13327	2	10	1.00	1	3	0	0.31985	0.00000	25.00000	0
5744	5742	40	0.40841	10	4	1.00	2	0	6714	0.70377	0.71365	34.81919	2742.065
5744	5746	40	0.25253	10	4	1.00	1	3	7617	0.45939	0.80966	32.98193	1923.521
5744	6009	40	0.19118	10	4	1.00	2	3	551	0.28805	0.05857	39.82296	105.3402
5746	5744	40	0.25253	10	4	1.00	1	3	7404	0.45264	0.78696	33.47403	1869.732
5746	5748	40	0.12412	10	3	1.00	1	3	10392	0.30141	1.03958	24.70868	1289.855
5746	5824	35	0.12777	10	3	1.00	1	3	13475	0.85012	1.34807	9.01752	1721.701
5748	117	25	0.04633	2	10	1.00	1	3	403	0.11133	0.00685	24.96580	18.67099
5748	5746	40	0.12412	10	3	1.00	1	3	10449	0.30513	1.04531	24.40768	1296.93
5748	5750	40	0.25258	10	3	1.00	1	3	10519	0.63057	1.05232	24.03363	2656.889
5750	5748	40	0.25258	10	3	1.00	1	3	10576	0.63881	1.05805	23.72378	2671.286

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
5750	5752	40	0.26736	10	3	2.00	1	3	12247	0.44292	0.61259	36.21762	3274.358
5750	5820	30	0.03946	10	5	1.00	1	3	3602	0.08336	0.43755	28.39975	142.1349
5750	5822	25	0.14621	10	5	1.00	1	3	796	0.35371	0.09675	24.80180	116.3832
5752	114	25	0.22128	2	10	1.00	1	3	1408	0.53362	0.02394	24.88086	311.5622
5752	5750	40	0.26736	10	3	2.00	1	3	12521	0.44496	0.62633	36.05185	3347.615
5752	5754	40	0.15461	10	3	2.00	1	3	13655	0.26287	0.68301	35.29053	2111.2
5754	5752	40	0.15461	10	3	2.00	1	3	13929	0.26441	0.69674	35.08506	2153.563
5754	5756	40	0.11484	10	3	2.00	1	3	14876	0.20088	0.74411	34.30109	1708.36
5754	5766	35	0.26980	10	4	2.00	1	3	18199	0.65839	0.96721	24.58686	4910.09
5756	5754	40	0.11484	10	3	2.00	1	3	15749	0.20595	0.78779	33.45681	1808.615
5756	5757	25	0.11877	10	5	1.00	1	3	1237	0.28888	0.15030	24.66892	146.9185
5756	22227	40	0.09733	10	3	2.00	1	3	13779	0.16591	0.68924	35.19855	1341.11
5757	5756	25	0.11877	10	5	1.00	1	3	1225	0.28883	0.14887	24.67265	145.4933
5757	5759	25	0.41705	10	5	1.00	1	3	1237	1.01434	0.15030	24.66892	515.8909
5758	5760	40	0.17785	10	3	2.00	1	3	13843	0.30358	0.69242	35.15072	2461.978
5758	22227	40	0.09403	10	3	2.00	1	3	14103	0.16142	0.70543	34.95037	1326.105
5758	22228	25	0.01526	10	5	1.00	1	3	1019	0.03702	0.12378	24.73628	15.54994
5759	113	25	0.13622	2	10	1.00	1	3	1237	0.32829	0.02104	24.89523	168.5041
5759	5685	25	0.17623	10	5	1.00	1	3	0	0.42272	0.00000	25.01345	0
5759	5757	25	0.41705	10	5	1.00	1	3	1225	1.01419	0.14887	24.67266	510.8863
5760	5679	25	0.19845	10	5	1.00	1	3	1531	0.48456	0.18597	24.57315	303.827
5760	5758	40	0.17785	10	3	2.00	1	3	14723	0.30987	0.73643	34.43678	2618.486
5760	5762	40	0.15895	10	3	2.00	1	3	14917	0.27833	0.74612	34.26493	2371.057
5762	5760	40	0.15895	10	3	2.00	1	3	15740	0.28497	0.78729	33.46717	2501.873
5762	5764	40	0.17415	10	3	2.00	1	3	16348	0.31860	0.81774	32.79671	2847.004
5762	5834	30	0.13791	10	5	1.00	1	3	4744	0.30123	0.57633	27.46884	654.245
5762	5836	30	0.04413	10	5	1.00	1	3	978	0.08915	0.11884	29.69819	43.15914
5764	97	25	0.10917	2	10	1.00	1	3	713	0.26264	0.01212	24.93954	77.83821
5764	108	25	0.11802	2	10	1.00	1	3	346	0.28359	0.00589	24.97059	40.83492
5764	5666	40	0.07841	10	3	2.00	1	3	16246	0.14293	0.81264	32.91427	1273.849
5764	5762	40	0.17415	10	3	2.00	1	3	17303	0.33088	0.86548	31.57942	3013.317
5766	5754	35	0.26980	10	4	2.00	1	3	17600	0.63059	0.93539	25.67100	4748.48
5766	5768	35	0.08409	10	4	2.00	1	3	16794	0.18731	0.89253	26.93601	1412.207
5766	5798	34	0.22955	10	5	1.00	1	3	3057	0.42279	0.37133	32.57720	701.7344
5768	90	25	0.12064	2	10	1.00	1	3	289	0.28983	0.00491	24.97545	34.86496
5768	131	25	0.15494	2	10	1.00	1	3	127	0.37201	0.00216	24.98920	19.67738
5768	5766	35	0.08409	10	4	2.00	1	3	16865	0.18804	0.89633	26.83219	1418.178
5768	5770	35	0.16652	10	4	2.00	1	3	16793	0.37091	0.89250	26.93685	2796.37
5770	5768	35	0.16652	10	4	2.00	1	3	16842	0.37188	0.89507	26.86668	2804.53
5770	5772	35	0.06521	10	4	2.00	1	3	16989	0.14682	0.90290	26.64906	1107.853
5770	5782	30	0.17788	10	5	1.00	1	3	627	0.35791	0.07618	29.81960	111.5308
5772	5770	35	0.06521	10	4	2.00	1	3	17002	0.14693	0.90360	26.62925	1108.7
5772	5800	35	0.05186	10	4	2.00	1	3	16814	0.11564	0.89358	26.90734	871.974
5772	5854	23	0.17425	10	5	1.00	1	3	633	0.45736	0.07693	22.86011	110.3003
5774	5570	35	0.15259	10	4	3.00	2	3	18247	0.29231	0.64652	31.32116	2784.31
5774	5776	30	0.07754	10	5	1.00	1	3	739	0.15622	0.08973	29.78199	57.30206
5774	5778	30	0.11029	10	5	1.00	2	3	2684	0.22856	0.32603	28.95294	296.0184
5774	5802	35	0.12070	10	4	2.00	1	3	16456	0.26426	0.87457	27.40610	1986.239
5776	85	25	0.21194	2	10	1.00	1	3	739	0.50993	0.01257	24.93731	156.6237
5776	5568	25	0.11147	10	5	1.00	1	3	583	0.26902	0.07088	24.86173	64.98701
5776	5774	30	0.07754	10	5	1.00	1	3	1451	0.15760	0.17622	29.51996	112.5105
5778	281	25	0.03272	2	10	1.00	2	3	3010	0.07933	0.05119	24.74666	98.4872
5778	5774	30	0.11029	10	5	1.00	2	3	2402	0.22742	0.29179	29.09774	264.9166
5778	5780	30	0.15710	10	5	1.00	2	3	1024	0.31758	0.12445	29.68154	160.8704
5780	282	25	0.04021	2	10	1.00	2	3	1151	0.09687	0.01958	24.90249	46.28171
5780	5728	30	0.09678	10	5	1.00	2	3	1029	0.19566	0.12496	29.68002	99.58662
5780	5778	30	0.15710	10	5	1.00	2	3	743	0.31652	0.09021	29.78063	116.7253
5782	132	25	0.08811	2	10	1.00	1	3	139	0.21156	0.00236	24.98822	12.24729
5782	5770	30	0.17788	10	5	1.00	1	3	662	0.35806	0.08047	29.80779	117.7566
5782	5784	30	0.11645	10	5	1.00	2	3	568	0.23414	0.06896	29.83930	66.1436
5784	284	25	0.16193	2	10	1.00	2	3	156	0.38884	0.00266	24.98673	25.26108
5784	5782	30	0.11645	10	5	1.00	2	3	603	0.23424	0.07326	29.82760	70.21935
5784	5786	30	0.23615	10	5	1.00	2	3	467	0.47432	0.05672	29.87214	110.2821
5786	285	25	0.15307	2	10	1.00	2	3	496	0.36799	0.00844	24.95789	75.92272
5786	5784	30	0.23615	10	5	1.00	2	3	502	0.47450	0.06102	29.86068	118.5473
5786	5788	34	0.39286	10	5	1.00	2	3	337	0.69529	0.04096	33.90197	132.3938
5788	5786	34	0.39286	10	5	1.00	2	3	373	0.69555	0.04526	33.88930	146.5368
5788	5790	34	0.13769	10	5	1.00	2	3	2803	0.25233	0.34055	32.74014	385.9451
5788	5814	30	0.06186	10	5	1.00	2	3	3594	0.13067	0.43657	28.40524	222.3248
5790	130	25	0.22222	2	10	1.00	1	3	263	0.53380	0.00448	24.97764	58.44386
5790	286	25	0.12132	2	10	1.00	2	3	7	0.29117	0.00012	24.99939	0.84924
5790	5788	34	0.13769	10	5	1.00	2	3	3403	0.25548	0.41335	32.33607	468.5591
5790	5792	34	0.07462	10	5	1.00	2	3	2700	0.13649	0.32802	32.80346	201.474
5792	5790	34	0.07462	10	5	1.00	2	3	3295	0.13813	0.40029	32.41346	245.8729
5792	5794	34	0.14924	10	5	1.00	2	3	2700	0.27298	0.32802	32.80346	402.948
5794	129	25	0.04806	2	10	1.00	1	3	328	0.11548	0.00557	24.97218	15.76368
5794	5792	34	0.14924	10	5	1.00	2	3	3295	0.27626	0.40029	32.41346	491.7458
5794	5796	34	0.13627	10	5	1.00	1	3	2795	0.24969	0.33953	32.74532	380.8747
5796	5794	34	0.13627	10	5	1.00	1	3	3389	0.25277	0.41165	32.34632	461.819
5796	5798	34	0.22459	10	5	1.00	1	3	2175	0.40710	0.26426	33.10136	488.4833
5796	5804	30	0.08998	10	5	1.00	1	3	1510	0.18304	0.18347	29.49609	135.8698
5798	128	25	0.22538	2	10	1.00	1	3	389	0.54163	0.00661	24.96698	87.67282
5798	5766	34	0.22955	10	5	1.00	1	3	2387	0.41754	0.28991	32.98614	547.9359

A	B	SPEED	DISTANCE	SPDCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT	
5798	5796	34	0.22459	10		5	1.00	1	3	2846	0.41192	0.34568	32.71372	639.1831
5800	132	25	0.13613	2		10	1.00	1	3	305	0.32706	0.00518	24.97412	41.51965
5800	5772	35	0.05186	10		4	2.00	1	3	16024	0.11128	0.85161	27.96165	831.0046
5800	5802	35	0.12374	10		4	2.00	1	3	17091	0.28023	0.90831	26.49459	2114.84
5802	133	25	0.10428	2		10	1.00	1	3	267	0.25050	0.00455	24.97728	27.84276
5802	5774	35	0.12070	10		4	2.00	1	3	17246	0.27586	0.91655	26.25307	2081.592
5802	5800	35	0.12374	10		4	2.00	1	3	16301	0.26890	0.86633	27.61116	2017.086
5804	5796	30	0.08998	10		5	1.00	1	3	1434	0.18285	0.17416	29.52666	129.0313
5804	5806	25	0.14337	10		5	1.00	1	3	2185	0.35349	0.26544	24.33542	313.2635
5804	5818	33	0.09594	10		5	1.00	1	3	2813	0.18119	0.34175	31.77122	269.8792
5806	129	25	0.05373	2		10	1.00	1	3	206	0.12905	0.00351	24.98248	11.06838
5806	5804	25	0.14337	10		5	1.00	1	3	1933	0.35210	0.23478	24.43145	277.1342
5806	5808	25	0.19601	10		5	1.00	2	3	2072	0.48241	0.25176	24.37898	406.1327
5808	119	25	0.17042	1		10	1.00	100	3	814	0.41015	0.01384	24.93099	138.7219
5808	5806	25	0.19601	10		5	1.00	2	3	1821	0.48058	0.22126	24.47202	356.9342
5808	6006	25	0.13690	10		5	1.00	2	3	1869	0.33589	0.22701	24.45491	255.8661
5810	130	25	0.13755	2		10	1.00	1	3	159	0.33029	0.00271	24.98647	21.87045
5810	301	25	0.13141	2		10	1.00	2	3	60	0.31546	0.00103	24.99487	7.8846
5810	5812	25	0.09982	10		5	1.00	2	3	2464	0.24726	0.29936	24.22216	245.9565
5810	6006	25	0.10350	10		5	1.00	2	3	2207	0.25527	0.26813	24.32673	228.4245
5812	302	25	0.15566	2		10	1.00	2	3	57	0.37366	0.00097	24.99515	8.87262
5812	5724	25	0.16652	10		5	1.00	2	3	2407	0.41207	0.29244	24.24591	400.8136
5812	5810	25	0.09982	10		5	1.00	2	3	2242	0.24633	0.27229	24.31317	223.7964
5814	291	25	0.11976	2		10	1.00	2	3	131	0.28755	0.00223	24.98886	15.68856
5814	5788	30	0.06186	10		5	1.00	2	3	3030	0.12906	0.36806	28.76029	187.4358
5814	5816	34	0.09959	10		5	1.00	2	3	3542	0.18539	0.43031	32.23201	352.7478
5816	292	25	0.03339	2		10	1.00	2	3	112	0.08017	0.00191	24.99047	3.73968
5816	293	25	0.10616	2		10	1.00	2	3	452	0.25517	0.00769	24.96163	47.98432
5816	5720	30	0.14740	10		5	1.00	2	3	3781	0.31279	0.45932	28.27425	557.3194
5816	5814	34	0.09959	10		5	1.00	2	3	2981	0.18315	0.36210	32.62718	296.8778
5818	118	25	0.03845	2		10	1.00	1	3	235	0.09236	0.00399	24.98005	9.03575
5818	5804	33	0.09594	10		5	1.00	1	3	2989	0.18181	0.36310	31.66234	286.7647
5818	5820	33	0.18827	10		5	1.00	1	3	2777	0.35531	0.33738	31.79289	522.8258
5820	116	25	0.07337	2		10	1.00	1	3	919	0.17664	0.01562	24.92213	67.42703
5820	5750	30	0.03946	10		5	1.00	1	3	3426	0.08302	0.41619	28.51672	135.19
5820	5818	33	0.18827	10		5	1.00	1	3	2953	0.35652	0.35873	31.68503	555.9613
5822	114	25	0.14642	2		10	1.00	1	3	459	0.35196	0.00780	24.96104	67.20678
5822	5750	25	0.14621	10		5	1.00	1	3	755	0.35354	0.09170	24.81369	110.3886
5822	5823	25	0.18732	10		5	1.00	1	3	766	0.45300	0.09307	24.81049	143.4871
5823	115	25	0.09224	2		10	1.00	1	3	475	0.22175	0.00808	24.95967	43.814
5823	5687	25	0.17284	10		5	1.00	1	3	323	0.41596	0.03925	24.93159	55.82732
5823	5822	25	0.18732	10		5	1.00	1	3	725	0.45279	0.08804	24.82227	135.807
5824	5689	20	0.13375	10		5	1.00	1	3	801	0.40447	0.09728	19.84043	107.1338
5824	5746	35	0.12777	10		3	1.00	1	3	13204	0.79086	1.32097	9.69314	1687.075
5824	11066	30	0.22880	23		3	1.00	901	0	14197	2.11811	1.42027	6.48137	3248.274
5826	80	25	0.07332	2		10	1.00	1	3	1105	0.17662	0.01880	24.90636	81.0186
5826	5828	30	0.10553	10		5	1.00	1	3	2699	0.21875	0.32787	28.94488	284.8255
5826	8926	25	0.06262	10		5	1.00	1	3	3726	0.15925	0.45259	23.59479	233.3221
5828	86	25	0.17035	2		10	1.00	1	3	265	0.40921	0.00450	24.97751	45.14275
5828	5826	30	0.10553	10		5	1.00	1	3	3338	0.22160	0.40553	28.57298	352.2591
5828	5830	30	0.28296	10		5	1.00	1	3	4315	0.60942	0.52417	27.85817	1220.972
5828	5840	23	0.11499	10		5	1.00	1	3	1885	0.30674	0.22904	22.49290	216.7562
5830	5828	30	0.28296	10		5	1.00	1	3	4560	0.61418	0.55397	27.64241	1290.298
5830	5832	30	0.18569	10		5	1.00	1	3	4514	0.40245	0.54837	27.68430	838.2047
5830	5838	30	0.18798	10		5	1.00	1	3	333	0.37703	0.04041	29.91493	62.59734
5832	91	25	0.09067	2		10	1.00	1	3	1124	0.21845	0.01912	24.90477	101.9131
5832	5830	30	0.18569	10		5	1.00	1	3	4732	0.40543	0.57482	27.48087	878.6851
5832	5834	30	0.18550	10		5	1.00	1	3	4502	0.40187	0.54691	27.69511	835.121
5834	98	25	0.20522	2		10	1.00	1	3	479	0.49334	0.00815	24.95933	98.30038
5834	5762	30	0.13791	10		5	1.00	1	3	4521	0.29895	0.54924	27.67783	623.4911
5834	5832	30	0.18550	10		5	1.00	1	3	4720	0.40483	0.57336	27.49249	875.56
5836	5762	30	0.04413	10		5	1.00	1	3	1070	0.08925	0.12996	29.66503	47.2191
5836	5837	25	0.06777	10		5	1.00	1	3	978	0.16431	0.11884	24.74849	66.27906
5837	109	25	0.18827	2		10	1.00	1	3	443	0.45253	0.00753	24.96239	83.40361
5837	5836	25	0.06777	10		5	1.00	1	3	1070	0.16449	0.12996	24.72085	72.5139
5837	5839	25	0.13475	10		5	1.00	1	3	536	0.32502	0.06509	24.87480	72.226
5838	5830	30	0.18798	10		5	1.00	1	3	360	0.37714	0.04376	29.90623	67.6728
5838	8932	30	0.05739	10		5	1.00	1	3	333	0.11510	0.04041	29.91493	19.11087
5839	5673	25	0.24280	10		5	1.00	1	3	536	0.58566	0.06509	24.87481	130.1408
5839	5837	25	0.13475	10		5	1.00	1	3	627	0.32535	0.07620	24.84961	84.48825
5840	87	25	0.02323	2		10	1.00	1	3	1000	0.05594	0.01701	24.91523	23.23
5840	5828	23	0.11499	10		5	1.00	1	3	2211	0.30830	0.26861	22.37915	254.2429
5840	5842	23	0.10943	10		5	1.00	1	3	2111	0.29293	0.25647	22.41499	231.0067
5842	5840	23	0.10943	10		5	1.00	1	3	2437	0.29451	0.29604	22.29491	266.6809
5842	5844	23	0.13402	10		5	1.00	1	3	262	0.35036	0.03189	22.95156	35.11324
5842	5848	25	0.13339	10		5	1.00	1	3	1706	0.32649	0.20723	24.51302	227.5633
5842	5850	23	0.35180	10		5	1.00	1	3	1583	0.93436	0.19228	22.59112	556.8994
5844	83	25	0.03178	2		10	1.00	1	3	1122	0.07657	0.01908	24.90496	35.65716
5844	5560	25	0.14348	10		5	1.00	1	3	981	0.34787	0.11920	24.74760	140.7539
5844	5842	23	0.13402	10		5	1.00	1	3	1706	0.35657	0.20720	22.55206	228.6381
5848	5558	35	0.05552	10		3	3.00	1	3	26040	0.12087	0.86834	27.56186	1445.741
5848	5842	25	0.13339	10		5	1.00	1	3	1976	0.32779	0.24009	24.41522	263.5786

A	B	SPEED	DISTANCE	SPDCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
5850	88	25	0.08666	2	10	1.00	1	3	930	0.20864	0.01581	24.92118	80.5938
5850	5842	23	0.35180	10	5	1.00	1	3	195	0.91905	0.02368	22.96752	68.601
5850	5852	30	0.20186	10	5	1.00	1	3	1205	0.40896	0.14639	29.61487	243.2413
5850	5854	23	0.16588	10	5	1.00	1	3	1455	0.43979	0.17677	22.63058	241.3554
5852	85	25	0.06247	2	10	1.00	1	3	1173	0.15053	0.01994	24.90068	73.27731
5852	5564	25	0.17850	10	5	1.00	1	3	2197	0.44019	0.26689	24.33073	392.1645
5852	5850	30	0.20186	10	5	1.00	1	3	643	0.40623	0.07813	29.81424	129.796
5854	89	25	0.06897	2	10	1.00	1	3	776	0.16595	0.01320	24.93415	53.52072
5854	90	25	0.29282	2	10	1.00	1	3	78	0.70295	0.00132	24.99341	22.83996
5854	5772	23	0.17425	10	5	1.00	1	3	1436	0.46188	0.17447	22.63634	250.223
5854	5850	23	0.16588	10	5	1.00	1	3	629	0.43535	0.07643	22.86117	104.3385
5856	5858	63	0.35683	10	1	3.00	1	0	85691	0.84515	1.21444	25.33250	30577.12
5856	5860	30	0.09988	10	6	2.00	1	3	8727	0.20848	0.37105	28.74591	871.6528
5856	5862	30	0.12045	10	6	1.00	1	3	12955	0.45290	1.10160	15.95696	1560.43
5858	7141	65	0.02705	2	9	1.00	0	0	3191	0.02539	0.18089	63.92669	86.31655
5858	8944	63	1.42343	10	1	4.00	1	0	98656	2.21016	1.04863	38.64226	140429.9
5860	5861	35	0.03468	10	3	2.00	1	3	28097	0.26586	1.40540	7.82614	974.404
5860	5934	30	0.09813	10	5	1.00	1	3	9116	0.37478	1.10734	15.70955	894.5531
5860	5948	35	0.03013	10	3	2.00	1	3	26568	0.19054	1.32893	9.48622	800.4938
5861	5858	30	0.26508	10	6	2.00	1	3	16156	0.60188	0.68689	26.42504	4282.632
5861	5860	35	0.03468	10	3	2.00	1	3	24164	0.15401	1.20869	13.51009	838.0075
5861	5862	35	0.03683	10	3	2.00	1	3	11941	0.06940	0.59729	31.84534	439.787
5862	5861	35	0.03683	10	3	2.00	1	3	24164	0.16359	1.20869	13.51009	889.9601
5862	5863	35	0.10530	10	3	2.00	1	3	24896	0.52356	1.24529	12.06781	2621.549
5863	5675	30	0.06675	10	6	1.00	1	3	3017	0.13698	0.25655	29.23662	201.3848
5863	5862	35	0.10530	10	3	2.00	1	3	24164	0.46766	1.20869	13.51009	2544.469
5863	5932	35	0.07462	10	3	2.00	1	3	21879	0.23591	1.09437	18.97873	1632.611
5864	104	25	0.09175	2	10	1.00	1	3	965	0.22093	0.01641	24.91821	88.53875
5864	5666	40	0.14736	10	3	2.00	1	3	21206	0.37500	1.06073	23.57763	3124.916
5864	6002	40	0.14817	10	3	2.00	1	3	20481	0.34888	1.02446	25.48163	3034.67
5866	5953	25	0.32462	10	5	1.00	1	3	5654	0.88444	0.68678	22.02196	1835.401
5866	6001	40	0.09043	10	3	2.00	1	3	21957	0.25275	1.09829	21.46593	1985.572
5866	6002	40	0.08536	10	3	2.00	1	3	20382	0.19906	1.01949	25.72836	1739.808
5868	94	25	0.27293	2	10	1.00	1	3	733	0.65666	0.01247	24.93780	200.0577
5868	5870	40	0.30883	10	3	2.00	1	3	20930	0.76187	1.04693	24.32173	6463.812
5868	5936	30	0.23141	10	5	1.00	1	3	4881	0.50799	0.59292	27.33286	1129.512
5868	6001	40	0.09120	10	3	2.00	1	3	23020	0.29692	1.15148	18.43017	2099.424
5870	66	25	0.09433	2	10	1.00	1	3	1673	0.22767	0.02844	24.85858	157.8141
5870	68	25	0.11633	2	10	1.00	1	3	2945	0.28199	0.05008	24.75210	342.5919
5870	5868	40	0.30883	10	3	2.00	1	3	19144	0.65039	0.95757	28.49042	5912.242
5870	5872	40	0.12747	10	3	2.00	1	3	21973	0.35706	1.09908	21.42064	2800.898
5871	5676	30	0.36613	10	6	1.00	1	3	13928	1.75845	1.18436	12.49271	5099.459
5871	5931	35	0.05170	10	3	2.00	1	3	11468	0.09673	0.57362	32.07215	592.8956
5871	30004	35	0.02538	10	3	2.00	1	3	25336	0.13480	1.26732	11.29511	643.0277
5872	5870	40	0.12747	10	3	2.00	1	3	19034	0.26643	0.95208	28.70710	2426.264
5872	5876	40	0.08620	10	3	2.00	1	3	27578	0.54329	1.37944	9.51927	2377.224
5872	5918	35	0.21440	10	3	2.00	1	3	15516	0.43631	0.77610	29.48364	3326.63
5872	30004	35	0.10461	10	3	3.00	1	3	25396	0.22359	0.84687	28.07031	2656.676
5874	69	25	0.06897	2	10	1.00	1	3	1271	0.16623	0.02162	24.89235	87.66087
5874	71	25	0.14941	2	10	1.00	1	3	641	0.35936	0.01089	24.94564	95.77181
5874	5876	40	0.16062	10	3	2.00	1	3	21749	0.43686	1.08789	22.05968	3493.324
5874	5878	40	0.11856	10	3	2.00	1	3	22018	0.33411	1.10133	21.29148	2610.454
5876	5872	40	0.08620	10	3	2.00	1	3	26327	0.46164	1.31687	11.20299	2269.387
5876	5874	40	0.16062	10	3	2.00	1	3	22377	0.47569	1.11928	20.25899	3594.194
5876	5930	25	0.19995	10	5	1.00	1	3	5455	0.53949	0.66263	22.23732	1090.727
5878	74	25	0.15241	2	10	1.00	1	3	215	0.36605	0.00365	24.98174	32.76815
5878	5874	40	0.11856	10	3	2.00	1	3	21385	0.30814	1.06966	23.08547	2535.406
5878	5880	40	0.13960	10	3	2.00	1	3	21809	0.38265	1.09089	21.88906	3044.536
5880	5878	40	0.13960	10	3	2.00	1	3	21190	0.35458	1.05992	23.62181	2958.124
5880	5882	40	0.21650	10	3	2.00	1	3	26276	1.15150	1.31435	11.28110	5688.754
5880	5908	30	0.17800	10	5	1.00	1	3	4062	0.38056	0.49342	28.06393	723.036
5880	5910	40	0.13207	10	4	2.00	1	3	9977	0.21366	0.53025	37.08735	1317.662
5882	2502	45	0.19759	10	2	3.00	1	3	31555	0.34298	0.89441	34.56594	6234.952
5882	5880	40	0.21650	10	3	2.00	1	3	25980	1.10479	1.29953	11.75805	5624.67
5882	5884	40	0.32255	10	3	2.00	1	3	13966	0.55205	0.69857	35.05699	4504.733
5884	76	25	0.07889	2	10	1.00	1	3	2723	0.19109	0.04631	24.77057	214.8175
5884	5325	40	0.29909	10	3	2.00	1	0	13015	0.50215	0.65100	35.73657	3892.656
5884	5882	40	0.32255	10	3	2.00	1	3	14243	0.55550	0.71242	34.83911	4594.08
5885	2500	45	0.23765	10	2	3.00	1	3	30982	0.40602	0.87817	35.11855	7362.872
5885	5888	45	0.19339	10	3	3.00	1	3	27638	0.34577	0.92163	33.55759	5344.913
5885	5899	20	0.12668	10	6	1.00	1	3	3373	0.39155	0.28685	19.41188	427.2916
5885	25088	20	0.06557	10	6	1.00	1	3	7934	0.22219	0.67468	17.70550	520.2324
5888	5885	45	0.19339	10	3	3.00	1	3	28142	0.35291	0.93844	32.87923	5442.381
5888	9010	45	0.23781	10	3	3.00	1	3	27638	0.42519	0.92163	33.55759	6572.593
5892	49	25	0.10350	2	10	1.00	1	3	5574	0.25310	0.09480	24.53484	576.909
5892	3678	45	0.10873	10	4	1.00	1	3	10825	0.31378	1.15057	20.79111	1177.002
5892	5894	45	0.29662	10	4	1.00	1	3	10527	0.78004	1.11891	22.81577	3122.519
5894	5892	45	0.29662	10	4	1.00	1	3	10516	0.77745	1.11773	22.89165	3119.256
5894	5896	45	0.13818	10	4	1.00	1	3	10527	0.36339	1.11891	22.81577	1454.621
5896	5894	45	0.13818	10	4	1.00	1	3	10516	0.36218	1.11773	22.89165	1453.101
5896	5898	45	0.44145	10	4	1.00	1	3	10824	1.27390	1.15056	20.79199	4778.255
5897	5898	40	0.04892	10	4	1.00	1	3	11485	0.19737	1.22074	14.87229	561.8462
5897	5899	40	0.15698	10	4	1.00	1	3	4506	0.25090	0.47898	37.54020	707.3519

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
5897	25088	20	0.06182	10	6	1.00	1	3	7021	0.20383	0.59699	18.19906	434.0382
5898	48	25	0.11382	2	10	1.00	1	3	630	0.27375	0.01072	24.94653	71.7066
5898	50	25	0.70760	2	10	1.00	1	3	391	1.70050	0.00665	24.96677	276.6716
5898	5896	45	0.44145	10	4	1.00	1	3	10813	1.26940	1.14938	20.86571	4773.399
5898	5897	40	0.04892	10	4	1.00	1	3	11496	0.19809	1.22192	14.81832	562.3843
5899	5885	20	0.12668	10	6	1.00	1	3	3174	0.39065	0.26992	19.45673	402.0823
5899	5897	40	0.15698	10	4	1.00	1	3	3617	0.24631	0.38449	38.24014	567.7967
5899	5900	35	0.07852	10	5	1.00	1	3	7880	0.18889	0.95719	24.94247	618.7376
5900	43	25	0.17402	2	10	1.00	1	3	2756	0.42156	0.04687	24.76784	479.5991
5900	5899	35	0.07852	10	5	1.00	1	3	6792	0.16504	0.82501	28.54697	533.3078
5900	5902	35	0.22715	10	5	1.00	1	3	5124	0.43147	0.62242	31.58720	1163.917
5902	5900	35	0.22715	10	5	1.00	1	3	4093	0.41663	0.49726	32.71226	929.725
5902	9014	33	0.17604	10	5	1.00	1	3	5124	0.35466	0.62242	29.78222	902.029
5905	73	25	0.20040	2	10	1.00	1	0	309	0.48146	0.00526	24.97374	61.9236
5906	75	25	0.30788	2	10	1.00	1	3	2134	0.74428	0.03630	24.81981	657.0159
5906	5908	25	0.31764	10	5	1.00	1	3	4543	0.82688	0.55191	23.04824	1443.039
5906	5924	30	0.16648	10	5	1.00	1	3	3378	0.34990	0.41039	28.54750	562.3694
5908	74	25	0.08815	2	10	1.00	1	3	239	0.21174	0.00406	24.97969	21.06785
5908	5880	30	0.17800	10	5	1.00	1	3	4675	0.38787	0.56792	27.53535	832.15
5908	5906	25	0.31764	10	5	1.00	1	3	3944	0.81230	0.47912	23.46193	1252.772
5910	77	25	0.05294	2	10	1.00	1	3	1113	0.12753	0.01892	24.90574	58.92222
5910	5880	40	0.13207	10	4	2.00	1	3	9041	0.21115	0.48050	37.52761	1194.045
5910	5912	40	0.09943	10	4	2.00	1	3	9666	0.16020	0.51369	37.24019	961.0904
5912	35	25	0.08977	2	10	1.00	1	3	1562	0.21660	0.02656	24.86791	140.2207
5912	5910	40	0.09943	10	4	2.00	1	3	8729	0.15840	0.46394	37.66242	867.9245
5912	5914	40	0.28338	10	4	1.00	1	3	8948	0.59148	0.95108	28.74620	2535.684
5914	5912	40	0.28338	10	4	1.00	1	3	8012	0.53205	0.85157	31.95708	2270.441
5914	5916	35	0.37204	10	4	1.00	1	3	8176	0.81041	0.86904	27.54443	3041.799
5914	5920	23	0.23223	10	5	1.00	1	3	1604	0.61696	0.19486	22.58444	372.4969
5916	33	25	0.11588	2	10	1.00	1	3	941	0.27900	0.01600	24.92025	109.0431
5916	5914	35	0.37204	10	4	1.00	1	3	7538	0.76913	0.80126	29.02277	2804.438
5916	8804	35	0.32195	10	4	1.00	1	3	8704	0.74314	0.92513	25.99346	2802.253
5918	67	25	0.18380	2	10	1.00	1	3	3966	0.44707	0.06745	24.66722	728.9508
5918	5872	35	0.21440	10	3	2.00	1	3	15040	0.43048	0.75230	29.88336	3224.576
5918	8808	35	0.25626	10	3	2.00	1	3	13358	0.49494	0.66815	31.06531	3423.121
5920	34	25	0.05170	2	10	1.00	1	3	1675	0.12480	0.02848	24.85841	86.5975
5920	5914	23	0.23223	10	5	1.00	1	3	1306	0.61449	0.15861	22.67539	303.2924
5920	5922	23	0.03068	10	5	1.00	1	3	1661	0.08158	0.20179	22.56634	50.95948
5922	33	25	0.20392	2	10	1.00	1	3	445	0.49014	0.00757	24.96219	90.7444
5922	5920	23	0.03068	10	5	1.00	1	3	1363	0.08125	0.16554	22.65846	41.81684
5922	8808	23	0.23257	10	5	1.00	1	3	2089	0.62232	0.25372	22.42299	485.8387
5924	71	25	0.37453	2	10	1.00	1	3	83	0.89912	0.00142	24.99291	31.08599
5924	73	25	0.14287	2	10	1.00	1	3	325	0.34326	0.00553	24.97238	46.43275
5924	5906	30	0.16648	10	5	1.00	1	3	3966	0.35499	0.48175	28.13792	660.2597
5924	5926	30	0.20155	10	5	1.00	1	3	3588	0.42568	0.43589	28.40905	723.1614
5926	72	25	0.06375	2	10	1.00	1	3	1505	0.15378	0.02559	24.87269	95.94375
5926	5924	30	0.20155	10	5	1.00	1	3	4212	0.43276	0.51161	27.94420	848.9286
5926	5928	30	0.12434	10	5	1.00	1	3	4109	0.26619	0.49917	28.02667	510.9131
5928	5926	30	0.12434	10	5	1.00	1	3	4732	0.27148	0.57489	27.48033	588.3769
5928	5930	30	0.13316	10	5	1.00	1	3	4109	0.28507	0.49917	28.02667	547.1544
5930	70	25	0.04643	2	10	1.00	1	3	1412	0.11197	0.02401	24.88050	65.55916
5930	5876	25	0.19995	10	5	1.00	1	3	4831	0.52573	0.58691	22.81907	965.9585
5930	5928	30	0.13316	10	5	1.00	1	3	4732	0.29073	0.57489	27.48033	630.1131
5931	5871	35	0.05170	10	3	2.00	1	3	25336	0.27466	1.26732	11.29511	1309.871
5931	5932	35	0.04720	10	3	2.00	1	3	24164	0.20962	1.20869	13.51009	1140.541
5932	5863	35	0.07462	10	3	2.00	1	3	24164	0.33140	1.20869	13.51009	1803.118
5932	5931	35	0.04720	10	3	2.00	1	3	21879	0.14922	1.09437	18.97873	1032.689
5934	101	25	0.03441	2	10	1.00	1	3	793	0.08280	0.01348	24.93277	27.28713
5934	107	25	0.21166	1	10	1.00	100	0	792	0.50935	0.01346	24.93287	167.6347
5934	5860	30	0.09813	10	5	1.00	1	3	6259	0.23087	0.76029	25.50246	614.1957
5934	5936	35	0.35422	10	5	1.00	1	3	7820	0.84369	0.94996	25.19069	2770
5936	102	25	0.08732	2	10	1.00	1	3	3181	0.21184	0.05411	24.73236	277.7649
5936	5868	30	0.23141	10	5	1.00	1	3	7797	0.64064	0.94714	21.67349	1804.304
5936	5934	35	0.35422	10	5	1.00	1	3	4904	0.66706	0.59574	31.86063	1737.095
5938	31	25	0.36472	2	10	1.00	1	3	959	0.87819	0.01631	24.91873	349.7665
5938	5940	25	0.24292	10	5	1.00	1	3	2290	0.59996	0.27824	24.29359	556.2868
5938	8808	25	0.03452	10	5	1.00	1	3	2575	0.08568	0.31276	24.17524	88.889
5940	65	25	0.07850	2	10	1.00	1	3	1592	0.18942	0.02707	24.86539	124.972
5940	5938	25	0.24292	10	5	1.00	1	3	1697	0.59451	0.20610	24.51629	412.2352
5940	5942	25	0.34145	10	5	1.00	1	3	2188	0.84189	0.26576	24.33440	747.0926
5942	64	25	0.14427	2	10	1.00	1	3	1410	0.34790	0.02398	24.88066	203.4207
5942	5940	25	0.34145	10	5	1.00	1	3	1594	0.83443	0.19361	24.55181	544.2713
5942	5944	28	0.32898	10	5	1.00	1	3	2624	0.72964	0.31870	27.05248	863.2435
5944	62	25	0.18024	2	10	1.00	1	3	74	0.43268	0.00126	24.99372	13.33776
5944	63	25	0.15474	2	10	1.00	1	3	36	0.37141	0.00062	24.99691	5.57064
5944	5942	28	0.32898	10	5	1.00	1	3	2030	0.72243	0.24656	27.32266	667.8294
5944	5946	28	0.17405	10	5	1.00	1	3	2572	0.38567	0.31238	27.07778	447.6566
5946	5944	28	0.17405	10	5	1.00	1	3	2006	0.38208	0.24371	27.33257	349.1443
5946	8794	35	0.05655	10	3	2.00	1	3	13927	0.11051	0.69663	30.70102	787.5719
5946	8796	35	0.05170	10	3	2.00	1	3	8764	0.09365	0.43836	33.12773	453.0988
5948	100	25	0.06040	2	10	1.00	1	3	79	0.14499	0.00134	24.99331	4.7716
5948	5860	35	0.03013	10	3	2.00	1	3	24630	0.14382	1.23201	12.56823	742.1019
5948	5955	30	0.26594	9	5	1.00	100	0	4568	0.57739	0.55494	27.63509	1214.814

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
5948	11328	35	0.25740	23	3	2.00	901	0	22530	0.89053	1.12693	17.34248	5799.222
5949	5951	30	0.32150	10	5	1.00	1	3	4077	0.68765	0.49531	28.05172	1310.756
5949	5953	25	0.15118	10	5	1.00	1	3	4860	0.39793	0.59033	22.79543	734.7348
5949	5957	25	0.06889	10	5	1.00	1	0	4450	0.17878	0.54053	23.11820	306.5605
5950	262	25	0.12601	2	10	1.00	3	3	1595	0.30406	0.02712	24.86514	200.986
5950	5580	40	0.03830	10	3	3.00	3	3	23812	0.06897	0.79406	33.32442	911.9996
5950	5598	40	0.11518	10	3	3.00	3	3	21992	0.20037	0.73336	34.48997	2533.039
5951	103	25	0.33413	2	10	1.00	1	3	151	0.80233	0.00257	24.98717	50.45363
5951	105	25	0.09036	2	10	1.00	1	3	380	0.21714	0.00646	24.96774	34.3368
5951	5672	30	0.11606	10	5	1.00	1	3	4245	0.24944	0.51569	27.91652	492.6747
5951	5949	30	0.32150	10	5	1.00	1	3	2980	0.67004	0.36203	28.78903	958.07
5952	138	25	0.06293	2	10	1.00	1	3	900	0.15150	0.01530	24.92374	56.637
5952	1294	25	0.07945	2	10	1.00	1	3	928	0.19128	0.01578	24.92134	73.7296
5952	8914	45	0.10096	10	3	2.00	1	3	14187	0.15436	0.70964	39.24413	1432.32
5952	8916	45	0.09834	10	3	2.00	1	3	12934	0.14655	0.64697	40.26340	1271.93
5953	103	25	0.11922	2	10	1.00	1	3	788	0.28690	0.01340	24.93320	93.94536
5953	105	25	0.30919	2	10	1.00	1	3	140	0.74240	0.00238	24.98812	43.2866
5953	5866	25	0.32462	10	5	1.00	1	3	5191	0.86566	0.63055	22.49971	1685.102
5953	5949	25	0.15118	10	5	1.00	1	3	5310	0.40524	0.64503	22.38436	802.7658
5954	228	25	0.09156	2	10	1.00	4	3	2146	0.22135	0.03649	24.81885	196.4878
5954	229	25	0.18856	2	10	1.00	4	3	557	0.45340	0.00947	24.95272	105.0279
5954	8760	30	0.14085	10	5	1.00	4	3	6925	0.34967	0.84126	24.16839	975.3863
5954	8870	30	0.10813	10	5	1.00	4	3	4907	0.23759	0.59607	27.30638	530.5939
5955	5948	30	0.26594	9	5	1.00	100	0	3292	0.55786	0.39987	28.60231	875.4745
5957	5949	25	0.06889	10	5	1.00	1	0	5097	0.18299	0.61911	22.58735	351.1323
5958	221	25	0.07898	2	10	1.00	4	3	874	0.19011	0.01486	24.92591	69.02852
5958	8748	45	0.06795	10	3	3.00	4	3	35004	0.20634	1.16726	19.75849	2378.522
5958	8750	45	0.11561	10	3	3.00	4	3	35020	0.35168	1.16782	19.72489	4048.662
5960	151	25	0.22588	2	10	1.00	5	3	317	0.54271	0.00540	24.97305	71.60396
5960	175	25	0.17793	2	10	1.00	5	3	307	0.42748	0.00523	24.97389	54.62451
5960	8676	45	0.13017	10	3	2.00	5	3	13651	0.19670	0.68280	39.70541	1776.951
5960	9070	45	0.08050	10	3	2.00	5	3	13016	0.12015	0.65107	40.20255	1047.788
5961	5966	63	0.25844	10	1	2.00	4	0	40636	0.31315	0.86385	49.51646	10501.97
5962	175	25	0.09046	2	10	1.00	5	3	1525	0.21823	0.02593	24.87099	137.9515
5962	179	25	0.09383	2	10	1.00	5	3	1287	0.22617	0.02188	24.89108	120.7592
5962	9070	45	0.16341	10	3	3.00	5	3	25956	0.27599	0.86554	35.52506	4241.47
5962	9072	45	0.14740	10	3	3.00	5	3	24078	0.23726	0.80291	37.27406	3549.097
5963	5970	63	0.08369	10	1	2.00	4	0	41341	0.10276	0.87885	48.86582	3459.828
5963	5971	50	0.07375	10	6	1.00	4	3	18444	0.55135	1.56833	8.02616	1360.245
5966	25172	63	0.02274	10	1	2.75	4	0	58653	0.05909	1.24688	23.08744	1333.769
5967	9571	45	0.19501	10	3	2.00	1	0	23632	0.62000	1.18209	18.87189	4608.476
5968	5970	50	0.06717	10	6	1.00	4	3	8137	0.09170	0.69195	43.94726	546.5623
5970	25173	63	0.10016	10	1	2.00	4	0	49478	0.15652	1.05184	38.39602	4955.716
5971	9556	40	0.04374	10	6	1.00	4	0	5899	0.07028	0.50163	37.34744	258.0223
5971	9572	50	0.15281	10	6	1.00	4	0	12544	0.31549	1.06671	29.06148	1916.849
6001	5866	40	0.09043	10	3	2.00	1	3	23020	0.29439	1.15148	18.43017	2081.699
6001	5868	40	0.09120	10	3	2.00	1	3	21957	0.25493	1.09829	21.46593	2002.478
6002	94	25	0.17455	2	10	1.00	1	3	762	0.42002	0.01296	24.93539	133.0071
6002	5864	40	0.14817	10	3	2.00	1	3	21148	0.37452	1.05780	23.73725	3133.499
6002	5866	40	0.08536	10	3	2.00	1	3	19781	0.18869	0.98945	27.14226	1688.506
6003	204	25	0.22121	2	10	1.00	6	3	0	0.53089	0.00000	25.00000	0
6003	206	25	0.34060	2	10	1.00	6	3	4673	0.83042	0.07947	24.60888	1591.624
6003	329	25	0.14239	2	10	1.00	6	3	1688	0.34370	0.02870	24.85731	240.3543
6003	5660	40	0.06367	10	3	2.00	6	3	6239	0.09876	0.31206	38.68435	397.2371
6004	321	25	0.15538	2	10	1.00	1	3	638	0.37372	0.01086	24.94584	99.13244
6004	5510	40	0.32318	10	3	1.00	1	3	4175	0.51014	0.41768	38.01163	1349.277
6004	9048	40	0.12875	10	3	1.00	1	3	3614	0.20123	0.36156	38.38831	465.3025
6005	197	25	0.05168	2	10	1.00	5	3	202	0.12411	0.00343	24.98287	10.43936
6005	198	25	0.27027	2	10	1.00	5	3	175	0.64903	0.00297	24.98515	47.29725
6005	8642	30	0.03042	10	5	1.00	5	3	376	0.06105	0.04568	29.90123	11.43792
6006	5808	25	0.13690	10	5	1.00	2	3	1624	0.33471	0.19733	24.54133	222.3256
6006	5810	25	0.10350	10	5	1.00	2	3	2438	0.25625	0.29613	24.23328	252.333
6006	6007	25	0.19501	10	5	1.00	2	3	731	0.47140	0.08883	24.82043	142.5523
6007	119	25	0.11651	1	10	1.00	100	3	239	0.27986	0.00407	24.97967	27.84589
6007	125	25	0.32064	1	10	1.00	100	0	117	0.76984	0.00199	24.99006	37.51488
6007	6006	25	0.19501	10	5	1.00	2	3	717	0.47133	0.08716	24.82433	139.8222
6007	6008	25	0.18627	10	5	1.00	2	3	954	0.45146	0.11593	24.75563	177.7016
6008	120	25	0.11952	1	10	1.00	100	3	396	0.28723	0.00673	24.96638	47.32992
6008	6007	25	0.18627	10	5	1.00	2	3	934	0.45135	0.11342	24.76176	173.9762
6008	6009	25	0.12281	10	5	1.00	2	3	558	0.29629	0.06784	24.86861	68.52798
6009	5744	40	0.19118	10	4	1.00	2	3	558	0.28807	0.05936	39.82016	106.6784
6009	6008	25	0.12281	10	5	1.00	2	3	551	0.29627	0.06694	24.87064	67.66831
6010	254	25	0.09637	2	10	1.00	3	3	529	0.23171	0.00900	24.95506	50.97973
6010	255	25	0.13359	2	10	1.00	3	3	2099	0.32291	0.03570	24.82276	280.4054
6010	8910	30	0.01474	10	5	1.00	1	3	3685	0.03119	0.44763	28.34243	54.3169
6011	296	25	0.10931	2	10	1.00	2	3	480	0.26277	0.00817	24.95922	52.4688
6011	5586	45	0.15398	10	3	3.00	2	3	15872	0.22137	0.52928	41.73359	2443.971
6011	5680	45	0.15407	10	3	3.00	2	3	16635	0.22300	0.55473	41.45509	2562.954
6983	5049	25	1.02360	9	5	1.00	100	0	0	2.45532	0.00000	25.01345	0
6983	5050	25	0.40174	9	5	1.00	100	0	0	0.96367	0.00000	25.01345	0
7140	5674	65	0.02705	2	9	1.00	0	0	3173	0.02539	0.17990	63.93375	85.82965
7140	17110	65	0.61936	2	8	1.00	0	0	15730	0.64830	0.66878	57.32085	9742.533
7141	5858	65	0.02705	2	9	1.00	0	0	0	0.02496	0.00000	65.03497	0

A	B	SPEED	DISTANCE	SPDCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT	
7141	18205	65	1.42394	2	8	1.00	0	0	0	18528	1.58207	0.78775	54.00275	26382.76
7142	7140	65	1.23639	2	8	1.00	0	0	0	18903	1.38782	0.80370	53.45319	23371.48
7142	8962	65	0.02705	2	9	1.00	0	0	0	0	0.02496	0.00000	65.03497	0
7144	7142	65	0.35795	2	8	1.00	0	0	0	13931	0.36458	0.59232	58.90827	4986.601
7144	8960	65	0.02705	2	9	1.00	0	0	0	2410	0.02527	0.13664	64.23045	65.1905
7145	7147	65	0.62818	2	8	1.00	0	0	0	16702	0.66942	0.71013	56.30405	10491.86
7145	8946	65	0.02705	2	9	1.00	0	0	0	0	0.02496	0.00000	65.03497	0
7146	7144	65	0.62718	2	8	1.00	0	0	0	16342	0.66373	0.69479	56.69608	10249.38
7146	8958	65	0.02705	2	9	1.00	0	0	0	0	0.02496	0.00000	65.03497	0
7147	7149	65	0.44751	2	8	1.00	0	0	0	13618	0.45392	0.57900	59.15218	6094.191
7147	8948	65	0.02526	2	9	1.00	0	0	0	3084	0.02369	0.17485	63.96956	77.90184
7148	7146	65	0.37920	2	8	1.00	0	0	0	14397	0.38873	0.61212	58.52894	5459.342
7148	8956	65	0.02705	2	9	1.00	0	0	0	3064	0.02537	0.17371	63.97765	82.8812
7149	8950	65	0.02705	2	9	1.00	0	0	0	7	0.02496	0.00042	65.03276	0.18935
7149	13540	65	0.23849	2	8	1.00	0	0	0	18372	0.26390	0.78113	54.22245	4381.538
7150	7151	45	0.14541	10	2	3.00	4	3	3	37754	0.33632	1.07014	25.94132	5489.809
7150	8765	45	0.29414	10	3	3.00	4	3	3	35802	0.97016	1.19388	18.19152	10530.8
7151	7150	45	0.14541	10	2	3.00	4	3	3	35802	0.29876	1.01479	29.20337	5205.969
7151	8768	45	0.06371	10	3	4.00	4	3	3	37754	0.11713	0.94424	32.63475	2405.307
7153	5536	65	0.02973	2	9	1.00	0	0	0	8755	0.02936	0.49630	60.76492	260.2862
7153	25200	65	1.21417	2	8	1.00	0	0	0	8551	1.17196	0.36358	62.16094	10382.37
7359	927	25	0.04222	2	10	1.00	0	3	3	405	0.10146	0.00688	24.96563	17.0991
7359	8623	30	0.18179	10	5	1.00	0	3	3	5803	0.41600	0.70489	26.21909	1054.927
7359	8656	30	0.09945	10	5	1.00	0	3	3	5256	0.22162	0.63852	26.92422	522.7092
8600	200	25	0.10159	2	10	1.00	5	3	3	76	0.24388	0.00130	24.99350	7.72084
8600	201	25	0.22994	2	10	1.00	5	3	3	2864	0.55724	0.04870	24.75885	658.5482
8600	8601	45	0.28104	10	3	2.00	5	3	3	19487	0.53949	0.97476	31.25574	5476.626
8600	9098	45	0.35794	10	3	2.00	5	3	3	19979	0.71520	0.99934	30.02874	7151.283
8601	8600	45	0.28104	10	3	2.00	5	3	3	19611	0.54470	0.98095	30.95657	5511.475
8601	8631	25	0.33343	10	5	1.00	7	3	3	929	0.80788	0.11280	24.76327	309.7565
8601	8641	45	0.25195	10	3	2.00	7	3	3	19065	0.46908	0.95364	32.22689	4803.427
8602	201	25	0.34444	2	10	1.00	5	3	3	699	0.82862	0.01188	24.94072	240.7636
8602	8604	40	0.26936	10	3	2.00	5	3	3	7494	0.42194	0.37487	38.30318	2018.584
8602	9098	40	0.32528	10	3	2.00	5	3	3	6517	0.50556	0.32596	38.60432	2119.85
8603	208	25	0.16392	2	10	1.00	6	3	3	869	0.39457	0.01478	24.92633	142.4465
8603	3749	40	0.08018	10	3	2.00	0	3	3	7534	0.12564	0.37687	38.29020	604.0761
8603	3753	35	0.08130	10	5	1.00	0	3	3	1940	0.14263	0.23563	34.20041	157.722
8603	8607	40	0.20545	10	3	2.00	0	3	3	7141	0.32088	0.35720	38.41568	1467.118
8604	190	25	0.25043	2	10	1.00	5	3	3	1796	0.60471	0.03055	24.84818	449.7723
8604	8602	40	0.26936	10	3	2.00	5	3	3	7092	0.42053	0.35476	38.43089	1910.301
8604	8606	40	0.18263	10	3	2.00	5	3	3	7011	0.28494	0.35067	38.45614	1280.419
8605	3759	40	0.29380	10	3	2.00	0	3	3	7043	0.45851	0.35231	38.44603	2069.233
8605	3761	35	0.15998	10	5	1.00	0	3	3	1534	0.27902	0.18635	34.40094	245.4093
8605	3763	35	0.09148	10	5	1.00	0	3	3	341	0.15728	0.04144	34.89762	31.19468
8605	8608	40	0.13723	10	3	2.00	0	3	3	6133	0.21268	0.30678	38.71413	841.6316
8606	202	25	0.22921	2	10	1.00	5	3	3	2229	0.55428	0.03791	24.81187	510.9091
8606	8604	40	0.18263	10	3	2.00	5	3	3	6609	0.28404	0.33056	38.57735	1207.002
8606	8608	40	0.23336	10	3	2.00	5	3	3	6787	0.36346	0.33950	38.52409	1583.814
8607	918	25	0.12876	2	10	1.00	0	3	3	751	0.30981	0.01278	24.93629	96.69876
8607	3759	40	0.10810	10	3	2.00	0	3	3	6856	0.16845	0.34295	38.50331	741.1336
8607	8603	40	0.20545	10	3	2.00	0	3	3	7408	0.32159	0.37057	38.33098	1521.974
8607	9071	45	0.12742	10	3	1.00	6	3	3	3294	0.17613	0.32948	43.40665	419.7215
8608	921	25	0.23597	2	10	1.00	0	3	3	283	0.56688	0.00481	24.97597	66.77951
8608	922	25	0.13554	2	10	1.00	0	3	3	641	0.32601	0.01090	24.94560	86.88114
8608	8605	40	0.13723	10	3	2.00	0	3	3	6527	0.21330	0.32647	38.60138	895.7002
8608	8606	40	0.23336	10	3	2.00	5	3	3	6385	0.36234	0.31939	38.64246	1490.004
8609	3751	45	0.09186	10	3	3.00	0	3	3	30230	0.18640	1.00807	29.56771	2776.928
8609	8611	40	0.08985	10	3	2.00	6	3	3	8150	0.14157	0.40767	38.08240	732.2775
8609	9085	45	0.08414	10	3	4.00	6	3	3	37348	0.15270	0.93408	33.05935	3142.461
8609	9619	40	0.08205	10	3	2.00	0	3	3	4597	0.12587	0.22996	39.11366	377.1839
8610	194	25	0.14212	2	10	1.00	5	3	3	269	0.34140	0.00457	24.97719	38.23028
8610	200	25	0.29169	2	10	1.00	5	3	3	28	0.70011	0.00047	24.99765	8.16732
8610	8612	40	0.14620	10	3	2.00	5	3	3	12287	0.24236	0.61461	36.19368	1796.359
8610	9098	40	0.17993	10	3	2.00	5	3	3	12788	0.30085	0.63964	35.88459	2300.945
8611	203	25	0.08638	2	10	1.00	6	3	0	0	0.20732	0.00000	25.00000	0
8611	915	25	0.09425	2	10	1.00	0	3	3	1262	0.22716	0.02146	24.89318	118.9435
8611	3749	40	0.05377	10	3	2.00	0	3	3	7472	0.08422	0.37374	38.31055	401.7694
8611	8609	40	0.08985	10	3	2.00	6	3	3	8219	0.14165	0.41110	38.05836	738.4772
8612	8610	40	0.14620	10	3	2.00	5	3	3	12652	0.24386	0.63287	35.97049	1849.722
8612	8614	30	0.15099	10	5	1.00	5	3	3	1290	0.30624	0.15665	29.58278	194.7771
8612	8640	40	0.05850	10	3	2.00	5	3	3	11151	0.09534	0.55779	36.81804	652.3335
8613	916	25	0.12405	2	10	1.00	0	3	3	111	0.29784	0.00189	24.99056	13.76955
8613	917	25	0.08565	2	10	1.00	0	3	3	782	0.20610	0.01329	24.93371	66.9783
8613	3757	35	0.10872	10	5	1.00	0	3	3	1526	0.18961	0.18532	34.40493	165.9067
8613	8660	35	0.20667	10	5	1.00	0	3	3	1702	0.36132	0.20678	34.32006	351.7523
8614	194	25	0.15634	2	10	1.00	5	3	3	101	0.37535	0.00172	24.99142	15.79034
8614	198	25	0.09756	2	10	1.00	5	3	3	979	0.23491	0.01665	24.91705	95.51124
8614	8612	30	0.15099	10	5	1.00	5	3	3	1097	0.30550	0.13329	29.65498	165.636
8614	8616	30	0.18211	10	5	1.00	5	3	3	2009	0.37313	0.24400	29.28381	365.859
8616	193	25	0.15870	2	10	1.00	5	3	0	0	0.38088	0.00000	25.00000	

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
8618	8620	30	0.06715	10	5	1.00	5	3	3624	0.14195	0.44027	28.38442	243.3516
8618	8628	30	0.15686	10	5	1.00	5	3	3506	0.33065	0.42585	28.46455	549.9512
8618	8988	30	0.12711	10	5	1.00	5	3	736	0.25608	0.08940	29.78290	93.55296
8620	182	25	0.18270	2	10	1.00	5	3	134	0.43869	0.00227	24.98865	24.4818
8620	8618	30	0.06715	10	5	1.00	5	3	3778	0.14249	0.45892	28.27661	253.6927
8620	8622	30	0.13132	10	5	1.00	5	3	3494	0.27674	0.42442	28.47231	458.8321
8621	936	20	0.11419	2	10	1.00	0	0	747	0.34343	0.01270	19.94931	85.29993
8621	8655	45	0.16929	10	3	3.00	8	0	18560	0.24981	0.61893	40.65966	3142.022
8621	8985	45	0.22955	10	3	3.00	8	0	18552	0.33871	0.61866	40.66331	4258.612
8621	23288	25	0.09748	10	5	1.00	0	0	1834	0.23905	0.22282	24.46739	178.7783
8622	183	25	0.15449	2	10	1.00	5	3	268	0.37112	0.00456	24.97724	41.40332
8622	8620	30	0.13132	10	5	1.00	5	3	3641	0.27771	0.44225	28.37321	478.1361
8622	8624	30	0.07987	10	5	1.00	5	3	3765	0.16943	0.45742	28.28548	300.7106
8623	3767	30	0.08380	10	5	1.00	0	3	5803	0.19177	0.70489	26.21909	486.2914
8623	7359	30	0.18179	10	5	1.00	0	3	5256	0.40511	0.63852	26.92422	955.4882
8624	8622	30	0.07987	10	5	1.00	5	3	3904	0.17004	0.47429	28.18412	311.8125
8624	8626	30	0.25466	10	5	1.00	5	3	4288	0.54802	0.52084	27.88128	1091.982
8624	8630	30	0.11858	10	5	1.00	5	3	745	0.23891	0.09055	29.77968	88.3421
8625	929	25	0.08951	2	10	1.00	0	3	615	0.21528	0.01046	24.94781	55.04865
8625	3767	30	0.25172	10	5	1.00	0	3	6101	0.58618	0.74117	25.76505	1535.744
8625	3769	40	0.18483	10	3	2.00	0	3	6977	0.28830	0.34901	38.46637	1289.559
8625	8627	40	0.19790	10	3	2.00	0	3	12549	0.32952	0.62768	36.03516	2483.447
8626	179	25	0.09488	2	10	1.00	5	3	1422	0.22881	0.02419	24.87964	134.9194
8626	184	25	0.16543	2	10	1.00	5	3	26	0.39707	0.00044	24.99778	4.30118
8626	8624	30	0.25466	10	5	1.00	5	3	4384	0.54963	0.53251	27.79952	1116.429
8626	9072	30	0.05691	10	5	1.00	5	3	4786	0.12449	0.58140	27.42795	272.3713
8627	8625	40	0.19790	10	3	2.00	0	3	11969	0.32641	0.59871	36.37852	2368.665
8627	8647	40	0.13511	10	3	2.00	0	3	12632	0.22529	0.63186	35.98310	1706.71
8627	8661	30	0.18361	10	5	1.00	0	3	60	0.36724	0.00728	29.99839	11.0166
8627	8679	30	0.12339	10	5	1.00	0	3	1214	0.25002	0.14744	29.61161	149.7955
8628	183	25	0.18514	2	10	1.00	5	3	486	0.44506	0.00826	24.95875	89.97804
8628	193	25	0.09012	2	10	1.00	5	3	0	0.21629	0.00000	25.00000	0
8628	8618	30	0.15686	10	5	1.00	5	3	3325	0.32930	0.40391	28.58139	521.5595
8628	9094	30	0.15855	10	5	1.00	5	3	3828	0.33686	0.46496	28.24067	606.9294
8629	207	25	0.15246	2	10	1.00	7	3	498	0.36653	0.00846	24.95776	75.92508
8629	8643	35	0.25936	10	4	1.00	7	3	890	0.44808	0.09464	34.72950	230.8304
8629	8645	35	0.21740	10	4	1.00	7	3	569	0.37441	0.06049	34.83912	123.7006
8630	180	25	0.12309	2	10	1.00	5	3	312	0.29572	0.00531	24.97347	38.40408
8630	182	25	0.14384	2	10	1.00	5	3	775	0.34612	0.01318	24.93425	111.476
8630	8624	30	0.11858	10	5	1.00	5	3	788	0.23902	0.09574	29.76501	93.44104
8630	8632	30	0.20393	10	5	1.00	5	3	452	0.40953	0.05485	29.87711	92.17636
8631	318	25	0.21085	2	10	1.00	7	3	787	0.50738	0.01338	24.93328	165.939
8631	8601	25	0.33343	10	5	1.00	7	3	931	0.80790	0.11312	24.76249	310.4233
8631	8633	25	0.53944	10	5	1.00	7	3	334	1.29836	0.04057	24.92876	180.173
8632	5506	45	0.06694	10	3	2.00	5	3	13255	0.10036	0.66301	40.02118	887.2897
8632	8630	30	0.20393	10	5	1.00	5	3	476	0.40964	0.05782	29.86923	97.07068
8632	8634	45	0.11569	10	3	2.00	5	3	13587	0.17460	0.67963	39.75730	1571.88
8633	317	25	0.18745	2	10	1.00	7	3	596	0.45078	0.01013	24.94944	111.7202
8633	8631	25	0.53944	10	5	1.00	7	3	337	1.29839	0.04089	24.92807	181.7913
8633	8635	25	0.63835	10	5	1.00	7	3	363	1.53690	0.04415	24.92101	231.7211
8633	8645	30	0.35531	10	5	1.00	7	3	222	0.71183	0.02695	29.94936	78.87882
8634	180	25	0.18746	2	10	1.00	5	3	476	0.45064	0.00810	24.95956	89.23096
8634	8632	45	0.11569	10	3	2.00	5	3	13710	0.17504	0.68579	39.65587	1586.11
8634	8636	45	0.10140	10	3	2.00	5	3	13864	0.15392	0.69346	39.52692	1405.81
8635	314	25	0.14087	2	10	1.00	7	3	957	0.33919	0.01627	24.91892	134.8126
8635	8633	25	0.63835	10	5	1.00	7	3	362	1.53687	0.04396	24.92141	231.0827
8635	8649	25	0.20792	10	5	1.00	7	3	1162	0.50523	0.14118	24.69244	241.603
8636	8634	45	0.10140	10	3	2.00	5	3	14009	0.15441	0.70075	39.40139	1420.513
8636	8638	45	0.08996	10	3	2.00	5	3	14918	0.14003	0.74618	38.54698	1342.023
8636	8694	30	0.07283	10	5	1.00	5	3	1435	0.14799	0.17433	29.52612	104.5111
8637	319	25	0.07296	2	10	1.00	7	3	1252	0.17586	0.02129	24.89401	91.34592
8637	8639	35	0.21051	10	4	1.00	7	3	1768	0.36723	0.18797	34.39466	372.1817
8637	8643	35	0.28705	10	4	1.00	7	3	1969	0.50199	0.20931	34.30984	565.2015
8638	179	25	0.19395	2	10	1.00	5	3	642	0.46649	0.01093	24.94549	124.5159
8638	8636	45	0.08996	10	3	2.00	5	3	15078	0.14063	0.75422	38.38160	1356.417
8638	9070	45	0.09068	10	3	2.00	5	3	14275	0.13892	0.71404	39.16449	1294.457
8639	8637	35	0.21051	10	4	1.00	7	3	1715	0.36699	0.18227	34.41676	361.0247
8639	8641	35	0.44347	10	4	1.00	7	3	1768	0.77362	0.18797	34.39466	784.055
8640	8612	40	0.05850	10	3	2.00	5	3	11709	0.09610	0.58567	36.52409	684.9765
8640	8642	40	0.21376	10	3	2.00	5	3	11151	0.34836	0.55779	36.81804	2383.638
8641	8601	45	0.25195	10	3	2.00	7	3	19186	0.47306	0.95970	31.95612	4833.913
8641	8639	35	0.44347	10	4	1.00	7	3	1715	0.77312	0.18227	34.41676	760.5511
8641	8669	45	0.55896	10	3	2.00	7	3	17402	0.94822	0.87046	35.36910	9727.022
8642	195	25	0.12584	2	10	1.00	5	3	1058	0.30310	0.01800	24.91032	133.1387
8642	6005	30	0.03042	10	5	1.00	5	3	374	0.06104	0.04547	29.90177	11.37708
8642	8640	40	0.21376	10	3	2.00	5	3	11709	0.35116	0.58567	36.52409	2502.916
8642	8644	40	0.18334	10	3	2.00	5	3	11311	0.29944	0.56580	36.73587	2073.759
8643	8629	35	0.25936	10	4	1.00	7	3	891	0.44808	0.09467	34.72940	231.0898
8643	8637	35	0.28705	10	4	1.00	7	3	2023	0.50233	0.21500	34.28662	580.7022
8643	8653	35	0.20573	10	4	1.00	7	3	2978	0.36491	0.31658	33.82626	612.6639
8643	8675	25	0.28673	10	5	1.00	7	3	1175	0.69683	0.14276	24.68839	336.9078
8644	8642	40	0.18334	10	3	2.00	5	3	11867	0.30190	0.59360	36.43628	2175.696
8644	8646	40	0.18060	10	3	2.00	5	3	11853	0.29733	0.59289	36.44418	2140.652

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
8644	8968	40	0.10304	10	3	2.00	5	3	6912	0.16064	0.34573	38.48644	712.2125
8644	8998	45	0.09359	10	3	2.00	5	3	9886	0.13343	0.49452	42.08527	925.2307
8645	8629	35	0.21740	10	4	1.00	7	3	569	0.37441	0.06046	34.83921	123.7006
8645	8633	30	0.35531	10	5	1.00	7	3	226	0.71186	0.02746	29.94807	80.30006
8645	8677	35	0.36012	10	4	1.00	7	3	357	0.61897	0.03796	34.90812	128.5628
8646	167	25	0.14670	2	10	1.00	5	3	126	0.35222	0.00214	24.98932	18.4842
8646	8644	40	0.18060	10	3	2.00	5	3	12436	0.30013	0.62205	36.10421	2245.942
8646	8647	40	0.37341	10	3	2.00	5	3	11982	0.61599	0.59936	36.37113	4474.199
8647	168	25	0.36069	2	10	1.00	5	3	188	0.86621	0.00319	24.98405	67.80972
8647	169	25	0.16274	2	10	1.00	5	3	542	0.39130	0.00921	24.95402	88.20508
8647	8627	40	0.13511	10	3	2.00	0	3	12052	0.22313	0.60284	36.33136	1628.346
8647	8646	40	0.37341	10	3	2.00	5	3	12562	0.62188	0.62833	36.02707	4690.776
8648	932	20	0.10354	2	10	1.00	0	3	61	0.31070	0.00103	19.99587	6.31594
8648	8661	30	0.15133	10	5	1.00	0	3	62	0.30267	0.00752	29.99778	9.38246
8649	8635	25	0.20792	10	5	1.00	7	3	1161	0.50522	0.14099	24.69292	241.3951
8649	8657	35	0.20668	10	4	1.00	7	3	2243	0.36271	0.23839	34.18861	463.5832
8649	8671	25	0.47344	10	5	1.00	7	3	1095	1.14944	0.13303	24.71314	518.4168
8649	8677	35	0.45929	10	4	1.00	7	3	354	0.78940	0.03763	34.90912	162.5887
8650	150	25	0.06351	2	10	1.00	5	3	384	0.15263	0.00652	24.96743	24.38784
8650	8652	25	0.16071	10	5	1.00	1	3	4689	0.42044	0.56959	22.93520	753.5692
8650	9062	25	0.18182	10	5	2.00	5	3	5222	0.45155	0.31720	24.15940	949.464
8651	8656	45	0.30630	10	3	3.00	8	3	30516	0.63265	1.01760	29.04934	9347.051
8651	8667	45	0.12194	10	3	2.00	7	3	14746	0.18896	0.73759	38.71852	1798.127
8651	8669	45	0.12310	10	3	2.00	7	3	19093	0.22962	0.95502	32.16546	2350.348
8651	9340	45	0.19986	10	3	2.00	7	3	16863	0.33136	0.84347	36.18898	3370.239
8652	8650	25	0.16071	10	5	1.00	5	3	5137	0.42763	0.62409	22.54957	825.5673
8652	8654	25	0.12828	10	5	1.00	1	3	5653	0.34948	0.68668	22.02287	725.1668
8652	8684	30	0.36931	10	5	1.00	1	3	1661	0.75281	0.20176	29.43446	613.4239
8652	9566	25	0.02562	10	5	1.00	1	3	696	0.06192	0.08456	24.83037	17.83152
8653	8643	35	0.20573	10	4	1.00	7	3	3039	0.36526	0.32298	33.79396	625.2135
8653	8665	45	0.29615	10	3	2.00	7	3	16158	0.47841	0.80821	37.14151	4785.192
8653	8667	45	0.61277	10	3	2.00	7	3	13735	0.92761	0.68702	39.63552	8416.396
8653	24904	35	0.19190	10	4	1.00	7	3	4517	0.35062	0.48012	32.83941	866.8123
8654	9	25	0.12051	2	10	1.00	1	3	433	0.28966	0.00737	24.96321	52.18083
8654	8652	25	0.12828	10	5	1.00	1	3	6009	0.35645	0.73000	21.59228	770.8345
8654	8662	25	0.05175	10	5	1.00	1	3	5640	0.14089	0.68510	22.03742	291.87
8655	3765	40	0.10916	10	5	1.00	0	0	1115	0.16568	0.13549	39.53107	121.7134
8655	8621	45	0.16929	10	3	3.00	8	0	17593	0.24727	0.58667	41.07728	2978.319
8655	8656	45	0.27261	10	3	3.00	8	0	18464	0.40186	0.61573	40.70289	5033.471
8656	7359	30	0.09945	10	5	1.00	0	3	5803	0.22758	0.70489	26.21909	577.1084
8656	8651	45	0.30630	10	3	3.00	8	3	30490	0.63164	1.01675	29.09584	9339.087
8656	8655	45	0.27261	10	3	3.00	8	0	17493	0.39780	0.58333	41.11835	4768.767
8656	9610	35	0.14713	10	4	2.00	7	0	8503	0.26721	0.45191	33.03730	1251.046
8657	3747	45	0.34205	10	3	3.00	0	3	27077	0.59901	0.90294	34.26145	9261.688
8657	8649	35	0.20668	10	4	1.00	7	3	2239	0.36269	0.23797	34.19043	462.7565
8657	8659	45	0.10804	10	3	3.00	0	3	26059	0.18304	0.86899	35.41599	2815.414
8658	8663	45	0.36705	10	3	3.00	7	3	23488	0.58347	0.78325	37.74467	8621.27
8658	9357	45	0.35278	10	3	3.00	7	3	17914	0.51699	0.59738	40.94286	6319.701
8658	9389	45	0.17048	10	3	2.00	7	3	16364	0.27739	0.81853	36.87547	2789.735
8658	9585	45	0.20715	9	3	2.00	100	3	14210	0.31688	0.71079	39.22343	2943.602
8659	8657	45	0.10804	10	3	3.00	0	3	26052	0.18299	0.86873	35.42416	2814.658
8659	8663	45	0.16943	10	3	3.00	7	3	26059	0.28704	0.86899	35.41599	4415.176
8660	3737	35	0.17800	10	5	1.00	0	3	5460	0.34314	0.66325	31.12472	971.88
8660	3747	45	0.40090	10	3	3.00	0	3	32010	0.92126	1.06744	26.11000	12832.81
8660	3751	45	0.19512	10	3	3.00	0	3	30878	0.41264	1.02967	28.37110	6024.915
8660	8613	35	0.20667	10	5	1.00	0	3	1499	0.36030	0.18212	34.41732	309.7983
8661	929	25	0.09928	2	10	1.00	0	3	1	0.23827	0.00001	24.99993	0.09928
8661	8627	30	0.18361	10	5	1.00	0	3	61	0.36725	0.00743	29.99802	11.20021
8661	8648	30	0.15133	10	5	1.00	0	3	61	0.30267	0.00738	29.99814	9.23113
8662	8654	25	0.05175	10	5	1.00	1	3	5904	0.14290	0.71714	21.72654	305.532
8662	8664	25	0.08229	10	5	1.00	1	3	5844	0.22651	0.70997	21.79900	480.9028
8662	8672	30	0.15876	10	5	1.00	1	3	3019	0.33113	0.36674	28.76663	479.2964
8663	1107	20	0.24058	2	10	1.00	7	3	2604	0.72813	0.04429	19.82440	626.4703
8663	8658	45	0.36705	10	3	3.00	7	3	23455	0.58308	0.78214	37.77005	8609.158
8663	8659	45	0.16943	10	3	3.00	7	3	26052	0.28698	0.86873	35.42416	4413.99
8664	8662	25	0.08229	10	5	1.00	1	3	6665	0.23952	0.80961	20.61449	548.4629
8664	8666	25	0.10916	10	5	1.00	1	3	5501	0.29517	0.66827	22.18845	600.4892
8664	8692	30	0.20077	10	5	1.00	1	3	362	0.40280	0.04392	29.90581	72.67874
8665	8653	45	0.29615	10	3	2.00	7	3	16143	0.47818	0.80749	37.15961	4780.749
8665	9368	45	0.18912	10	3	2.00	7	3	16158	0.30551	0.80821	37.14150	3055.801
8666	8	25	0.12820	2	10	1.00	1	3	668	0.30838	0.01135	24.94336	85.6376
8666	8664	25	0.10916	10	5	1.00	1	3	6275	0.30853	0.76232	21.22797	684.979
8666	8668	25	0.06318	10	5	1.00	1	3	5699	0.17254	0.69225	21.97080	360.0628
8667	205	25	0.10817	2	10	1.00	7	3	1379	0.26082	0.02345	24.88329	149.1664
8667	8651	45	0.12194	10	3	2.00	7	3	13735	0.18459	0.68702	39.63552	1674.846
8667	8653	45	0.61277	10	3	2.00	7	3	13936	0.93163	0.69709	39.46469	8539.563
8668	37	25	0.21623	2	10	1.00	1	3	741	0.52027	0.01261	24.93713	160.2264
8668	8666	25	0.06318	10	5	1.00	1	3	6445	0.18075	0.78298	20.97270	407.1951
8668	8670	25	0.21799	10	5	1.00	1	3	5890	0.60156	0.71554	21.74289	1283.961
8669	205	25	0.11747	2	10	1.00	7	3	419	0.28233	0.00712	24.96444	49.21993
8669	926	25	0.07228	2	10	1.00	7	3	3040	0.17527	0.05170	24.74414	219.7312
8669	8641	45	0.55896	10	3	2.00	7	3	17470	0.95114	0.87383	35.26036	9765.031
8669	8651	45	0.12310	10	3	2.00	7	3	19835	0.24297	0.99215	30.39867	2441.689

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
8670	7	25	0.15682	2	10	1.00	1	3	650	0.37721	0.01106	24.94484	101.933
8670	36	25	0.11679	2	10	1.00	1	3	1243	0.28148	0.02114	24.89476	145.17
8670	8668	25	0.21799	10	5	1.00	1	3	7159	0.66516	0.86966	19.66364	1560.59
8670	9024	25	0.17615	10	5	1.00	1	3	6902	0.52359	0.83842	20.18519	1215.787
8671	313	25	0.07796	2	10	1.00	7	3	901	0.18769	0.01532	24.92366	70.24196
8671	8649	25	0.47344	10	5	1.00	7	3	1101	1.14953	0.13380	24.71120	521.2574
8671	8673	25	0.33787	10	5	1.00	7	3	803	0.81743	0.09750	24.80003	271.3096
8672	37	25	0.20473	2	10	1.00	1	3	1033	0.49309	0.01756	24.91251	211.4861
8672	39	25	0.19352	2	10	1.00	1	3	435	0.46513	0.00740	24.96305	84.1812
8672	8662	30	0.15876	10	5	1.00	1	3	2463	0.32770	0.29914	29.06751	391.0259
8672	8674	30	0.17255	10	5	1.00	1	3	2747	0.35799	0.33376	28.91881	473.9949
8673	315	25	0.06120	2	10	1.00	7	3	1058	0.14742	0.01799	24.91036	64.7496
8673	8671	25	0.33787	10	5	1.00	7	3	809	0.81749	0.09826	24.79820	273.3368
8673	8675	25	0.33703	10	5	1.00	7	3	944	0.81675	0.11472	24.75857	318.1563
8674	38	25	0.13166	2	10	1.00	1	3	1144	0.31722	0.01946	24.90310	150.619
8674	8672	30	0.17255	10	5	1.00	1	3	2339	0.35542	0.28416	29.12867	403.5945
8674	9014	30	0.21056	10	5	1.00	1	3	2253	0.43310	0.27364	29.17049	474.3917
8674	9569	30	0.00189	10	5	1.00	5	3	1244	0.00384	0.15111	29.60018	2.35116
8675	316	25	0.11957	2	10	1.00	7	3	353	0.28731	0.00601	24.97001	42.20821
8675	8643	25	0.28673	10	5	1.00	7	3	1169	0.69678	0.14199	24.69036	335.1874
8675	8673	25	0.33703	10	5	1.00	7	3	951	0.81681	0.11549	24.75669	320.5155
8676	152	25	0.18098	2	10	1.00	5	3	520	0.43513	0.00884	24.95587	94.1096
8676	5960	45	0.13017	10	3	2.00	5	3	13625	0.19660	0.68150	39.72677	1773.566
8676	8678	45	0.17220	10	3	2.00	5	3	13131	0.25755	0.65680	40.11646	2261.158
8677	315	25	0.59157	2	10	1.00	7	3	7	1.41979	0.00012	24.99940	4.14099
8677	8645	35	0.36012	10	4	1.00	7	3	361	0.61899	0.03837	34.90687	130.0033
8677	8649	35	0.45929	10	4	1.00	7	3	350	0.78937	0.03721	34.91037	160.7515
8678	8676	45	0.17220	10	3	2.00	5	3	13094	0.25737	0.65498	40.14394	2254.787
8678	8680	45	0.21231	10	3	2.00	5	3	14436	0.32649	0.72207	39.01651	3064.907
8678	8684	30	0.13591	10	5	1.00	5	3	2285	0.27971	0.27763	29.15473	310.5544
8678	9568	30	0.04972	10	5	1.00	5	3	1277	0.10082	0.15510	29.58768	63.49244
8679	928	25	0.11750	2	10	1.00	0	3	1214	0.28317	0.02064	24.89721	142.645
8679	8627	30	0.12339	10	5	1.00	0	3	1214	0.25002	0.14744	29.61161	149.7955
8680	153	25	0.13249	2	10	1.00	5	3	792	0.31884	0.01348	24.93279	104.9321
8680	172	25	0.16847	2	10	1.00	5	3	494	0.40502	0.00841	24.95804	83.22418
8680	8678	45	0.21231	10	3	2.00	5	3	14555	0.32744	0.72805	38.90342	3090.172
8680	8682	45	0.23021	10	3	2.00	5	3	14238	0.35238	0.71221	39.19784	3277.73
8682	170	25	0.09203	2	10	1.00	5	3	225	0.22103	0.00382	24.98090	20.70675
8682	171	25	0.10106	2	10	1.00	5	3	173	0.24270	0.00294	24.98533	17.48338
8682	8680	45	0.23021	10	3	2.00	5	3	14360	0.35338	0.71830	39.08636	3305.816
8682	9032	45	0.07983	10	3	2.00	5	3	14269	0.12228	0.71372	39.17037	1139.094
8684	152	25	0.11461	2	10	1.00	5	3	558	0.27559	0.00949	24.95265	63.95238
8684	8652	30	0.36931	10	5	1.00	5	3	1785	0.75416	0.21689	29.38187	659.2184
8684	8678	30	0.13591	10	5	1.00	5	3	2151	0.27910	0.26125	29.21867	292.3424
8686	10	25	0.12673	2	10	1.00	1	3	1258	0.30545	0.02140	24.89346	159.4263
8686	8688	30	0.11479	10	5	1.00	1	3	1093	0.23223	0.13274	29.65664	125.4655
8686	9028	30	0.20117	10	5	1.00	1	3	1652	0.41002	0.20067	29.43822	332.3328
8688	7	25	0.09988	2	10	1.00	1	3	582	0.24019	0.00989	24.95065	58.13016
8688	8686	30	0.11479	10	5	1.00	1	3	853	0.23157	0.10368	29.74235	97.91587
8688	8690	30	0.33089	10	5	1.00	1	3	789	0.66702	0.09590	29.76456	261.0722
8690	8688	30	0.33089	10	5	1.00	1	3	623	0.66576	0.07570	29.82090	206.1445
8690	8692	30	0.05202	10	5	1.00	1	3	789	0.10485	0.09590	29.76456	41.04378
8692	8	25	0.14814	2	10	1.00	1	3	167	0.35575	0.00284	24.98579	24.73938
8692	9	25	0.15551	2	10	1.00	1	3	224	0.37350	0.00381	24.98096	34.83424
8692	8664	30	0.20077	10	5	1.00	1	3	408	0.40299	0.04950	29.89121	81.91416
8692	8690	30	0.05202	10	5	1.00	1	3	623	0.10466	0.07570	29.82090	32.40846
8694	157	25	0.07804	2	10	1.00	5	3	685	0.18773	0.01164	24.94192	53.4574
8694	158	25	0.11984	2	10	1.00	5	3	339	0.28794	0.00577	24.97120	40.62576
8694	8636	30	0.07283	10	5	1.00	5	3	1420	0.14796	0.17249	29.53210	103.4186
8694	8696	30	0.35838	10	5	1.00	5	3	671	0.72144	0.08147	29.80502	240.473
8696	156	25	0.14023	2	10	1.00	5	3	465	0.33708	0.00791	24.96052	65.20695
8696	159	25	0.10894	2	10	1.00	5	3	242	0.26168	0.00412	24.97943	26.36348
8696	8694	30	0.35838	10	5	1.00	5	3	660	0.72135	0.08012	29.80874	236.5308
8696	8698	30	0.17931	10	5	1.00	5	3	439	0.36005	0.05328	29.88127	78.71709
8698	8696	30	0.17931	10	5	1.00	5	3	470	0.36017	0.05713	29.87105	84.2757
8698	8700	30	0.11098	9	5	1.00	100	0	257	0.22243	0.03127	29.93838	28.52186
8698	8702	45	0.13585	10	3	2.00	5	3	13134	0.20319	0.65698	40.11370	1784.254
8698	8982	45	0.12634	10	3	2.00	5	3	13184	0.18915	0.65946	40.07585	1665.667
8700	8698	30	0.11098	9	5	1.00	100	0	166	0.22222	0.02018	29.96640	18.42268
8702	54	25	0.12516	1	10	1.00	100	0	1544	0.30195	0.02626	24.86937	193.247
8702	156	25	0.18939	2	10	1.00	5	3	573	0.45543	0.00974	24.95139	108.5205
8702	8698	45	0.13585	10	3	2.00	5	3	13257	0.20367	0.66309	40.01991	1800.963
8702	8704	45	0.12060	10	3	2.00	5	3	13617	0.18211	0.68111	39.73309	1642.21
8704	8702	45	0.12060	10	3	2.00	5	3	13705	0.18244	0.68550	39.66071	1652.823
8704	8706	45	0.06496	10	3	2.00	1	3	13567	0.09800	0.67862	39.77374	881.3123
8704	8714	30	0.15876	10	5	1.00	1	0	646	0.31950	0.07847	29.81331	102.559
8706	155	25	0.03693	2	10	1.00	5	3	58	0.08865	0.00098	24.99508	2.14194
8706	8704	45	0.06496	10	3	2.00	5	3	13691	0.09825	0.68481	39.67220	889.3674
8706	8708	45	0.10909	10	3	2.00	1	3	13586	0.16463	0.67957	39.75834	1482.097
8708	44	25	0.08224	2	10	1.00	1	3	1762	0.19856	0.02996	24.85108	144.9069
8708	154	25	0.11294	2	10	1.00	5	3	416	0.27145	0.00708	24.96463	46.98304
8708	8706	45	0.10909	10	3	2.00	5	3	13710	0.16505	0.68576	39.65649	1495.624
8708	9062	45	0.06496	10	3	2.00	1	3	13456	0.09778	0.67309	39.86275	874.1018

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
8714	45	25	0.12244	2	10	1.00	1	0	139	0.29399	0.00237	24.98814	17.01916
8714	54	25	0.13617	1	10	1.00	100	0	602	0.32747	0.01024	24.94893	81.97434
8714	8704	30	0.15876	10	5	1.00	1	0	610	0.31937	0.07410	29.82531	96.8436
8714	9006	30	0.39205	10	5	1.00	1	0	1184	0.79408	0.14385	29.62272	464.1872
8716	11	25	0.03278	2	10	1.00	1	3	2926	0.07947	0.04976	24.75366	95.91428
8716	8718	25	0.14332	10	5	1.00	1	3	2094	0.35285	0.25436	24.37078	300.1121
8716	9024	25	0.14181	10	5	1.00	1	3	6158	0.39771	0.74806	21.39370	873.266
8718	8716	25	0.14332	10	5	1.00	1	3	4732	0.37551	0.57488	22.90030	678.1902
8718	8720	25	0.23545	10	5	1.00	1	3	8910	1.01041	1.08242	13.98134	2097.86
8718	9028	25	0.28674	10	5	1.00	1	3	5346	0.76983	0.64946	22.34807	1532.912
8720	15	25	0.17001	2	10	1.00	1	3	1483	0.41008	0.02522	24.87453	252.1248
8720	8718	25	0.23545	10	5	1.00	1	3	10063	1.52792	1.22246	9.24582	2369.333
8720	8822	30	0.07197	10	5	1.00	1	3	9809	0.35347	1.19152	12.21722	705.9537
8720	8864	30	0.35513	10	5	1.00	1	3	2360	0.73175	0.28665	29.11862	838.1068
8720	8878	25	0.37356	10	5	1.00	1	3	1754	0.91499	0.21304	24.49617	655.2242
8722	8724	33	0.17740	10	5	1.00	1	3	1738	0.32911	0.21112	32.34235	308.3212
8722	8864	30	0.15418	10	5	1.00	1	3	1611	0.31407	0.19565	29.45529	248.384
8723	330	25	0.23545	2	10	1.00	1	3	3530	0.57186	0.06004	24.70338	831.1385
8723	332	25	0.08392	2	10	1.00	1	3	7577	0.20660	0.12886	24.37187	635.8618
8723	8725	40	0.26344	10	3	2.00	0	0	14845	0.46045	0.74255	34.32899	3910.767
8723	9087	40	0.18389	10	3	2.00	0	0	20002	0.41419	1.00051	26.63800	3678.168
8724	8722	33	0.17740	10	5	1.00	1	3	1611	0.32851	0.19565	32.40081	285.7914
8724	8726	33	0.08300	10	5	1.00	1	3	1738	0.15399	0.21112	32.34235	144.254
8725	8723	40	0.26344	10	3	2.00	0	0	13074	0.44280	0.65398	35.69687	3444.215
8725	16067	40	0.25427	10	3	2.00	0	0	14845	0.44442	0.74255	34.32898	3774.638
8726	18	25	0.07083	2	10	1.00	1	3	1044	0.17060	0.01776	24.91151	73.94652
8726	8724	33	0.08300	10	5	1.00	1	3	1611	0.15371	0.19565	32.40081	133.713
8726	8728	33	0.16897	10	5	1.00	1	3	1855	0.31400	0.22532	32.28712	313.4394
8728	19	25	0.26141	2	10	1.00	1	3	92	0.62757	0.00156	24.99219	24.04972
8728	8726	33	0.16897	10	5	1.00	1	3	1728	0.31342	0.20986	32.34717	291.9802
8728	8730	30	0.12897	10	5	1.00	1	3	1763	0.26328	0.21418	29.39144	227.3741
8730	8728	30	0.12897	10	5	1.00	1	3	1625	0.26276	0.19735	29.44952	209.5763
8730	8732	32	0.21236	10	5	1.00	1	3	3782	0.42249	0.45939	30.15876	803.1455
8730	8866	32	0.17425	10	5	1.00	1	3	3923	0.34794	0.47651	30.04845	683.5828
8732	21	25	0.12414	2	10	1.00	1	3	779	0.29873	0.01324	24.93398	96.70506
8732	8730	32	0.21236	10	5	1.00	1	3	3562	0.42022	0.43274	30.32171	756.4263
8732	8734	35	0.48343	10	5	1.00	1	3	3604	0.87548	0.43784	33.13112	1742.282
8734	22	25	0.07920	2	10	1.00	1	3	612	0.19047	0.01041	24.94804	48.4704
8734	8732	35	0.48343	10	5	1.00	1	3	3385	0.87103	0.41118	33.30053	1636.411
8734	8736	35	0.41762	10	5	1.00	1	3	3658	0.75729	0.44437	33.08795	1527.654
8736	23	25	0.15839	2	10	1.00	1	3	950	0.38136	0.01615	24.91951	150.4705
8736	8734	35	0.41762	10	5	1.00	1	3	3439	0.75338	0.41772	33.25997	1436.195
8736	9040	30	0.07712	10	5	1.00	1	3	4271	0.16588	0.51881	27.89518	329.3795
8738	178	25	0.01345	2	10	1.00	5	3	1785	0.03247	0.03036	24.84912	24.00825
8738	8740	35	0.22741	10	2	3.00	1	3	32958	0.53072	0.93418	25.70966	7494.979
8738	9082	35	0.19697	10	3	3.00	1	3	33159	0.64200	1.10574	18.40838	6531.328
8740	320	25	0.12796	2	10	1.00	1	3	57	0.30717	0.00098	24.99512	7.29372
8740	321	25	0.15277	2	10	1.00	1	3	1346	0.36832	0.02289	24.88605	205.6284
8740	8738	35	0.22741	10	2	3.00	1	3	33110	0.53360	0.93850	25.57084	7529.545
8740	9044	35	0.07174	10	3	3.00	1	3	31737	0.20748	1.05832	20.74557	2276.812
8742	218	25	0.02867	2	10	1.00	4	3	983	0.06905	0.01672	24.91667	28.18261
8742	8744	45	0.30329	10	3	3.00	4	3	28707	0.56751	0.95727	32.06534	8706.546
8742	9044	45	0.27180	10	3	3.00	4	3	27247	0.47888	0.90860	34.05372	7405.735
8744	219	25	0.08025	2	10	1.00	4	3	641	0.19302	0.01090	24.94562	51.44025
8744	5532	30	0.20849	10	5	1.00	4	3	823	0.42044	0.09993	29.75310	171.5873
8744	8742	45	0.30329	10	3	3.00	4	3	27265	0.53471	0.90919	34.03199	8269.202
8744	8746	45	0.18630	10	3	3.00	4	3	29001	0.35353	0.96707	31.61806	5402.886
8744	8890	30	0.27047	10	5	1.00	4	3	1419	0.54951	0.17235	29.53256	383.7969
8746	216	25	0.09852	2	10	1.00	4	3	588	0.23691	0.01000	24.95012	57.92976
8746	8744	45	0.18630	10	3	3.00	4	3	26989	0.32524	0.90000	34.36776	5028.051
8746	8748	45	0.19060	10	3	3.00	4	3	28413	0.35193	0.94747	32.49611	5415.518
8748	5524	45	0.09655	10	3	3.00	4	3	20280	0.14551	0.67627	39.81170	1958.034
8748	5648	45	0.07437	10	3	3.00	4	3	30981	0.15838	1.03312	28.17322	2304.057
8748	5958	45	0.06795	10	3	3.00	4	3	34257	0.19131	1.14235	21.31069	2327.763
8748	8746	45	0.19060	10	3	3.00	4	3	26378	0.32609	0.87963	35.07053	5027.647
8750	5958	45	0.11561	10	3	3.00	4	3	35801	0.38128	1.19384	18.19368	4138.954
8750	8752	45	0.21540	10	3	3.00	4	3	26622	0.37142	0.88777	34.79632	5734.379
8750	8892	30	0.17775	10	5	1.00	4	3	10271	1.03877	1.24774	10.26710	1825.67
8752	5662	45	0.12310	10	3	3.00	4	3	26622	0.21226	0.88777	34.79633	3277.168
8752	8750	45	0.21540	10	3	3.00	4	3	27371	0.38125	0.91273	33.89917	5895.713
8754	1297	25	0.09075	2	10	1.00	4	3	580	0.21823	0.00987	24.95076	52.635
8754	5662	45	0.19593	10	3	3.00	4	3	27532	0.34889	0.91811	33.69432	5394.345
8754	9801	30	0.05704	10	5	1.00	4	3	12743	0.68513	1.54796	4.99511	726.8607
8754	9802	45	0.05652	10	3	4.00	4	3	35457	0.09737	0.88678	34.82999	2004.03
8758	226	25	0.15314	2	10	1.00	4	3	764	0.36848	0.01299	24.93521	116.999
8758	234	25	0.22142	2	10	1.00	4	3	4992	0.54044	0.08489	24.58263	1105.329
8758	8762	45	0.12697	10	3	4.00	4	3	30744	0.20012	0.76891	38.06733	3903.566
8758	9802	45	0.14703	10	3	4.00	4	3	36473	0.26008	0.91218	33.91992	5362.625
8760	234	25	0.19716	2	10	1.00	4	3	8197	0.48637	0.13940	24.32192	1616.121
8760	5954	30	0.14085	10	5	1.00	4	3	5175	0.31280	0.62868	27.01707	728.8988
8760	8761	45	0.16240	10	3	4.00	4	3	38773	0.30938	0.96970	31.49534	6296.735
8760	8762	45	0.11945	10	3	4.00	4	3	31455	0.19028	0.78669	37.66475	3757.3
8761	229	25	0.10892	2	10	1.00	4	3	883	0.26219	0.01502	24.92514	96.17636

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
8761	8760	45	0.16240	10	3	4.00	4	3	38684	0.30837	0.96748	31.59900	6282.282
8761	8833	45	0.08590	10	3	4.00	4	3	40011	0.17203	1.00068	29.95865	3436.945
8762	228	25	0.18209	2	10	1.00	4	3	766	0.43817	0.01303	24.93503	139.4809
8762	8758	45	0.12697	10	3	4.00	4	3	31455	0.20226	0.78669	37.66475	3993.841
8762	8760	45	0.11945	10	3	4.00	4	3	30030	0.18641	0.75104	38.44746	3587.084
8765	230	25	0.15563	2	10	1.00	4	3	0	0.37351	0.00000	25.00000	0
8765	1296	25	0.05999	2	10	1.00	4	3	525	0.14424	0.00893	24.95543	31.49475
8765	7150	45	0.29414	10	3	3.00	4	3	37754	1.18548	1.25899	14.88730	11104.96
8765	8833	45	0.22486	10	3	4.00	4	3	35044	0.38354	0.87644	35.17556	7879.994
8765	8898	30	0.29459	10	5	1.00	4	3	3346	0.61870	0.40641	28.56835	985.6981
8767	234	25	0.18775	2	10	1.00	4	3	6663	0.46081	0.11332	24.44594	1250.978
8767	8836	40	0.09761	10	3	3.00	4	3	30896	0.23252	1.03028	25.18767	3015.759
8767	8837	40	0.17409	10	3	3.00	4	3	34806	0.58280	1.16065	17.92308	6059.377
8768	7151	45	0.06371	10	3	3.00	4	3	35802	0.21013	1.19388	18.19152	2280.945
8768	8769	45	0.17027	10	3	4.00	0	3	44353	0.43584	1.10926	23.43972	7551.985
8768	8770	40	0.18941	10	3	2.00	3	3	12999	0.31792	0.65021	35.74709	2462.141
8768	8938	40	0.13236	10	3	2.00	3	3	11701	0.21741	0.58527	36.52848	1548.744
8769	877	20	0.04544	3	10	3.00	0	3	671	0.13643	0.00380	19.98480	30.49024
8769	5556	45	0.06686	10	3	4.00	0	3	43776	0.16459	1.09483	24.37173	2926.863
8769	8768	45	0.17027	10	3	4.00	0	3	39696	0.33643	0.99280	30.36556	6759.038
8770	271	25	0.02758	2	10	1.00	3	3	1148	0.06644	0.01952	24.90278	31.66184
8770	8768	40	0.18941	10	3	2.00	3	3	16727	0.35141	0.83667	32.34008	3168.261
8770	8772	40	0.18732	10	3	2.00	3	3	13330	0.31641	0.66679	35.52218	2496.976
8772	8770	40	0.18732	10	3	2.00	3	3	17058	0.35219	0.85325	31.91254	3195.305
8772	8903	40	0.02781	10	3	4.00	3	3	42719	0.07206	1.06840	23.15570	1188.015
8772	8904	40	0.16683	10	3	3.00	3	3	31405	0.41184	1.04724	24.30504	5239.296
8774	26	25	0.10324	2	10	1.00	1	3	411	0.24812	0.00699	24.96508	42.43164
8774	8776	40	0.17492	10	3	2.00	1	3	19056	0.36614	0.95319	28.66371	3333.276
8774	8900	40	0.08039	10	3	2.00	1	3	18032	0.15822	0.90198	30.48564	1449.592
8776	8774	40	0.17492	10	3	2.00	1	3	17702	0.33855	0.88547	30.99971	3096.434
8776	8778	35	0.10132	10	4	2.00	1	3	9332	0.18579	0.49594	32.72230	945.5182
8776	8826	40	0.20326	10	3	2.00	1	3	18209	0.40387	0.91081	30.19685	3701.161
8778	26	25	0.12255	2	10	1.00	1	3	292	0.29442	0.00497	24.97516	35.7846
8778	8776	35	0.10132	10	4	2.00	1	3	8490	0.18399	0.45122	33.04203	860.2068
8778	8780	40	0.20563	10	3	2.00	1	3	21971	0.57584	1.09899	21.42545	4517.897
8778	8828	45	0.19016	10	2	2.00	1	3	26129	0.48899	1.11091	23.33340	4968.691
8780	78	25	0.04981	2	10	1.00	1	3	1673	0.12023	0.02845	24.85855	83.33213
8780	8778	40	0.20563	10	3	2.00	1	3	21070	0.51521	1.05394	23.94659	4332.624
8780	8936	40	0.09515	10	3	2.00	1	3	22105	0.27134	1.10571	21.03961	2103.291
8782	79	25	0.05113	2	10	1.00	1	3	3379	0.12413	0.05747	24.71591	172.7683
8782	8784	35	0.32960	10	3	2.00	1	3	14241	0.64870	0.71235	30.48525	4693.834
8782	8936	35	0.12008	10	3	2.00	1	3	14558	0.23812	0.72820	30.25612	1748.125
8784	55	25	0.06984	2	10	1.00	1	3	2212	0.16887	0.03761	24.81333	154.4861
8784	8782	35	0.32960	10	3	2.00	1	3	13664	0.64055	0.68348	30.87323	4503.654
8784	8786	35	0.14609	10	3	2.00	1	3	9863	0.26771	0.49333	32.74189	1440.886
8784	8862	22	0.17137	10	5	1.00	1	3	4099	0.50015	0.49789	20.55899	702.4456
8786	55	25	0.13143	2	10	1.00	1	3	2143	0.31773	0.03645	24.81905	281.6545
8786	56	25	0.07371	2	10	1.00	1	3	2171	0.17820	0.03692	24.81676	160.0244
8786	8784	35	0.14609	10	3	2.00	1	3	9896	0.26781	0.49498	32.72952	1445.707
8786	8788	35	0.11026	10	3	2.00	1	3	13234	0.21244	0.66198	31.14001	1459.181
8788	60	25	0.09089	2	10	1.00	1	3	1295	0.21909	0.02203	24.89034	117.7026
8788	8786	35	0.11026	10	3	2.00	1	3	12985	0.21144	0.64950	31.28688	1431.726
8788	8790	35	0.06508	10	3	2.00	1	3	17336	0.14153	0.86716	27.59091	1128.227
8788	8966	40	0.05742	10	3	2.00	1	3	27334	0.35108	1.36722	9.81285	1569.518
8790	62	25	0.16846	2	10	1.00	1	3	527	0.40503	0.00897	24.95523	88.77842
8790	8788	35	0.06508	10	3	2.00	1	3	20350	0.17293	1.01790	22.58100	1324.378
8790	8792	35	0.06117	10	3	2.00	1	3	17017	0.13122	0.85119	27.97134	1040.93
8792	8790	35	0.06117	10	3	2.00	1	3	19985	0.15724	0.99963	23.34373	1222.482
8792	8794	35	0.07190	10	3	2.00	1	3	15141	0.14476	0.75734	29.80157	1088.638
8792	8846	30	0.11289	10	4	1.00	1	3	2844	0.23314	0.30232	29.05429	321.0592
8794	61	25	0.06859	2	10	1.00	1	3	463	0.16487	0.00787	24.96073	31.75717
8794	5946	35	0.05655	10	3	2.00	1	3	9961	0.10374	0.49827	32.70465	563.2946
8794	8792	35	0.07190	10	3	2.00	1	3	13902	0.14044	0.69538	30.71761	999.5538
8794	9554	25	0.22404	10	4	1.00	1	3	5204	0.58342	0.55316	23.04041	1165.904
8796	63	25	0.18196	2	10	1.00	1	3	669	0.43770	0.01138	24.94324	121.7312
8796	1188	25	0.04916	2	10	1.00	1	3	678	0.11825	0.01153	24.94251	33.33048
8796	5946	35	0.05170	10	3	2.00	1	3	12164	0.09776	0.60844	31.73312	628.8788
8796	8798	35	0.13206	10	3	2.00	1	3	8117	0.23772	0.40601	33.33223	1071.931
8798	8796	35	0.13206	10	3	2.00	1	3	11535	0.24730	0.57696	32.04108	1523.312
8798	8800	35	0.11858	10	3	2.00	1	3	8499	0.21421	0.42512	33.21327	1007.811
8800	8798	35	0.11858	10	3	2.00	1	3	10535	0.21905	0.52697	32.47840	1249.24
8800	8802	35	0.21045	10	3	1.00	1	3	5500	0.39115	0.55022	32.28225	1157.475
8800	8860	25	0.15018	10	5	1.00	1	3	3001	0.37576	0.36460	23.98069	450.6902
8802	31	25	0.18056	2	10	1.00	1	3	1812	0.43601	0.03082	24.84685	327.1747
8802	8800	35	0.21045	10	3	1.00	1	3	5669	0.39298	0.56712	32.13185	1193.041
8802	8804	35	0.10892	10	3	1.00	1	3	9534	0.26076	0.95374	25.06190	1038.443
8802	8860	25	0.15567	10	5	1.00	1	3	5876	0.42922	0.71380	21.76047	914.7169
8804	5916	35	0.32195	10	4	1.00	1	3	8074	0.69467	0.85819	27.80745	2599.424
8804	8802	35	0.10892	10	3	1.00	1	3	10085	0.28461	1.00891	22.96183	1098.458
8804	8806	30	0.25436	10	3	1.00	1	3	9780	0.73649	0.97834	20.72230	2487.641
8804	8810	30	0.23798	10	3	1.00	1	3	8541	0.59718	0.85446	23.91021	2032.587
8806	31	25	0.14591	2	10	1.00	1	3	99	0.35031	0.00169	24.99154	14.44509
8806	32	25	0.04623	2	10	1.00	1	3	4882	0.11280	0.08303	24.59163	225.6949

A	B	SPEED	DISTANCE	SPDCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
8806	33	25	0.17174	2	10	1.00	1	3	84	0.41229	0.00142	24.99289	14.42616
8806	8804	30	0.25436	10	3	1.00	1	3	9943	0.75637	0.99473	20.17774	2529.101
8806	8808	30	0.27936	10	3	1.00	1	3	10158	0.86319	1.01618	19.41835	2837.739
8808	5918	35	0.25626	10	3	2.00	1	3	12882	0.49051	0.64435	31.34593	3301.141
8808	5922	23	0.23257	10	5	1.00	1	3	1786	0.61948	0.21698	22.52589	415.37
8808	5938	25	0.03452	10	5	1.00	1	3	3193	0.08672	0.38784	23.88614	110.2224
8808	8806	30	0.27936	10	3	1.00	1	3	10318	0.89077	1.03221	18.81706	2882.436
8810	28	25	0.05791	2	10	1.00	1	3	5145	0.14141	0.08750	24.57001	297.947
8810	8804	30	0.23798	10	3	1.00	1	3	8299	0.58582	0.83025	24.37407	1974.996
8810	8812	30	0.17318	10	3	1.00	1	3	9064	0.45676	0.90673	22.74873	1569.704
8810	8860	20	0.07189	10	5	1.00	1	3	1929	0.22069	0.23432	19.54627	138.6758
8812	8810	30	0.17318	10	3	1.00	1	3	9384	0.47427	0.93881	21.90918	1625.121
8812	8816	30	0.18120	10	3	1.00	1	3	6028	0.39901	0.60299	27.24718	1092.274
8812	8852	25	0.06755	10	3	2.00	1	3	3575	0.16480	0.17884	24.59280	241.4913
8816	27	25	0.04277	2	10	1.00	1	3	2675	0.10359	0.04549	24.77458	114.4098
8816	8812	30	0.18120	10	3	1.00	1	3	5439	0.39226	0.54409	27.71585	985.5468
8816	8818	30	0.12046	10	3	2.00	1	3	10286	0.25882	0.51451	27.92456	1239.052
8816	8856	20	0.07447	10	5	1.00	1	3	4766	0.24419	0.57892	18.29865	354.924
8818	8816	30	0.12046	10	3	2.00	1	3	8788	0.25459	0.43959	28.38822	1058.602
8818	8820	30	0.05074	10	3	2.00	1	3	11082	0.11014	0.55433	27.63970	562.3007
8818	8850	30	0.19350	10	4	1.00	1	3	2823	0.39947	0.30011	29.06349	546.2505
8820	27	25	0.13537	2	10	1.00	1	3	1217	0.32623	0.02070	24.89693	164.7453
8820	8818	30	0.05074	10	3	2.00	1	3	9964	0.10860	0.49839	28.03176	505.5734
8820	8822	35	0.15028	10	3	2.00	1	3	12163	0.28414	0.60839	31.73364	1827.856
8822	24	25	0.09345	2	10	1.00	1	3	967	0.22502	0.01644	24.91805	90.36615
8822	8720	30	0.07197	10	5	1.00	1	3	10427	0.44513	1.26662	9.70147	750.4312
8822	8820	35	0.15028	10	3	2.00	1	3	11152	0.27989	0.55781	32.21557	1675.923
8822	8824	40	0.38184	10	3	2.00	1	3	18006	0.75046	0.90065	30.52841	6875.411
8824	8822	40	0.38184	10	3	2.00	1	3	17613	0.73588	0.88100	31.13337	6725.348
8824	8826	40	0.12667	10	3	2.00	1	3	16778	0.23548	0.83926	32.27523	2125.269
8824	8878	25	0.09603	10	5	1.00	1	3	4058	0.24635	0.49296	23.38909	389.6897
8826	25	25	0.13801	2	10	1.00	1	3	1749	0.33321	0.02975	24.85213	241.3795
8826	8776	40	0.20326	10	3	2.00	1	3	17696	0.39330	0.88518	31.00848	3596.889
8826	8824	40	0.12667	10	3	2.00	1	3	17291	0.24055	0.86489	31.59590	2190.251
8828	231	25	0.30377	2	10	1.00	4	3	0	0.72904	0.00000	25.00000	0
8828	8778	45	0.19016	10	2	2.00	1	3	26107	0.48773	1.10998	23.39362	4964.507
8828	8830	45	0.25690	10	3	3.00	4	3	25727	0.43103	0.85792	35.76066	6609.266
8828	8874	30	0.19322	10	5	1.00	1	3	2325	0.39790	0.28241	29.13566	449.2365
8830	20	25	0.16477	2	10	1.00	1	3	2202	0.39840	0.03744	24.81418	362.8235
8830	8828	45	0.25690	10	3	3.00	4	3	25900	0.43318	0.86368	35.58300	6653.71
8830	8831	45	0.23334	10	3	3.00	4	3	25864	0.39305	0.86249	35.62006	6035.106
8831	229	25	0.10722	2	10	1.00	4	3	3492	0.26039	0.05938	24.70658	374.4122
8831	8830	45	0.23334	10	3	3.00	4	3	25998	0.39459	0.86694	35.48075	6066.373
8831	8833	45	0.14926	10	3	3.00	4	3	23912	0.23939	0.79740	37.40950	3569.105
8833	8761	45	0.08590	10	3	4.00	4	3	38684	0.16310	0.96748	31.59900	3322.956
8833	8765	45	0.22486	10	3	4.00	4	3	33524	0.37132	0.83843	36.33319	7538.207
8833	8831	45	0.14926	10	3	3.00	4	3	26024	0.25260	0.86783	35.45275	3884.342
8833	8834	40	0.07276	10	3	3.00	4	3	30604	0.17003	1.02056	25.67587	2226.747
8834	232	25	0.14436	2	10	1.00	4	3	9365	0.35750	0.15927	24.22824	1351.931
8834	8833	40	0.07276	10	3	3.00	4	3	29869	0.16263	0.99604	26.84400	2173.268
8834	8836	40	0.16649	10	3	3.00	4	3	27917	0.33862	0.93095	29.49957	4647.901
8836	234	25	0.21270	2	10	1.00	4	3	739	0.51176	0.01257	24.93733	157.1853
8836	8767	40	0.09761	10	3	3.00	4	3	34806	0.32677	1.16065	17.92308	3397.414
8836	8834	40	0.16649	10	3	3.00	4	3	29869	0.37212	0.99604	26.84400	4972.89
8836	8898	30	0.23258	10	5	2.00	4	3	7494	0.49312	0.45515	28.29881	1742.955
8837	8767	40	0.17409	10	3	3.00	4	3	37559	0.77407	1.25248	13.49440	6538.646
8837	8838	40	0.03470	10	3	3.00	4	3	34806	0.11616	1.16065	17.92308	1207.768
8838	8837	40	0.03470	10	3	3.00	4	3	24664	0.06369	0.82247	32.68575	855.8408
8838	8839	40	0.04640	10	3	3.00	4	3	30310	0.10643	1.01073	26.15505	1406.384
8838	8844	30	0.15111	10	6	1.00	4	0	14090	0.75757	1.19813	11.96768	2129.14
8839	8838	40	0.04640	10	3	3.00	4	3	34258	0.14698	1.14240	18.93994	1589.571
8839	8840	40	0.07254	10	3	3.00	4	0	30920	0.17307	1.03108	25.14695	2242.937
8840	8839	40	0.07254	10	3	3.00	4	0	34258	0.22979	1.14240	18.93994	2485.075
8840	8841	40	0.02500	10	3	3.00	4	2	30920	0.05965	1.03108	25.14694	773
8841	5550	30	0.10716	10	6	1.00	4	0	10422	0.27674	0.88621	23.23310	1116.822
8841	8840	40	0.02500	10	3	3.00	4	2	31365	0.06154	1.04592	24.37523	784.125
8841	8845	40	0.02866	10	3	3.00	4	2	21088	0.04915	0.70322	34.98496	604.3821
8842	8843	30	0.13015	10	6	2.00	4	3	13506	0.28412	0.57422	27.48564	1757.806
8842	8844	63	0.31416	10	1	3.00	4	0	55818	0.36087	0.79107	52.23280	17535.78
8843	8837	30	0.07337	10	6	2.00	4	3	12895	0.15901	0.54827	27.68500	946.1062
8843	8839	25	0.01976	10	6	1.00	4	3	610	0.04760	0.05190	24.90410	12.0536
8844	25164	63	0.02774	10	1	3.00	4	0	69908	0.03892	0.99076	42.76311	1939.248
8845	3593	40	0.19129	10	3	3.00	4	2	31495	0.47534	1.05024	24.14532	6024.679
8845	8841	40	0.02866	10	3	3.00	4	2	31955	0.07377	1.06559	23.31075	915.8303
8846	56	25	0.07389	2	10	1.00	1	3	1026	0.17795	0.01745	24.91303	75.81114
8846	8792	30	0.11289	10	4	1.00	1	3	7051	0.26404	0.74942	25.65393	795.9874
8846	8848	33	0.12292	10	4	1.00	1	3	3030	0.23143	0.32203	31.86745	372.4476
8848	8846	33	0.12292	10	4	1.00	1	3	7408	0.26713	0.78742	27.60823	910.5914
8848	8850	33	0.16366	10	4	1.00	1	3	6372	0.33649	0.67732	29.18290	1042.842
8848	8862	22	0.11262	10	5	1.00	1	3	2897	0.31955	0.35197	21.14648	326.2601
8850	57	25	0.19165	2	10	1.00	1	3	508	0.46076	0.00864	24.95689	97.3582
8850	58	25	0.08978	2	10	1.00	1	3	559	0.21589	0.00951	24.95256	50.18702
8850	8818	30	0.19350	10	4	1.00	1	3	2444	0.39727	0.25979	29.22425	472.914

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
8850	8848	33	0.16366	10	4	1.00	1	3	10186	0.53243	1.08268	18.44321	1667.041
8850	8858	25	0.08142	10	5	1.00	1	3	4750	0.21346	0.57696	22.88646	386.745
8852	8812	25	0.06755	10	3	2.00	1	3	4485	0.16568	0.22433	24.46289	302.9618
8852	8854	25	0.09237	10	3	2.00	1	3	9370	0.23568	0.46867	23.51530	865.5069
8852	8860	25	0.17999	10	5	1.00	1	3	7223	0.55313	0.87744	19.52381	1300.068
8854	8852	25	0.09237	10	3	2.00	1	3	11176	0.24092	0.55905	23.00328	1032.327
8854	8856	25	0.08518	10	3	2.00	1	3	13826	0.23256	0.69159	21.97705	1177.699
8854	9022	35	0.26516	10	2	2.00	1	3	22165	0.62527	0.94238	25.44414	5877.271
8856	30	25	0.03719	2	10	1.00	1	3	1671	0.08977	0.02842	24.85873	62.14449
8856	8816	20	0.07447	10	5	1.00	1	3	5567	0.25254	0.67630	17.69389	414.5745
8856	8854	25	0.08518	10	3	2.00	1	3	13348	0.23029	0.66766	22.19373	1136.983
8856	8858	25	0.10025	10	5	1.00	1	3	8840	0.42117	1.07388	14.28130	886.21
8858	8850	25	0.08142	10	5	1.00	1	3	8249	0.29423	1.00206	16.60359	671.6336
8858	8856	25	0.10025	10	5	1.00	1	3	9163	0.46692	1.11316	12.88213	918.5908
8858	9553	33	0.14892	10	4	1.00	1	3	1163	0.27365	0.12366	32.65227	173.194
8860	29	25	0.04015	2	10	1.00	1	3	5201	0.09807	0.08846	24.56539	208.8202
8860	8800	25	0.15018	10	5	1.00	1	3	4869	0.39543	0.59143	22.78781	731.2264
8860	8802	25	0.15567	10	5	1.00	1	3	5469	0.42030	0.66436	22.22240	851.3592
8860	8810	20	0.07189	10	5	1.00	1	3	1366	0.21894	0.16596	19.70212	98.20174
8860	8852	25	0.17999	10	5	1.00	1	3	6326	0.51049	0.76842	21.15448	1138.617
8862	57	25	0.16739	2	10	1.00	1	3	718	0.40271	0.01220	24.93913	120.186
8862	8784	22	0.17137	10	5	1.00	1	3	3599	0.49369	0.43719	20.82796	616.7606
8862	8848	22	0.11262	10	5	1.00	1	3	3462	0.32339	0.42058	20.89498	389.8904
8864	14	25	0.13678	2	10	1.00	1	3	697	0.32904	0.01185	24.94087	95.33566
8864	17	25	0.38585	2	10	1.00	1	3	821	0.92862	0.01396	24.93042	316.7829
8864	8720	30	0.35513	10	5	1.00	1	3	2232	0.73021	0.27119	29.18013	792.6502
8864	8722	30	0.15418	10	5	1.00	1	3	1738	0.31463	0.21112	29.40213	267.9648
8866	19	25	0.15154	2	10	1.00	1	3	356	0.36415	0.00605	24.96980	53.94824
8866	8730	32	0.17425	10	5	1.00	1	3	4004	0.34870	0.48635	29.98297	697.697
8866	8868	32	0.35153	10	5	1.00	4	3	3331	0.69192	0.40464	30.48277	1170.946
8866	8880	30	0.17678	10	5	1.00	4	3	1464	0.35937	0.17787	29.51454	258.8059
8868	8866	32	0.35153	10	5	1.00	4	3	3428	0.69343	0.41645	30.41635	1205.045
8868	8870	30	0.04298	10	5	1.00	4	3	3331	0.09024	0.40464	28.57759	143.1664
8870	5954	30	0.10813	10	5	1.00	4	3	5202	0.24041	0.63197	26.98634	562.4923
8870	8868	30	0.04298	10	5	1.00	4	3	3428	0.09044	0.41645	28.51532	147.3354
8870	8872	30	0.20084	10	5	1.00	1	3	3176	0.42026	0.38586	28.67327	637.8678
8872	19	25	0.28092	2	10	1.00	1	3	629	0.67565	0.01069	24.94664	176.6987
8872	8870	30	0.20084	10	5	1.00	1	3	3569	0.42398	0.43357	28.42197	716.798
8872	8876	30	0.35356	10	5	1.00	1	3	3276	0.74143	0.39801	28.61182	1158.263
8874	20	25	0.25626	2	10	1.00	1	3	428	0.61591	0.00728	24.96364	109.6793
8874	8828	30	0.19322	10	5	1.00	1	3	2130	0.39664	0.25876	29.22822	411.5586
8874	8876	30	0.05650	10	5	1.00	1	3	2711	0.11715	0.32931	28.93853	153.1715
8876	8872	30	0.35356	10	5	1.00	1	3	3675	0.74830	0.44646	28.34917	1299.333
8876	8874	30	0.05650	10	5	1.00	1	3	2555	0.11682	0.31043	29.02019	144.3575
8876	8878	30	0.26673	10	5	1.00	1	3	3533	0.56261	0.42920	28.44614	942.3571
8878	16	25	0.13364	2	10	1.00	1	3	1810	0.32271	0.03078	24.84704	241.8884
8878	8720	25	0.37356	10	5	1.00	1	3	2416	0.92456	0.29345	24.24248	902.521
8878	8824	25	0.09603	10	5	1.00	1	3	3153	0.24102	0.38299	23.90629	302.7826
8878	8876	30	0.26673	10	5	1.00	1	3	3777	0.56596	0.45877	28.27752	1007.439
8880	227	25	0.05549	2	10	1.00	4	3	876	0.13358	0.01490	24.92574	48.60924
8880	8866	30	0.17678	10	5	1.00	4	3	1453	0.35932	0.17652	29.51896	256.8613
8880	8882	30	0.21861	10	5	1.00	4	3	1179	0.44276	0.14323	29.62464	257.7412
8882	8880	30	0.21861	10	5	1.00	4	3	1168	0.44269	0.14188	29.62879	255.3365
8882	8884	30	0.24767	10	5	1.00	4	3	1179	0.50162	0.14323	29.62464	292.0029
8884	1297	25	0.11460	2	10	1.00	4	3	490	0.27551	0.00833	24.95843	56.154
8884	5662	30	0.05046	10	5	1.00	4	3	3083	0.10538	0.37451	28.72918	155.5682
8884	8882	30	0.24767	10	5	1.00	4	3	1168	0.50155	0.14188	29.62879	289.2786
8884	8886	30	0.18452	10	5	1.00	4	3	2174	0.37905	0.26414	29.20755	401.1465
8886	225	25	0.15475	2	10	1.00	4	3	1156	0.37287	0.01966	24.90211	178.891
8886	8884	30	0.18452	10	5	1.00	4	3	1980	0.37790	0.24056	29.29654	365.3496
8886	8888	30	0.21147	10	5	1.00	4	3	1404	0.42954	0.17059	29.53826	296.9039
8888	8886	30	0.21147	10	5	1.00	4	3	1210	0.42846	0.14701	29.61294	255.8787
8888	8890	30	0.18485	10	5	1.00	4	3	1404	0.37549	0.17059	29.53826	259.5294
8890	220	25	0.10804	2	10	1.00	4	3	957	0.26013	0.01627	24.91889	103.3943
8890	8744	30	0.27047	10	5	1.00	4	3	1613	0.55097	0.19592	29.45436	436.2681
8890	8888	30	0.18485	10	5	1.00	4	3	1210	0.37454	0.14701	29.61294	223.6685
8892	222	25	0.12758	2	10	1.00	4	3	1995	0.30827	0.03393	24.83149	254.5221
8892	8750	30	0.17775	10	5	1.00	4	3	10303	1.05096	1.25159	10.14801	1831.358
8892	8894	30	0.33683	10	5	1.00	4	3	8552	1.08898	1.03888	18.55860	2880.57
8894	223	25	0.13701	2	10	1.00	4	3	6186	0.33574	0.10520	24.48484	847.5439
8894	8892	30	0.33683	10	5	1.00	4	3	8584	1.09793	1.04274	18.40737	2891.349
8894	9800	30	0.21270	10	5	1.00	4	3	7522	0.56531	0.91369	22.57528	1599.929
8896	9800	30	0.07153	10	5	1.00	4	3	7989	0.20466	0.97052	20.97136	571.4532
8896	9801	30	0.10864	10	5	1.00	4	3	12773	1.31364	1.55161	4.96199	1387.659
8896	9803	30	0.07193	10	5	1.00	4	3	14293	1.16469	1.73623	3.70547	1028.095
8898	232	25	0.11890	2	10	1.00	4	3	8613	0.29373	0.14647	24.28848	1024.086
8898	233	25	0.32330	2	10	1.00	4	3	2339	0.78208	0.03978	24.80269	756.1987
8898	8765	30	0.29459	10	5	1.00	4	3	6818	0.72408	0.82824	24.41064	2008.515
8898	8836	30	0.23258	10	5	1.00	4	3	6708	0.56618	0.81490	24.64686	1560.147
8900	8774	40	0.08039	10	3	2.00	1	3	10487	0.12987	0.52455	37.14072	843.0499
8900	8901	40	0.06120	10	3	2.00	1	3	12644	0.10207	0.63245	35.97577	773.8128
8900	8958	30	0.23322	10	6	1.00	1	3	12940	0.87407	1.10038	16.00951	3017.867
8901	8900	40	0.06120	10	3	2.00	1	3	18039	0.12050	0.90230	30.47540	1103.987

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
8901	8902	40	0.09288	10	3	2.00	1	3	28285	0.63686	1.41481	8.75067	2627.111
8902	8901	40	0.09288	10	3	2.00	1	3	18039	0.18287	0.90230	30.47540	1675.462
8902	8903	40	0.02907	10	3	2.00	3	3	24195	0.11352	1.21025	15.36508	703.3487
8902	8949	30	0.09603	10	6	1.00	1	3	4090	0.19968	0.34775	28.85556	392.7627
8903	8772	40	0.02781	10	3	2.00	3	3	24195	0.10860	1.21025	15.36508	672.863
8903	8902	40	0.02907	10	3	3.00	3	3	18039	0.04799	0.60153	36.34635	524.3937
8903	8950	30	0.20820	10	6	2.00	1	3	24680	0.68841	1.04932	18.14587	5138.376
8904	255	25	0.17492	2	10	1.00	3	3	2542	0.42345	0.04322	24.78573	444.6466
8904	270	25	0.15018	2	10	1.00	3	3	22	0.36045	0.00037	24.99815	3.30396
8904	8772	40	0.16683	10	3	4.00	3	3	39445	0.36703	0.98652	27.27271	6580.609
8904	8906	40	0.10472	10	3	3.00	3	3	30454	0.24238	1.01554	25.92206	3189.143
8906	5614	45	0.21410	10	3	3.00	3	3	7446	0.29261	0.24829	43.90170	1594.189
8906	5616	40	0.15428	10	3	3.00	3	3	30514	0.35846	1.01755	25.82414	4707.7
8906	8904	40	0.10472	10	3	4.00	3	3	38740	0.22416	0.96890	28.02945	4056.853
8906	8908	40	0.15960	10	3	3.00	3	3	10288	0.24871	0.34308	38.50254	1641.965
8908	8906	40	0.15960	10	3	3.00	3	3	11149	0.24987	0.37178	38.32322	1779.38
8908	8910	40	0.17372	10	3	3.00	3	3	10288	0.27071	0.34308	38.50254	1787.231
8910	252	25	0.18385	2	10	1.00	3	3	8073	0.45334	0.13729	24.33189	1484.221
8910	6010	30	0.01474	10	5	1.00	1	3	2587	0.03048	0.31429	29.00377	38.13238
8910	8908	40	0.17372	10	3	3.00	3	3	11149	0.27197	0.37178	38.32322	1936.804
8910	8912	40	0.14560	10	3	3.00	3	3	10697	0.22739	0.35669	38.41884	1557.483
8912	254	25	0.08953	2	10	1.00	3	3	1942	0.21630	0.03303	24.83592	173.8673
8912	1295	25	0.08418	2	10	1.00	1	3	113	0.20212	0.00192	24.99042	9.51234
8912	8910	40	0.14560	10	3	3.00	3	3	10460	0.22710	0.34879	38.46772	1522.976
8912	8914	45	0.10784	10	3	3.00	3	3	12719	0.15150	0.42415	42.71070	1371.617
8914	5636	40	0.29518	10	4	2.00	1	3	12357	0.49665	0.65671	35.66029	3647.539
8914	5952	45	0.10096	10	3	2.00	1	3	14051	0.15389	0.70283	39.36489	1418.589
8914	8912	45	0.10784	10	3	3.00	3	3	12434	0.15122	0.41462	42.78765	1340.883
8914	8937	30	0.05646	10	4	2.00	3	3	20716	0.21194	1.10097	15.98393	1169.625
8916	138	25	0.10902	2	10	1.00	1	3	1011	0.26255	0.01719	24.91435	110.2192
8916	5644	30	0.17770	10	5	1.00	1	3	1714	0.36251	0.20822	29.41221	304.5778
8916	5952	45	0.09834	10	3	2.00	1	3	13953	0.14957	0.69790	39.45070	1372.138
8916	8918	35	0.13035	10	3	2.00	1	3	12672	0.24857	0.63387	31.46311	1651.795
8918	134	25	0.08306	2	10	1.00	1	3	4527	0.20241	0.07699	24.62088	376.0126
8918	137	25	0.10348	2	10	1.00	1	3	3919	0.25167	0.06665	24.67114	405.5381
8918	8916	35	0.13035	10	3	2.00	1	3	12724	0.24880	0.63645	31.43462	1658.573
8918	8920	30	0.11140	10	3	2.00	1	3	15910	0.26775	0.79584	24.96478	1772.374
8920	135	25	0.12102	2	10	1.00	1	3	425	0.29086	0.00723	24.96389	51.4335
8920	8918	30	0.11140	10	3	2.00	1	3	15962	0.26820	0.79842	24.92308	1778.167
8920	8922	30	0.05170	10	3	2.00	1	3	15520	0.12277	0.77632	25.26837	802.384
8922	5848	35	0.06515	10	3	3.00	1	3	26310	0.14301	0.87736	27.33533	1714.097
8922	8920	30	0.05170	10	3	2.00	1	3	15659	0.12329	0.78327	25.16270	809.5703
8922	8924	30	0.05624	10	3	2.00	1	3	12192	0.12412	0.60986	27.18737	685.6781
8922	8964	35	0.10518	10	3	3.00	1	3	32871	0.33409	1.09615	18.89007	3457.372
8924	81	25	0.04122	2	10	1.00	1	3	1461	0.09942	0.02484	24.87639	60.22242
8924	8922	30	0.05624	10	3	2.00	1	3	14278	0.12926	0.71417	26.10815	802.9947
8924	8925	30	0.09425	10	3	2.00	1	3	11301	0.20521	0.56529	27.55587	1065.119
8925	8924	30	0.09425	10	3	2.00	1	3	13387	0.21249	0.66960	26.61213	1261.725
8925	8927	30	0.11915	10	3	2.00	1	3	11301	0.25944	0.56529	27.55587	1346.514
8926	5826	25	0.06262	10	5	1.00	1	3	3086	0.15696	0.37493	23.93927	193.2453
8926	8927	30	0.03616	10	3	2.00	1	3	13387	0.08152	0.66960	26.61213	484.0739
8926	8928	35	0.11775	10	3	2.00	1	3	8328	0.21237	0.41657	33.26713	980.622
8927	8925	30	0.11915	10	3	2.00	1	3	13387	0.26864	0.66960	26.61213	1595.061
8927	8926	30	0.03616	10	3	2.00	1	3	11301	0.07873	0.56529	27.55587	408.6442
8928	8926	35	0.11775	10	3	2.00	1	3	9774	0.21555	0.48890	32.77494	1150.889
8928	8930	40	0.18372	10	3	2.00	1	3	22444	0.54939	1.12266	20.06473	4123.412
8928	8946	30	0.43736	10	6	1.00	1	3	12273	1.42832	1.04362	18.37239	5367.719
8930	86	25	0.12044	2	10	1.00	1	3	374	0.28943	0.00636	24.96825	45.04456
8930	8928	40	0.18372	10	3	2.00	1	3	22047	0.51980	1.10280	21.20694	4050.475
8930	8932	40	0.11477	10	3	2.00	1	3	22474	0.34465	1.12413	19.98064	2579.341
8932	93	25	0.18361	2	10	1.00	1	3	3302	0.44561	0.05616	24.72234	606.2802
8932	5838	30	0.05739	10	5	1.00	1	3	360	0.11513	0.04376	29.90623	20.6604
8932	8930	40	0.11477	10	3	2.00	1	3	22145	0.32907	1.10768	20.92653	2541.582
8932	8934	40	0.14527	10	3	2.00	1	3	22104	0.41417	1.10563	21.04415	3211.048
8934	92	25	0.04365	2	10	1.00	1	3	1595	0.10534	0.02713	24.86507	69.62175
8934	5664	40	0.22011	10	3	2.00	1	3	22159	0.63234	1.10840	20.88503	4877.417
8934	8932	40	0.14527	10	3	2.00	1	3	21803	0.39785	1.09056	21.90769	3167.322
8936	8780	40	0.09515	10	3	2.00	1	3	21205	0.24209	1.06066	23.58175	2017.656
8936	8782	35	0.12008	10	3	2.00	1	3	15135	0.24171	0.75706	29.80610	1817.411
8936	8937	30	0.20953	10	4	2.00	1	3	21128	0.83594	1.12289	15.03883	4426.95
8937	138	25	0.10558	2	10	1.00	1	3	1170	0.25440	0.01989	24.90094	123.5286
8937	1295	25	0.05489	2	10	1.00	1	3	555	0.13198	0.00944	24.95287	30.46395
8937	8914	30	0.05646	10	4	2.00	1	3	20700	0.21145	1.10012	16.02064	1168.722
8937	8936	30	0.20953	10	4	2.00	1	3	20805	0.79664	1.10569	15.78082	4359.272
8938	272	25	0.10301	2	10	1.00	3	3	5776	0.25209	0.09824	24.51828	594.9858
8938	8768	40	0.13236	10	3	2.00	3	3	10677	0.21434	0.53407	37.05120	1413.208
8938	8940	40	0.26184	10	3	2.00	1	3	9296	0.41723	0.46500	37.65392	2434.065
8940	8938	40	0.26184	10	3	2.00	1	3	8273	0.41301	0.41380	38.03927	2166.202
8940	8942	40	0.46169	10	3	1.00	1	3	12541	2.06570	1.25456	13.41027	5790.054
8940	8954	45	0.30464	10	6	1.00	1	3	8564	0.46987	0.72819	38.90075	2608.937
8942	144	25	0.12084	2	10	1.00	1	3	2597	0.29258	0.04417	24.78109	313.8215
8942	3138	40	0.40106	11	3	2.00	20	0	11944	0.66121	0.59744	36.39297	4790.261
8942	8940	40	0.46169	10	3	1.00	1	3	13228	2.51672	1.32333	11.00700	6107.235

A	B	SPEED	DISTANCE	SPDCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
8944	8945	65	0.16691	10	1	4.00	1	0	86002	0.20569	0.91414	48.68941	14354.59
8944	8963	30	0.20540	10	6	1.00	1	3	17245	2.10345	1.46643	5.85894	3542.123
8944	18205	65	0.01332	2	9	1.00	0	0	0	0.01228	0.00000	65.03497	0
8945	8946	65	0.18914	10	1	4.00	1	0	75845	0.21266	0.80617	53.36543	14345.32
8945	8965	30	0.05448	10	6	1.00	1	3	10158	0.13781	0.86375	23.72065	553.4078
8946	7145	65	0.02705	2	9	1.00	0	0	2767	0.02532	0.15683	64.09481	74.84735
8946	8948	63	0.62886	10	1	4.00	1	0	92610	0.87388	0.98437	43.17692	58238.72
8948	7147	65	0.02526	2	9	1.00	0	0	0	0.02330	0.00000	65.03497	0
8948	8772	30	0.26381	10	6	1.00	3	3	14211	1.36566	1.20840	11.59046	3749.004
8948	8949	63	0.15508	10	1	4.00	1	0	81483	0.18828	0.86611	49.42083	12636.38
8949	8950	63	0.29180	10	1	4.00	1	0	85573	0.36921	0.90958	47.41992	24970.2
8950	7149	65	0.02705	2	9	1.00	0	0	4762	0.02567	0.26994	63.23422	128.8121
8950	8952	63	0.23238	10	1	4.00	1	0	105499	0.42574	1.12137	32.74968	24515.86
8952	5536	63	0.61631	10	1	4.00	1	0	99712	0.97900	1.05987	37.77193	61453.5
8952	8940	25	0.30737	10	6	1.00	1	3	6853	0.80718	0.58270	22.84781	2106.407
8952	13540	65	0.03121	2	9	1.00	0	0	0	0.02879	0.00000	65.03497	0
8954	8956	63	0.31940	10	1	5.00	1	0	102983	0.39106	0.87571	49.00510	32892.77
8954	13543	65	0.03792	2	9	1.00	0	0	2141	0.03537	0.12135	64.32996	81.18672
8956	7148	65	0.02705	2	9	1.00	0	0	0	0.02496	0.00000	65.03497	0
8956	8774	30	0.25290	10	6	1.00	1	3	8981	0.59612	0.76366	25.45435	2271.295
8956	8957	63	0.20616	10	1	4.00	1	0	97067	0.30993	1.03174	39.91082	20011.33
8957	8901	30	0.07861	10	6	1.00	1	3	15641	0.58181	1.33002	8.10723	1229.539
8957	8958	63	0.17305	10	1	4.00	1	0	81426	0.20998	0.86549	49.44696	14090.77
8958	7146	65	0.02705	2	9	1.00	0	0	1944	0.02520	0.11023	64.40073	52.5852
8958	8960	63	0.62718	10	1	4.00	1	0	92422	0.86897	0.98237	43.30482	57965.23
8959	8966	40	0.04413	10	3	2.00	1	3	24070	0.16900	1.20400	15.66737	1062.209
8959	8969	40	0.04966	10	3	2.00	1	3	31376	0.46493	1.56944	6.40836	1558.132
8960	7144	65	0.02705	2	9	1.00	0	0	0	0.02496	0.00000	65.03497	0
8960	8959	30	0.26258	10	6	2.00	1	3	18182	0.62228	0.77303	25.31748	4774.23
8960	8961	65	0.18333	10	1	4.00	1	0	76650	0.20733	0.81473	53.05545	14052.24
8961	8962	65	0.17461	10	1	4.00	1	0	94854	0.24417	1.00823	42.90832	16562.46
8962	5674	63	1.23639	10	1	4.00	1	0	100625	2.00469	1.06957	37.00509	124411.7
8962	7142	65	0.02705	2	9	1.00	0	0	4972	0.02571	0.28185	63.13215	134.4926
8963	8964	40	0.02535	10	3	3.00	1	3	34505	0.08232	1.15064	18.47730	874.7018
8963	8965	40	0.03404	10	3	2.00	1	3	28720	0.24518	1.43659	8.33070	977.6288
8964	8922	35	0.10518	10	3	3.00	1	3	31398	0.29660	1.04701	21.27783	3302.442
8964	8946	30	0.19078	10	6	1.00	1	3	7258	0.42204	0.61722	27.12188	1384.681
8964	8963	40	0.02535	10	3	3.00	1	3	28720	0.05340	0.95773	28.48423	728.052
8965	8963	40	0.03404	10	3	2.00	1	3	17260	0.06456	0.86335	31.63853	587.5304
8965	8969	40	0.12625	10	3	3.00	1	3	38878	0.63866	1.29645	11.86115	4908.348
8966	8788	40	0.05742	10	3	2.00	1	3	24070	0.21989	1.20400	15.66737	1382.099
8966	8959	40	0.04413	10	3	2.00	1	3	16591	0.08145	0.82989	32.50732	732.1608
8966	8962	30	0.13052	10	6	1.00	1	3	10742	0.34681	0.91346	22.58117	1402.046
8968	164	25	0.05256	2	10	1.00	5	3	599	0.12641	0.01019	24.94916	31.48344
8968	167	25	0.15013	2	10	1.00	5	3	337	0.36074	0.00573	24.97137	50.59381
8968	8644	40	0.10304	10	3	2.00	5	3	6730	0.16041	0.33664	38.54124	693.4592
8968	8970	40	0.19427	10	3	2.00	5	3	6445	0.30178	0.32237	38.62522	1252.07
8969	8928	30	0.20413	10	6	1.00	1	3	14116	0.10305	1.20036	11.88483	2881.499
8969	8959	40	0.04966	10	3	2.00	1	3	20674	0.11921	1.03410	24.99228	1026.671
8969	8961	30	0.05042	10	6	1.00	1	3	18204	0.60563	1.54799	4.99486	917.8457
8969	8965	40	0.12625	10	3	2.00	1	3	17260	0.23943	0.86335	31.63853	2179.075
8970	165	25	0.09197	2	10	1.00	5	3	232	0.22091	0.00395	24.98029	21.33704
8970	166	25	0.15124	2	10	1.00	5	3	728	0.36388	0.01238	24.93827	110.1027
8970	8968	40	0.19427	10	3	2.00	5	3	6242	0.30133	0.31224	38.68335	1212.633
8970	8972	40	0.19749	10	3	2.00	5	3	6150	0.30611	0.30761	38.70947	1214.564
8972	3664	40	0.28535	9	4	1.00	100	0	6731	0.49213	0.71550	34.78923	1920.691
8972	8970	40	0.19749	10	3	2.00	5	3	5951	0.30567	0.29769	38.76468	1175.263
8972	8974	45	0.12236	10	3	2.00	5	3	16435	0.19960	0.82207	36.78211	2010.987
8972	8984	45	0.15891	10	3	2.00	5	3	18324	0.28248	0.91655	33.75391	2911.867
8974	165	25	0.17739	2	10	1.00	5	3	105	0.42588	0.00179	24.99104	18.62595
8974	8972	45	0.12236	10	3	2.00	5	3	16518	0.20021	0.82621	36.67089	2021.142
8974	8976	45	0.21421	10	3	2.00	5	3	16444	0.34955	0.82255	36.76920	3522.469
8976	163	25	0.17425	2	10	1.00	5	3	353	0.41871	0.00601	24.97000	61.51025
8976	8974	45	0.21421	10	3	2.00	5	3	16523	0.35056	0.82649	36.66354	3539.392
8976	8978	45	0.12634	10	3	2.00	5	3	16381	0.20569	0.81936	36.85387	2069.576
8978	502	20	0.21281	1	10	3.00	100	0	734	0.63897	0.00416	19.98337	156.2025
8978	8976	45	0.12634	10	3	2.00	5	3	16457	0.20626	0.82320	36.75198	2079.177
8978	8980	45	0.20853	10	3	2.00	5	3	13113	0.31178	0.65589	40.13021	2734.454
8978	8996	30	0.15257	10	5	1.00	5	3	5136	0.33828	0.62392	27.06098	783.5995
8980	160	25	0.15503	2	10	1.00	5	3	612	0.37284	0.01040	24.94809	94.87836
8980	8978	45	0.20853	10	3	2.00	5	3	13073	0.31155	0.65392	40.15986	2726.113
8980	8982	45	0.21235	10	3	2.00	5	3	13298	0.31862	0.66515	39.98794	2823.83
8981	933	25	0.05363	2	10	1.00	0	3	0	0.12872	0.00000	25.00000	0
8981	3693	30	0.30417	9	4	1.00	100	0	1355	0.61610	0.14401	29.62222	412.1504
8981	8985	45	0.16652	10	3	2.00	8	0	24034	0.56366	1.20219	17.72552	4002.142
8981	8987	45	0.17415	10	3	2.00	8	3	23262	0.52290	1.16359	19.98293	4051.077
8982	159	25	0.23800	2	10	1.00	5	3	113	0.57142	0.00192	24.99039	26.894
8982	8698	45	0.12634	10	3	2.00	5	3	13185	0.18915	0.65950	40.07530	1665.793
8982	8980	45	0.21235	10	3	2.00	5	3	13298	0.31862	0.66515	39.98803	2823.83
8983	168	25	0.22196	2	10	1.00	5	3	1535	0.53548	0.02611	24.87012	340.7086
8983	8984	45	0.06120	10	3	2.00	5	3	18345	0.10892	0.91759	33.71404	1122.714
8983	8986	45	0.12426	10	3	2.00	8	3	17492	0.21166	0.87495	35.22417	2173.556
8984	8972	45	0.15891	10	3	2.00	5	3	18345	0.28281	0.91759	33.71404	2915.204

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
8984	8983	45	0.06120	10	3	2.00	5	3	18324	0.10879	0.91655	33.75391	1121.429
8985	8621	45	0.22955	10	3	3.00	8	0	17062	0.33356	0.56895	41.29089	3916.582
8985	8981	45	0.16652	10	3	2.00	8	0	24153	0.57424	1.20816	17.39898	4021.958
8985	23122	45	0.28791	9	3	2.00	100	0	19490	0.55279	0.97488	31.24998	5611.366
8985	23339	45	0.14692	9	3	2.00	100	0	18276	0.26046	0.91416	33.84531	2685.11
8986	3771	45	0.15686	10	3	2.00	8	3	17492	0.26720	0.87495	35.22417	2743.795
8986	8983	45	0.12426	10	3	2.00	8	3	17512	0.21185	0.87593	35.19213	2176.041
8987	3772	45	0.09762	10	3	2.00	0	3	17367	0.16534	0.86871	35.42480	1695.367
8987	8981	45	0.17415	10	3	2.00	8	3	23205	0.51831	1.16071	20.15997	4041.151
8987	8989	40	0.12051	10	3	2.00	0	3	6979	0.18798	0.34907	38.46600	841.0393
8988	182	25	0.17129	2	10	1.00	5	3	16	0.41112	0.00027	24.99867	2.74064
8988	198	25	0.24286	2	10	1.00	5	3	80	0.58301	0.00137	24.99316	19.4288
8988	8618	30	0.12711	10	5	1.00	5	3	570	0.25560	0.06919	29.83867	72.4527
8988	8990	30	0.22703	10	5	1.00	5	3	832	0.45787	0.10108	29.74981	188.889
8989	934	25	0.06036	2	10	1.00	0	3	163	0.14494	0.00278	24.98612	9.83868
8989	3769	40	0.14354	10	3	2.00	0	3	6945	0.22383	0.34738	38.47635	996.8853
8989	8987	40	0.12051	10	3	2.00	0	3	6942	0.18793	0.34724	38.47723	836.5804
8990	181	25	0.13974	2	10	1.00	5	3	240	0.33564	0.00407	24.97964	33.5376
8990	196	25	0.16287	2	10	1.00	5	3	231	0.39118	0.00392	24.98040	37.62297
8990	8988	30	0.22703	10	5	1.00	5	3	660	0.45697	0.08017	29.80861	149.8398
8990	8992	30	0.21978	10	5	1.00	5	3	725	0.44272	0.08804	29.78671	159.3405
8992	5500	45	0.19017	10	3	2.00	5	3	10654	0.27365	0.53293	41.69473	2026.071
8992	5502	45	0.12502	10	3	2.00	5	3	12189	0.18393	0.60967	40.78347	1523.869
8992	8990	30	0.21978	10	5	1.00	5	3	543	0.44181	0.06592	29.84752	119.3405
8992	8994	30	0.09633	10	5	1.00	5	3	6037	0.22343	0.73335	25.86767	581.5442
8994	161	25	0.08437	2	10	1.00	5	3	42	0.20253	0.00072	24.99641	3.54354
8994	162	25	0.18628	2	10	1.00	5	3	84	0.44720	0.00143	24.99283	15.64752
8994	8992	30	0.09633	10	5	1.00	5	3	5959	0.22239	0.72384	25.98876	574.0305
8994	8996	30	0.06770	10	5	1.00	5	3	6164	0.15829	0.74882	25.66208	417.3028
8996	160	25	0.15115	2	10	1.00	5	3	467	0.36333	0.00795	24.96033	70.58705
8996	163	25	0.16245	2	10	1.00	5	3	448	0.39047	0.00762	24.96196	72.7776
8996	8978	30	0.15257	10	5	1.00	5	3	5253	0.33996	0.63816	26.92767	801.4502
8996	8994	30	0.06770	10	5	1.00	5	3	6084	0.15749	0.73912	25.79229	411.8868
8998	164	25	0.09004	2	10	1.00	5	3	425	0.21640	0.00724	24.96387	38.267
8998	5500	45	0.15013	10	3	2.00	5	3	10287	0.21506	0.51456	41.88632	1544.387
8998	8644	45	0.09359	10	3	2.00	5	3	10041	0.13367	0.50224	42.00980	939.7372
9006	8714	30	0.39205	10	5	1.00	1	0	1136	0.79360	0.13801	29.64065	445.3688
9006	9008	35	0.14338	10	4	1.00	1	0	4560	0.26224	0.48466	32.80625	653.8128
9008	46	25	0.13625	2	10	1.00	1	3	402	0.32745	0.00684	24.96584	54.7725
9008	47	25	0.12669	2	10	1.00	1	3	1505	0.30562	0.02560	24.87266	190.6685
9008	9006	35	0.14338	10	4	1.00	1	0	3951	0.25877	0.41996	33.24589	566.4944
9008	9010	35	0.11668	10	4	1.00	1	3	5835	0.22148	0.62023	31.61041	680.8278
9010	5888	45	0.23781	10	3	3.00	1	3	28142	0.43396	0.93844	32.87923	6692.449
9010	9008	35	0.11668	10	4	1.00	1	3	5175	0.21686	0.55008	32.28354	603.819
9010	9012	35	0.20664	10	3	2.00	1	3	4790	0.36270	0.23961	34.18337	989.8056
9010	9056	45	0.25470	10	3	3.00	1	3	27663	0.45584	0.92246	33.52521	7045.766
9012	43	25	0.22983	2	10	1.00	1	3	2919	0.55706	0.04965	24.75420	670.8738
9012	9010	35	0.20664	10	3	2.00	1	3	4076	0.36113	0.20390	34.33167	842.2646
9012	9014	35	0.29851	10	3	2.00	1	3	3538	0.52010	0.17698	34.43703	1056.128
9014	5902	33	0.17604	10	5	1.00	1	3	4093	0.34247	0.49726	30.84299	720.5317
9014	8674	30	0.21056	10	5	1.00	1	3	2426	0.43436	0.29472	29.08574	510.8186
9014	9012	35	0.29851	10	3	2.00	1	3	2766	0.51795	0.13838	34.57944	825.6787
9014	9016	30	0.17409	10	5	1.00	1	3	6371	0.41282	0.77399	25.30328	1109.127
9016	38	25	0.15316	2	10	1.00	1	3	290	0.36794	0.00492	24.97541	44.4164
9016	9014	30	0.17409	10	5	1.00	1	3	4743	0.38025	0.57615	27.47021	825.7089
9016	9018	30	0.28271	10	5	1.00	1	3	6828	0.69553	0.82948	24.38797	1930.344
9018	37	25	0.22017	2	10	1.00	1	3	85	0.52855	0.00144	24.99281	18.71445
9018	9016	30	0.28271	10	5	1.00	1	3	4529	0.61301	0.55014	27.67109	1280.394
9018	9020	30	0.28011	10	5	1.00	1	3	7595	0.75215	0.92265	22.34502	2127.435
9020	36	25	0.11438	2	10	1.00	1	3	605	0.27509	0.01029	24.94866	69.1999
9020	9018	30	0.28011	10	5	1.00	1	3	4613	0.60909	0.56042	27.59339	1292.147
9020	9022	30	0.15682	10	5	1.00	1	3	8305	0.47808	1.00891	19.68145	1302.39
9022	8854	35	0.26516	10	2	2.00	1	3	24450	0.73580	1.03954	21.62185	6483.162
9022	9020	30	0.15682	10	5	1.00	1	3	4804	0.34328	0.58362	27.40984	753.3633
9022	9024	35	0.09503	10	3	2.00	1	3	22165	0.31226	1.10868	18.26040	2106.34
9024	8670	25	0.17615	10	5	1.00	1	3	8617	0.69497	1.04674	15.20747	1517.885
9024	8716	25	0.14181	10	5	1.00	1	3	3520	0.35881	0.42754	23.71273	499.1712
9024	9022	35	0.09503	10	3	2.00	1	3	20949	0.26848	1.04787	21.23796	1990.783
9024	9026	35	0.21064	10	3	2.00	1	3	14061	0.41288	0.70334	30.61016	2961.809
9026	12	25	0.06117	2	10	1.00	1	3	627	0.14713	0.01066	24.94681	38.35359
9026	9024	35	0.21064	10	3	2.00	1	3	11922	0.39675	0.59633	31.85484	2511.25
9026	9028	35	0.14491	10	3	2.00	1	3	13451	0.28041	0.67284	31.00748	1949.184
9028	12	25	0.16874	2	10	1.00	1	3	487	0.40564	0.00828	24.95866	82.17638
9028	8686	30	0.20117	10	5	1.00	1	3	1891	0.41145	0.22973	29.33607	380.4125
9028	8718	25	0.28674	10	5	1.00	1	3	6832	0.84682	0.82994	20.31637	1959.008
9028	9026	35	0.14491	10	3	2.00	1	3	11406	0.27086	0.57054	32.10062	1652.843
9028	9030	40	0.19324	10	3	2.00	1	3	19158	0.40734	0.95827	28.46273	3702.092
9030	170	25	0.17487	2	10	1.00	5	3	151	0.41991	0.00258	24.98713	26.40537
9030	9028	40	0.19324	10	3	2.00	1	3	18743	0.39625	0.93753	29.25945	3621.897
9030	9032	40	0.23536	10	3	2.00	1	3	19006	0.49099	0.95069	28.76121	4473.252
9032	8682	45	0.07983	10	3	2.00	5	3	14400	0.12266	0.72027	39.04994	1149.552
9032	9030	40	0.23536	10	3	2.00	5	3	18591	0.47809	0.92991	29.53703	4375.578
9032	9034	45	0.16815	10	3	2.00	1	3	13491	0.25327	0.67481	39.83519	2268.512

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
9034	13	25	0.10232	2	10	1.00	5	3	1196	0.24658	0.02035	24.89868	122.3747
9034	171	25	0.08651	2	10	1.00	5	3	125	0.20770	0.00213	24.98934	10.81375
9034	172	25	0.17408	2	10	1.00	5	3	1438	0.41984	0.02445	24.87835	250.327
9034	9032	45	0.16815	10	3	2.00	5	3	13206	0.25186	0.66058	40.05867	2220.589
9034	9036	45	0.22044	10	3	2.00	1	3	13488	0.33201	0.67466	39.83772	2973.295
9036	173	25	0.13011	2	10	1.00	5	3	996	0.31333	0.01694	24.91557	129.5896
9036	9034	45	0.22044	10	3	2.00	5	3	13193	0.33009	0.65991	40.06890	2908.265
9036	9038	45	0.24673	10	2	2.00	1	3	13630	0.35962	0.57950	41.16497	3362.93
9038	9036	45	0.24673	10	2	2.00	1	3	13335	0.35832	0.56697	41.31419	3290.145
9038	9040	45	0.18970	10	3	2.00	1	3	13630	0.28653	0.68177	39.72239	2585.611
9040	320	25	0.13308	2	10	1.00	1	3	284	0.31969	0.00483	24.97587	37.79472
9040	8736	30	0.07712	10	5	1.00	1	3	4051	0.16484	0.49216	28.07203	312.4131
9040	9038	45	0.18970	10	3	2.00	5	3	13335	0.28484	0.66702	39.95875	2529.65
9040	9042	45	0.11815	10	3	3.00	1	3	15035	0.16872	0.50138	42.01831	1776.385
9042	9040	45	0.11815	10	3	3.00	1	3	14639	0.16821	0.48817	42.14619	1729.598
9042	9044	45	0.08643	10	3	3.00	1	3	15035	0.12342	0.50138	42.01831	1299.475
9044	8740	35	0.07174	10	3	3.00	1	3	31758	0.20781	1.05901	20.71269	2278.319
9044	8742	45	0.27180	10	3	3.00	4	3	28689	0.50816	0.95668	32.09150	7797.67
9044	9042	45	0.08643	10	3	3.00	1	3	14639	0.12304	0.48817	42.14619	1265.249
9044	9046	45	0.12832	10	3	3.00	4	3	17046	0.18643	0.56842	41.29720	2187.343
9046	321	25	0.10715	2	10	1.00	1	3	2583	0.25943	0.04393	24.78226	276.7685
9046	9044	45	0.12832	10	3	3.00	4	3	18112	0.18843	0.60398	40.85793	2324.132
9046	9048	45	0.11080	10	3	2.00	4	3	15796	0.17688	0.79013	37.58367	1750.197
9048	6004	40	0.12875	10	3	1.00	1	3	3541	0.20099	0.35425	38.43406	455.9038
9048	9046	45	0.11080	10	3	2.00	4	3	16874	0.18378	0.84402	36.17327	1869.639
9048	9050	45	0.15443	10	3	2.00	4	3	12661	0.22901	0.63330	40.46078	1955.238
9050	5534	30	0.17078	10	5	1.00	4	3	1402	0.34689	0.17030	29.53919	239.4336
9050	9048	45	0.15443	10	3	2.00	1	3	13665	0.23343	0.68352	39.69349	2110.286
9050	9052	45	0.34642	10	3	2.00	4	3	12034	0.50839	0.60193	40.88449	4168.818
9052	322	25	0.15156	2	10	1.00	1	3	3649	0.36827	0.06206	24.69349	553.0424
9052	9050	45	0.34642	10	3	2.00	1	3	13420	0.52104	0.67125	39.89206	4648.956
9052	9054	45	0.09265	10	3	2.00	4	3	12688	0.13745	0.63463	40.44181	1175.543
9054	214	25	0.15300	2	10	1.00	4	3	918	0.36834	0.01560	24.92222	140.454
9054	5514	45	0.15115	10	3	2.00	4	3	12916	0.22516	0.64604	40.27707	1952.253
9054	9052	45	0.09265	10	3	2.00	1	3	14126	0.14145	0.70657	39.29892	1308.774
9056	46	25	0.20231	2	10	1.00	1	3	406	0.48622	0.00691	24.96552	82.13786
9056	9010	45	0.25470	10	3	3.00	1	3	28221	0.46636	0.94107	32.76913	7187.889
9056	9058	45	0.15876	10	3	3.00	1	3	28017	0.28821	0.93429	33.05093	4447.979
9058	45	25	0.15242	2	10	1.00	1	3	647	0.36660	0.01100	24.94511	98.61574
9058	9056	45	0.15876	10	3	3.00	1	3	28627	0.29598	0.95461	32.18391	4544.823
9058	9060	45	0.04413	10	3	3.00	1	3	28211	0.08077	0.94074	32.78288	1244.951
9060	44	25	0.09049	2	10	1.00	1	3	920	0.21785	0.01565	24.92199	83.2508
9060	9058	45	0.04413	10	3	3.00	1	3	28821	0.08302	0.96107	31.89368	1271.871
9060	9062	45	0.08977	10	3	3.00	1	3	28595	0.16712	0.95354	32.23106	2566.973
9060	9565	35	0.01296	10	5	1.00	3	3	3584	0.02346	0.43532	33.14759	46.44864
9062	8650	25	0.18182	10	5	2.00	5	3	4774	0.44978	0.28995	24.25437	868.0087
9062	8708	45	0.06496	10	3	2.00	5	3	13577	0.09802	0.67914	39.76525	881.9619
9062	9060	45	0.08977	10	3	3.00	1	3	29276	0.17273	0.97627	31.18335	2628.107
9062	9064	45	0.11328	10	3	3.00	5	3	22802	0.17768	0.76037	38.25208	2583.011
9064	154	25	0.05170	2	10	1.00	5	3	1535	0.12474	0.02611	24.87015	79.3595
9064	9062	45	0.11328	10	3	3.00	5	3	23156	0.17888	0.77217	37.99541	2623.112
9064	9066	45	0.17344	10	3	3.00	5	3	22965	0.27288	0.76580	38.13517	3983.05
9066	151	25	0.08409	2	10	1.00	5	3	516	0.20217	0.00877	24.95622	43.39044
9066	157	25	0.17246	2	10	1.00	5	3	267	0.41429	0.00454	24.97731	46.04682
9066	9064	45	0.17344	10	3	3.00	5	3	23319	0.27476	0.77760	37.87375	4044.447
9066	9068	45	0.11098	10	3	3.00	5	3	22602	0.17345	0.75370	38.39242	2508.37
9068	9066	45	0.11098	10	3	3.00	5	3	22932	0.17451	0.76472	38.15875	2544.993
9068	9070	45	0.12051	10	3	3.00	5	3	22602	0.18834	0.75370	38.39242	2723.767
9070	5960	45	0.08050	10	3	2.00	5	3	13100	0.12033	0.65524	40.13998	1054.55
9070	5962	45	0.16341	10	3	3.00	5	3	25367	0.27146	0.84589	36.11884	4145.221
9070	8638	45	0.09068	10	3	2.00	5	3	14451	0.13949	0.72282	39.00243	1310.417
9070	9068	45	0.12051	10	3	3.00	5	3	22932	0.18949	0.76472	38.15875	2763.535
9071	208	25	0.08980	2	10	1.00	6	3	1031	0.21628	0.01753	24.91265	92.5838
9071	209	25	0.28720	2	10	1.00	6	3	2397	0.69490	0.04076	24.79784	688.4184
9071	8607	45	0.12742	10	3	1.00	6	3	3158	0.17577	0.31588	43.49541	402.3924
9072	5962	45	0.14740	10	3	3.00	5	3	24679	0.24059	0.82295	36.75861	3637.685
9072	8626	30	0.05691	10	5	1.00	5	3	4818	0.12464	0.58525	27.39650	274.1924
9072	9074	45	0.14221	10	3	3.00	5	3	22935	0.22361	0.76481	38.15670	3261.586
9072	9567	30	0.06884	10	5	1.00	5	3	1427	0.13986	0.17329	29.52951	98.23468
9074	184	25	0.04333	2	10	1.00	5	3	807	0.10427	0.01373	24.93155	34.96731
9074	9072	45	0.14221	10	3	3.00	5	3	23546	0.22633	0.78520	37.69949	3348.477
9074	9076	45	0.23334	10	3	3.00	5	3	23051	0.36773	0.76868	38.07237	5378.72
9075	209	25	0.61256	2	10	1.00	6	3	1695	1.47861	0.02882	24.85673	1038.289
9075	331	25	0.35885	2	10	1.00	6	3	1970	0.86701	0.03351	24.83358	706.9345
9075	9093	40	0.09494	10	4	1.00	6	3	3751	0.14934	0.39874	38.14417	356.1199
9076	177	25	0.27982	2	10	1.00	5	3	1295	0.67453	0.02203	24.89033	362.3669
9076	185	25	0.22577	2	10	1.00	5	3	925	0.54354	0.01573	24.92162	208.8373
9076	9074	45	0.23334	10	3	3.00	5	3	23663	0.37227	0.78907	37.60882	5521.524
9076	9080	45	0.19130	10	3	3.00	5	3	23523	0.30431	0.78443	37.71738	4499.95
9077	331	25	0.22137	2	10	1.00	6	3	66	0.53140	0.00112	24.99438	14.61042
9077	9088	40	0.04634	10	4	1.00	6	3	66	0.06952	0.00704	39.99863	3.05844
9078	329	25	0.15099	2	10	1.00	6	3	1870	0.36468	0.03181	24.84197	282.3513
9078	331	25	0.19434	2	10	1.00	6	3	3743	0.47237	0.06366	24.68572	727.4146

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
9078	9079	40	0.08875	10	3	2.00	6	3	5482	0.13692	0.27421	38.89100	486.5275
9079	5660	45	0.24798	10	3	2.00	1	3	19167	0.46498	0.95875	31.99864	4753.033
9079	9078	40	0.08875	10	3	2.00	6	3	5490	0.13693	0.27459	38.88904	487.2375
9079	9088	45	0.21051	10	3	2.00	6	3	18695	0.38256	0.93513	33.01631	3935.484
9079	15064	45	0.22671	10	5	2.00	1	3	16678	0.46424	1.01301	29.30081	3781.069
9080	186	25	0.06950	2	10	1.00	5	3	414	0.16704	0.00705	24.96481	28.773
9080	9076	45	0.19130	10	3	4.00	5	3	24143	0.28091	0.60381	40.86016	4618.556
9080	9082	45	0.07275	10	3	3.00	5	3	23592	0.11590	0.78671	37.66415	1716.318
9082	8738	35	0.19697	10	3	3.00	5	3	33007	0.63322	1.10066	18.66365	6501.389
9082	9080	45	0.07275	10	3	4.00	5	3	24219	0.10690	0.60573	40.83522	1761.932
9082	9084	40	0.12254	10	3	3.00	1	3	23860	0.22085	0.79566	33.29033	2923.804
9082	9090	45	0.10558	10	3	3.00	5	3	27478	0.18761	0.91629	33.76416	2901.127
9084	187	25	0.05710	2	10	1.00	5	3	1728	0.13784	0.02940	24.85388	98.6688
9084	9082	40	0.12254	10	3	4.00	1	3	24097	0.20236	0.60267	36.33330	2952.846
9084	9086	40	0.22293	10	3	3.00	1	3	23285	0.39705	0.77648	33.68800	5190.925
9085	203	25	0.09862	2	10	1.00	6	3	0	0.23668	0.00000	25.00000	0
9085	8609	45	0.08414	10	3	4.00	6	3	37263	0.15230	0.93195	33.14645	3135.309
9085	9095	45	0.09605	10	3	4.00	6	3	37348	0.17432	0.93408	33.05935	3587.275
9086	189	25	0.15304	2	10	1.00	5	3	1707	0.36943	0.02903	24.85567	261.2393
9086	326	25	0.15524	2	10	1.00	1	3	5137	0.37908	0.08736	24.57071	797.4679
9086	9084	40	0.22293	10	3	4.00	1	3	23518	0.36650	0.58820	36.49631	5242.868
9086	9093	45	0.27387	10	3	3.00	1	3	17843	0.40104	0.59501	40.97294	4886.662
9087	8723	40	0.18389	10	3	2.00	0	0	21773	0.50168	1.08907	21.99247	4003.837
9087	9089	40	0.15512	10	3	2.00	0	0	20002	0.34939	1.00051	26.63800	3102.71
9088	327	25	0.17376	2	10	1.00	1	3	2416	0.42045	0.04109	24.79621	419.8042
9088	9077	40	0.04634	10	4	1.00	6	3	66	0.06952	0.00703	39.99866	3.05844
9088	9079	45	0.21051	10	3	2.00	1	3	18676	0.38210	0.93416	33.05616	3931.485
9088	9093	45	0.24627	10	3	2.00	6	3	18147	0.43348	0.90770	34.08720	4469.062
9089	5663	40	0.08447	10	3	2.00	1	3	21073	0.21172	1.05408	23.93914	1780.036
9089	9087	40	0.15512	10	3	2.00	0	0	21773	0.42320	1.08907	21.99247	3377.428
9089	9091	45	0.23163	10	3	4.00	1	3	34279	0.38843	0.85732	35.77879	7940.045
9089	9099	45	0.08524	10	3	4.00	6	3	43963	0.21248	1.09951	24.07010	3747.406
9090	186	25	0.05417	2	10	1.00	5	3	199	0.13010	0.00338	24.98312	10.77983
9090	187	25	0.12686	2	10	1.00	5	3	704	0.30518	0.01198	24.94024	89.30944
9090	188	25	0.15604	2	10	1.00	5	3	289	0.37486	0.00492	24.97542	45.09556
9090	189	25	0.33320	2	10	1.00	5	3	290	0.80048	0.00493	24.97536	96.628
9090	9082	45	0.10558	10	3	3.00	5	3	27716	0.18934	0.92423	33.45546	2926.255
9090	9092	45	0.22702	10	3	3.00	5	3	28405	0.41901	0.94720	32.50803	6448.503
9091	5519	45	0.18542	10	2	4.00	1	3	34279	0.28606	0.72872	38.89062	6356.012
9091	9089	45	0.23163	10	3	4.00	1	3	36110	0.40571	0.90311	34.25539	8364.159
9092	185	25	0.16435	2	10	1.00	5	3	269	0.39481	0.00457	24.97717	44.21015
9092	191	25	0.12473	2	10	1.00	5	3	536	0.29991	0.00911	24.95452	66.85528
9092	9090	45	0.22702	10	3	3.00	5	3	28670	0.42408	0.95606	32.11934	6508.663
9092	9094	45	0.30011	10	3	3.00	5	3	28353	0.55265	0.94547	32.58235	8509.019
9093	326	25	0.26096	2	10	1.00	1	3	2494	0.63162	0.04241	24.78974	650.8342
9093	9075	40	0.09494	10	4	1.00	6	3	3569	0.14884	0.37941	38.27363	338.8409
9093	9086	45	0.27387	10	3	3.00	1	3	17893	0.40125	0.59668	40.95174	4900.356
9093	9088	45	0.24627	10	3	2.00	1	3	18127	0.43302	0.90672	34.12318	4464.136
9094	8628	30	0.15855	10	5	1.00	5	3	3655	0.33540	0.44399	28.36331	579.5003
9094	9092	45	0.30011	10	3	3.00	5	3	28610	0.55907	0.95406	32.20823	8586.147
9094	9096	45	0.21330	10	3	3.00	5	3	29543	0.41622	0.98517	30.74879	6301.522
9095	208	25	0.34594	2	10	1.00	6	3	1581	0.83471	0.02689	24.86626	546.9311
9095	1229	25	0.08470	2	10	1.00	0	3	638	0.20371	0.01085	24.94588	54.0386
9095	9085	45	0.09605	10	3	4.00	6	3	37263	0.17386	0.93195	33.14645	3579.111
9095	9097	45	0.21768	10	3	4.00	6	3	39528	0.42713	0.98860	30.57796	8604.455
9096	192	25	0.10134	2	10	1.00	5	3	1446	0.24442	0.02460	24.87762	146.5376
9096	9094	45	0.21330	10	3	3.00	5	3	29628	0.41814	0.98801	30.60743	6319.652
9096	9098	45	0.17850	10	3	3.00	5	3	28887	0.33687	0.96327	31.79350	5156.33
9097	9095	45	0.21768	10	3	4.00	6	3	39461	0.42595	0.98691	30.66229	8589.87
9097	9099	45	0.32630	10	3	4.00	6	3	43963	0.81339	1.09952	24.06960	14345.13
9097	9615	35	0.12269	10	3	1.00	0	3	4744	0.22389	0.47458	32.87939	582.0414
9098	8600	45	0.35794	10	3	2.00	5	3	19848	0.70727	0.99281	30.36521	7104.393
9098	8602	40	0.32528	10	3	2.00	5	3	6927	0.50717	0.34648	38.48185	2253.215
9098	8610	40	0.17993	10	3	2.00	5	3	12423	0.29896	0.62141	36.11198	2235.27
9098	9096	45	0.17850	10	3	3.00	5	3	28972	0.33826	0.96611	31.66291	5171.502
9099	204	25	0.23922	2	10	1.00	6	3	0	0.57414	0.00000	25.00000	0
9099	9089	45	0.08524	10	3	4.00	6	3	43963	0.21248	1.09952	24.06960	3747.406
9099	9097	45	0.32630	10	3	4.00	6	3	43963	0.81337	1.09951	24.07010	14345.13
9100	3708	45	0.07462	9	4	1.00	100	3	1850	0.10135	0.19664	44.17792	138.047
9100	9102	30	0.05739	10	5	1.00	0	3	7111	0.14516	0.86380	23.71948	408.1003
9100	9584	45	0.31245	9	7	1.00	100	3	6451	0.43487	0.45713	43.10926	2015.615
9101	939	20	0.08703	2	10	1.00	0	3	187	0.26126	0.00317	19.98731	16.27461
9101	3707	30	0.21349	10	5	1.00	0	3	1997	0.43734	0.24260	29.28902	426.3395
9101	3736	30	0.12245	10	5	1.00	0	3	2083	0.25118	0.25307	29.24985	255.0634
9102	940	20	0.06686	2	10	1.00	0	3	142	0.20066	0.00241	19.99036	9.49412
9102	9100	30	0.05739	10	5	1.00	0	3	7360	0.14936	0.89405	23.05260	422.3904
9102	9103	30	0.05223	10	5	1.00	0	3	6989	0.13048	0.84902	24.01815	365.0355
9103	939	20	0.12589	2	10	1.00	0	3	114	0.37782	0.00193	19.99228	14.35146
9103	3707	30	0.13989	10	5	1.00	0	3	1995	0.28656	0.24235	29.28995	279.0806
9103	3739	30	0.07538	10	5	1.00	0	3	4993	0.16617	0.60655	27.21637	376.3723
9103	9102	30	0.05223	10	5	1.00	0	3	7236	0.13397	0.87904	23.39328	377.9363
9104	937	20	0.13919	2	10	1.00	0	3	1155	0.41921	0.01965	19.92171	160.7645
9104	938	20	0.17427	2	10	1.00	0	3	522	0.52373	0.00888	19.96453	90.96894

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
9104	3707	30	0.26902	10	5	1.00	0	3	1670	0.54845	0.20283	29.43081	449.2634
9111	12295	45	0.26647	9	3	2.00	100	0	16952	0.44338	0.84794	36.05913	4517.199
9111	12296	45	0.07159	9	3	3.00	100	0	18267	0.10531	0.60913	40.79065	1307.735
9111	14123	45	0.24243	9	3	2.00	100	0	16661	0.39881	0.83340	36.47408	4039.126
9111	22686	45	0.13797	9	3	3.00	100	0	13481	0.19479	0.44954	42.49716	1859.974
9142	15058	45	0.12877	9	3	2.00	100	0	18180	0.22707	0.90936	34.02555	2341.039
9142	22664	45	0.32678	9	3	2.00	100	0	16087	0.52663	0.80467	37.23028	5256.91
9142	22675	35	0.13473	23	5	1.00	901	0	1571	0.23511	0.19088	34.38327	211.6608
9142	23338	30	0.10455	10	5	1.00	0	0	759	0.21067	0.09218	29.77510	79.35345
9225	9343	35	0.08398	10	4	1.00	7	0	3156	0.14939	0.33544	33.72987	265.0409
9225	12300	35	0.10845	10	4	1.00	7	0	3789	0.19510	0.40276	33.35196	410.9171
9334	1578	20	0.10244	2	10	1.00	0	0	1457	0.30885	0.02478	19.90137	149.2551
9334	2489	45	0.21637	9	3	3.00	100	0	15945	0.31126	0.53170	41.70788	3450.02
9334	12270	30	0.09543	10	5	1.00	0	0	1841	0.19504	0.22369	29.35775	175.6866
9334	24034	45	0.28334	9	3	3.00	100	0	16070	0.40805	0.53589	41.66301	4553.274
9340	1355	20	0.15889	2	10	1.00	0	0	1009	0.47830	0.01717	19.93156	160.32
9340	8651	45	0.19986	10	3	2.00	7	3	17157	0.33541	0.85819	35.75230	3428.998
9340	9611	45	0.16116	10	3	2.00	7	3	15750	0.25691	0.78780	37.63858	2538.27
9340	24037	35	0.14068	10	4	1.00	7	0	3534	0.25188	0.37561	33.51113	497.1631
9341	1126	25	0.13878	2	10	1.00	7	3	430	0.33356	0.00731	24.96352	59.6754
9341	9590	45	0.05759	10	3	2.00	7	3	13403	0.08659	0.67042	39.90517	771.8788
9341	9591	45	0.11446	10	3	2.00	7	3	13920	0.17395	0.69626	39.47903	1593.283
9342	1123	25	0.06134	2	10	1.00	7	3	917	0.14768	0.01559	24.92227	56.24878
9342	9394	45	0.16834	10	3	2.00	7	3	12089	0.24726	0.60471	40.84849	2035.062
9342	9593	45	0.21373	10	3	2.00	7	3	11422	0.31078	0.57131	41.26306	2441.224
9343	9225	35	0.08398	10	4	1.00	7	0	3789	0.15109	0.40276	33.35196	318.2002
9343	9382	35	0.10818	10	4	2.00	7	0	8314	0.19607	0.44188	33.10449	899.4085
9343	12161	35	0.09396	10	4	2.00	7	0	7664	0.16918	0.40733	33.32418	720.1094
9343	23265	35	0.16537	10	4	1.00	7	0	2372	0.29073	0.25212	34.12900	392.2576
9344	1358	20	0.17979	2	10	1.00	0	0	55	0.53948	0.00094	19.99624	9.88845
9344	1359	20	0.09928	2	10	1.00	0	0	1312	0.29918	0.02231	19.91115	130.2554
9344	9345	35	0.11048	10	4	1.00	7	0	997	0.19109	0.10600	34.69160	110.1486
9344	9605	35	0.13838	10	4	1.00	7	0	1697	0.24119	0.18041	34.42389	234.8309
9345	1358	20	0.16514	2	10	1.00	0	0	253	0.49584	0.00431	19.98278	41.78042
9345	9344	35	0.11048	10	4	1.00	7	0	1157	0.19141	0.12296	34.63364	127.8254
9345	24030	35	0.16679	10	4	1.00	7	0	1258	0.28926	0.13372	34.59597	209.8218
9346	2507	35	0.23918	10	4	1.00	7	0	3602	0.42878	0.38292	33.46922	861.5264
9346	9347	35	0.07318	10	4	1.00	7	0	2875	0.12960	0.30560	33.88068	210.3925
9346	12294	30	0.18660	10	5	1.00	0	0	765	0.37605	0.09294	29.77295	142.749
9347	1317	20	0.18601	2	10	1.00	0	0	818	0.55957	0.01391	19.94451	152.1562
9347	1318	20	0.16621	2	10	1.00	0	0	656	0.49975	0.01115	19.95549	109.0338
9347	9346	35	0.07318	10	4	1.00	7	0	2859	0.12957	0.30393	33.88881	209.2216
9347	9605	35	0.19567	10	4	1.00	7	0	1902	0.34189	0.20218	34.33854	372.1643
9349	9609	45	0.28475	9	3	3.00	100	0	18611	0.42043	0.62061	40.63682	5299.482
9349	12292	35	0.10250	10	4	2.00	7	0	7331	0.18397	0.38963	33.43012	751.4275
9349	14125	45	0.10358	9	3	3.00	100	0	14066	0.14684	0.46905	42.32405	1456.956
9349	24035	35	0.17960	10	4	2.00	7	0	1945	0.31054	0.10339	34.70037	349.322
9351	9352	45	0.17532	9	3	3.00	100	0	17291	0.25532	0.57661	41.19981	3031.458
9351	9593	45	0.32928	10	3	2.00	7	3	10733	0.47433	0.53689	41.65226	3534.162
9351	23276	45	0.10340	9	3	3.00	100	0	11984	0.14460	0.39962	42.90535	1239.146
9351	23277	40	0.15114	10	3	2.00	7	0	6767	0.23535	0.33849	38.53017	1022.764
9352	1118	20	0.21011	2	10	1.00	0	0	1555	0.63367	0.02644	19.89478	326.7211
9352	1119	20	0.17364	2	10	1.00	0	0	367	0.52158	0.00625	19.97504	63.72588
9352	9351	45	0.17532	9	3	3.00	100	0	17113	0.25488	0.57066	41.27071	3000.251
9352	9353	45	0.13263	9	3	3.00	100	0	16737	0.19214	0.55812	41.41649	2219.828
9353	9352	45	0.13263	9	3	3.00	100	0	16577	0.19186	0.55279	41.47698	2198.608
9353	9354	45	0.11620	9	3	3.00	100	0	16737	0.16834	0.55812	41.41649	1944.839
9354	1117	20	0.17931	2	10	1.00	0	0	1267	0.54025	0.02155	19.91418	227.1858
9354	9353	45	0.11620	9	3	3.00	100	0	16577	0.16809	0.55279	41.47697	1926.247
9354	9355	45	0.22447	9	3	3.00	100	0	16360	0.32409	0.54554	41.55780	3672.329
9355	1114	20	0.16984	2	10	1.00	0	0	3717	0.51595	0.06322	19.75027	631.2953
9355	9354	45	0.22447	9	3	3.00	100	0	16200	0.32363	0.54021	41.61628	3636.414
9355	9356	45	0.22247	9	3	3.00	100	0	15489	0.31883	0.51650	41.86656	3445.838
9356	1116	20	0.20014	2	10	1.00	0	0	860	0.60217	0.01462	19.94169	172.1204
9356	9355	45	0.22247	9	3	3.00	100	0	15329	0.31842	0.51116	41.92082	3410.243
9356	9386	45	0.28085	9	3	3.00	100	0	15410	0.40224	0.51387	41.89338	4327.899
9357	1112	25	0.18402	2	10	1.00	7	3	302	0.44211	0.00513	24.97435	55.57404
9357	1575	20	0.17667	2	10	1.00	7	3	1442	0.53261	0.02452	19.90238	254.7581
9357	8658	45	0.35278	10	3	3.00	7	3	17890	0.51686	0.59657	40.95317	6311.234
9357	9358	45	0.38420	10	3	3.00	7	3	18170	0.56455	0.60591	40.83284	6980.914
9358	9357	45	0.38420	10	3	3.00	7	3	18156	0.56447	0.60545	40.83887	6975.535
9358	9360	30	0.14805	10	4	1.00	7	3	4966	0.31915	0.52780	27.83276	735.2163
9358	9365	35	0.18019	10	4	1.00	7	3	2991	0.31967	0.31787	33.81978	538.9483
9358	9577	45	0.28572	10	3	3.00	7	3	16179	0.41186	0.53952	41.62378	4622.664
9359	9577	50	0.21514	10	3	3.00	7	0	16370	0.27958	0.54590	46.17093	3521.842
9359	24774	50	0.15153	10	3	3.00	7	0	16451	0.19706	0.54859	46.13770	2492.82
9360	9358	30	0.14805	10	4	1.00	7	3	5021	0.31962	0.53365	27.79138	743.3591
9360	25073	30	0.18881	10	4	1.00	7	3	4966	0.40702	0.52780	27.83276	937.6305
9361	1582	20	0.04508	2	10	1.00	7	3	1618	0.13598	0.02752	19.89053	72.93944
9361	25062	30	0.10610	10	4	1.00	7	3	1889	0.21625	0.20076	29.43791	200.4229
9361	25073	30	0.11173	10	4	1.00	7	3	2549	0.22972	0.27090	29.18124	284.7998
9363	3714	30	0.20043	10	4	1.00	7	3	514	0.40251	0.05459	29.87780	103.021
9363	9364	30	0.29191	10	4	1.00	7	3	1112	0.58972	0.11816	29.70017	324.6039

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
9363	25079	25	0.18452	10	5	1.00	0	3	17	0.44267	0.00204	25.00932	3.13684
9364	1103	20	0.14929	2	10	1.00	7	3	431	0.44853	0.00733	19.97072	64.34399
9364	1576	20	0.14289	2	10	1.00	7	3	1095	0.43026	0.01863	19.92577	156.4646
9364	3716	30	0.19492	10	4	1.00	7	3	1975	0.39772	0.20990	29.40637	384.967
9364	9363	30	0.29191	10	4	1.00	7	3	530	0.58630	0.05638	29.87306	154.7123
9365	1110	25	0.14531	2	10	1.00	7	3	1439	0.35044	0.02446	24.87827	209.1011
9365	9358	35	0.18019	10	4	1.00	7	3	3002	0.31973	0.31907	33.81376	540.9304
9365	9578	35	0.19088	10	4	1.00	7	3	2581	0.33656	0.27435	34.02898	492.6613
9366	9367	35	0.31003	10	4	1.00	7	3	1893	0.54165	0.20116	34.34261	586.8868
9366	9369	35	0.10466	10	4	1.00	7	3	2184	0.18353	0.23213	34.21530	228.5774
9366	9578	35	0.19191	10	4	1.00	7	3	2318	0.33713	0.24640	34.15400	444.8474
9367	1121	25	0.10061	2	10	1.00	7	3	773	0.24210	0.01314	24.93446	77.77153
9367	9366	35	0.31003	10	4	1.00	7	3	1918	0.54182	0.20386	34.33181	594.6375
9367	9368	35	0.22735	10	4	1.00	7	3	2287	0.39923	0.24312	34.16827	519.9495
9368	8665	45	0.18912	10	3	2.00	7	3	16143	0.30536	0.80749	37.15961	3052.964
9368	9367	35	0.22735	10	4	1.00	7	3	2313	0.39936	0.24581	34.15657	525.8606
9368	9389	45	0.35754	10	3	2.00	7	3	16015	0.57483	0.80106	37.31982	5726.003
9369	9366	35	0.10466	10	4	1.00	7	3	2170	0.18349	0.23063	34.22164	227.1122
9369	9370	35	0.16801	10	4	1.00	7	3	2184	0.29463	0.23213	34.21530	366.9338
9370	1120	25	0.19777	2	10	1.00	7	3	1148	0.47651	0.01952	24.90277	227.04
9370	9369	35	0.16801	10	4	1.00	7	3	2170	0.29457	0.23063	34.22164	364.5817
9370	9594	35	0.13133	10	4	1.00	7	3	2364	0.23085	0.25124	34.13287	310.4641
9371	1122	25	0.12071	2	10	1.00	7	3	769	0.29047	0.01307	24.93482	92.82599
9371	1573	25	0.23413	2	10	1.00	7	3	127	0.56216	0.00217	24.98918	29.73451
9371	9372	35	0.10570	10	4	1.00	7	3	2553	0.18630	0.27133	34.04285	269.8521
9371	9594	35	0.09531	10	4	1.00	7	3	1896	0.16653	0.20154	34.34110	180.7078
9372	9371	35	0.10570	10	4	1.00	7	3	2537	0.18626	0.26969	34.05030	268.1609
9372	9373	35	0.10867	10	4	1.00	7	3	2553	0.19153	0.27133	34.04285	277.4345
9373	9372	35	0.10867	10	4	1.00	7	3	2537	0.19149	0.26969	34.05030	275.6958
9373	9574	35	0.11002	10	4	1.00	7	3	3957	0.19858	0.42061	33.24180	435.3491
9373	9588	35	0.11191	10	4	1.00	7	3	1952	0.19567	0.20751	34.31711	218.4483
9373	24907	35	0.16161	10	4	1.00	7	3	267	0.27754	0.02840	34.93662	43.14987
9374	9587	35	0.10520	10	4	1.00	7	3	96	0.18040	0.01023	34.98965	10.0992
9374	9589	35	0.12481	10	4	1.00	7	3	527	0.21486	0.05603	34.85299	65.77487
9374	24906	35	0.04576	10	4	1.00	7	3	480	0.07875	0.05105	34.86835	21.9648
9375	9376	35	0.08071	10	4	1.00	7	3	3178	0.14361	0.33777	33.71770	256.4964
9375	9575	35	0.12593	10	4	1.00	7	3	2597	0.22210	0.27604	34.02122	327.0402
9375	24910	35	0.08466	10	4	1.00	7	3	732	0.14603	0.07783	34.78425	61.97112
9376	9375	35	0.08071	10	4	1.00	7	3	3156	0.14356	0.33546	33.72976	254.7208
9376	24904	35	0.09506	10	4	1.00	7	3	3178	0.16915	0.33777	33.71770	302.1007
9379	9394	35	0.16979	10	4	1.00	7	3	4294	0.30865	0.45647	33.00625	729.0783
9379	9396	35	0.10934	10	4	1.00	7	3	193	0.18766	0.02053	34.95979	21.10262
9379	9606	35	0.16630	10	4	1.00	7	3	4114	0.30114	0.43728	33.13475	684.1582
9380	1129	25	0.14667	2	10	1.00	7	3	92	0.35213	0.00157	24.99216	13.49364
9380	9597	35	0.07899	10	4	1.00	7	3	858	0.13642	0.09116	34.74096	67.77342
9380	9612	35	0.08944	10	4	1.00	7	3	942	0.15460	0.10018	34.71111	84.25248
9381	1124	25	0.12902	2	10	1.00	7	3	915	0.31060	0.01555	24.92247	118.0533
9381	12299	30	0.18894	10	5	1.00	0	0	604	0.38008	0.07343	29.82714	114.1198
9381	24911	35	0.18834	10	4	1.00	7	3	30	0.32277	0.00319	35.00977	5.6502
9381	24912	35	0.04451	10	4	1.00	7	3	950	0.07695	0.10096	34.70850	42.2845
9382	9343	35	0.10818	10	4	2.00	7	0	8393	0.19624	0.44605	33.07676	907.9547
9382	23249	35	0.10589	10	4	2.00	7	0	8314	0.19191	0.44188	33.10449	880.3695
9384	1513	20	0.05767	2	10	1.00	0	0	2	0.17300	0.00003	19.99987	0.11534
9384	24767	25	0.09846	10	5	1.00	0	0	1533	0.24042	0.18628	24.57230	150.9392
9384	25130	25	0.04902	10	5	1.00	0	0	1539	0.11971	0.18693	24.57048	75.44178
9386	1113	20	0.18560	2	10	1.00	0	0	2604	0.56172	0.04428	19.82444	483.3024
9386	9356	45	0.28085	9	3	3.00	100	0	15250	0.40172	0.50853	41.94727	4282.963
9386	25189	45	0.13340	9	3	3.00	100	0	15938	0.19190	0.53149	41.71009	2126.129
9387	1502	20	0.13681	2	10	1.00	0	0	0	0.41042	0.00000	20.00000	0
9387	5028	50	0.20216	10	3	3.00	7	0	7599	0.24882	0.25341	48.74761	1536.214
9387	24781	50	0.26939	10	3	3.00	7	0	7622	0.33160	0.25418	48.74273	2053.291
9389	1112	25	0.22707	2	10	1.00	7	3	943	0.54672	0.01604	24.92005	214.127
9389	8658	45	0.17048	10	3	2.00	7	3	16364	0.27739	0.81853	36.87547	2789.735
9389	9368	45	0.35754	10	3	2.00	7	3	16026	0.57504	0.80161	37.30620	5729.936
9394	9342	45	0.16834	10	3	2.00	7	3	11717	0.24584	0.58606	41.08476	1972.44
9394	9379	35	0.16979	10	4	1.00	7	3	4263	0.30844	0.45316	33.02881	723.8148
9394	9574	35	0.14933	10	4	1.00	7	3	3914	0.26931	0.41599	33.27074	584.4776
9394	9590	45	0.05790	10	3	2.00	7	3	13809	0.08779	0.69073	39.57326	799.5411
9396	9379	35	0.10934	10	4	1.00	7	3	207	0.18769	0.02203	34.95539	22.63338
9396	24911	35	0.04188	10	4	1.00	7	3	193	0.07188	0.02053	34.95979	8.08284
9519	1419	0	0.12036	2	10	0.00	0	0	0	0.00000	0.00000	0.00000	0
9521	3712	25	0.05808	10	5	1.00	0	0	434	0.13993	0.05270	24.90233	25.20672
9521	24793	25	0.05049	10	5	1.00	0	0	440	0.12166	0.05349	24.90060	22.2156
9545	5020	25	0.17788	9	5	1.00	100	0	0	0.42669	0.00000	25.01345	0
9545	9546	25	0.19302	9	5	1.00	100	0	0	0.46299	0.00000	25.01345	0
9546	9545	25	0.19302	9	5	1.00	100	0	0	0.46299	0.00000	25.01345	0
9553	59	25	0.10502	2	10	1.00	1	3	578	0.25254	0.00982	24.95098	60.70156
9553	8798	25	0.21490	10	4	1.00	1	3	1381	0.52248	0.14684	24.67789	296.7769
9554	59	25	0.11201	2	10	1.00	1	3	823	0.26958	0.01399	24.93024	92.18423
9554	8858	33	0.14348	10	4	1.00	1	3	4986	0.28134	0.52999	30.59912	715.3913
9555	237	20	0.06707	3	10	3.00	0	3	4410	0.20222	0.02500	19.90050	295.7787
9555	249	20	0.11774	3	10	3.00	0	3	1711	0.35390	0.00970	19.96127	201.4531
9555	3456	40	0.19389	10	3	2.00	4	3	10407	0.31292	0.52057	37.17749	2017.813

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
9555	3457	40	0.21960	10	3	2.00	4	3	13338	0.37098	0.66717	35.51686	2929.025
9560	3385	35	0.56802	10	4	1.00	2	0	7520	1.17282	0.79935	29.05918	4271.51
9560	3455	35	0.44058	9	5	1.00	100	0	1384	0.76689	0.16814	34.47052	609.7627
9560	5708	40	0.13206	10	4	1.00	2	3	8748	0.26823	0.92982	29.54029	1155.261
9561	325	25	0.12367	2	10	1.00	1	3	3178	0.30001	0.05404	24.73269	393.0233
9561	5519	25	0.08617	10	4	1.00	1	3	7860	0.25557	0.83551	20.23073	677.2962
9561	5525	25	0.11058	10	4	1.00	1	3	5621	0.29169	0.59745	22.74551	621.5702
9562	289	25	0.08071	2	10	1.00	2	3	1508	0.19469	0.02564	24.87244	121.7107
9562	5714	35	0.02292	10	5	1.00	3	3	1508	0.03996	0.18316	34.41331	34.56336
9563	294	25	0.13929	2	10	1.00	2	3	509	0.33486	0.00866	24.95675	70.89861
9563	295	25	0.17538	2	10	1.00	2	3	1324	0.42281	0.02252	24.88792	232.2031
9563	297	25	0.41996	2	10	1.00	2	3	1233	1.01214	0.02098	24.89556	517.8107
9563	5714	35	0.02111	10	5	1.00	3	3	3020	0.03774	0.36686	33.56037	63.7522
9564	295	25	0.32542	2	10	1.00	2	3	518	0.78238	0.00881	24.95601	168.5676
9564	296	25	0.18762	2	10	1.00	2	3	1025	0.45186	0.01742	24.91318	192.3105
9564	297	25	0.10188	2	10	1.00	2	3	1950	0.24613	0.03317	24.83525	198.666
9564	5680	35	0.01705	10	5	1.00	3	3	3363	0.03070	0.40851	33.31697	57.33915
9565	40	25	0.05041	2	10	1.00	1	3	1477	0.12160	0.02512	24.87502	74.45557
9565	41	25	0.21482	2	10	1.00	1	3	1679	0.51851	0.02855	24.85808	360.6828
9565	42	25	0.41543	2	10	1.00	1	3	482	0.99868	0.00819	24.95910	200.2373
9565	9060	35	0.01296	10	5	1.00	3	3	3515	0.02342	0.42696	33.20151	45.5544
9566	39	25	0.15060	2	10	1.00	1	3	399	0.36194	0.00679	24.96612	60.0894
9566	42	25	0.31135	2	10	1.00	1	3	297	0.74799	0.00505	24.97476	92.47095
9566	8652	25	0.02562	10	5	1.00	5	3	663	0.06190	0.08059	24.83953	16.98606
9567	174	25	0.29297	2	10	1.00	5	3	354	0.70396	0.00601	24.96996	103.7114
9567	176	25	0.09403	2	10	1.00	5	3	1073	0.22650	0.01825	24.90910	100.8942
9567	9072	30	0.06884	10	5	1.00	5	3	1448	0.13990	0.17586	29.52112	99.68032
9568	174	25	0.21417	2	10	1.00	5	3	1055	0.51586	0.01795	24.91059	225.9494
9568	176	25	0.49138	2	10	1.00	5	3	221	1.18020	0.00377	24.98118	108.595
9568	8678	30	0.04972	10	5	1.00	5	3	1256	0.10079	0.15253	29.59575	62.44832
9569	41	25	0.41313	2	10	1.00	1	3	303	0.99253	0.00516	24.97425	125.1784
9569	42	25	0.15871	2	10	1.00	1	3	941	0.38213	0.01600	24.92026	149.3461
9569	8674	30	0.00189	10	5	1.00	5	3	1333	0.00384	0.16194	29.56603	2.51937
9570	5680	35	0.01155	10	5	1.00	3	0	1275	0.02008	0.15489	34.51974	14.72625
9571	5517	45	0.10367	10	3	2.00	1	3	23632	0.32960	1.18209	18.87189	2449.929
9571	5966	45	0.17033	10	6	2.00	1	3	18018	0.26803	0.76607	38.12948	3069.006
9571	5967	45	0.19501	10	3	3.00	1	0	26745	0.33763	0.89185	34.65562	5215.542
9572	5523	45	0.35270	10	6	1.00	4	0	12544	0.80909	1.06671	26.15533	4424.269
9573	1130	25	0.14082	2	10	1.00	7	3	3831	0.34237	0.06516	24.67839	539.4814
9573	9591	45	0.07245	10	3	2.00	7	3	14077	0.11049	0.70415	39.34169	1019.879
9573	9597	45	0.11603	10	3	2.00	7	3	15224	0.18212	0.76148	38.22824	1766.441
9574	1126	25	0.11970	2	10	1.00	7	3	42	0.28731	0.00071	24.99647	5.0274
9574	9373	35	0.11002	10	4	1.00	7	3	3955	0.19857	0.42040	33.24311	435.1291
9574	9394	35	0.14933	10	4	1.00	7	3	3916	0.26932	0.41620	33.26944	584.7763
9575	9375	35	0.12593	10	4	1.00	7	3	2622	0.22218	0.27875	34.00866	330.1885
9575	9587	35	0.10399	10	4	1.00	7	3	1221	0.18028	0.12977	34.60989	126.9718
9575	9588	35	0.09816	10	4	1.00	7	3	2071	0.17188	0.22009	34.26566	203.2894
9577	9358	45	0.28572	10	3	3.00	7	3	16099	0.41157	0.53685	41.65271	4599.806
9577	9359	50	0.21514	10	3	3.00	7	0	16451	0.27978	0.54859	46.13770	3539.268
9577	9595	35	0.32847	9	7	1.00	100	3	306	0.56377	0.02170	34.95805	100.5118
9578	1111	25	0.11709	2	10	1.00	7	3	1035	0.28201	0.01760	24.91229	121.1882
9578	1115	25	0.19451	2	10	1.00	7	3	682	0.46792	0.01160	24.94214	132.6558
9578	9365	35	0.19088	10	4	1.00	7	3	2592	0.33662	0.27555	34.02347	494.761
9578	9366	35	0.19191	10	4	1.00	7	3	2307	0.33708	0.24521	34.15921	442.7364
9580	1577	20	0.28728	2	10	1.00	0	3	483	0.86327	0.00822	19.96717	138.7562
9580	9581	45	0.14780	9	3	2.00	100	3	10775	0.21302	0.53894	41.63004	1592.545
9580	9585	45	0.20886	9	3	2.00	100	3	13458	0.31438	0.67317	39.86143	2810.838
9580	25078	25	0.14029	10	5	1.00	0	3	3451	0.35441	0.41921	23.75044	484.1408
9581	9580	45	0.14780	9	3	2.00	100	3	10678	0.21275	0.53410	41.68220	1578.208
9581	9582	45	0.08659	9	3	2.00	100	3	10775	0.12480	0.53894	41.63004	933.0073
9582	9581	45	0.08659	9	3	2.00	100	3	10678	0.12465	0.53410	41.68220	924.608
9582	9583	45	0.17780	9	3	2.00	100	3	10775	0.25626	0.53894	41.63004	1915.795
9582	25068	25	0.11253	10	5	1.00	0	3	1651	0.27522	0.20060	24.53205	185.787
9583	3716	30	0.18247	10	4	1.00	7	3	2097	0.37290	0.22293	29.36047	382.6396
9583	9582	45	0.17780	9	3	2.00	100	3	11236	0.25786	0.56204	41.37151	1997.761
9583	9584	45	0.42976	9	3	2.00	100	3	8994	0.60680	0.44988	42.49419	3865.261
9583	25049	35	0.10689	10	4	1.00	7	3	1626	0.18615	0.17280	34.45294	173.8031
9584	1102	20	0.29424	2	10	1.00	7	3	1232	0.88641	0.02095	19.91656	362.5037
9584	9100	45	0.31245	9	7	1.00	100	3	6210	0.43374	0.44008	43.22195	1940.315
9584	9583	45	0.42976	9	3	2.00	100	3	9015	0.60693	0.45091	42.48527	3874.286
9584	22813	45	0.25324	9	3	2.00	100	0	11841	0.37053	0.59229	41.00724	2998.615
9585	1107	20	0.26635	2	10	1.00	7	3	2861	0.80683	0.04866	19.80723	762.0274
9585	1575	20	0.25819	2	10	1.00	7	3	364	0.77551	0.00618	19.97530	93.98116
9585	8658	45	0.20715	9	3	2.00	100	3	14267	0.31730	0.71366	39.17154	2955.409
9585	9580	45	0.20886	9	3	2.00	100	3	13441	0.31427	0.67232	39.87514	2807.287
9587	1130	25	0.12221	2	10	1.00	7	3	1177	0.29447	0.02002	24.90029	143.8412
9587	9374	35	0.10520	10	4	1.00	7	3	86	0.18039	0.00919	34.99265	9.0472
9587	9575	35	0.10399	10	4	1.00	7	3	1229	0.18030	0.13066	34.60675	127.8037
9588	1126	25	0.12605	2	10	1.00	7	3	136	0.30267	0.00231	24.98847	17.1428
9588	9373	35	0.11191	10	4	1.00	7	3	1935	0.19562	0.20568	34.32449	216.5459
9588	9575	35	0.09816	10	4	1.00	7	3	2088	0.17191	0.22192	34.25811	204.9581
9589	1128	25	0.07764	2	10	1.00	7	3	204	0.18646	0.00347	24.98267	15.83856
9589	1130	25	0.12471	2	10	1.00	7	3	30	0.29933	0.00051	24.99743	3.7413

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
9589	9374	35	0.12481	10	4	1.00	7	3	534	0.21488	0.05672	34.85084	66.64854
9589	9597	35	0.13953	10	4	1.00	7	3	644	0.24046	0.06846	34.81410	89.85732
9590	9341	45	0.05759	10	3	2.00	7	3	13809	0.08732	0.69073	39.57326	795.2603
9590	9394	45	0.05790	10	3	2.00	7	3	13403	0.08706	0.67042	39.90517	776.0337
9591	1125	25	0.09899	2	10	1.00	7	3	1583	0.23886	0.02692	24.86613	156.7012
9591	9341	45	0.11446	10	3	2.00	7	3	13514	0.17248	0.67595	39.81687	1546.812
9591	9573	45	0.07245	10	3	2.00	7	3	14483	0.11154	0.72446	38.97159	1049.293
9593	1119	20	0.22692	2	10	1.00	0	0	334	0.68153	0.00568	19.97732	75.79128
9593	9342	45	0.21373	10	3	2.00	7	3	11794	0.31249	0.58996	41.03639	2520.732
9593	9351	45	0.32928	10	3	2.00	7	3	10373	0.47217	0.51883	41.84259	3415.621
9593	23316	30	0.11922	10	5	1.00	0	0	883	0.24058	0.10721	29.73217	105.2713
9594	9370	35	0.13133	10	4	1.00	7	3	2350	0.23080	0.24974	34.13945	308.6255
9594	9371	35	0.09531	10	4	1.00	7	3	1912	0.16656	0.20318	34.33454	182.2327
9594	9596	35	0.11721	9	7	1.00	100	3	717	0.20152	0.05080	34.89703	84.03957
9595	1109	20	0.41260	2	10	1.00	0	0	54	1.23801	0.00093	19.99630	22.2804
9595	9577	35	0.32847	9	7	1.00	100	3	307	0.56377	0.02175	34.95795	100.8403
9595	30003	35	0.23034	9	7	1.00	100	3	361	0.39543	0.02555	34.95015	83.15274
9596	1122	25	0.09566	2	10	1.00	7	3	542	0.23001	0.00922	24.95400	51.84772
9596	5032	35	0.20768	9	7	1.00	100	3	471	0.35669	0.03335	34.93399	97.81728
9596	9594	35	0.11721	9	7	1.00	100	3	718	0.20152	0.05089	34.89684	84.15678
9597	9380	35	0.07899	10	4	1.00	7	3	856	0.13642	0.09101	34.74146	67.61544
9597	9573	45	0.11603	10	3	2.00	7	3	14816	0.18014	0.74111	38.64893	1719.1
9597	9589	35	0.13953	10	4	1.00	7	3	654	0.24049	0.06949	34.81084	91.25262
9597	9611	45	0.16641	10	3	2.00	7	3	15299	0.26174	0.76528	38.14658	2545.907
9603	9606	35	0.10741	10	4	1.00	7	3	4131	0.19456	0.43909	33.12293	443.7107
9603	9608	35	0.05712	10	4	1.00	7	0	4114	0.10343	0.43728	33.13475	234.9917
9604	17260	35	0.09243	10	4	2.00	7	0	7535	0.16622	0.40043	33.36596	696.4601
9604	23327	35	0.07820	10	4	2.00	7	0	7363	0.14039	0.39132	33.42019	575.7866
9605	9344	35	0.13838	10	4	1.00	7	0	1540	0.24075	0.16371	34.48709	213.1052
9605	9347	35	0.19567	10	4	1.00	7	0	2159	0.34301	0.22946	34.22657	422.4515
9605	12297	35	0.11026	10	4	2.00	7	0	7300	0.19783	0.38797	33.43982	804.898
9605	17260	35	0.17647	10	4	2.00	7	0	8579	0.32076	0.45597	33.00970	1513.936
9606	9379	35	0.16630	10	4	1.00	7	3	4131	0.30125	0.43909	33.12293	686.9853
9606	9603	35	0.10741	10	4	1.00	7	3	4114	0.19450	0.43728	33.13475	441.8847
9607	23264	30	0.15686	10	5	1.00	0	0	2053	0.32161	0.24941	29.26363	322.0336
9607	23276	45	0.20519	9	3	3.00	100	0	11856	0.28672	0.39537	42.93800	2432.733
9607	23282	30	0.09783	10	5	1.00	0	0	1227	0.19826	0.14901	29.60673	120.0374
9607	24254	45	0.11453	9	3	3.00	100	0	11162	0.15940	0.37222	43.11043	1278.384
9608	9603	35	0.05712	10	4	1.00	7	0	4131	0.10347	0.43909	33.12293	235.9627
9608	12276	35	0.11611	10	4	1.00	7	0	4401	0.21158	0.46778	32.92768	511.0001
9608	25053	35	0.14793	10	4	1.00	7	0	1354	0.25683	0.14391	34.55964	200.2972
9609	9349	45	0.28475	9	3	3.00	100	0	18526	0.42004	0.61778	40.67526	5275.279
9609	12272	30	0.15264	10	5	1.00	0	0	3049	0.31857	0.37044	28.74885	465.3994
9609	12296	45	0.13838	9	3	3.00	100	0	17920	0.20280	0.59759	40.94019	2479.77
9609	24065	30	0.13437	10	5	1.00	0	0	2149	0.27592	0.26105	29.21944	288.7611
9610	1312	20	0.13291	2	10	1.00	0	0	178	0.39897	0.00303	19.98788	23.65798
9610	1333	20	0.14302	2	10	1.00	0	0	523	0.42983	0.00890	19.96448	74.79946
9610	8656	35	0.14713	10	4	2.00	7	0	8053	0.26594	0.42797	33.19505	1184.838
9610	12161	35	0.08542	10	4	2.00	7	0	8175	0.15459	0.43445	33.15324	698.3085
9611	1129	25	0.08999	2	10	1.00	7	3	649	0.21645	0.01104	24.94492	58.40351
9611	9340	45	0.16116	10	3	2.00	7	3	16303	0.26167	0.81549	36.95497	2627.391
9611	9597	45	0.16641	10	3	2.00	7	3	14900	0.25891	0.74531	38.56447	2479.509
9611	24900	35	0.15107	10	4	1.00	7	3	616	0.26029	0.06543	34.82365	93.05912
9612	9380	35	0.08944	10	4	1.00	7	3	950	0.15461	0.10096	34.70850	84.968
9612	24912	35	0.11483	10	4	1.00	7	3	942	0.19848	0.10018	34.71111	108.1699
9614	1227	25	0.07340	2	10	1.00	0	3	645	0.17656	0.01097	24.94529	47.343
9614	1228	25	0.12102	2	10	1.00	0	3	462	0.29090	0.00786	24.96075	55.91124
9614	3719	35	0.20585	10	3	1.00	0	3	3016	0.36434	0.30170	33.89969	620.8436
9614	9618	35	0.18205	10	3	1.00	0	3	2765	0.32108	0.27663	34.01849	503.3683
9615	333	25	0.14133	2	10	1.00	0	3	668	0.33997	0.01136	24.94333	94.40844
9615	1228	25	0.18572	2	10	1.00	0	3	1330	0.44774	0.02261	24.88745	247.0076
9615	9097	35	0.12269	10	3	1.00	0	3	4677	0.22357	0.46787	32.92705	573.8211
9615	9618	35	0.14266	10	3	1.00	0	3	2830	0.25184	0.28311	33.98837	403.7278
9618	9614	35	0.18205	10	3	1.00	0	3	2830	0.32137	0.28311	33.98837	515.2015
9618	9615	35	0.14266	10	3	1.00	0	3	2765	0.25161	0.27663	34.01849	394.4549
9619	1229	25	0.13098	2	10	1.00	0	3	467	0.31486	0.00794	24.96038	61.16766
9619	3717	40	0.07714	10	3	2.00	0	3	4389	0.11818	0.21954	39.16335	338.5675
9619	8609	40	0.08205	10	3	2.00	0	3	4628	0.12589	0.23147	39.10635	379.7274
9630	3725	0	0.37417	10	3	0.00	0	3	0	0.00000	0.00000	0.00000	0
9631	22746	45	0.21637	10	3	2.00	7	0	11698	0.31590	0.58515	41.09595	2531.096
9800	1224	25	0.07534	2	10	1.00	4	3	1533	0.18176	0.02607	24.87032	115.4962
9800	8894	30	0.21270	10	5	1.00	4	3	7553	0.56778	0.91755	22.47725	1606.523
9800	8896	30	0.07153	10	5	1.00	4	3	7958	0.20350	0.96666	21.09141	569.2357
9801	1225	25	0.05713	2	10	1.00	4	3	62	0.13713	0.00105	24.99475	3.54206
9801	8754	30	0.05704	10	5	1.00	4	3	12711	0.68031	1.54410	5.03048	725.0354
9801	8896	30	0.10864	10	5	1.00	4	3	12805	1.32283	1.55547	4.92752	1391.135
9802	1225	25	0.05991	2	10	1.00	4	3	1205	0.14438	0.02049	24.89795	72.19155
9802	8754	45	0.05652	10	3	4.00	4	3	36420	0.09984	0.91087	33.96897	2058.458
9802	8758	45	0.14703	10	3	4.00	4	3	35509	0.25361	0.88809	34.78534	5220.888
9803	224	25	0.04186	2	10	1.00	4	3	9920	0.10385	0.16871	24.18398	415.2512
9803	1226	25	0.07131	2	10	1.00	4	3	4634	0.17384	0.07880	24.61210	330.4505
9803	8896	30	0.07193	10	5	1.00	4	3	14293	1.16469	1.73623	3.70547	1028.095
10290	5540	65	0.03020	2	9	1.00	0	0	0	0.02786	0.00000	65.03497	0

A	B	SPEED	DISTANCE	SPDCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
10290	13543	65	0.42326	2	8	1.00	0	0	15321	0.44004	0.65139	57.71263	6484.766
10903	5672	40	0.25324	10	3	3.00	1	0	33491	0.74478	1.11680	20.40150	8481.261
11066	5824	30	0.22880	23	3	1.00	901	0	13887	1.96936	1.38924	6.97095	3177.346
11328	5948	35	0.25740	23	3	2.00	901	0	21869	0.81266	1.09387	19.00418	5629.081
12160	1331	20	0.12354	2	10	1.00	0	0	2492	0.37376	0.04238	19.83191	307.8617
12160	1332	20	0.11151	2	10	1.00	0	0	216	0.33477	0.00368	19.98530	24.08616
12160	16568	25	0.08511	10	5	1.00	0	0	1345	0.20730	0.16335	24.63461	114.473
12161	9343	35	0.09396	10	4	2.00	7	0	8175	0.17006	0.43445	33.15324	768.123
12161	9610	35	0.08542	10	4	2.00	7	0	7664	0.15380	0.40733	33.32418	654.6589
12164	14125	45	0.07450	9	3	3.00	100	0	13677	0.10533	0.45608	42.44003	1018.937
12164	23331	45	0.04024	9	3	3.00	100	0	13889	0.05697	0.46315	42.37722	558.8934
12165	1346	20	0.12453	2	10	1.00	0	0	326	0.37401	0.00555	19.97783	40.59678
12165	1347	20	0.13217	2	10	1.00	0	0	514	0.39720	0.00874	19.96512	67.93538
12165	23323	35	0.14641	10	4	2.00	7	0	1675	0.25281	0.08903	34.74793	245.2368
12165	24034	35	0.07800	10	4	2.00	7	0	1597	0.13464	0.08486	34.76152	124.566
12167	13410	35	0.15118	10	4	2.00	7	0	0	0.25902	0.00000	35.01883	0
12266	1341	20	0.14221	2	10	1.00	0	0	2003	0.42955	0.03406	19.86469	284.8466
12266	22733	30	0.09576	10	5	1.00	0	0	2725	0.19861	0.33104	28.93086	260.946
12266	23274	30	0.08885	10	5	1.00	0	0	589	0.17870	0.07151	29.83236	52.33265
12270	1314	20	0.17895	2	10	1.00	0	0	1013	0.53871	0.01723	19.93133	181.2764
12270	1347	20	0.14959	2	10	1.00	0	0	830	0.45004	0.01412	19.94369	124.1597
12270	9334	30	0.09543	10	5	1.00	0	0	1904	0.19522	0.23124	29.33061	181.6987
12270	23322	30	0.15111	10	5	1.00	0	0	546	0.30378	0.06638	29.84629	82.50606
12272	1313	20	0.14073	2	10	1.00	0	0	392	0.42274	0.00666	19.97340	55.16616
12272	1314	20	0.13795	2	10	1.00	0	0	2688	0.41763	0.04572	19.81878	370.8096
12272	9609	30	0.15264	10	5	1.00	0	0	2984	0.31815	0.36253	28.78668	455.4778
12272	23322	30	0.09568	10	5	1.00	0	0	275	0.19179	0.03346	29.93281	26.312
12274	1313	20	0.09543	2	10	1.00	0	0	460	0.28675	0.00782	19.96875	43.8978
12274	1347	20	0.16704	2	10	1.00	0	0	4	0.50113	0.00008	19.99969	0.66816
12274	23322	30	0.14647	10	5	1.00	0	0	468	0.29420	0.05680	29.87193	68.54796
12274	23323	30	0.14256	10	5	1.00	0	0	113	0.28528	0.01371	29.98252	16.10928
12276	1208	20	0.09997	2	10	1.00	0	0	464	0.30039	0.00789	19.96849	46.38608
12276	1211	20	0.16066	2	10	1.00	0	0	77	0.48209	0.00131	19.99474	12.37082
12276	9608	35	0.11611	10	4	1.00	7	0	4533	0.21223	0.48186	32.82679	526.3266
12276	24033	35	0.08589	10	4	1.00	7	0	4318	0.15622	0.45895	32.98923	370.873
12291	1357	20	0.14336	2	10	1.00	0	0	18	0.43011	0.00031	19.99874	2.58048
12291	1358	20	0.16757	2	10	1.00	0	0	83	0.50285	0.00142	19.99433	13.90831
12291	23327	30	0.13838	10	5	1.00	0	0	23	0.27667	0.00278	30.00938	3.18274
12291	23328	30	0.14952	10	5	1.00	0	0	119	0.29924	0.01448	29.98062	17.79288
12292	1315	20	0.13559	2	10	1.00	0	0	117	0.40692	0.00198	19.99207	15.86403
12292	1357	20	0.14028	2	10	1.00	0	0	48	0.42091	0.00081	19.99677	6.73344
12292	9349	35	0.10250	10	4	2.00	7	0	7504	0.18427	0.39879	33.37583	769.16
12292	23327	35	0.13938	10	4	2.00	7	0	7444	0.25042	0.39560	33.39483	1037.545
12293	1315	20	0.13065	2	10	1.00	0	0	256	0.39229	0.00436	19.98258	33.4464
12293	1317	20	0.16981	2	10	1.00	0	0	11	0.50944	0.00019	19.99925	1.86791
12293	23326	30	0.12547	10	5	1.00	0	0	15	0.25084	0.00186	30.01163	1.88205
12293	23327	30	0.13206	10	5	1.00	0	0	553	0.26549	0.06723	29.84398	73.02918
12294	1316	20	0.13380	2	10	1.00	0	0	600	0.40222	0.01021	19.95924	80.28
12294	1317	20	0.13025	2	10	1.00	0	0	855	0.39188	0.01454	19.94201	111.3638
12294	9346	30	0.18660	10	5	1.00	0	0	1355	0.37879	0.16458	29.55761	252.843
12294	23326	30	0.16351	10	5	1.00	0	0	993	0.33040	0.12058	29.69303	162.3654
12295	1349	20	0.13093	2	10	1.00	0	0	1728	0.39510	0.02939	19.88312	226.247
12295	2507	45	0.30740	9	3	2.00	100	0	16952	0.51150	0.84794	36.05913	5211.045
12295	9111	45	0.26647	9	3	2.00	100	0	17149	0.44703	0.85778	35.76475	4569.694
12296	1349	20	0.16063	2	10	1.00	0	0	1646	0.48459	0.02799	19.88867	264.397
12296	9111	45	0.07159	9	3	3.00	100	0	17920	0.10492	0.59759	40.94019	1282.893
12296	9609	45	0.13838	9	3	3.00	100	0	18531	0.20413	0.61795	40.67300	2564.32
12297	1359	20	0.11927	2	10	1.00	0	0	451	0.35836	0.00768	19.96935	53.79077
12297	9605	35	0.11026	10	4	2.00	7	0	7581	0.19835	0.40288	33.35117	835.8811
12297	23249	35	0.14441	10	4	2.00	7	0	7798	0.26035	0.41443	33.28044	1126.109
12298	1350	20	0.07997	2	10	1.00	0	0	402	0.24025	0.00684	19.97269	32.14794
12298	23336	30	0.15206	10	5	1.00	0	0	1072	0.30756	0.13016	29.66442	163.0083
12298	24030	30	0.09034	10	5	1.00	0	0	1194	0.18300	0.14499	29.61920	107.866
12299	1350	20	0.14589	2	10	1.00	0	0	81	0.43778	0.00137	19.99452	11.81709
12299	9381	30	0.18894	10	5	1.00	0	0	626	0.38017	0.07604	29.81998	118.2764
12299	23336	30	0.10187	10	5	1.00	0	0	524	0.20473	0.06365	29.85364	53.37988
12300	1333	20	0.18300	2	10	1.00	0	0	141	0.54927	0.00239	19.99043	25.803
12300	1351	20	0.17139	2	10	1.00	0	0	217	0.51455	0.00369	19.98525	37.19163
12300	9225	35	0.10845	10	4	1.00	7	0	3156	0.19292	0.33544	33.72987	342.2682
12300	16568	35	0.15662	10	4	1.00	7	0	4154	0.28384	0.44158	33.10647	650.5995
13410	1198	20	0.05520	2	10	1.00	0	0	349	0.16580	0.00594	19.97626	19.2648
13410	12167	35	0.15118	10	4	2.00	7	0	0	0.25902	0.00000	35.01883	0
13410	24034	35	0.17985	10	4	2.00	7	0	349	0.30861	0.01857	34.96552	62.76765
13540	7153	65	0.58972	2	8	1.00	0	0	17306	0.63633	0.73580	55.60523	10205.69
13540	8952	65	0.03121	2	9	1.00	0	0	1066	0.02894	0.06044	64.70149	33.26986
13543	7148	65	0.29336	2	8	1.00	0	0	17461	0.31763	0.74240	55.41618	5122.359
13543	8954	65	0.03792	2	9	1.00	0	0	0	0.03498	0.00000	65.03497	0
13885	5856	63	0.08098	23	1	4.00	901	0	107373	0.15627	1.14129	31.09085	8695.066
13976	258	25	0.07499	2	10	1.00	3	3	2668	0.18162	0.04537	24.77519	200.0733
13976	1231	25	0.08749	2	10	1.00	3	3	3483	0.21246	0.05924	24.70728	304.7277
13976	5616	35	0.11304	10	5	1.00	0	3	6772	0.23717	0.82260	28.59719	765.5069
13976	25042	35	0.10961	10	5	1.00	0	3	1300	0.19059	0.15793	34.50854	142.493
14123	1314	20	0.11617	2	10	1.00	0	0	5363	0.35486	0.09121	19.64170	623.0197

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
14123	2489	45	0.24912	9	3	2.00	100	0	19043	0.46311	0.95253	32.27560	4743.992
14123	9111	45	0.24243	9	3	2.00	100	0	16850	0.40174	0.84282	36.20781	4084.946
14125	1356	20	0.15910	2	10	1.00	0	0	472	0.47807	0.00803	19.96794	75.0952
14125	1357	20	0.11015	2	10	1.00	0	0	512	0.33103	0.00870	19.96526	56.3968
14125	9349	45	0.10358	9	3	3.00	100	0	13874	0.14664	0.46267	42.38160	1437.069
14125	12164	45	0.07450	9	3	3.00	100	0	13889	0.10548	0.46315	42.37723	1034.731
14153	1202	20	0.16068	2	10	1.00	0	0	136	0.48226	0.00231	19.99076	21.85248
14153	1341	20	0.13352	2	10	1.00	0	0	862	0.40174	0.01465	19.94156	115.0942
14153	23272	30	0.19580	10	5	1.00	0	0	90	0.39174	0.01097	29.98930	17.622
14153	23274	30	0.10835	10	5	1.00	0	0	0	0.21658	0.00000	30.01614	0
14157	1204	20	0.16068	2	10	1.00	0	0	684	0.48316	0.01163	19.95359	109.9051
14157	1343	20	0.17215	2	10	1.00	0	0	995	0.51820	0.01693	19.93251	171.2893
14157	1344	20	0.18786	2	10	1.00	0	0	4	0.56357	0.00006	19.99975	0.75144
14157	23259	35	0.16872	10	4	1.00	7	0	3834	0.30379	0.40754	33.32290	646.8725
14157	23279	35	0.10547	10	4	1.00	7	0	4290	0.19171	0.45600	33.00944	452.4663
15058	1100	20	0.10189	2	10	1.00	0	0	2811	0.30860	0.04780	19.81060	286.4128
15058	2489	45	0.23798	9	3	2.00	100	0	17453	0.40464	0.87302	35.28682	4153.465
15058	9142	45	0.12877	9	3	2.00	100	0	17111	0.21569	0.85591	35.82165	2203.383
15064	5511	45	0.10042	10	5	2.00	1	3	16678	0.20562	1.01301	29.30081	1674.805
15064	9079	45	0.22671	10	5	2.00	1	3	16670	0.46381	1.01251	29.32810	3779.256
15250	258	25	0.10660	2	10	1.00	3	3	1352	0.25702	0.02299	24.88557	144.1232
15250	5618	35	0.10915	10	4	2.00	3	3	1758	0.18855	0.09345	34.73343	191.8857
15250	5620	35	0.12124	10	4	2.00	3	3	941	0.20860	0.05000	34.87157	114.0868
16067	8725	40	0.25427	10	3	2.00	0	0	13074	0.42739	0.65398	35.69687	3324.326
16067	23046	40	0.34187	10	3	2.00	0	0	14845	0.59752	0.74255	34.32899	5075.06
16567	1319	20	0.11499	2	10	1.00	0	0	5067	0.35092	0.08618	19.66113	582.6543
16567	2507	45	0.28623	9	3	2.00	100	0	17181	0.48085	0.85938	35.71612	4917.718
16567	2508	45	0.18789	9	3	2.00	100	0	17012	0.31340	0.85092	35.97102	3196.385
16568	1319	20	0.19913	2	10	1.00	0	0	1700	0.60083	0.02891	19.88504	338.521
16568	2508	35	0.22640	10	4	1.00	7	0	1405	0.39329	0.14930	34.54015	318.092
16568	12160	25	0.08511	10	5	1.00	0	0	2708	0.21175	0.32898	24.11664	230.4779
16568	12300	35	0.15662	10	4	1.00	7	0	3473	0.28011	0.36915	33.54759	543.9413
17109	7141	65	0.45023	2	8	1.00	0	0	15337	0.46820	0.65209	57.69724	6905.178
17260	1317	20	0.13941	2	10	1.00	0	0	1379	0.42019	0.02346	19.90661	192.2464
17260	1358	20	0.12327	2	10	1.00	0	0	2202	0.37258	0.03745	19.85131	271.4405
17260	9604	35	0.09243	10	4	2.00	7	0	7363	0.16595	0.39132	33.42019	680.5621
17260	9605	35	0.17647	10	4	2.00	7	0	8398	0.32013	0.44634	33.07481	1481.995
18205	7145	65	0.35320	2	8	1.00	0	0	13936	0.35977	0.59251	58.90462	4922.195
18205	8944	65	0.01332	2	9	1.00	0	0	4592	0.01262	0.26033	63.31480	61.16544
22227	99	25	0.10990	2	10	1.00	1	3	662	0.26435	0.01127	24.94380	72.7538
22227	112	25	0.08149	2	10	1.00	1	3	1145	0.19635	0.01948	24.90300	93.30605
22227	5756	40	0.09733	10	3	2.00	1	3	14664	0.16933	0.73351	34.48755	1427.247
22227	5758	40	0.09403	10	3	2.00	1	3	13180	0.15836	0.65928	35.62540	1239.315
22228	98	25	0.18645	2	10	1.00	1	3	216	0.44780	0.00367	24.98167	40.2732
22228	99	25	0.10025	2	10	1.00	1	3	811	0.24127	0.01379	24.93125	81.30275
22228	5758	25	0.01526	10	5	1.00	1	3	1062	0.03704	0.12897	24.72334	16.20612
22539	2507	35	0.06359	23	5	1.00	901	0	3036	0.11373	0.36881	33.54947	193.0592
22664	9142	45	0.32678	9	3	2.00	100	0	17040	0.54571	0.85235	35.92866	5568.331
22675	9142	35	0.13473	23	5	1.00	901	0	300	0.23154	0.03646	34.91261	40.419
22686	9111	45	0.13797	9	3	3.00	100	0	13442	0.19474	0.44823	42.50846	1854.593
22696	23317	45	0.13771	9	3	3.00	100	0	15749	0.19778	0.52518	41.77673	2168.795
22696	24034	45	0.18451	9	3	3.00	100	0	15196	0.26380	0.50673	41.96530	2803.814
22697	23324	30	0.12949	10	5	1.00	0	0	323	0.25969	0.03921	29.91801	41.82527
22697	23325	30	0.11770	10	5	1.00	0	0	259	0.23589	0.03146	29.93789	30.4843
22700	22740	45	0.14478	9	3	3.00	100	0	11703	0.20212	0.39027	42.97677	1694.36
22700	23279	45	0.17738	9	3	3.00	100	0	11199	0.24693	0.37344	43.10153	1986.479
22733	12266	30	0.09576	10	5	1.00	0	0	2188	0.19677	0.26578	29.20119	209.5229
22733	22740	45	0.05979	9	3	3.00	100	0	11199	0.08323	0.37344	43.10153	669.5882
22733	25050	30	0.09266	10	5	1.00	0	0	748	0.18670	0.09084	29.77885	69.30968
22733	25054	45	0.17358	9	3	3.00	100	0	10200	0.24032	0.34012	43.33542	1770.516
22735	23266	30	0.07165	10	5	1.00	0	0	1340	0.14541	0.16281	29.56324	96.011
22735	23278	30	0.07953	10	5	1.00	0	0	1401	0.16154	0.17020	29.53953	111.4215
22740	22700	45	0.14478	9	3	3.00	100	0	11199	0.20154	0.37344	43.10153	1621.391
22740	22733	45	0.05979	9	3	3.00	100	0	11703	0.08347	0.39027	42.97677	699.7224
22746	9631	45	0.21637	10	3	2.00	7	0	11720	0.31600	0.58624	41.08261	2535.856
22746	22749	45	0.44803	9	3	3.00	100	0	2946	0.60224	0.09824	44.63685	1319.896
22746	23273	40	0.12423	10	3	2.00	7	0	5689	0.19193	0.28458	38.83593	706.7445
22746	25054	45	0.19406	9	3	3.00	100	0	9158	0.26728	0.30538	43.56224	1777.201
22749	22746	45	0.44803	9	3	3.00	100	0	2945	0.60224	0.09819	44.63707	1319.448
22798	1415	0	0.19380	2	10	0.00	0	0	0	0.00000	0.00000	0.00000	0
22799	1419	0	0.10499	2	10	0.00	0	0	0	0.00000	0.00000	0.00000	0
22813	9584	45	0.25324	9	3	2.00	100	0	11622	0.36931	0.58134	41.14261	2943.155
23046	16067	40	0.34187	10	3	2.00	0	0	13074	0.57462	0.65398	35.69687	4469.608
23096	1415	0	0.19726	2	10	0.00	0	0	0	0.00000	0.00000	0.00000	0
23099	1418	0	0.09099	2	10	0.00	0	0	0	0.00000	0.00000	0.00000	0
23122	8985	45	0.28791	9	3	2.00	100	0	19450	0.55112	0.97289	31.34475	5599.85
23249	9382	35	0.10589	10	4	2.00	7	0	8393	0.19207	0.44605	33.07676	888.7348
23249	12297	35	0.14441	10	4	2.00	7	0	8032	0.26097	0.42687	33.20211	1159.901
23249	24062	25	0.11139	10	5	1.00	0	0	71	0.26737	0.00867	24.99581	7.90869
23249	24671	25	0.07324	10	5	1.00	0	0	813	0.17720	0.09882	24.79689	59.54412
23253	23260	45	0.17817	9	3	3.00	100	0	13037	0.25081	0.43473	42.62330	2322.802
23253	23280	35	0.14329	10	4	1.00	7	0	3519	0.25649	0.37400	33.52027	504.2375
23253	23284	35	0.10795	10	4	1.00	7	0	3789	0.19419	0.40274	33.35205	409.0226

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
23253	24254	45	0.19892	9	3	3.00	100	0	11273	0.27703	0.37592	43.08342	2242.425
23259	14157	35	0.16872	10	4	1.00	7	0	3915	0.30428	0.41613	33.26987	660.5388
23259	23278	30	0.16072	10	5	1.00	0	0	1601	0.32734	0.19453	29.45907	257.3127
23259	23280	35	0.10024	10	4	1.00	7	0	2968	0.17777	0.31550	33.83167	297.5123
23259	23235	30	0.17338	10	5	1.00	0	0	456	0.34820	0.05545	29.87553	79.06128
23260	1210	20	0.12280	2	10	1.00	0	0	98	0.36853	0.00167	19.99334	12.0344
23260	23253	45	0.17817	9	3	3.00	100	0	13247	0.25116	0.44175	42.56405	2360.218
23260	23331	45	0.14078	9	3	3.00	100	0	13037	0.19817	0.43473	42.62330	1835.349
23261	1118	20	0.19036	2	10	1.00	0	0	703	0.57244	0.01195	19.95230	133.8231
23261	23272	40	0.33087	10	3	2.00	7	0	5396	0.51017	0.26993	38.91339	1785.375
23261	23275	30	0.19405	10	5	1.00	0	0	2458	0.40051	0.29854	29.07001	476.9749
23261	23277	40	0.09068	10	3	2.00	7	0	6275	0.14068	0.31386	38.67412	569.017
23262	1202	20	0.10976	2	10	1.00	0	0	499	0.32984	0.00849	19.96608	54.77024
23262	1204	20	0.15754	2	10	1.00	0	0	667	0.47369	0.01134	19.95476	105.0792
23262	23266	30	0.16860	10	5	1.00	0	0	827	0.34001	0.10041	29.75171	139.4322
23262	23274	30	0.16088	10	5	1.00	0	0	690	0.32393	0.08380	29.79855	111.0072
23264	1203	20	0.15815	2	10	1.00	0	0	720	0.47560	0.01224	19.95115	113.868
23264	1205	20	0.15789	2	10	1.00	0	0	687	0.47476	0.01169	19.95337	108.4704
23264	9607	30	0.15686	10	5	1.00	0	0	1821	0.32048	0.22125	29.36647	285.6421
23264	23266	30	0.08340	10	5	1.00	0	0	729	0.16799	0.08851	29.78542	60.7986
23265	1299	20	0.11263	2	10	1.00	0	0	222	0.33814	0.00378	19.98491	25.00386
23265	1312	20	0.11413	2	10	1.00	0	0	475	0.34295	0.00808	19.96774	54.21175
23265	9343	35	0.16537	10	4	1.00	7	0	2416	0.29091	0.25685	34.10809	399.5339
23265	23334	35	0.10761	10	4	1.00	7	0	2533	0.18960	0.26924	34.05239	272.5761
23266	22735	30	0.07165	10	5	1.00	0	0	1401	0.14553	0.17020	29.53953	100.3817
23266	23262	30	0.16860	10	5	1.00	0	0	932	0.34044	0.11320	29.71474	157.1352
23266	23264	30	0.08340	10	5	1.00	0	0	690	0.16792	0.08380	29.79855	57.546
23266	23275	30	0.11303	10	5	1.00	0	0	1306	0.22930	0.15867	29.57641	147.6172
23272	14153	30	0.19580	10	5	1.00	0	0	906	0.39524	0.11010	29.72379	177.3948
23272	23261	40	0.33087	10	3	2.00	7	0	5979	0.51222	0.29907	38.75709	1978.272
23272	23273	40	0.11770	10	3	2.00	7	0	4671	0.18064	0.23363	39.09589	549.7767
23273	1341	20	0.16734	2	10	1.00	0	0	1073	0.50385	0.01824	19.92730	179.5558
23273	22746	40	0.12423	10	3	2.00	7	0	4671	0.19065	0.23363	39.09589	580.2783
23273	23272	40	0.11770	10	3	2.00	7	0	6069	0.18233	0.30359	38.73201	714.3213
23274	12266	30	0.08885	10	5	1.00	0	0	690	0.17890	0.08380	29.79855	61.3065
23274	14153	30	0.10835	10	5	1.00	0	0	0	0.21658	0.00000	30.01614	0
23274	23262	30	0.16088	10	5	1.00	0	0	589	0.32356	0.07151	29.83236	94.75832
23275	1202	20	0.16227	2	10	1.00	0	0	575	0.48776	0.00977	19.96099	93.30525
23275	1203	20	0.10071	2	10	1.00	0	0	2259	0.30445	0.03842	19.84751	227.5039
23275	23261	30	0.19405	10	5	1.00	0	0	1369	0.39398	0.16633	29.55199	265.6545
23275	23266	30	0.11303	10	5	1.00	0	0	1434	0.22969	0.17414	29.52674	162.085
23276	9351	45	0.10340	9	3	3.00	100	0	11856	0.14449	0.39537	42.93800	1225.91
23276	9607	45	0.20519	9	3	3.00	100	0	11984	0.28694	0.39962	42.90535	2458.997
23277	1203	20	0.14685	2	10	1.00	0	0	416	0.44117	0.00708	19.97172	61.0896
23277	9351	40	0.15114	10	3	2.00	7	0	7434	0.23663	0.37185	38.32277	1123.575
23277	23261	40	0.09068	10	3	2.00	7	0	6767	0.14120	0.33849	38.53017	613.6316
23278	1204	20	0.17031	2	10	1.00	0	0	7	0.51094	0.00011	19.99954	1.19217
23278	1205	20	0.08754	2	10	1.00	0	0	560	0.26312	0.00952	19.96199	49.0224
23278	22735	30	0.07953	10	5	1.00	0	0	1340	0.16141	0.16281	29.56324	106.5702
23278	23259	30	0.16072	10	5	1.00	0	0	2136	0.32996	0.25949	29.22543	343.2979
23279	1342	20	0.14911	2	10	1.00	0	0	1036	0.44890	0.01762	19.92977	154.478
23279	14157	35	0.10547	10	4	1.00	7	0	4349	0.19196	0.46230	32.96598	458.689
23279	22700	45	0.17738	9	3	3.00	100	0	11703	0.24764	0.39027	42.97678	2075.878
23279	23317	45	0.17117	9	3	3.00	100	0	14960	0.24428	0.49887	42.04293	2560.703
23280	1205	20	0.16148	2	10	1.00	0	0	335	0.48499	0.00569	19.97725	54.0958
23280	1209	20	0.13119	2	10	1.00	0	0	908	0.39479	0.01544	19.93844	119.1205
23280	23253	35	0.14329	10	4	1.00	7	0	3563	0.25670	0.37875	33.49318	510.5423
23280	23259	35	0.10024	10	4	1.00	7	0	2589	0.17676	0.27516	34.02527	259.5214
23281	23282	30	0.12335	10	5	1.00	0	0	469	0.24776	0.05702	29.87135	57.85115
23281	23283	30	0.12885	10	5	1.00	0	0	411	0.25864	0.04996	29.89001	52.95735
23281	23319	30	0.09919	10	5	1.00	0	0	0	0.19828	0.00000	30.01614	0
23281	25052	30	0.11480	10	5	1.00	0	0	330	0.23024	0.04015	29.91559	37.884
23282	1206	20	0.16627	2	10	1.00	0	0	411	0.49952	0.00699	19.97208	68.33697
23282	1207	20	0.13159	2	10	1.00	0	0	361	0.39525	0.00614	19.97546	47.50399
23282	9607	30	0.09783	10	5	1.00	0	0	1220	0.19825	0.14818	29.60932	119.3526
23282	23281	30	0.12335	10	5	1.00	0	0	479	0.24779	0.05817	29.86830	59.08465
23283	1207	20	0.13306	2	10	1.00	0	0	771	0.40023	0.01312	19.94768	102.5893
23283	1208	20	0.09788	2	10	1.00	0	0	87	0.29372	0.00148	19.99410	8.51556
23283	23281	30	0.12885	10	5	1.00	0	0	405	0.25862	0.04916	29.89211	52.18425
23283	24033	30	0.09361	10	5	1.00	0	0	1417	0.19019	0.17216	29.53316	132.6454
23284	1207	20	0.18811	2	10	1.00	0	0	474	0.56524	0.00807	19.96779	89.16414
23284	1210	20	0.11797	2	10	1.00	0	0	102	0.35403	0.00173	19.99309	12.03294
23284	23253	35	0.10795	10	4	1.00	7	0	3645	0.19366	0.38741	33.44308	393.4778
23284	24033	35	0.16904	10	4	1.00	7	0	3355	0.30171	0.35662	33.61687	567.1292
23288	1331	20	0.12232	2	10	1.00	0	0	1391	0.36869	0.02366	19.90581	170.1471
23288	1332	20	0.10464	2	10	1.00	0	0	523	0.31447	0.00889	19.96449	54.72672
23288	8621	25	0.09748	10	5	1.00	0	0	4292	0.25178	0.52143	23.23096	418.3842
23316	9593	30	0.11922	10	5	1.00	0	0	892	0.24061	0.10830	29.72901	106.3442
23316	25052	30	0.10357	10	5	1.00	0	0	883	0.20901	0.10721	29.73217	91.45231
23317	1344	20	0.08394	2	10	1.00	0	0	384	0.25215	0.00653	19.97393	32.23296
23317	1345	20	0.12663	2	10	1.00	0	0	0	0.37988	0.00000	20.00000	0
23317	22696	45	0.13771	9	3	3.00	100	0	15196	0.19689	0.50673	41.96529	2092.641
23317	23279	45	0.17117	9	3	3.00	100	0	15524	0.24538	0.51767	41.85451	2657.243

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT	
23319	1208	20	0.12330	2	10	1.00	0	0	0	1	0.36990	0.00002	19.99992	0.1233
23319	1348	20	0.13712	2	10	1.00	0	0	0	1	0.41137	0.00002	19.99992	0.13712
23319	23281	30	0.09919	10	5	1.00	0	0	0	0	0.19828	0.00000	30.01614	0
23322	12270	30	0.15111	10	5	1.00	0	0	0	629	0.30406	0.07642	29.81894	95.04819
23322	12272	30	0.09568	10	5	1.00	0	0	0	265	0.19177	0.03224	29.93592	25.3552
23322	12274	30	0.14647	10	5	1.00	0	0	0	395	0.29397	0.04798	29.89522	57.85565
23323	12165	35	0.14641	10	4	2.00	7	0	0	1564	0.25267	0.08314	34.76711	228.9852
23323	12274	30	0.14256	10	5	1.00	0	0	0	175	0.28546	0.02121	29.96383	24.948
23323	23324	30	0.10541	10	5	1.00	0	0	0	339	0.21143	0.04114	29.91302	35.73399
23323	24035	35	0.10671	10	4	2.00	7	0	0	1895	0.18446	0.10072	34.70932	202.2155
23324	1346	20	0.11843	2	10	1.00	0	0	0	309	0.35568	0.00525	19.97901	36.59487
23324	1356	20	0.13327	2	10	1.00	0	0	0	31	0.39986	0.00052	19.99791	4.13137
23324	22697	30	0.12949	10	5	1.00	0	0	0	259	0.25952	0.03146	29.93789	33.53791
23324	23323	30	0.10541	10	5	1.00	0	0	0	387	0.21154	0.04705	29.89764	40.79367
23325	1344	20	0.08754	2	10	1.00	0	0	0	355	0.26293	0.00603	19.97591	31.0767
23325	22697	30	0.11770	10	5	1.00	0	0	0	323	0.23605	0.03921	29.91801	38.0171
23325	23259	30	0.17338	10	5	1.00	0	0	0	382	0.34793	0.04642	29.89930	66.23116
23326	12293	30	0.12547	10	5	1.00	0	0	0	15	0.25084	0.00186	30.01163	1.88205
23326	12294	30	0.16351	10	5	1.00	0	0	0	1612	0.33308	0.19584	29.45466	263.5781
23326	24065	30	0.11526	10	5	1.00	0	0	0	977	0.23285	0.11872	29.69852	112.609
23327	9604	35	0.07820	10	4	2.00	7	0	0	7535	0.14062	0.40043	33.36596	589.237
23327	12291	30	0.13838	10	5	1.00	0	0	0	28	0.27669	0.00343	30.00780	3.87464
23327	12292	35	0.13938	10	4	2.00	7	0	0	7560	0.25069	0.40177	33.35791	1053.713
23327	12293	30	0.13206	10	5	1.00	0	0	0	261	0.26466	0.03166	29.93740	34.46766
23328	12291	30	0.14952	10	5	1.00	0	0	0	88	0.29914	0.01067	29.99004	13.15776
23328	23332	30	0.13720	10	5	1.00	0	0	0	1050	0.27742	0.12755	29.67228	144.06
23328	24030	30	0.16095	10	5	1.00	0	0	0	1008	0.32530	0.12240	29.68764	162.2376
23329	23330	30	0.03740	10	5	1.00	0	0	0	799	0.07539	0.09705	29.76130	29.8826
23329	23332	30	0.08615	10	5	1.00	0	0	0	810	0.17370	0.09839	29.75747	69.7815
23330	23329	30	0.03740	10	5	1.00	0	0	0	810	0.07540	0.09839	29.75747	30.294
23330	23331	30	0.04729	10	5	1.00	0	0	0	799	0.09534	0.09705	29.76130	37.78471
23331	12164	45	0.04024	9	3	3.00	100	0	0	13677	0.05689	0.45608	42.44003	550.3625
23331	23260	45	0.14078	9	3	3.00	100	0	0	13238	0.19844	0.44143	42.56676	1863.646
23331	23330	30	0.04729	10	5	1.00	0	0	0	810	0.09535	0.09839	29.75747	38.3049
23332	1357	20	0.14310	2	10	1.00	0	0	0	251	0.42967	0.00427	19.98293	35.9181
23332	23328	30	0.13720	10	5	1.00	0	0	0	1044	0.27741	0.12686	29.67434	143.2368
23332	23329	30	0.08615	10	5	1.00	0	0	0	799	0.17368	0.09705	29.76130	68.83385
23333	1334	20	0.05381	2	10	1.00	0	0	0	369	0.16164	0.00627	19.97495	19.85589
23333	23334	30	0.11311	10	5	1.00	0	0	0	1701	0.23070	0.20663	29.41771	192.4001
23333	23337	30	0.09549	10	5	1.00	0	0	0	1516	0.19425	0.18413	29.49390	144.7628
23334	23265	35	0.10761	10	4	1.00	7	0	0	2751	0.19021	0.29244	33.94427	296.0351
23334	23333	30	0.11311	10	5	1.00	0	0	0	1742	0.23083	0.21160	29.40044	197.0376
23334	24037	35	0.09275	10	4	1.00	7	0	0	3926	0.16730	0.41732	33.26248	364.1365
23336	12298	30	0.15206	10	5	1.00	0	0	0	1081	0.30759	0.13138	29.66077	164.3769
23336	12299	30	0.10187	10	5	1.00	0	0	0	546	0.20478	0.06637	29.84630	55.62102
23336	23337	30	0.20764	10	5	1.00	0	0	0	645	0.41788	0.07836	29.81359	133.9278
23337	23333	30	0.09549	10	5	1.00	0	0	0	1475	0.19414	0.17916	29.51031	140.8478
23337	23336	30	0.20764	10	5	1.00	0	0	0	677	0.41803	0.08230	29.80272	140.5723
23337	24062	30	0.26580	10	5	1.00	0	0	0	879	0.53636	0.10683	29.73327	233.6382
23338	1100	20	0.12735	2	10	1.00	0	0	0	18	0.38207	0.00031	19.99878	2.2923
23338	1340	20	0.12322	2	10	1.00	0	0	0	777	0.37063	0.01321	19.94730	95.74194
23338	9142	30	0.10455	10	5	1.00	0	0	0	2145	0.21466	0.26062	29.22108	224.2598
23339	1331	20	0.11320	2	10	1.00	0	0	0	2609	0.34262	0.04437	19.82410	295.3388
23339	2508	45	0.14302	9	3	2.00	100	0	0	17181	0.24027	0.85940	35.71537	2457.227
23339	8985	45	0.14692	9	3	2.00	100	0	0	16944	0.24440	0.84755	36.07056	2489.412
24030	9345	35	0.16679	10	4	1.00	7	0	0	1410	0.28975	0.14989	34.53801	235.1739
24030	12298	30	0.09034	10	5	1.00	0	0	0	1183	0.18298	0.14367	29.62327	106.8722
24030	23328	30	0.16095	10	5	1.00	0	0	0	982	0.32519	0.11928	29.69688	158.0529
24030	25053	35	0.13515	10	4	1.00	7	0	0	1506	0.23504	0.16003	34.50079	203.5359
24033	12276	35	0.08589	10	4	1.00	7	0	0	4763	0.15787	0.50632	32.64283	409.0941
24033	23283	30	0.09361	10	5	1.00	0	0	0	1091	0.18939	0.13253	29.65729	102.1285
24033	23284	35	0.16904	10	4	1.00	7	0	0	3236	0.30110	0.34393	33.68520	547.0134
24034	9334	45	0.28334	9	3	3.00	100	0	0	15433	0.40588	0.51465	41.88540	4372.786
24034	12165	35	0.07800	10	4	2.00	7	0	0	1680	0.13469	0.08931	34.74702	131.04
24034	13410	35	0.17985	10	4	2.00	7	0	0	349	0.30861	0.01857	34.96552	62.76765
24034	22696	45	0.18451	9	3	3.00	100	0	0	15749	0.26499	0.52518	41.77673	2905.848
24035	1313	20	0.14076	2	10	1.00	0	0	0	426	0.42290	0.00725	19.97104	59.96376
24035	1356	20	0.12644	2	10	1.00	0	0	0	273	0.37968	0.00465	19.98143	34.51812
24035	9349	35	0.17960	10	4	2.00	7	0	0	2049	0.31071	0.10892	34.68174	368.0004
24035	23323	35	0.10671	10	4	2.00	7	0	0	1797	0.18437	0.09552	34.72657	191.7579
24037	1355	20	0.08326	2	10	1.00	0	0	0	604	0.25030	0.01027	19.95900	50.28904
24037	9340	35	0.14068	10	4	1.00	7	0	0	3322	0.25095	0.35312	33.63591	467.339
24037	23334	35	0.09275	10	4	1.00	7	0	0	4185	0.16820	0.44487	33.08464	388.1588
24062	1299	20	0.09349	2	10	1.00	0	0	0	85	0.28056	0.00145	19.99419	7.94665
24062	1359	20	0.16082	2	10	1.00	0	0	0	870	0.48389	0.01480	19.94097	139.9134
24062	23249	25	0.11139	10	5	1.00	0	0	0	106	0.26746	0.01284	24.98723	11.80734
24062	23337	30	0.26580	10	5	1.00	0	0	0	871	0.53631	0.10579	29.73626	231.5118
24065	1315	20	0.13322	2	10	1.00	0	0	0	491	0.40034	0.00836</		

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
24671	1318	20	0.14142	2	10	1.00	0	0	456	0.42493	0.00776	19.96900	64.48752
24671	1351	20	0.09202	2	10	1.00	0	0	361	0.27639	0.00613	19.97550	33.21922
24671	23249	25	0.07324	10	5	1.00	0	0	1092	0.17780	0.13261	24.71420	79.97808
24764	5029	45	0.09674	9	3	3.00	100	0	18913	0.14332	0.63069	40.49748	1829.644
24764	24765	45	0.09209	9	3	3.00	100	0	19188	0.13688	0.63984	40.36728	1767.023
24765	24764	45	0.09209	9	3	3.00	100	0	18913	0.13644	0.63069	40.49748	1741.698
24765	24766	45	0.05754	9	3	3.00	100	0	19471	0.08581	0.64929	40.22911	1120.361
24765	24777	25	0.08979	10	5	1.00	0	0	1130	0.21811	0.13733	24.70226	101.4627
24765	25126	25	0.07578	10	5	1.00	0	0	806	0.18336	0.09792	24.79901	61.07868
24766	24765	45	0.05754	9	3	3.00	100	0	19207	0.08554	0.64048	40.35807	1105.171
24766	30005	45	0.10452	9	3	3.00	100	0	19471	0.15588	0.64929	40.22911	2035.109
24767	1512	20	0.12084	2	10	1.00	0	0	309	0.36290	0.00525	19.97902	37.33956
24767	9384	25	0.09846	10	5	1.00	0	0	1540	0.24044	0.18707	24.57012	151.6284
24767	24768	45	0.06400	9	3	3.00	100	0	17273	0.09319	0.57600	41.20721	1105.472
24767	30005	45	0.04823	9	3	3.00	100	0	18638	0.07123	0.62152	40.62439	898.9107
24768	24767	45	0.06400	9	3	3.00	100	0	17018	0.09296	0.56749	41.30803	1089.152
24768	24769	45	0.05415	9	3	3.00	100	0	17273	0.07884	0.57600	41.20721	935.333
24769	24768	45	0.05415	9	3	3.00	100	0	17018	0.07865	0.56749	41.30804	921.5247
24769	24770	45	0.07927	9	3	3.00	100	0	16843	0.11496	0.56166	41.37589	1335.145
24769	24792	35	0.10045	10	5	1.00	0	0	2598	0.17814	0.31559	33.83121	260.9691
24769	25125	45	0.07427	10	5	1.00	0	0	1415	0.10059	0.17195	44.30079	105.0921
24770	24769	45	0.07927	9	3	3.00	100	0	16621	0.11472	0.55425	41.46043	1317.547
24770	24771	45	0.07744	9	3	3.00	100	0	16843	0.11230	0.56166	41.37589	1304.322
24771	24770	45	0.07744	9	3	3.00	100	0	16621	0.11207	0.55425	41.46043	1287.13
24771	24772	45	0.09379	9	3	3.00	100	0	16843	0.13600	0.56166	41.37589	1579.705
24772	24771	45	0.09379	9	3	3.00	100	0	16621	0.13572	0.55425	41.46044	1558.884
24772	25110	45	0.12761	9	3	3.00	100	0	16843	0.18506	0.56166	41.37589	2149.335
24774	9359	50	0.15153	10	3	3.00	7	0	16370	0.19692	0.54590	46.17093	2480.546
24774	25128	25	0.05446	10	5	1.00	0	0	2617	0.13527	0.31796	24.15667	142.5218
24774	25129	50	0.09675	10	3	3.00	7	0	16399	0.12576	0.54686	46.15905	1586.603
24777	1505	20	0.14990	2	10	1.00	0	0	515	0.45050	0.00876	19.96504	77.1985
24777	1508	20	0.09754	2	10	1.00	0	0	159	0.29277	0.00270	19.98920	15.50886
24777	1509	20	0.08185	2	10	1.00	0	0	159	0.24569	0.00270	19.98922	13.01415
24777	1510	20	0.07222	2	10	1.00	0	0	217	0.21681	0.00369	19.98524	15.67174
24777	24765	25	0.08979	10	5	1.00	0	0	1114	0.21806	0.13533	24.70734	100.0261
24777	24778	25	0.07935	10	5	1.00	0	0	118	0.19056	0.01434	24.98413	9.3633
24778	24777	25	0.07935	10	5	1.00	0	0	117	0.19055	0.01418	24.98446	9.28395
24778	24779	25	0.07308	10	5	1.00	0	0	297	0.17584	0.03614	24.93828	21.70476
24778	30007	25	0.05582	10	5	1.00	0	0	330	0.13435	0.04009	24.92979	18.4206
24779	1505	20	0.14282	2	10	1.00	0	0	59	0.42856	0.00101	19.99597	8.42638
24779	1506	20	0.09131	2	10	1.00	0	0	221	0.27414	0.00376	19.98497	20.17951
24779	1508	20	0.08535	2	10	1.00	0	0	20	0.25606	0.00033	19.99867	1.707
24779	24778	25	0.07308	10	5	1.00	0	0	309	0.17586	0.03756	24.93523	22.58172
24781	9387	50	0.26939	10	3	3.00	7	0	7599	0.33157	0.25341	48.74761	2047.095
24781	30006	50	0.07046	10	3	3.00	7	0	7622	0.08674	0.25418	48.74273	537.0461
24789	1514	20	0.11457	2	10	1.00	0	0	162	0.34390	0.00275	19.98900	18.56034
24789	24790	45	0.10522	10	5	1.00	0	0	944	0.14166	0.11464	44.56581	99.32768
24789	24795	45	0.09245	10	5	1.00	0	0	1101	0.12471	0.13378	44.48026	101.7875
24790	24789	45	0.10522	10	5	1.00	0	0	944	0.14166	0.11464	44.56581	99.32768
24790	24791	45	0.03685	10	5	1.00	0	0	944	0.04961	0.11464	44.56581	34.7864
24791	1201	20	0.25216	2	10	1.00	0	0	0	0.75648	0.00000	20.00000	0
24791	1503	20	0.17141	2	10	1.00	0	0	426	0.51496	0.00725	19.97103	73.02066
24791	1504	20	0.13613	2	10	1.00	0	0	520	0.40910	0.00884	19.96471	70.7876
24791	24790	45	0.03685	10	5	1.00	0	0	944	0.04961	0.11464	44.56581	34.7864
24792	24769	35	0.10045	10	5	1.00	0	0	2562	0.17803	0.31126	33.85276	257.3529
24792	24793	35	0.08359	10	5	1.00	0	0	2598	0.14825	0.31559	33.83121	217.1668
24793	1518	20	0.11624	2	10	1.00	0	0	213	0.34898	0.00361	19.98555	24.75912
24793	9521	25	0.05049	10	5	1.00	0	0	434	0.12165	0.05270	24.90233	21.91266
24793	24792	35	0.08359	10	5	1.00	0	0	2562	0.14815	0.31126	33.85276	214.1576
24793	24794	35	0.12440	10	5	1.00	0	0	2468	0.22012	0.29978	33.90900	307.0192
24794	1520	20	0.09959	2	10	1.00	0	0	0	0.29877	0.00000	20.00000	0
24794	1521	20	0.08734	2	10	1.00	0	0	329	0.26230	0.00559	19.97766	28.73486
24794	1522	20	0.10915	2	10	1.00	0	0	0	0.32744	0.00000	20.00000	0
24794	24793	35	0.12440	10	5	1.00	0	0	2426	0.21996	0.29467	33.93362	301.7944
24794	25086	35	0.25531	10	5	1.00	0	0	2512	0.45210	0.30518	33.88270	641.3387
24795	1511	20	0.09320	2	10	1.00	0	0	231	0.27983	0.00392	19.98433	21.5292
24795	1512	20	0.06001	2	10	1.00	0	0	95	0.18008	0.00162	19.99352	5.70095
24795	24789	45	0.09245	10	5	1.00	0	0	1099	0.12470	0.13354	44.48133	101.6026
24795	25125	45	0.07120	10	5	1.00	0	0	1418	0.09643	0.17227	44.29921	100.9616
24840	323	25	0.13749	2	10	1.00	1	3	2312	0.33256	0.03932	24.80494	317.8769
24840	1542	25	0.18733	2	10	1.00	4	3	329	0.45010	0.00559	24.97206	61.63157
24840	5514	45	0.14589	10	3	2.00	1	3	18117	0.25639	0.90622	34.14165	2643.089
24840	5516	45	0.25659	10	3	2.00	4	3	20331	0.52933	1.01696	29.08467	5216.731
24900	1128	25	0.08455	2	10	1.00	7	3	429	0.20321	0.00729	24.96360	36.27195
24900	9611	35	0.15107	10	4	1.00	7	3	764	0.26066	0.08120	34.77337	115.4175
24900	24901	35	0.07281	10	4	1.00	7	3	388	0.12518	0.04127	34.89812	28.25028
24901	24900	35	0.07281	10	4	1.00	7	3	534	0.12535	0.05672	34.85085	38.88054
24901	24902	35	0.09942	10	4	1.00	7	3	388	0.17093	0.04127	34.89813	38.57496
24902	24901	35	0.09942	10	4	1.00	7	3	534	0.17116	0.05672	34.85086	53.09028
24902	24903	35	0.17118	10	4	1.00	7	3	869	0.29567	0.09232	34.73715	148.7554
24902	24906	35	0.07975	10	4	1.00	7	3	484	0.13724	0.05140	34.86728	38.599
24903	1127	25	0.07909	2	10	1.00	7	3	558	0.19018	0.00949	24.95265	44.13222
24903	24902	35	0.17118	10	4	1.00	7	3	1017	0.29612	0.10811	34.68447	174.0901

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
24903	24904	35	0.15226	10	4	1.00	7	3	839	0.26291	0.08916	34.74752	127.7461
24904	1574	25	0.20208	2	10	1.00	7	3	860	0.48641	0.01463	24.92706	173.7888
24904	8653	35	0.19190	10	4	1.00	7	3	4390	0.34959	0.46663	32.93573	842.441
24904	9376	35	0.09506	10	4	1.00	7	3	3156	0.16909	0.33546	33.72976	300.0094
24904	24903	35	0.15226	10	4	1.00	7	3	987	0.26331	0.10495	34.69514	150.2806
24906	9374	35	0.04576	10	4	1.00	7	3	484	0.07875	0.05140	34.86727	22.14784
24906	24902	35	0.07975	10	4	1.00	7	3	480	0.13724	0.05105	34.86835	38.28
24907	9373	35	0.16161	10	4	1.00	7	3	271	0.27755	0.02881	34.93542	43.79631
24907	24908	35	0.06960	10	4	1.00	7	3	267	0.11953	0.02840	34.93662	18.5832
24908	1573	25	0.09175	2	10	1.00	7	3	999	0.22094	0.01700	24.91530	91.65825
24908	24907	35	0.06960	10	4	1.00	7	3	271	0.11953	0.02881	34.93542	18.8616
24908	24910	35	0.10267	10	4	1.00	7	3	728	0.17709	0.07742	34.78556	74.74376
24910	9375	35	0.08466	10	4	1.00	7	3	728	0.14603	0.07742	34.78556	61.63248
24910	24908	35	0.10267	10	4	1.00	7	3	732	0.17709	0.07783	34.78425	75.15444
24911	1124	25	0.11334	2	10	1.00	7	3	176	0.27218	0.00300	24.98501	19.94784
24911	9381	35	0.18834	10	4	1.00	7	3	17	0.32274	0.00177	35.01380	3.20178
24911	9396	35	0.04188	10	4	1.00	7	3	207	0.07189	0.02203	34.95539	8.66916
24912	9381	35	0.04451	10	4	1.00	7	3	942	0.07694	0.10018	34.71111	41.92842
24912	9612	35	0.11483	10	4	1.00	7	3	950	0.19850	0.10096	34.70850	109.0885
25041	1231	25	0.13891	2	10	1.00	3	3	1720	0.33533	0.02925	24.85461	238.9252
25041	1232	25	0.11603	2	10	1.00	3	3	1493	0.27989	0.02539	24.87371	173.2328
25041	5614	35	0.13498	10	5	1.00	0	3	4057	0.24732	0.49281	32.74585	547.6139
25041	25042	35	0.11603	10	5	1.00	0	3	3000	0.20736	0.36438	33.57417	348.09
25042	13976	35	0.10961	10	5	1.00	0	3	2866	0.19538	0.34816	33.66261	314.1423
25042	25041	35	0.11603	10	5	1.00	0	3	2131	0.20417	0.25888	34.09905	247.2599
25042	25043	35	0.09751	10	5	1.00	0	3	2641	0.17307	0.32079	33.80506	257.5239
25043	258	25	0.12902	2	10	1.00	3	3	14	0.30965	0.00023	24.99883	1.80628
25043	1233	25	0.12830	2	10	1.00	3	3	1212	0.30919	0.02061	24.89738	155.4996
25043	5620	35	0.11286	10	5	1.00	0	3	1443	0.19661	0.17525	34.44364	162.857
25043	25042	35	0.09751	10	5	1.00	0	3	3338	0.17551	0.40552	33.33519	325.4884
25044	263	25	0.16065	2	10	1.00	3	3	787	0.38660	0.01338	24.93325	126.4316
25044	1233	25	0.12322	2	10	1.00	3	3	676	0.29640	0.01150	24.94262	83.29672
25044	5608	35	0.15319	10	4	2.00	3	3	1392	0.26415	0.07395	34.79665	213.2405
25044	5620	35	0.11611	10	4	2.00	3	3	2611	0.20148	0.13879	34.57796	303.1632
25049	1106	20	0.12337	2	10	1.00	0	3	1626	0.37217	0.02765	19.89002	200.5996
25049	9583	35	0.10689	10	4	1.00	7	3	1634	0.18616	0.17369	34.44957	174.6583
25050	22733	30	0.09266	10	5	1.00	0	0	748	0.18670	0.09084	29.77885	69.30968
25050	25051	30	0.05835	10	5	1.00	0	0	748	0.11758	0.09084	29.77885	43.6458
25051	25050	30	0.05835	10	5	1.00	0	0	748	0.11758	0.09084	29.77885	43.6458
25052	1206	20	0.13488	2	10	1.00	0	0	519	0.40536	0.00882	19.96478	70.00272
25052	1348	20	0.10479	2	10	1.00	0	0	682	0.31510	0.01159	19.95373	71.46678
25052	23281	30	0.11480	10	5	1.00	0	0	328	0.23023	0.03980	29.91648	37.6544
25052	23316	30	0.10357	10	5	1.00	0	0	892	0.20903	0.10830	29.72901	92.38444
25053	1211	20	0.11997	2	10	1.00	0	0	447	0.36045	0.00760	19.96964	53.62659
25053	9608	35	0.14793	10	4	1.00	7	0	1238	0.25650	0.13163	34.60334	183.1373
25053	24030	35	0.13515	10	4	1.00	7	0	1621	0.23535	0.17231	34.45479	219.0782
25054	22733	45	0.17358	9	3	3.00	100	0	9158	0.23907	0.30538	43.56224	1589.646
25054	22746	45	0.19406	9	3	3.00	100	0	10200	0.26868	0.34012	43.33542	1979.412
25056	5029	50	0.09277	10	3	3.00	7	0	8328	0.11456	0.27773	48.59059	772.5886
25056	30006	50	0.08631	10	3	3.00	7	0	8289	0.10655	0.27640	48.59933	715.4236
25059	1516	20	0.05149	2	10	1.00	0	0	1052	0.15503	0.01790	19.92866	54.16748
25059	30006	25	0.06060	10	5	1.00	0	0	1581	0.14807	0.19200	24.55634	95.8086
25059	30007	25	0.07223	10	5	1.00	0	0	524	0.17419	0.06364	24.87805	37.84852
25062	9361	30	0.10610	10	4	1.00	7	3	1848	0.21614	0.19647	29.45253	196.0728
25062	25063	25	0.11493	10	5	1.00	0	3	910	0.27842	0.11049	24.76886	104.5863
25062	25085	35	0.06807	10	5	1.00	0	3	2330	0.12017	0.28305	33.98863	158.6031
25062	25087	30	0.12269	10	4	1.00	7	0	2188	0.25103	0.23259	29.32572	268.4457
25063	1104	20	0.10372	2	10	1.00	7	3	138	0.31129	0.00235	19.99061	14.31336
25063	1588	20	0.08645	2	10	1.00	7	3	826	0.26009	0.01404	19.94399	71.4077
25063	25062	25	0.11493	10	5	1.00	0	3	1217	0.27947	0.14779	24.67545	139.8698
25063	25064	25	0.08676	10	5	1.00	0	3	913	0.21018	0.11088	24.76794	79.21188
25064	25063	25	0.08676	10	5	1.00	0	3	1353	0.21134	0.16431	24.63205	117.3863
25064	25065	25	0.09497	10	5	1.00	0	3	393	0.22873	0.04775	24.91317	37.32321
25064	25080	25	0.14166	10	5	1.00	0	3	12	0.33984	0.00151	25.01039	1.69992
25064	25081	25	0.09072	10	5	1.00	0	3	536	0.21882	0.06511	24.87475	48.62592
25065	1586	20	0.09217	2	10	1.00	7	3	68	0.27659	0.00115	19.99540	6.26756
25065	1589	20	0.14091	2	10	1.00	7	3	0	0.42274	0.00000	20.00000	0
25065	25064	25	0.09497	10	5	1.00	0	3	832	0.22985	0.10102	24.79165	79.01504
25065	25066	25	0.10984	10	5	1.00	0	3	399	0.26455	0.04846	24.91162	43.82616
25066	25065	25	0.10984	10	5	1.00	0	3	899	0.26605	0.10923	24.77192	98.74616
25066	25067	25	0.17216	10	5	1.00	0	3	362	0.41449	0.04396	24.92142	62.32192
25066	25069	25	0.09487	10	5	1.00	0	3	480	0.22869	0.05832	24.88991	45.5376
25066	25079	25	0.13000	10	5	1.00	0	3	527	0.31355	0.06402	24.87720	68.51
25067	1103	20	0.13418	2	10	1.00	7	3	1235	0.40422	0.02100	19.91634	165.7123
25067	1105	20	0.14744	2	10	1.00	7	3	114	0.44251	0.00194	19.99225	16.80816
25067	25066	25	0.17216	10	5	1.00	0	3	962	0.41731	0.11681	24.75347	165.6179
25067	25068	25	0.08427	10	5	1.00	0	3	1093	0.20459	0.13276	24.71383	92.10711
25068	9582	25	0.11253	10	5	1.00	0	3	1093	0.27320	0.13276	24.71383	122.9953
25068	25067	25	0.08427	10	5	1.00	0	3	1651	0.20611	0.20060	24.53205	139.1298
25069	1105	20	0.16449	2	10	1.00	7	3	47	0.49356	0.00081	19.99677	7.73103
25069	1586	20	0.11254	2	10	1.00	7	3	2	0.33761	0.00004	19.99986	0.22508
25069	25066	25	0.09487	10	5	1.00	0	3	471	0.22867	0.05726	24.89225	44.68377
25069	25070	25	0.10881	10	5	1.00	0	3	435	0.26217	0.05281	24.90208	47.33235

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
25070	25069	25	0.10881	10	5	1.00	0	3	426	0.26214	0.05173	24.90447	46.35306
25070	25071	25	0.12721	10	5	1.00	0	3	516	0.30677	0.06269	24.88017	65.64036
25070	25076	25	0.11461	10	5	1.00	0	3	1557	0.27995	0.18919	24.56421	178.4478
25070	25078	25	0.14258	10	5	1.00	0	3	2241	0.35186	0.27221	24.31345	319.5218
25071	1585	20	0.10792	2	10	1.00	7	3	389	0.32418	0.00662	19.97357	41.98088
25071	1587	20	0.13096	2	10	1.00	7	3	127	0.39305	0.00216	19.99136	16.63192
25071	25070	25	0.12721	10	5	1.00	0	3	519	0.30678	0.06305	24.87937	66.02199
25073	9360	30	0.18881	10	4	1.00	7	3	5021	0.40763	0.53365	27.79138	948.015
25073	9361	30	0.11173	10	4	1.00	7	3	2589	0.22985	0.27519	29.16438	289.269
25073	25074	25	0.11550	10	5	1.00	0	3	1637	0.28242	0.19889	24.53690	189.0735
25073	25083	25	0.06261	10	5	1.00	0	3	1780	0.15340	0.21620	24.48693	111.4458
25074	1104	20	0.08253	2	10	1.00	7	3	169	0.24772	0.00287	19.98851	13.94757
25074	1584	20	0.09717	2	10	1.00	7	3	1519	0.29303	0.02583	19.89720	147.6012
25074	25073	25	0.11550	10	5	1.00	0	3	1734	0.28281	0.21060	24.50327	200.277
25074	25075	25	0.10162	10	5	1.00	0	3	993	0.24641	0.12061	24.74412	100.9087
25075	25074	25	0.10162	10	5	1.00	0	3	1056	0.24660	0.12833	24.72493	107.3107
25075	25076	25	0.09269	10	5	1.00	0	3	1290	0.22561	0.15674	24.65208	119.5701
25075	25081	25	0.08410	10	5	1.00	0	3	491	0.20277	0.05968	24.88688	41.2931
25075	25082	25	0.12424	10	5	1.00	0	3	159	0.29850	0.01936	24.97372	19.75416
25076	1586	20	0.08200	2	10	1.00	7	3	413	0.24634	0.00703	19.97194	33.866
25076	25070	25	0.11461	10	5	1.00	0	3	1551	0.27992	0.18841	24.56637	177.7601
25076	25075	25	0.09269	10	5	1.00	0	3	1358	0.22581	0.16502	24.63016	125.873
25078	1105	20	0.09665	2	10	1.00	7	3	736	0.29069	0.01251	19.95008	71.1344
25078	1587	20	0.13772	2	10	1.00	7	3	533	0.41391	0.00907	19.96380	73.40476
25078	9580	25	0.14029	10	5	1.00	0	3	3565	0.35536	0.43305	23.68741	500.1339
25078	25070	25	0.14258	10	5	1.00	0	3	2235	0.35183	0.27154	24.31563	318.6663
25079	1103	20	0.23913	2	10	1.00	7	3	7	0.71740	0.00013	19.99949	1.67391
25079	1589	20	0.08312	2	10	1.00	7	3	544	0.24982	0.00925	19.96305	45.21728
25079	9363	25	0.18452	10	5	1.00	0	3	112	0.44309	0.01359	24.98568	20.66624
25079	25066	25	0.13000	10	5	1.00	0	3	436	0.31324	0.05300	24.90168	56.68
25080	1588	20	0.08978	2	10	1.00	7	3	19	0.26937	0.00033	19.99868	1.70582
25080	1589	20	0.08779	2	10	1.00	7	3	255	0.26358	0.00434	19.98264	22.38645
25080	3714	25	0.10178	10	5	1.00	0	3	358	0.24502	0.04349	24.92244	36.43724
25080	25064	25	0.14166	10	5	1.00	0	3	12	0.33984	0.00151	25.01039	1.69992
25081	1104	20	0.11049	2	10	1.00	7	3	5	0.33146	0.00008	19.99968	0.55245
25081	1586	20	0.09493	2	10	1.00	7	3	51	0.28485	0.00086	19.99655	4.84143
25081	25064	25	0.09072	10	5	1.00	0	3	537	0.21882	0.06528	24.87437	48.71664
25081	25075	25	0.08410	10	5	1.00	0	3	490	0.20276	0.05952	24.88725	41.209
25082	1584	20	0.10589	2	10	1.00	7	3	0	0.31768	0.00000	20.00000	0
25082	1585	20	0.10418	2	10	1.00	7	3	159	0.31272	0.00271	19.98917	16.56462
25082	25075	25	0.12424	10	5	1.00	0	3	156	0.29849	0.01898	24.97452	19.38144
25083	25073	25	0.06261	10	5	1.00	0	3	1779	0.15340	0.21607	24.48731	111.3832
25083	25084	25	0.12904	10	5	1.00	0	3	1780	0.31619	0.21620	24.48693	229.6912
25084	1581	20	0.12259	2	10	1.00	7	3	386	0.36825	0.00656	19.97380	47.31974
25084	1583	20	0.09121	2	10	1.00	7	3	1394	0.27491	0.02371	19.90561	127.1467
25084	25083	25	0.12904	10	5	1.00	0	3	1779	0.31618	0.21607	24.48731	229.5622
25085	25062	35	0.06807	10	5	1.00	0	3	2373	0.12026	0.28829	33.96397	161.5301
25085	25086	35	0.11868	10	5	1.00	0	3	2330	0.20951	0.28305	33.98863	276.5244
25086	1581	20	0.12491	2	10	1.00	7	3	334	0.37514	0.00568	19.97730	41.71994
25086	24794	35	0.25531	10	5	1.00	0	0	2470	0.45177	0.30007	33.90760	630.6157
25086	25085	35	0.11868	10	5	1.00	0	3	2373	0.20966	0.28829	33.96397	281.6276
25087	1101	20	0.13718	2	10	1.00	7	0	1443	0.41356	0.02454	19.90232	197.9507
25087	3714	30	0.10671	10	4	1.00	7	0	1137	0.21563	0.12087	29.69217	121.3293
25087	25062	30	0.12269	10	4	1.00	7	0	1798	0.24980	0.19108	29.47070	220.5966
25088	52	25	0.40681	1	10	1.00	100	0	85	0.97664	0.00145	24.99275	34.57885
25088	5885	20	0.06557	10	6	1.00	1	3	7056	0.21637	0.60002	18.18181	462.6619
25088	5897	20	0.06182	10	6	1.00	1	3	7899	0.20926	0.67164	17.72705	488.3162
25090	25110	45	0.24535	9	3	3.00	100	0	16621	0.35506	0.55425	41.46044	4077.962
25110	24772	45	0.12761	9	3	3.00	100	0	16621	0.18468	0.55425	41.46044	2121.006
25110	25090	45	0.24535	9	3	3.00	100	0	16843	0.35579	0.56166	41.37589	4132.43
25125	24769	45	0.07427	10	5	1.00	0	0	1418	0.10059	0.17227	44.29921	105.3149
25125	24795	45	0.07120	10	5	1.00	0	0	1415	0.09643	0.17195	44.30080	100.748
25126	24765	25	0.07578	10	5	1.00	0	0	812	0.18337	0.09867	24.79724	61.53336
25126	25127	25	0.10839	10	5	1.00	0	0	806	0.26225	0.09792	24.79901	87.36234
25127	1515	20	0.08742	2	10	1.00	0	0	3424	0.26531	0.05822	19.76979	299.3261
25127	25126	25	0.10839	10	5	1.00	0	0	812	0.26227	0.09867	24.79724	88.01268
25127	25128	25	0.08551	10	5	1.00	0	0	2611	0.21237	0.31721	24.15935	223.2666
25128	24774	25	0.05446	10	5	1.00	0	0	2611	0.13525	0.31721	24.15935	142.1951
25128	25127	25	0.08551	10	5	1.00	0	0	2617	0.21239	0.31796	24.15667	223.7797
25129	1109	20	0.19365	2	10	1.00	0	0	1506	0.58391	0.02561	19.89808	291.6369
25129	5029	50	0.09675	10	3	3.00	7	0	16134	0.12546	0.53800	46.26692	1560.965
25129	24774	50	0.09675	10	3	3.00	7	0	16325	0.12567	0.54437	46.18963	1579.444
25130	1519	20	0.05500	2	10	1.00	0	0	442	0.16523	0.00752	19.96995	24.31
25130	3712	25	0.04902	10	5	1.00	0	0	1259	0.11927	0.15296	24.66201	61.71618
25130	9384	25	0.04902	10	5	1.00	0	0	1532	0.11970	0.18615	24.57267	75.09864
25131	25132	0	0.66754	2	8	0.00	0	0	0	0.00000	0.00000	0.00000	0
25131	25162	0	0.00843	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25132	25133	0	0.37880	2	8	0.00	0	0	0	0.00000	0.00000	0.00000	0
25132	25163	0	0.00960	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25133	25135	0	0.78264	2	8	0.00	0	0	0	0.00000	0.00000	0.00000	0
25133	25165	0	0.00591	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25135	25137	0	0.38393	2	8	0.00	0	0	0	0.00000	0.00000	0.00000	0
25135	25167	0	0.00997	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0

A	B	SPEED	DISTANCE	SPDCCLASS	CAPCLASS	LANES	AREA	REGION	V_1	TIME_1	VC_1	CSPD_1	VMT
25137	25138	0	0.64397	2	8	0.00	0	0	0	0.00000	0.00000	0.00000	0
25137	25169	0	0.00976	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25138	25160	0	0.21909	2	8	0.00	0	0	0	0.00000	0.00000	0.00000	0
25138	25171	0	0.01562	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25153	25154	0	0.65139	2	8	0.00	0	0	0	0.00000	0.00000	0.00000	0
25153	25172	0	0.00943	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25154	25155	0	0.37362	2	8	0.00	0	0	0	0.00000	0.00000	0.00000	0
25154	25170	0	0.01338	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25155	25156	0	0.79054	2	8	0.00	0	0	0	0.00000	0.00000	0.00000	0
25155	25168	0	0.00890	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25156	25157	0	0.37414	2	8	0.00	0	0	0	0.00000	0.00000	0.00000	0
25156	25166	0	0.01039	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25157	25158	0	0.65021	2	8	0.00	0	0	0	0.00000	0.00000	0.00000	0
25157	25164	0	0.01219	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25158	25161	0	0.00908	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25159	25153	0	0.22269	2	8	0.00	0	0	0	0.00000	0.00000	0.00000	0
25161	5546	63	0.03834	10	1	3.00	4	0	69908	0.05379	0.99076	42.76311	2680.273
25161	25158	0	0.00908	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25162	25131	0	0.00843	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25162	25163	63	0.66113	10	1	3.00	4	0	68923	0.90863	0.97680	43.65700	45567.06
25163	5548	63	0.04293	10	1	3.00	4	0	68923	0.05900	0.97680	43.65700	2958.864
25163	25132	0	0.00960	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25164	25157	0	0.01219	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25164	25161	63	0.65186	10	1	3.00	4	0	69908	0.91461	0.99076	42.76311	45570.23
25165	25133	0	0.00591	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25165	25167	63	0.78159	10	1	3.00	4	0	66045	1.01851	0.93601	46.04350	51620.11
25166	8842	63	0.02569	10	1	3.00	4	0	69323	0.03559	0.98248	43.29822	1780.908
25166	25156	0	0.01039	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25167	5552	63	0.02776	10	1	3.00	4	0	66045	0.03617	0.93601	46.04350	1833.409
25167	25135	0	0.00997	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25168	25155	0	0.00890	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25168	25166	63	0.79287	10	1	3.00	4	0	69323	1.09872	0.98248	43.29822	54964.13
25169	25137	0	0.00976	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25169	25171	63	0.63853	10	1	3.00	4	0	59785	0.76324	0.84729	50.19609	38174.52
25170	5658	63	0.03014	10	1	3.00	4	0	58653	0.03558	0.83126	50.81755	1767.801
25170	25154	0	0.01338	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25171	5963	63	0.02824	10	1	2.75	4	0	59785	0.07854	1.27093	21.57495	1688.328
25171	25138	0	0.01562	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25172	25153	0	0.00943	2	9	0.00	0	0	0	0.00000	0.00000	0.00000	0
25172	25170	63	0.64319	10	1	3.00	4	0	58653	0.75941	0.83126	50.81755	37725.02
25189	1109	20	0.21562	2	10	1.00	0	0	963	0.64897	0.01637	19.93473	207.6421
25189	5029	45	0.13340	9	3	3.00	100	0	14976	0.19041	0.49939	42.03782	1997.798
25189	9386	45	0.13340	9	3	3.00	100	0	15778	0.19164	0.52615	41.76650	2104.785
27005	27006	0	0.32300	9	2	0.00	100	0	0	0.00000	0.00000	0.00000	0
27006	5020	0	0.61697	9	2	0.00	100	0	0	0.00000	0.00000	0.00000	0
27006	27005	0	0.32300	9	2	0.00	100	0	0	0.00000	0.00000	0.00000	0
27042	5519	45	0.09822	10	3	4.00	1	3	38766	0.18708	0.96954	31.50279	3807.597
27042	5523	45	0.04943	10	3	4.00	1	3	35403	0.08504	0.88542	34.87626	1749.97
27042	27043	25	0.10454	10	3	1.00	1	3	1740	0.25491	0.17408	24.60577	181.8996
27043	324	25	0.09062	2	10	1.00	1	3	1867	0.21888	0.03175	24.84224	169.1875
27043	5512	25	0.19897	10	3	1.00	1	3	730	0.48028	0.07305	24.85680	145.2481
27043	5516	25	0.20523	10	3	1.00	1	3	1242	0.49784	0.12428	24.73503	254.8957
27043	27042	25	0.10454	10	3	1.00	1	3	1314	0.25376	0.13149	24.71702	137.3656
30003	1115	25	0.18983	2	10	1.00	7	3	220	0.45594	0.00374	24.98133	41.7626
30003	5032	35	0.40063	9	7	1.00	100	3	194	0.68731	0.01373	34.97423	77.72222
30003	9595	35	0.23034	9	7	1.00	100	3	361	0.39543	0.02561	34.95004	83.15274
30004	68	25	0.06963	2	10	1.00	1	3	2821	0.16872	0.04798	24.76240	196.4262
30004	5871	35	0.02538	10	3	3.00	1	3	25396	0.05424	0.84687	28.07031	644.5505
30004	5872	35	0.10461	10	3	2.00	1	3	24184	0.46599	1.20968	13.46869	2529.888
30005	1514	20	0.14954	2	10	1.00	0	0	589	0.44951	0.01001	19.96003	88.07906
30005	24766	45	0.10452	9	3	3.00	100	0	19207	0.15538	0.64048	40.35807	2007.516
30005	24767	45	0.04823	9	3	3.00	100	0	18900	0.07145	0.63027	40.50343	911.547
30006	24781	50	0.07046	10	3	3.00	7	0	7599	0.08673	0.25341	48.74761	535.4255
30006	25056	50	0.08631	10	3	3.00	7	0	8328	0.10657	0.27773	48.59059	718.7897
30006	25059	25	0.06060	10	5	1.00	0	0	1564	0.14804	0.19000	24.56194	94.7784
30007	1507	20	0.04573	2	10	1.00	0	0	270	0.13731	0.00459	19.98164	12.3471
30007	1510	20	0.12566	2	10	1.00	0	0	44	0.37704	0.00075	19.99700	5.52904
30007	24778	25	0.05582	10	5	1.00	0	0	317	0.13433	0.03851	24.93320	17.69494
30007	25059	25	0.07223	10	5	1.00	0	0	540	0.17422	0.06564	24.87356	39.0042