

January 2026

---

## ABBREVIATIONS

The following abbreviations are used within these Construction Specifications:

AASHTO:	American Association of State Highway and Transportation Officials
AB:	Aggregate Base
ABS:	Acrylonitrile-Butadiene-Styrene
AC:	Asphalt Concrete and Alternating Current
ASB:	Aggregate Subbase
ANSI:	American National Standards Institute
ARV:	Air Release Valve
ASTM:	American Society for Testing and Materials
AWG:	American Wire Gauge
AWWA:	American Water Works Association
BCR:	Beginning of Curb Return
BO:	Blow Off
C & G:	Curb and Gutter
C-C:	Center to Center
C.F.:	Cubic Foot
CIP:	Cast-in-place
C/L:	Centerline
C.M.P.:	Corrugated Metal Pipe
Const.:	Construction
CST:	Construction
Ctrs:	Centers
Cu. Ft.:	Cubic Feet
DET:	Detail
Dia.:	Diameter
DIP:	Ductile Iron Pipe
DLC:	Detector Lead-in Cable
DR:	Drainage
Dwg:	Drawing
EUD:	Environmental Utilities Director/Department
EVA:	Emergency Vehicle Channel A
EVB:	Emergency Vehicle Channel B
EVC:	Emergency Vehicle Channel C
EVD:	Emergency Vehicle Channel D
Fdn.:	Foundation
FL:	Flowline

January 2026

---

Ga.:	Gauge
Gal.:	Gallon
Galv.:	Galvanized
GR:	Grading
HDPE:	High Density Polyethylene
Horz.:	Horizontal
Hz:	Hertz
IBOC:	Internal Battery Operated Clock
ID:	Inside Diameter
LED:	Lighted Electronic Display
LS:	Landscaping
LMA:	Luminaire Mast Arm
MAS:	Mast-Arm Side mount
MAT:	Mast-Arm Top mount
Max.:	Maximum
Mil.:	Millimeter
Min.:	Minimum
M.P.	Metal Plate
No.:	Number
O.C.:	On Center
OD.:	Outside Diameter
OSHA:	Occupational Safety & Health Administration
P.C.C.:	Portland Cement Concrete
PEU:	Photoelectric Unit
P.O.C.	Point of Connection
PPB:	Pedestrian Push Button
PPM:	Parts Per Million
PRD:	Parks and Recreation Director/Department
PSI:	Pounds Per Square Inch
PVC:	Polyvinyl Chloride
RCP:	Reinforced Concrete Pipe
RCV:	Remote Control Valve
Rwd:	Redwood
R.P.:	Radius Point
R/W:	Right-of-Way
Sch:	Schedule

January 2026

---

SDMH:	Storm Drain Manhole
SMA:	Signal Mast Arm
SS:	Sanitary Sewer System
SSMH:	Sanitary Sewer Manhole
ST:	Street
STD:	Standard
TS:	Traffic Signals and Markings
TYP.:	Typical
UBC:	Uniform Building Code
UL:	Underwriters' Laboratory, Inc.
U.S.A.:	Underground Service Alert
VA:	Volts ampere
Var.:	Variable
VCP:	Vitrified Clay Pipe Bell and Spigot
Vert:	Vertical
WWF:	Welded Wire Fabric
WWM:	Welded Wire Mesh

All references to specifications, standards other publications refer to the current issue.