

HARTSVILLE/TROUSDALE COUNTY METROPOLITAN GOVERNMENT

PUBLIC WORKS COMMITTEE

Bubba Gregory, Chair
Lonnie Taylor, Vice Chair
Chris Gregory, Secretary

Alan Carman
Landon Gulley
Richard Johnson

Mark Presley
Cliff Sallee, Director

JUNE 13, 2023 | 6:00PM | TC COMMUNITY CENTER

Agenda

1. Call Meeting to order
2. Review minutes from May 17, 2023
3. Discussion Items
 - A. Parks
 - 1) LPRF Trey Park Playground
 - 2) Pool Season
 - B. Buildings
 - 1) Courthouse
 - 2) Animal Shelter - Site Improvements
 - C. Other
4. Public Comment
5. Adjourn

PUBLIC WORKS COMMITTEE MINUTES

Meeting Date: May 17, 2023, 6 p.m., Community Center

Present: Bubba Gregory, Chris Gregory, Landon Gulley, Lonnie Taylor, Mark Presley, Richard Johnson, Public Works Director Cliff Sallee, County Mayor Jack McCall

Others Present: Public Works staff Tracy Ausderau, Callie White, Joe Slagle, Tracy Bray, Maggie McBrayer

Chairman Bubba Gregory called the meeting to order.

Minutes of the April 12, 2023 meeting were reviewed. Motion to approve by Taylor, second by Gulley.

Motion approved.

Discussion opened on park design with LPRF grant. Maggie McBrayer with Cunningham Recreation presented three color schemes for new playground equipment and flooring. Gametime Playground Equipment will provide the new play equipment. Option 1 has green & blue decks with some yellow, Option 2 brown w/ some green, orange, Option 3 orange, more earthy feel.

Chris Gregory asked if there was any cost difference on options; there is not. Taylor asked how shades compare in holding up under UV radiation from sun and temperatures of equipment on hot days. Yellow tends to fade first, per McBrayer, and no reported issues on heat. Taylor also asked if there could be more UV shades over equipment, noting the committee had previously discussed this. Bubba Gregory indicated discussion was held, but nothing ever presented to the company. Taylor asked if sunshades can be larger, yes. Presley asked if shades last as long as equipment and ease of replacement. Per MM, they are easy to replace as parts are standardized.

Motion by Gulley to approve Option 2, second by Taylor.

Motion approved

with Chris Gregory voting no, citing preference for Option 1.

Sallee said Public Works is still determining what to do with the named fence planks currently at park; looking at building a wall with them. Sallee also noted the new play area will have sidewalks along edges to encourage people to walk, exercise. Project expected to be completed by summer 2024.

Gulley asked if ordering equipment is the holdup. Yes. Also asked when the park will be unavailable to the public, this is TBD. Some current equipment (swings, riders) can be relocated temporarily. Chris Gregory asked if the gazebo was safe to move. Sallee said this has yet to be determined.

Discussion turned to pool season. PW has six lifeguards, with five scheduled for Friday, May 19 training. Sallee noted that the track record for training is not good, that we might only have six or eight. Taylor asked about modifying the pool schedule. Sallee said the county HR director has limited lifeguards to 29 hours per week and that some had overtime last year. Committee members expressed concern over this decision being made without outside input. Sallee also said the pool has a water leak, estimating \$160 a day of water loss. C.Gregory asked if the leak can be patched. Pool would have to be drained possibly, PW is examining options.

Sallee also noted new rules from HR regarding the pool, including signed waivers by parents (first time this has been required). Also noted the pool has not been inspected yet. Mayor Jack McCall said the waiver is to limit county liability as many parents drop their kids off at the pool and leave. Rules changed to require users to be 12yrs or older to be by themselves.

Sallee said if pool days are cut, PW will likely not sell season passes. No pool parties booked yet either because of uncertainty.

C.Gregory asked if opening should be delayed until we know how many lifeguards are available, also for determination on if the 29-hour limit should be in place. Sallee said PW hoped to take four applicants

who failed training and have them work in concessions to free up time for lifeguards. Sallee also said there is no one local to do training.

B.Gregory asked if the leak could be fixed. Sallee said the sewer line has to be jetted every so often and the Water Dept. camera could be used to locate leaks. Taylor asked if pipes are PVC, they are, and indicated repairs could possibly be made underwater. Draining pool would lose 225,000 gallons, per Sallee.

Motion by C.Gregory to delay pool opening for one week to determine how many lifeguards will be available, and to allow County Commission to decide issue at its May 22 meeting, second by Gulley.

Motion approved.

Discussion turned to the Solid Waste ordinance on roll-off rentals sent back from Commission in April. Gulley said there are differences between ordinance and rental agreement. C.Gregory pointed out by adding "minimum" and "per ton" to portions of line 5 of rental agreement, that clears up any differences. Roll-off rentals will be \$345 + \$45 per ton (two tons included) for initial run. Run on the same day to be \$150 and \$45 per ton. Motion to recommend to County Commission by C.Gregory, second by Presley.

Motion approved.

Discussion turned to courthouse repairs. Mayor McCall said he had been inside that morning, lots of progress was made in cleaning but the building will need professional cleaning. B.Gregory asked if still shooting for June return for meetings, McCall indicated yes. Gulley asked if any electrical permits have been pulled, no one knows. Gulley pointed out if no permits, the county has liability for any work done. McCall said he thought an electrical inspector had gone through the building. Taylor said contractors should pull permits, then have inspected. Sallee said Trane told us they would check to see if permits were pulled, but was never done. Since Trane has been paid, may not be much we can do. Local inspector referred us to someone in Carthage, who said there may be little to do about it. Committee indicated a desire to have the county attorney get involved, and have Trane initiate the process of pulling permits. Mayor agreed this needs to be resolved.

Discussion turned to parking at the Community Center. C.Gregory noted that a constituent reached out to him after having the building rented for a May 10 event but when arrived, all parking was full. Constituent asked if parking could be reserved for those renting the building. Mayor indicated it might be a one-time event because this was the same day as Farmers Market which drew a large crowd to downtown. B.Gregory indicated it would be difficult to enforce such restrictions.

Floor opened to public comment, none made.

No date scheduled for the next meeting. Motion to adjourn by Taylor, second by Gulley.

Motion approved.

Minutes presented by Chris Gregory

Trey Park Hartsville, TN

Design • Build • PLAY!



LPRF – Trey Park Playground Project

Below is a rough budget of the Playground project. The state is funding up to \$600,000. Talking with Kimley Horn and Cunningham Recreation, we may need to request additional funding down the road. Wanted this thought to be in your mind as we move forward. This committee can approve the additional funding now or we can hold off and see where the expenses for the General Contractor may be. As you can see there is \$31,500 remaining in the Engineering line and that can be moved to the Installation line. I'm looking at adding \$100,000 to be sure all bases are covered for this project. With rising costs and fees, I want to be sure we have this project fully funded to be successful.

		GRANT FUNDING		50/50 Match	
		BUDGETED	PROPOSED	TDEC	HTCG
Engineering Services	Kimley Horn	\$ 88,500	\$ 88,500	\$ 44,250	\$ 44,250
Engineering Services	<i>TBD</i>	31,500	31,500	15,750	15,750
Equipment Design / Installation	Cunningham Recreation	1,050,000	1,050,000	525,000	525,000
Equipment Design / Installation	<i>General Contractor TBD</i>	20,000	120,000	10,000	110,000
Grant Administration	Kimley Horn / HTCG	10,000	10,000	5,000	5,000
		1,200,000	1,300,000	600,000	700,000
		<i>Difference</i>	<i>100,000</i>		

Attached:

- *Kimley Horn Quote*
- *Cunningham Recreation Quote*

HARTSVILLE/TROUSDALE COUNTY
328 BROADWAY
HARTSVILLE, TN 37074

Federal Tax Id: 56-0885615

Project No: 118326002.1
Project Name: HARTSVILLE TREY PARK
Project Manager: ELEY, ALISHA

Client Reference:

LUMP SUM

Description	Contract Value	
TASK 1 - GRANT ADMINISTRATION	10,000.00	
TASK 2 - ENGINEERING	88,500.00	
Subtotal	98,500.00	
Total LUMP SUM		



GameTime c/o Cunningham Recreation
 PO Box 240981
 Charlotte, NC 28224
 800.438.2780
 704.525.7356 FAX

05/19/2023
 Quote #
 164391-01-04

Total \$1,047,070.28

Trey Park (PIP Option 1)

Hartsville/Trousdale County
 Attn: Stephen Chambers
 328 Broadway, Room 5
 Hartsville, TN 37074, TN 37074
 Phone: 615-374-2461
 Stephen.Chambers@trousdalecountytn.gov

Ship to Zip 37074

Quantity	Part #	Description	Unit Price	Amount
1	RDU	GameTime - Powerscape Modular Unit	\$283,616.44	\$283,616.44
		(1) 4668 -- Up & On Bronze Sensor Package		
		(1) 4958 -- Hypno Wheel		
		(1) 4962 -- Echo Chamber		
		(2) 6050RP -- Altus X2 Tower Base		
		(1) 91756 -- Altus Tower Seat Barrier		
		(1) 91755 -- Altus Tower Barrier Panel		
		(1) 91769 -- Altus X Tower Tube To S Slide		
		(1) 153651 -- 24" St Section 30"Dia		
		(1) 153651 -- 24" St Section 30"Dia		
		(1) 153655 -- 30 Deg Elbow Sec 30" Dia		
		(1) 153655 -- 30 Deg Elbow Sec 30" Dia		
		(1) 153655 -- 30 Deg Elbow Sec 30" Dia		
		(1) 153655 -- 30 Deg Elbow Sec 30" Dia		
		(1) 203582 -- Tube Entrance Section		
		(1) 205962 -- Straight Section		
		(1) 205962 -- Straight Section		
		(1) 205964 -- Curved Right Section		
		(1) 207602 -- TRANSITION SECTION		
		(1) 207603 -- End Cap		
		(1) 207772 -- Wilder Tube Section		
		(1) 220066 -- SMASHED FOOTBUCK 114" LG. C/O		
		(1) 220066 -- SMASHED FOOTBUCK 114" LG. C/O		
		(1) 220068 -- SMASHED FOOTBUCK 152 1/2" LG. C/O		
		(1) 220068 -- SMASHED FOOTBUCK 152 1/2" LG. C/O		
		(1) 220117 -- FOOTBUCK ASSY 40 11/16" LG		
		(1) 220120 -- SLIDE GUARD PLATE 37 13/16" C/O		
		(1) 312637 -- Support Assy 82 13/16"Lg		
		(1) 6057HW -- HDW - ALTUS X TOWER TUBE TO S SLIDE		
		(1) X20379 -- OUTRIGGER PLATE 19.75"LG		
		(1) X20379 -- OUTRIGGER PLATE 19.75"LG		



GameTime c/o Cunningham Recreation
 PO Box 240981
 Charlotte, NC 28224
 800.438.2780
 704.525.7356 FAX

05/19/2023
 Quote #
 164391-01-04

Trey Park (PIP Option 1)

Quantity	Part #	Description	Unit Price	Amount
		(1) 91770 -- Altus X2 Tower Spiral Slide		
		(1) 153653 -- 49" Tube Section		
		(1) 153844 -- 90 Deg Elbow Sec 30" Dia		
		(1) 153844 -- 90 Deg Elbow Sec 30" Dia		
		(1) 153844 -- 90 Deg Elbow Sec 30" Dia		
		(1) 153844 -- 90 Deg Elbow Sec 30" Dia		
		(1) 160199 -- 90 Deg 30"W/15 Deg Flange		
		(1) 160202 -- 24"St Sec 15 Deg Flange		
		(1) 200172 -- STRAIGHT EXIT 30"DIA		
		(1) 203582 -- Tube Entrance Section		
		(1) 220028 -- FORMED FOOTBUCK 108 3/16" C/O		
		(1) 220120 -- SLIDE GUARD PLATE 37 13/16" C/O		
		(1) 220128 -- FOOTBUCK ASSY 38 1/4" C/O		
		(1) 6058HW -- HDW - ALTUS X2 TOWER SP SL		
		(1) V10792 -- FORMED FOOTBUCK 54 1/4"LG		
		(1) V10792 -- FORMED FOOTBUCK 54 1/4"LG		
		(1) V10794 -- FORMED FOOTBUCK 91 1/4"LG		
		(1) V10794 -- FORMED FOOTBUCK 91 1/4"LG		
		(1) X18007 -- FOOTBUCK SADDLE 15DEG		
		(1) X18009 -- FOOTBUCK SADDLE 30DEG		
		(1) X18020 -- 30 DEG ELBOW W/10*OFFSET		
		(1) X27812 -- FORMED SADDLE 19"LG		
		(2) 91762 -- Altus Overlook		
		(2) 91764 -- AltusTower Slide Panel		
		(1) 91759 -- Altus Modern Tower Barrier Panel		
		(1) 91760 -- Altus ModernTower Steering Whl.Pnl		
		(2) 6232 -- Pod (1'-0")		
		(2) 16465 -- Slide Transfer (Ada)		
		(1) 16700 -- Ada49"Sq Punch Steel Deck		
		(2) 16701 -- Ada 49"Tri Punch Steel Dk		
		(1) 16806 -- Ada 6"Stepped Platform		
		(1) 26049 -- Triton		
		(1) 26068 -- Oval Climbing Wall Attachment		
		(1) 26080 -- Stretched Loop Ladder		
		(3) 26083 -- Triton Support Rung (With Tab)		
		(2) 26092 -- Ps Plus Single Link Cross Beam		



GameTime c/o Cunningham Recreation
 PO Box 240981
 Charlotte, NC 28224
 800.438.2780
 704.525.7356 FAX

05/19/2023
 Quote #
 164391-01-04

Trey Park (PIP Option 1)

Quantity	Part #	Description	Unit Price	Amount
		(11) 26094 -- Triangular Shroud		
		(1) 26095 -- Hanging Pod Link		
		(1) 26099 -- Rock Wall Link		
		(2) 26142 -- Single With Step		
		(1) 26143 -- 90 Deg 2 Way X-Pod Step		
		(1) 27074 -- Trapezoid Overhead Ladder - 60 degrees		
		(1) 36063 -- Narrow End Balance Beam		
		(2) 36082 -- Free Standing X-Pod Step		
		(2) 5655RP -- 8' Extension w/Cap		
		(9) 5656RP -- 8' Extension w/out Cap		
		(3) 5656RP -- 8' Extension w/out Cap		
		(2) 91772 -- Umbra Roof Hex (Tower)		
		(1) 6267SP -- VistaStar 2 (Hybrid)		
		(11) 80001 -- 49"Tri Punched Steel Deck		
		(2) 80602 -- 2'-0"Entrance Barrier		
		(2) 80687 -- Handhold/Kick Plate Pkg		
		(2) 81665 -- Seat And Table For Two		
		(1) 81670 -- Crunch Bar		
		(1) 90004 -- Two Piece Hex Deck		
		(2) 90005 -- Two Piece Hex Deck, Ada Ramp Access		
		(2) 90019 -- Archway W/ Barrier		
		(1) 90176 -- Ada Crow'S Nest W/ Gizmo		
		(1) 90182 -- Ada Crow'S Nest W/ Thunderring		
		(2) 90264 -- 6' Upright, Alum		
		(3) 90265 -- 7' Upright, Alum		
		(4) 90266 -- 8' Upright, Alum		
		(6) 90268 -- 10' Upright, Alum		
		(1) 90269 -- 11' Upright, Alum		
		(1) 90270 -- 12' Upright, Alum		
		(1) 90354 -- Counter Panel		
		(1) 90355 -- Store Front Panel, Below Dk		
		(1) 90507 -- 2'-6"/3' Rumble & Roll Zip Slide		
		(1) 90530 -- 2'/2'-6" Little Foot Slide W/Enclosu		
		(1) 90654 -- 3'-6"/4'-0" Zip Swerve Slide Right		
		(1) 90668 -- Spiral Step Climber (4'-0" & 4'-6")		
		(1) 90715 -- Twist Ball Run-Gadget Pnl Above Dk		



GameTime c/o Cunningham Recreation
 PO Box 240981
 Charlotte, NC 28224
 800.438.2780
 704.525.7356 FAX

05/19/2023
 Quote #
 164391-01-04

Trey Park (PIP Option 1)

Quantity	Part #	Description	Unit Price	Amount
		(1) 90732 -- Kinetic Spinner 1 Color Pnl Above Dk		
		(1) 90791 -- Sloped Funner Climber Guardrail (Dbl)		
		(1) 90853 -- Quadratic Shade Canopy		
		(1) 90854 -- Equilateral Shade Canopy		
		(1) 90855 -- Hexagonal Shade Canopy		
		(1) 90870 -- Splitter 8'		
		(1) 90891 -- 8' Straight Slide		
		(1) 91006 -- Climber Offset Archway (3D)		
		(1) 91010 -- Archway W/ Socket (3D)		
		(1) 91039 -- Ramp (3D) 1'-0"		
		(1) 91049 -- Ramp Link (3D) 1'-6" & 2'-0"		
		(4) 91137 -- Entryway - 3D		
		(3) 91138 -- High Point / Low Point Entryway - 3D		
		(1) 91209 -- Climber Entryway - Barrier		
		(4) 91210 -- Climber Entryway - 3D		
		(1) 91268 -- Sprouts Climber		
		(5) 91335 -- Climber Offset Entryway (3D)		
		(1) 91378 -- PS S Wave Up & On LNK (4'-4'6")		
		(2) 91457 -- Sensory Wave Entryway		
		(1) 91486 -- Vertical Wiggle Climber 4'-4'-6"		
		(1) 91537 -- Hex Step Link		
		(1) 91538 -- Around the World Link		
		(1) 91564 -- Face Creator Panel		
		(1) 91581 -- Space Race Panel		
		(1) 91602 -- HDPE Vertical Ladder 3'0"		
		(1) 91604 -- HDPE Vertical Ladder 4'0"		
		(1) 91621 -- Hi-Line Climbing Link 2' Rise		
		(1) 91682 -- WeaveAround		
		(12) 91687 -- Umbra Roof Cap		
		(1) 91714 -- Modern Transfer w/Guardrail 3' Rise		
		(4) G90262 -- 4' Upright, Galv		
		(1) G90266 -- 8' Upright, Galv		
		(1) G90267 -- 9' Upright, Galv		
		(7) G90268 -- 10' Upright, Galv		
		(2) G90269 -- 11' Upright, Galv		
		(2) G90270 -- 12' Upright, Galv		



GameTime c/o Cunningham Recreation
 PO Box 240981
 Charlotte, NC 28224
 800.438.2780
 704.525.7356 FAX

05/19/2023
 Quote #
 164391-01-04

Trey Park (PIP Option 1)

Quantity	Part #	Description	Unit Price	Amount
		(1) G90271 -- 13' Upright, Galv		
		(14) G90272 -- 14' Upright, Galv		
1	RDU	GameTime - PrimeTime Odyssey Unit (per attached drawings)	\$49,987.30	\$49,987.30
		(2) 12023 -- 3 1/2" Uprt Ass'Y Alum 8'		
		(12) 12650 -- 3 1/2" Uprt Ass'Y Alum 4'		
		(1) 19057 -- Wave (Standard)		
		(1) 19094 -- Schooner (2'-6" & 3')		
		(1) 19121 -- Curved Zip Slide		
		(1) 19122 -- Wave Zip Slide (2'-6" & 3')		
		(1) 19171 -- Leaning Wall (3')		
		(1) 19241 -- Maze Panel		
		(1) 19433 -- Wrinkle Wall Attachment 3'		
		(2) 19491 -- 3' Odyssey Pod w/thunderring		
		(1) 19834 -- Flower Spinner Half Panel		
		(1) 19835 -- Face Creator Panel		
		(1) 19849 -- Animal Race Panel		
		(1) 19881 -- Hi Line Climb Link 1 Deck 0' Rise		
		(1) 19912 -- Modern Transfer w/Barrier 2' Rise		
1	RDU	GameTime - Freestanding Music Panels (per attached drawings)	\$22,453.91	\$22,453.91
		(5) 90264 -- 6' Upright, Alum		
		(1) 90267 -- 9' Upright, Alum		
		(1) 91547 -- Metallophone Panel (Below Deck)		
		(1) 91549 -- Dunan Drum Panel (Below Deck)		
		(1) 91551 -- Maracabasas Panel (Below Deck)		
		(1) 91552 -- Grand Chimes		
		(1) 91594 -- Duo		
		(1) 91596 -- Solo-Aluminum		
1	QRI185	GT-Shade - GTCU151508IG CANTI UMB 15X15X8 W/GLD	\$7,204.19	\$7,204.19
1	3274	GameTime - Sensory Wave Seat	\$2,285.10	\$2,285.10
1	6249	GameTime - Sensory Cove Climber - Square	\$3,129.60	\$3,129.60
1	6262	GameTime - Inclusive Whirl - Basic	\$17,779.00	\$17,779.00
1	62771	GameTime - Lady Bug Spring Rider	\$1,345.00	\$1,345.00
1	6369	GameTime - Sea Plane Two-Person Spring Rider	\$2,623.18	\$2,623.18
1	5959SP	GameTime - VistaTree Top 2	\$17,193.54	\$17,193.54
1	6257	GameTime - Sensory Dome - Large	\$16,947.76	\$16,947.76
1	3329	GameTime - Sensory Dome Climber Insert	\$146.72	\$146.72



GameTime c/o Cunningham Recreation
 PO Box 240981
 Charlotte, NC 28224
 800.438.2780
 704.525.7356 FAX

05/19/2023
 Quote #
 164391-01-04

Trey Park (PIP Option 1)

Quantity	Part #	Description	Unit Price	Amount
1	3320	GameTime - Bells 2 sided sensor for Dome	\$1,445.76	\$1,445.76
1	5058	GameTime - Arch Swing (Galv)	\$7,210.56	\$7,210.56
1	18826	GameTime - Primetime Swing 3 1/2" X 8'	\$1,799.00	\$1,799.00
1	12584	GameTime - Ada Primetime Swing Aab, 3 1/2" Od	\$1,113.00	\$1,113.00
2	18827	GameTime - Primetime Swing Add A Bay 3 1/2" X 8'	\$1,113.00	\$2,226.00
1	5128	GameTime - Expression Swing 3 1/2" X 8'	\$1,859.00	\$1,859.00
1	5165	GameTime - Expression Swing w Adaptive Seat 3 1/2	\$2,792.00	\$2,792.00
1	5173	GameTime - Adaptive Swing w/Rung Belt	\$218.40	\$218.40
2	8696	GameTime - Encl Seat 3 1/2"(8696)	\$456.00	\$912.00
4	8910	GameTime - Belt Seat 3 1/2"Od(8910)	\$366.00	\$1,464.00
1	5036	GameTime - Custom Fiberglass Sign 2S	\$3,131.10	\$3,131.10
8	28009	GT-Site - 6' P/S Bench W/Back Inground	\$978.00	\$7,824.00
4	QRI434	GT-Shade - HYU121208IG HYPERBOLIC UMB 12X12X8	\$4,479.46	\$17,917.84
1	INSTALL	MISC - Installation of Above Equipment- *Pricing includes Concrete Pad under Benches	\$173,050.00	\$173,050.00
10600	PIP	GT-Impax - Poured-In-Place Surfacing- Price Includes: <ul style="list-style-type: none"> • 8070 SF @ 3.75" depth for 8' CFH • 1880 SF @ 5.25" depth for 12' CFH • 50% Standard Color 50% Black • Small Granules (under all spinners, slide exits, and swings) • Three separate areas of color • Crushed Stone Sub-base • Trash Removal • Site Security • Freight • Installation 	\$27.35	\$289,910.00
10600	INSTALL	MISC - Sitework/Excavation of Area	\$1.19	\$12,614.00
1	INSTALL	MISC - Provide & Install Drainage	\$6,250.00	\$6,250.00
1	INSTALL	MISC - Provide and Install Concrete Sidewalk	\$30,275.00	\$30,275.00
1	INSTALL	MISC - Provide and Install Majestic 2 Rail 4' Tall Fence	\$37,595.00	\$37,595.00
1	91697	GameTime - VistaRope Hybrid Archway (Barrier)	\$785.52	\$785.52
1	14927	GameTime - NDS Play On Sign Package		
1	178749	GameTime - Owner's Kit	\$84.00	\$84.00
			Sub Total	\$1,025,187.92
			Estimated Freight	\$21,882.36
			Total	\$1,047,070.28



GameTime c/o Cunningham Recreation
PO Box 240981
Charlotte, NC 28224
800.438.2780
704.525.7356 FAX

05/19/2023
Quote #
164391-01-04

Trey Park (PIP Option 1)

Comments

* Site must be clear, level, free of obstructions, and accessible. *Site should permit installation equipment access. Purchaser shall be responsible for unknown conditions such as buried utilities, tree stumps, bedrock or any concealed materials or conditions that may result in additional costs.*

GAMETIME - TERMS & CONDITIONS:

- **PRICING:** Due to volatile economic demand, pricing is valid for 30 days. Pricing is subject to change. Request updated pricing when purchasing from quotes more than 30 days old.
- **TERMS OF SALE:** For equipment & material purchases, Net 30 days from date of invoice for governmental agencies and those with approved credit. All others, full payment for equipment, taxes and freight up front. Balance for services & materials due upon completion or as otherwise negotiated upon credit application review. Pre-payment may be required for equipment orders totaling less than \$5,000. Payment by VISA, MasterCard, or AMEX is accepted (**If you elect to pay by credit card, GameTime charges a 2.50% processing fee that is assessed on the amount of your payment. This fee is shown as a separate line item and included in the total amount charged to your credit card. You have the option to pay by check, ACH or Wire without any additional fees.**). Checks should be made payable to Playcore Wisconsin, Inc. d/b/a GameTime unless otherwise directed.
- **CREDIT APPLICATION:** Required for all non-governmental agencies and those entities who have not purchased from GameTime within the previous twelve calendar months.
- **FINANCE CHARGE:** A 1.5% monthly finance charge (or maximum permitted by law) will be added to all invoices over 30 days past due.
- **CASH WITH ORDER DISCOUNT:** Orders for GameTime equipment paid in full at time of order via check or electronic funds transfer (EFT) are eligible for a 3% cash-with-order (CWO) discount.
- **ORDERS:** All orders shall be in writing by purchase order, signed quotation or similar documentation. Purchase orders must be made out to Playcore Wisconsin, Inc. d/b/a GameTime.
- **FREIGHT CHARGES:** Shipments shall be F.O.B. destination. Freight charges prepaid and added separately.
- **SHIPMENT: Standard Lead time is 12-14 weeks** (some items may take longer) after receipt and acceptance of purchase order, credit application, color selections and approved drawings or submittals.
- **PACKAGING:** All goods shall be packaged in accordance with acceptable commercial practices and marked to preclude confusion during unloading and handling.
- **RECEIPT OF GOODS:** Customer shall coordinate, receive, unload, inspect and provide written acceptance of shipment. Any damage to packaging or equipment must be noted when signing delivery ticket. If damages are noted, receiver must submit a claim to Cunningham Recreation within 15 Days. Receiver is also responsible for taking inventory of the shipment and reporting any concealed damage or discrepancy in quantities received within 60 days of receipt.
- **RETURNS:** Returns are only available on shipments delivered within the last 60 days. A 25% (min.) restocking fee will be deducted from any credit due. Customer is responsible for all packaging & shipping charges. Credit is based on condition of items upon return. All returns must be in unused and merchantable condition. GameTime reserves the right to deduct costs associated with restoring returned goods to merchantable condition. Uprights & custom products cannot be returned.
- **TAXES:** Sales tax is shown as a separate line item when included. A copy of your tax exemption certificate must be submitted at time of order or taxes will be added to your invoice.

INSTALLATION CONDITIONS:

- **ACCESS:** Site should be clear, level and allow for unrestricted access of trucks and machinery.
- **STORAGE:** Customer is responsible for providing a secure location to off-load and store the equipment during the installation process. Once equipment has delivered to the site, the owner is responsible should theft or vandalism occur unless other arrangements are made and noted on the quotation.
- **FOOTER EXCAVATION:** Installation pricing is based on footer excavation through earth/soil only. Customer shall be responsible for unknown conditions such as buried utilities (public & private), tree stumps, rock, or any concealed materials or conditions that may result in additional labor or materials cost.
- **UTILITIES:** Installer will contact 811 to locate all public utilities prior to layout and excavation of any footer holes. Owner is responsible for locating any private utilities.
- **ADDITIONAL COSTS:** Pricing is based on a single mobilization for installation unless otherwise noted. Price includes ONLY what is stated in this quotation. If additional site work or specialized equipment is required, pricing is subject to change.

Animal Shelter Site Improvement Request \$2,300

Has \$6,448 remaining in reserves at this time.

----- Forwarded message -----

From: HTC Animal Shelter <animalshelter@trousdalecountytn.gov>

Date: Wed, May 31, 2023 at 11:09 AM

Subject: concrete work

To: Tracy Ausderau <tracy.ausderau@trousdalecountytn.gov>

Hey Tracy,

I have attached a w9 for Dahl concrete and epoxy. I would like to get him to do some work on our outside concrete. I have attached the estimate as well. Please refer only to the *Outside are behind building estimate * section of this attachment.

We are not doing anything to the inside.

Thank you

Rebecca Troutt

Concrete projects

greg dahl <dahlconcreteandepoxy@outlook.com>

Tue 5/16/2023 9:26 AM

To: animalshelter@trousdalecountytn.gov <animalshelter@trousdalecountytn.gov>

Hi Rebecca

I can't seem to send or receive any attachments for some reason so I'll just send it this way

Outside area behind building roughly 9x20 with turndown on back. 5 inches thick with wire mesh

Total \$2300

Inside floor to be pour over with trench drains to span walls

Roughly 22x6

8x13

8x30

This will include abs 4 inch drain to span back walls

Total \$7974

Sorry for the delay and if I need to get you any other details please let me know

Thank you

Greg Dahl

Dahl concrete & epoxy

3097911821

Get [Outlook for iOS](#)